

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

*The names of varieties and synonyms are in italics.*

## A.

- ABELE*, 369  
*Acanthus mollis*, 533  
*Acer*, 89  
  *campestre*, 89  
  *Pseudoplatanus*, 89  
*Aceras*, 392  
  *anthropophora*, 392  
*Acerinea*, 88  
*Achillea*, 212  
  *decolorans*, 532  
  *Millefolium*, 212  
  *Ptarmica*, 212  
  *tanacetifolia*, 532  
  *tomentosa*, 532  
*Achyrophorus maculatus*, 238  
*Actinos*, 920  
*Aconite*, 13  
  *winter*, 12  
*Aconitum*, 12  
  *Napellus*, 12  
*Acotyledones*, 507  
*Acorus*, 424  
  *Calamus*, 424  
*Actaea*, 14  
  *spicata*, 14  
*Actinocarpus Damasonium*, 427  
*Adder's tongue*, 520  
*Adiantum*, 510  
  *Capillus-Veneris*, 510  
*Adonis*, 4  
  *autumnalis*, 4  
*Adoxa*, 190  
  *Moschata*, 190  
*Ægilops ovata*, 555  
*Ægopodium*, 173  
  *Podagraria*, 173  
*Æthusa*, 180  
  *Cynapium*, 180  
*Agrapta nutans*, 408  
*Agrimonia*, 127  
  *Eupatoria*, 128  
  *odorata* (sub-sp.), 128

- Agrimonia*, 127  
  *hemp*, 203  
*Agropyrum*, 503  
  *acutum* (sub-sp.), 504  
  *caninum*, 503  
  *cristatum*, 565  
  *titorale*, 504  
  *pycranthum*, 504  
  *repens*, 504  
*Agrostemma Githago*, 57  
*Agrostis*, 476  
  *alba*, 477  
  *Anemagrostis*, 480  
  *australis*, 479  
  *canina*, 477  
  *interrupta*, 480  
  *nigra*, 477  
  *pumila*, 477  
  *setacea*, 477  
  *Spica-Venti*, 480  
  *stolonifera*, 478  
  *vulgaris*, 477  
*Aira*, 481  
  *alpina* (sub-sp.), 483  
  *cæpitosa*, 483  
  *canescens*, 483  
  *caryophyllea*, 482  
  *flexuosa*, 483  
  *levigata*, 483  
  *major*, 483  
  *montana*, 483  
  *præcox*, 482  
  *setacea*, 483  
  *uliginosa*, 483  
*Ajuga*, 332  
  *Chamaepitys*, 333  
  *genevensis*, 332  
*Alchemilla*, 126  
  *alpina*, 127  
  *argentea*, 127  
  *arvensis*, 127  
  *conjuncta*, 127  
  *hybrida*, 127  
  *montana*, 127  
  *vulgaris*, 127

- Alder*, 366  
  *berry-bearing*, 88  
*Alexanders*, 167  
*Allisma*, 426  
  *lanceolatum*, 427  
  *nutans*, 427  
*Plantago*, 427  
  *ranunculoides*, 427  
  *repens*, 427  
*Alismaceæ*, 426  
*Alkanet*, 277  
*All-good*, 338  
*All-heal*, 197  
*Alliaria*, 30  
*Allium*, 405  
  *Ampeloprasum*, 406  
  *arenarium*, 406, 407  
  *Babingtonii*, 406  
  *carinatum*, 407  
  *carinatum*, 407  
  *compactum*, 406  
  *complanatum*, 407  
*Halleri*, 406  
*oleraceum*, 407  
*paradoxum*, 535  
*roseum*, 535  
*Schenoprasum*, 406  
*Scordoprasum*, 406  
*sibiricum*, 407  
*sphærocephalum*, 406  
*triquetrum*, 407  
*ursinum*, 407  
*vineale*, 405  
*Allosorus crispus*, 510  
*All-seed*, 79  
*Alnus*, 366  
  *glutinosa*, 366  
*Alopecurus*, 473  
  *agrestis*, 473  
  *alpinus*, 473  
  *bulbosus* (sub-sp.), 474  
  *falus* (sub-sp.), 474  
  *geniculatus*, 474  
  *palustris*, 474  
  *pratensis*, 474  
  *pronus*, 474

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

538

## INDEX.

<i>Alsine</i> , 68	<i>Anthriscus</i>	<i>Arenaria</i>
<i>Cherleri</i> , 65	<i>ylvestris</i> , 176	<i>leptoclados</i> , 64
<i>marina</i> , 65	<i>vulgaris</i> , 176	<i>marginata</i> , 68
<i>stricta</i> , 64	<i>Anthyllis</i> , 102	<i>norvegica</i> (sub-sp.), 65
<i>Althaea</i> , 75	<i>Dillenii</i> , 102	<i>peploides</i> , 65
<i>hirsuta</i> , 75	<i>Vulneraria</i> , 102	<i>rubra</i> , 68
<i>officinalis</i> , 75	<i>Antirrhinum</i> , 295	<i>rubella</i> , 68
<i>Alyssum</i> , 36	<i>majus</i> , 295	<i>serpyllifolia</i> , 64
<i>calycinum</i> , 36	<i>Orontium</i> , 295	<i>sphaerocarpa</i> , 64
<i>incanum</i> , 529	<i>Apargia autumnalis</i> , 239	<i>tenuifolia</i> , 64
<i>maritimum</i> , 36	<i>hispidia</i> , 239	<i>trinervia</i> , 64
<i>Amaranthaceæ</i> , 510	<i>Taraxaci</i> , 239	<i>ulliginosa</i> , 63
<i>Amaranthus</i> <i>Blitum</i> ,	<i>Apera</i> , 479	<i>verna</i> , 63
534	<i>interrupta</i> (sub-sp.), 480	<i>viscosa</i> , 64
<i>retroflexum</i> , 534	<i>Spica-venti</i> , 480	<i>Aristolochiæ</i> , 352
<i>Amaryllideæ</i> , 398	<i>Aphanes arvensis</i> , 127	<i>Clematitis</i> , 352
<i>Ammi</i> <i>majus</i> , 531	<i>Apium</i> , 169	<i>Aristolochiaceæ</i> , 351
<i>Ammoderma</i> , 65	<i>graveolens</i> , 169	<i>Armeria</i> , 258
<i>Ammophila</i> , 480	<i>inundatum</i> , 170	<i>duriuscula</i> , 258
<i>arundinacea</i> , 481	<i>nodiflorum</i> , 170	<i>maritima</i> , 258
<i>baltica</i> , 481	<i>Apocynaceæ</i> , 288	<i>plantaginea</i> , 258
<i>Anacampsis</i> , 391	<i>Aporanthus Trifoliastrum</i> , 94	<i>pubescens</i> , 258
<i>Anacharis</i> <i>Alsinastrum</i> ,	<i>Apple</i> , 136	<i>pubigera</i> , 258
382	<i>crab</i> , 136	<i>vulgaris</i> , 258
<i>canadensis</i> , 382	<i>Aquifoliaceæ</i> , 85	<i>Armoracia</i> , 25, 37
<i>Nuttallii</i> , 382	<i>Aquilegia</i> , 12	<i>amphibia</i> , 25
<i>Anacyclis radiatus</i> , 532	<i>vulgaris</i> , 13	<i>Arnoseria</i> , 229
<i>Anagallis</i> , 265	<i>Arabidia</i> , 139	<i>pusilla</i> , 229
<i>arvensis</i> , 265	<i>Arabis</i> , 26	<i>Aroidæ</i> , 423
<i>carrulea</i> , 265	<i>ciliata</i> (sub-sp.), 27	<i>Arrhenatherum</i> , 485
<i>phœnicaea</i> , 265	<i>hirsuta</i> , 27	<i>avenaceum</i> , 485
<i>tenella</i> , 265	<i>hispida</i> , 26	<i>elatius</i> , 485
<i>Anchusa</i> , 277	<i>perfoliata</i> , 27	<i>Arrow-head</i> , 428
<i>arvensis</i> , 277	<i>petras</i> , 26	<i>Artemisia</i> , 215
<i>officinalis</i> , 278	<i>sagittata</i> , 27	<i>Absinthium</i> , 216
<i>sempervirens</i> , 278	<i>stricta</i> , 26	<i>cærulescens</i> , 532
<i>Andromeda</i> , 251	<i>Turrita</i> , 27	<i>campestris</i> , 215
<i>polifolia</i> , 252	<i>Aratium</i> , 291	<i>gallica</i> , 216
<i>Anemone</i> , 3	<i>Araliacæ</i> , 156	<i>maritima</i> , 216
<i>apennina</i> , 529	<i>Arbutus</i> , 250	<i>vulgaris</i> , 215
<i>honorosa</i> , 3	<i>Unedo</i> , 251	<i>Arthrocneum fruticosum</i> , 342
<i>Pulsatilla</i> , 3	<i>Archangel</i> , yellow, 330	<i>Arthrobium ebracteatum</i> , 105
<i>ranunculoides</i> , 529	<i>Arctium</i> , 220	<i>Arum</i> , 423
<i>Angelica</i> , 182	<i>intermedium</i> , 221	<i>italicum</i> , 423
<i>Archangelica</i> , 531	<i>Lappa</i> , 220	<i>maculatum</i> , 423
<i>sylvestris</i> , 182	<i>majus</i> , 220	<i>Arundo Calamagrostis</i> , 479
<i>Antennaria</i> , 208	<i>minus</i> (sub-sp.), 220	<i>Phragmites</i> , 487
<i>dioica</i> , 209	<i>nemorosum</i> , 220	<i>Asarabacca</i> , 352
<i>hyperborea</i> , 209	<i>pubens</i> , 220	<i>Asarum</i> , 352
<i>margaritacea</i> , 209	<i>tomentosum</i> , 220	<i>europæum</i> , 352
<i>Anthemis</i> , 211	<i>Arctostaphylos</i> , 251	<i>Ast</i> , 267
<i>anglica</i> , 212	<i>alpina</i> , 251	<i>mountain</i> , 136
<i>arvensis</i> , 211	<i>Uva-Ursi</i> , 251	<i>Asparagus</i> , 408
<i>Cotula</i> , 212	<i>Arenonnia agrimonoides</i> , 530	<i>officinalis</i> , 403
<i>maritima</i> , 212	<i>Arenaria</i> , 63	<i>Aspen</i> , 369
<i>nobilis</i> , 212	<i>Cherleri</i> , 65	<i>Asperula</i> , 195
<i>tinctoria</i> , 532	<i>ciliata</i> , 65	<i>arvensis</i> , 531
<i>Anthoxanthum</i> , 472	<i>fastigiata</i> , 530	<i>cynanchica</i> , 195
<i>odoratum</i> , 472	<i>Gerardi</i> , 63	<i>odorata</i> , 195
<i>Puelii</i> , 472	<i>hirta</i> , 63	<i>taurina</i> , 531
<i>Anthriscus</i> , 176	<i>hybrida</i> , 64	
<i>Cerefolium</i> , 176	<i>laxa</i> , 64	

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

539

Asperugo, 282	Atriplex	Bearberry, 251
procumbens, 282	<i>patula</i> , 340	Beard-grass, 178
Asphodel, bog, 412	pedunculata, 341	Bear's-foot, 12
Aspidium, 515	portulacoides, 341	Bedstraw, 192
aculeatum, 516	<i>prostrata</i> , 340	lady's, 192
angulare (sub-sp.), 516	rosea, 340	Beech, 367
<i>Boottii</i> , 517	<i>serrata</i> , 340	Beet, 338
<i>dumetorum</i> , 517	<i>Smithii</i> , 340	Bellis, 205
lobatum (sub-sp.), 516	<i>triangularis</i> , 340	perennis, 205
Lonchitis, 515	Atropa, 287	Bent, 476
remotum, 517	<i>Belladonna</i> , 287	Berberidæa, 14
Asplenium, 511	Atropis, 494	Berberis, 14
<i>acutum</i> , 513	Avena, 484	vulgaris, 15
<i>Adiantum-nigrum</i> , 513	Atriplex	Beta, 338
<i>anceps</i> , 512	<i>patula</i> , 340	<i>maritima</i> , 339
<i>alternifolium</i> , 512	elatior, 485	<i>Betonica officinalis</i> , 326
Ceterach, 514	fatua, 485	Betony, wood, 326
Clermontea, 512	<i>flavescens</i> , 484	Betula, 365
Filix-femina, 513	planiculmis, 535	<i>alba</i> , 365
fontanum, 512	<i>planiculmis</i> , 485	glutinosa (sub-sp.), 366
germanicum, 512	pratinensis, 485	<i>nana</i> , 366
incisum, 514	<i>pubescens</i> , 485	<i>pendula</i> , 366
lanceolatum, 513	<i>strigosa</i> , 485	<i>verrucosa</i> , 366
marinum, 512	Avens, 122	<i>Bieckia</i> , 394
molle, 513 <sup>1</sup>	Avilwort, 38	Bidens, 210
obtusum, 513	<i>Azalea procumbens</i> , 255	<i>cernua</i> , 210
Petrarcha, 512	B.	<i>tripartita</i> , 211
<i>rhaeticum</i> , 513	Baeothryon, 443	Bilberry, 249
Ruta-muraria, 511	Bald-money, 180	Bindweed, 284
septentrionale, 512	Ballota, 330	black, 347
serpentini, 512	<i>fatida</i> , 330	small, 285
Trichomanes, 512	<i>nigra</i> , 330	Birch, 365
viride, 512	<i>ruderalis</i> , 330	Bird's-foot, 105
Aster, 204	Balm, 321	Bird s-nest, 257
brumalis, 532	bastard, 324	<i>Orchis</i> , 855
Linosyris, 532	Balsam, 84	Birthwort, 352
longitubus, 532	Balsaminea, 84	Bishop s-weed, 173
Tripolium, 204	Bane-berry, 14	Bistort, 344
Astragalus, 104	Barbarea, 25	Bitter-sweet, 287
alpinus, 104	<i>arcuata</i> , 26	Blackberry, 117
<i>anicus</i> , 104	<i>intermedia</i> (sub-sp.), 26	Blackthorn, 114
glycyphyllos, 104	<i>parviflora</i> , 26	Bladder-seed, 166
hypoglottis, 104	<i>praecox</i> , 26	Campion, 55
Astrantia, 166	<i>stricta</i> (sub-sp.), 26	fern, 515
major, 166	<i>vulgaris</i> , 25	Blaeberry, 249
Athamanta <i>Lébanotis</i> , 177	Berry, 14	<i>Blechnum boreale</i> , 511
Athyrium, 513	<i>Barkhausia</i> , 231	Blinks, 69
<i>latifolium</i> , 514	Barley, 505	Blue-bell, 408
Atriplex, 339	Bartsia, 303	Blue-bottle, 222
<i>angustifolia</i> , 339	<i>alpina</i> , 303	Blue-eyed grass, 396
arenaria, 340	<i>divergens</i> , 304	<i>Elymus compressus</i> , 444
<i>Babingtonii</i> (sup-sp.), 340	<i>Odontites</i> , 304	<i>rufus</i> , 444
<i>eltetoidea</i> , 340	<i>serotina</i> , 304	Bog asphodel, 412
erecta, 339	<i>verna</i> , 304	bean, 273
<i>farinosa</i> , 340	<i>viscosa</i> , 303	myrtle, 364
<i>hastata</i> (sub-sp.), 339	Basil thyme, 321	Borage, 276
hortensis, 534	wild, 320	Boraginæa, 275
laciniata, 340	Bastard-balm, 324	Borage, 276
<i>littoralis</i> , 340	toad-flax, 355	<i>officinalis</i> , 276
<i>marina</i> , 340	Beaked-parsley, 176	Borecole, 32
nitens, 534	Beam, white, 136	Botrychium, 520
<i>patula</i> , 339		<i>Lunaria</i> , 521

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

540

## INDEX.

Botrychium	Broom-rape, 308	Calendula arvensis, 532
<i>ratzeum</i> , 521	Brunella vulgaris, 323	<i>officinalis</i> , 532
Box, 359	Brussels sprouts, 32	Callitrichie, 152
Brachypodium, 502	Bryonia, 160	<i>aquatica</i> , 153
<i>pinnatum</i> , 502	<i>dioica</i> , 160	<i>autumnalis</i> , 153
<i>sylvaticum</i> , 502	<i>black</i> , 401	<i>hamulata</i> (sub-sp.), 153
Bracken, 510	Buckbean, 278	<i>obtusangula</i> (sub-sp.), 153
Brake, 510	Buckthorn, 88	<i>Lachii</i> , 153
<i>rock</i> , 510	<i>sea</i> , 354	pedunculata (sub-sp.), 153
Bramble, 117	Buffonia tenuifolia, 530	platycarpa (sub-sp.), 153
Brandy-bottle, 15	Bugloss, 332	<i>stagnalis</i> , 153
Brassica, 31	Bugloss, 276, 277	<i>truncata</i> , 153
<i>adpressa</i> , 33	Viper's, 276	<i>verna</i> , 153
<i>alba</i> , 33	Bulbocastanum Linnæi, 171	<i>vernalis</i> , 153
<i>brevipes</i> , 33	Bullace, 114	Calluna, 253
<i>campestris</i> , 32	Bulrush, 442	<i>glabrata</i> , 254
Cheiranthus (sub-sp.), 32	Bunium Bulbocastanum, 171	<i>vulgaris</i> , 253
<i>monensis</i> , 32	denudatum, 174	Caltha, 10
<i>Napus</i> , 32	flexuosum, 174	<i>Guerangerii</i> , 11
<i>nigra</i> , 32	Bupleurum, 168	<i>palustris</i> , 11
<i>oleracea</i> , 31	aristatum, 168	<i>radicans</i> , 11
<i>polymorpha</i> , 31	falcatum, 168	<i>riparia</i> , 11
Rape (sub-sp.), 32	Odontites, 168	<i>vulgaris</i> , 11
Ruta-baga, 32	prostratum, 531	Calystegia, 284
Sinapis, 33	rotundifolium, 168	Camelina, 37
Spinapistrum, 33	teniusimum, 168	<i>sativa</i> , 37
tenuifolia, 34	Burdock, 220	Campanula, 246
Briza, 491	Bur-Marigold, 210	<i>glomerata</i> , 248
<i>maxima</i> , 535	Parsley, 185	<i>hederacea</i> , 245
<i>media</i> , 491	reed, 421	<i>hybrida</i> , 248
<i>minor</i> , 491	Burnet, great, 129	<i>latifolia</i> , 247
Broccoli, 32	salad, 128	<i>patula</i> , 246
Brome grass, 499	Saxifrage, 173	<i>persicifolia</i> , 247
Bromus, 499	Butcher's broom, 403	<i>rapunculoides</i> , 247
<i>arvensis</i> , 502	Butomus, 428	Rapunculus, 246
<i>arvensis</i> , 501	umbellatus, 428	<i>rotundifolia</i> , 246
<i>asper</i> , 499	Butter-bur, 216	Trachelium, 247
<i>Benekenii</i> , 499	Buttercup, 4	Campanulaceæ, 243
<i>commutatus</i> , 501	Butterwort, 310	Campion, 56
<i>diandrus</i> , 500	Buxus, 359	<i>moss</i> , 56
<i>erectus</i> , 499	sempervirens, 360	<i>red</i> , 57
<i>giganteus</i> , 496	C.	<i>white</i> , 57
<i>hordeaceus</i> , 501	Cabbage, 31	Canary grass, 471
<i>madricensis</i> , 500	St. Patrick's, 140	Candy-tuft, 41
<i>maximus</i> , 500	Cakile, 43	Cannabineæ, 361
<i>mollis</i> , 501	maritima, 43	Caper-spurge, 359
<i>multiflorus</i> , 501	Calamagrostis, 478	Caprifoliaceæ, 188
<i>patulus</i> , 535	Epipges, 478	Capsella, 38
<i>pratensis</i> , 501	lanceolata, 479	<i>Bursa-Pastoris</i> , 38
<i>racemosus</i> , 501	laysonica, 480	Caraway, 171
<i>ramosus</i> , 499	stricta, 480	Cardamine, 27
<i>rigidus</i> , 500	Calamint, 320	<i>amara</i> , 28
<i>secalinus</i> , 501	Calamintha, 319	<i>bellidifolia</i> , 529
<i>serotinus</i> , 499	Acinos, 321	<i>dentata</i> , 28
<i>sterilis</i> , 500	Clinopodium, 320	<i>flexuosa</i> (sub-sp.), 23
<i>squarrosum</i> , 535	menthaefolia, 320	<i>hastulata</i> , 26
<i>tectorum</i> , 535	Nepeta (sub-sp.), 320	<i>hirsuta</i> , 27
<i>velutinus</i> , 501	officinalis, 320	<i>impatiens</i> , 28
Brooklime, 302	sylvatica (sub-sp.), 320	<i>pratensis</i> , 28
Brook-weed, 266	C.	<i>sylvatica</i> , 28
Broom, 92	<i>acanthoides</i> , 225	Carduus, 224
<i>Butcher's</i> , 403		

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

541

<i>Carduus</i>	<i>Carex</i>
<i>crispus</i> , 225	<i>lagopina</i> , 452
<i>nutans</i> , 224	<i>lepidocarpa</i> , 461
<i>polyanthemos</i> , 225	<i>leporina</i> , 452
<i>pycnocephalus</i> , 225	<i>tigerica</i> , 450
<i>tenuiflorus</i> , 225	<i>limosa</i> , 456
<i>Woodwardii</i> , 227	<i>Micheliana</i> , 456
<i>Carex</i> , 448	<i>Mielichhoferi</i> , 457
<i>acuta</i> , 454	<i>Moenchiana</i> , 535
<i>acuta</i> , 465	<i>montana</i> , 459
<i>alpicola</i> , 452	<i>muricata</i> , 451
<i>alpina</i> , 453	<i>Oederi</i> (sub-sp.), 461
<i>ampullacea</i> , 464	<i>ornithopoda</i> , 459
<i>aquatica</i> , 455	<i>ovalis</i> , 452
<i>arenaria</i> , 450	<i>pallens</i> , 457
<i>aryroglochin</i> , 452	<i>paludosa</i> , 465
<i>atrata</i> , 453	<i>panicea</i> , 457
<i>axillaris</i> , 452	<i>paniculata</i> , 450
<i>Baenninghauseniana</i> , 452	<i>paradoxa</i> (sub-sp.), 450
<i>binervis</i> , 462	<i>pauciflora</i> , 448
<i>brizoides</i> , 535	<i>pendula</i> , 458
<i>Buxbaumii</i> , 453	<i>Persoonii</i> , 452
<i>cespitosa</i> , 454, 455	<i>phaeostachya</i> , 457
<i>canescens</i> , 452	<i>pilulifera</i> , 458
<i>capillaris</i> , 457	<i>polygamia</i> , 453
<i>ciliata</i> , 459	<i>praecox</i> , 458
<i>clandestina</i> , 460	<i>Pseudo-cyperus</i> , 465
<i>collina</i> , 459	<i>Pseudo-paradoxa</i> , 451
<i>curta</i> , 452	<i>pulicaris</i> , 448
<i>Davalliana</i> , 448	<i>pulla</i> , 464
<i>depauperata</i> , 463	<i>punctata</i> , 462
<i>dichroa</i> , 464	<i>rariflora</i> , 456
<i>digitata</i> , 459	<i>recurva</i> , 456
<i>dioca</i> , 449	<i>remota</i> , 452
<i>distans</i> , 461	<i>rigida</i> , 454
<i>disticha</i> , 449	<i>riparia</i> , 465
<i>divisa</i> , 449	<i>rupestris</i> , 449
<i>divulsa</i> (sub-sp.), 451	<i>salina</i> , 457
<i>echinata</i> , 451	<i>saxatilis</i> (sub-sp.), 461
<i>Ehrhartiana</i> , 451	<i>sax umbra</i> , 459
<i>elongata</i> , 458	<i>scotica</i> , 457
<i>erectorum</i> , 459	<i>spadicea</i> , 465
<i>extensa</i> , 461	<i>sparsiflora</i> , 457
<i>filiformis</i> , 460	<i>spetrostachya</i> , 462
<i>flava</i> , 461	<i>spicata</i> , 451
<i>frigida</i> , 463	<i>stellulata</i> , 457
<i>fulva</i> (sub-sp.), 462	<i>stictocarpa</i> , 457
<i>Gibsoni</i> , 455	<i>stricta</i> , 454
<i>glauea</i> , 456	<i>strigosa</i> , 463
<i>Goodenovii</i> , 455	<i>sylvatica</i> , 463
<i>gracilis</i> , 454	<i>tenella</i> , 452
<i>Grahamii</i> (sub-sp.), 464	<i>teretifuscula</i> , 450
<i>Grypos</i> , 452	<i>tomentosa</i> , 458
<i>hirta</i> , 460	<i>tricostata</i> , 454
<i>hordeiformis</i> , 535	<i>trinervis</i> , 455
<i>Hornscheidiana</i> , 462	<i>ustulata</i> , 535
<i>humilis</i> , 460	<i>vaginata</i> , 457
<i>incurva</i> , 449	<i>Vahlii</i> , 453
<i>intermedia</i> , 449	<i>vesicularia</i> , 464
<i>involuta</i> , 464	<i>vitis</i> , 452
<i>irrigua</i> (sub-sp.), 456	<i>vulgaris</i> , 455
<i>laevigata</i> , 462	<i>vulpina</i> , 451
	<i>Carex</i>
	<i>vulpinoidea</i> , 535
	<i>xanthocarpa</i> , 462
	<i>Carlina</i> , 221
	<i>racemosa</i> , 532
	<i>vulgaris</i> , 221
	<i>Carline-thistle</i> , 221
	<i>Carnation</i> , 54
	<i>Carpinus</i> , 368
	<i>Betulus</i> , 368
	<i>Carrot</i> , 184
	<i>Carum</i> , 170
	<i>Bulbocastanum</i> , 171
	<i>Carui</i> , 171
	<i>flexuum</i> , 174
	<i>Petroselinum</i> , 171
	<i>segetum</i> , 171
	<i>verticillatum</i> , 170
	<i>Caryolopha</i> , 278
	<i>Caryophyllea</i> , 52
	<i>Castanea vulgaris</i> , 534
	<i>Catabrosa</i> , 489
	<i>aquatica</i> , 489
	<i>Catapodium</i> , 498
	<i>Catch-fly</i> , 54
	<i>Nottingham</i> , 56
	<i>Cat-mint</i> , 322
	<i>Cat's-ear</i> , 238
	<i>Cat's-foot</i> , 209
	<i>Cat's-tail</i> , 422
	<i>grass</i> , 475
	<i>Cauliflower</i> , 32
	<i>Caucalis</i> , 185
	<i>Anthriscus</i> , 185
	<i>arvensis</i> , 186
	<i>daucoidea</i> , 185
	<i>helvetica</i> , 186
	<i>infesta</i> , 186
	<i>latifolia</i> , 185
	<i>nodosa</i> , 186
	<i>Celandine</i> , 18
	<i>lesser</i> , 10
	<i>Celastrinæ</i> , 87
	<i>Celery</i> , 169
	<i>Centaurea</i> , 222
	<i>aspera</i> , 223
	<i>Calcitrapa</i> , 223
	<i>Cyanus</i> , 222
	<i>decipiens</i> , 222
	<i>intybacea</i> , 532
	<i>Isnardi</i> , 223
	<i>Jaceæ</i> , 532
	<i>leucophaea</i> , 532
	<i>montana</i> , 532
	<i>nigra</i> , 222
	<i>nigrescens</i> , 222
	<i>paniculata</i> , 223
	<i>salmantica</i> , 532
	<i>Scabiosa</i> , 222
	<i>solstitialis</i> , 223
	<i>Centaury</i> , 270
	<i>yellow</i> , 269

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

542

## INDEX.

Centranthus, 197	Chenopodium	Cleavers, 104
<i>Calcitrata</i> , 532	<i>bryoides</i> , 338	Clematis, 2
<i>ruber</i> , 197	<i>candicans</i> , 337	<i>Vitalba</i> , 2
Centunculus, 264	<i>deltioideum</i> , 337	<i>Clinopodium vulgare</i> , 320
<i>minimus</i> , 265	<i>ficifolium</i> , 337	Cloudberry, 116
Cephalanthera, 388	<i>glaucum</i> , 338	Clover, 96
<i>ensifolia</i> , 388	<i>hybridum</i> , 337	<i>Alsite</i> , 100
<i>grandiflora</i> , 388	<i>intermedium</i> , 337	<i>crimson</i> , 97
<i>pallens</i> , 388	<i>multifidum</i> , 534	<i>Dutch</i> , 100
<i>rubra</i> , 389	<i>murale</i> , 337	<i>meadow</i> , 98
Cerastium, 58	<i>olidum</i> , 336	<i>red</i> , 98
<i>alpinum</i> , 60	<i>paganum</i> , 337	<i>white</i> , 100
<i>arvense</i> , 60	<i>polyspermum</i> , 336	Club-moss, 524
<i>atrovirens</i> , 59	<i>rubrum</i> , 338	Clypeola Jonthaspi, 529
<i>aquaticum</i> , 61	<i>urbicum</i> , 337	Cnicus, 225
<i>glomeratum</i> , 59	<i>viride</i> , 337	<i>acaulis</i> , 226
<i>glutinosum</i> , 59	<i>Vulvaria</i> , 336	<i>arvensis</i> , 226
<i>holosteoides</i> , 60	<i>Cherleria sedoides</i> , 65	<i>Carotorum</i> , 227
<i>lanatum</i> , 60	<i>Cherry</i> , 114	<i>dubius</i> , 226
<i>latifolium</i> , 60	<i>bird</i> , 115	<i>eriophorus</i> , 225
<i>pumilum</i> , 59	<i>Chervil</i> , 175	<i>Forsteri</i> , 227
<i>quaternellum</i> , 59	<i>Chickweed</i> , 62	<i>heterophyllus</i> , 227
<i>semidecandrum</i> , 59	<i>mouse-ear</i> , 58	<i>lanceolatus</i> , 225
<i>tetrandrum</i> , 59	<i>winter-green</i> , 264	<i>oleraceus</i> , 532
<i>trigynum</i> , 61	<i>Chicory</i> , 228	<i>palustris</i> , 226
<i>triviale</i> , 60	<i>Chironia Centaurium</i> , 269	<i>pratincola</i> , 227
<i>viscosum</i> , 59	<i>Chives</i> , 406	<i>setosus</i> (sub-sp.), 226
<i>vulgatum</i> , 59	<i>Chlora</i> , 267	<i>tuberous</i> , 227
Cerasus, 115	<i>perfoliata</i> , 270	<i>Woodwardi</i> , 227
Ceratophylleæ, 378	<i>Chrysanthemum</i> , 214	Cochlearia, 36
Ceratophyllum, 378	<i>Leucanthemum</i> , 214	<i>alpina</i> (sub-sp.), 37
<i>apiculatum</i> , 379	<i>Parthenium</i> , 214	<i>anglica</i> , 37
<i>demersum</i> , 378	<i>segetum</i> , 214	<i>Armoracia</i> , 37
<i>submersum</i> (sub-sp.),	<i>Chrysosplenium</i> , 142	<i>danica</i> (sub-sp.), 37
379	<i>alternifolium</i> , 142	<i>greenlandica</i> , 37
Ceterach officinarum, 514	<i>oppositifolium</i> , 143	<i>littoralis</i> , 37
Chaphorphyllum, 170	<i>Cicely</i> , 174	<i>officinalis</i> , 36
<i>Anthriscus</i> , 176	<i>Cicendia</i> , 270	<i>polymorpha</i> , 36
<i>aromaticum</i> , 531	<i>pusilla</i> , 270	Codline and Cream, 156
<i>aureum</i> , 531	<i>Cichorium</i> , 228	Colchicum, 412
<i>satinum</i> , 176	<i>Intybus</i> , 228	<i>autumnale</i> , 412
<i>sylvestre</i> , 176	<i>Cicutaria</i> , 172	Cole-rabi, 32
<i>temulentum</i> , 175	<i>virosa</i> , 172	<i>Colt's-foot</i> , 216
<i>temulum</i> , 175	<i>Cineraria integrifolia</i> , 220	Columbine, 12
Chamagrostis minima, 476	<i>Cinquefoil</i> , 123	Coila, 32
Chamomile, 212	<i>Ciræa</i> , 159	Comarum palustre, 124
<i>corn</i> , 212	<i>alpina</i> , 159	Comfrey, 277
<i>wild</i> , 213	<i>intermedia</i> , 159	Compositæ, 200
Charlock, 38	<i>lutetiana</i> , 159	Coniferae, 379
<i>white</i> , 44	<i>Cirsium anglicum</i> , 227	Conium, 167
Cheiranthus, 24	<i>Cistinae</i> , 45	<i>maculatum</i> , 167
<i>Cheiri</i> , 24	<i>Cistus anglicus</i> , 46	Conopodium, 174
Chelidonium, 18	<i>marifolius</i> , 46	<i>denudatum</i> , 174
<i>laciniatum</i> , 18	<i>tomentosus</i> , 46	Convallaria, 404
<i>majus</i> , 18	<i>Cladium</i> , 447	<i>majalis</i> , 405
Chenopodiaceæ, 335	<i>germanicum</i> , 447	Convolvulaceæ, 283
Chenopodium maritima, 342	<i>Mariscus</i> , 447	<i>Convolvulus</i> , 284
Chenopodium, 336	<i>Clary</i> , 321	<i>arvensis</i> , 284
<i>acutifolium</i> , 336	<i>Claytonia</i> , 69	<i>sepium</i> , 284
<i>album</i> , 336	<i>alsinoides</i> , 70	<i>Soldanella</i> , 285
<i>ambrosioides</i> , 534	<i>perfoliata</i> , 70	Conyzæ squarrosa, 207
Bonus-Henricus, 338		Corallorrhiza, 985

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

543

Corallorrhiza	Crepis	Cynosurus
<i>innata</i> , 385	<i>tectorum</i> , 230	<i>echinatus</i> , 488
Coral-root, 28, 385	<i>virens</i> , 230	Cyperaceæ, 439
Coriander, 177	Cress, 39	Cyperus, 440
Coriandrum, 177	American, 26	<i>fuscus</i> , 440
<i>sativum</i> , 178	bitter, 28	<i>longus</i> , 440
Corn chamomile, 212	penny, 40	Cyphef, 65
cockle, 58	rock, 26	Cypripedium, 395
flower, 222	Thale, 29	Calceolus, 395
marigold, 214	wart, 37	Cystopteris, 515
parsley, 171	water, 24	<i>alpina</i> (sub-sp.), 515
salad, 198	winter, 25	<i>dentata</i> , 515
Cornaceæ, 187	Crithmum, 178	<i>Dickieana</i> , 515
Cornel, 187	<i>maritimum</i> , 178	<i>fragilis</i> , 515
Cornus, 187	Crocus, 397	<i>montana</i> , 515
<i>sanguinea</i> , 187	<i>aureus</i> , 534	Cystisus, 92
<i>suecica</i> , 188	<i>biflorus</i> , 534	<i>scoparius</i> , 92
Coronilla varia, 530	<i>nudiflorus</i> , 397	
Coronopus didyma, 39	purple, 397	
<i>Ruellii</i> , 39	<i>sativus</i> , 511	
Corrigiola, 333	<i>speciosus</i> , 397	
<i>littoralis</i> , 333	<i>vernus</i> , 397	
Corydalis, 21	Cross-wort, 193	D.
<i>bulbosa</i> , 21	Crowberry, 86	Dabeocia, 254
<i>claviculata</i> , 21	Crowfoot, 4	Dactylis, 490
<i>Intea</i> , 21	Ivy-leaved, 7	glomerata, 490
<i>solida</i> , 21	Crow garlic, 495	Dafidolf, 399
Corylus, 367	Crucianella stylosa, 532	Daisy, 205
<i>Avellana</i> , 368	Cruciferae, 22	ox-eye, 214
Corynephorus, 482	Cryptogramma, 507	Damasonium, 427
<i>canescens</i> , 482	Cryptogramme, 510	stellatum, 427
Cotoneaster, 138	<i>crispa</i> , 510	Dame's violet, 31
<i>vulgaris</i> , 138	Cuckoo-flower, 28	Dandelion, 239
Cotton-grass, 445	<i>pint</i> , 423	Danewort, 189
weed, 213	Cucubalus bacciferus, 530	Danthonia decumbens, 456
Cotyledon, 146	<i>Behen</i> , 55	Daphne, 353
Umbilicus, 146	Cucumerineæ, 160	Laureola, 353
Cowbane, 172	Cucurbitaceæ, 160	Mezereum, 353
Cowberry, 250	Cud-weed, 207	Darnel, 503
Cow-parsnip, 183	Cupuliferæ, 365	Datura Stramonium, 533
wheat, 306	Currant, 144	Daucus, 184
Cowslip, 261	black, 145	Carota, 184
Crambe, 43	wild, 144	gummifera (sub-sp.), 185
<i>maritima</i> , 43	Cuscuta, 285	<i>maritimus</i> , 185
Cranberry, 250	<i>approximata</i> , 533	Dead-nettle, 328
Crane's-bill, 79	Epilinum, 285	henbit, 329
Crassulaceæ, 145	Epithymum, 285	Delphinium, 13
Crataegus, 137	<i>europæa</i> , 285	Ajacis, 13
<i>monogyna</i> (sub-sp.), 137	<i>hassiacæ</i> , 533	Consolida, 13
<i>Oxyacantha</i> , 137	<i>Trifolit</i> , 285	Demeria loitiacea, 498
<i>oxyacanthoides</i> , 137	Cyclamen, 262	Dentaria, 29
Creeping Jenny, 263	<i>europæum</i> , 317	bulbifera, 30
Crepis, 230	<i>hederæfolium</i> , 262	Deschampsia, 482
<i>biennis</i> , 230	<i>neapolitanum</i> , 262	flexuosa, 483
<i>fetida</i> , 230	Cynodon, 486	cæspitosa, 483
<i>hieracioides</i> , 230	Dactylon, 486	Deyeuxia, 480
<i>nicæensis</i> , 532	Cynoglossum, 283	neglecta, 480
<i>paludosa</i> , 232	montanum, 283	Devil's-bit scabious, 200
<i>pulchra</i> , 532	officinale, 283	Dewberry, 118
<i>setosa</i> , 230	<i>sylvaticum</i> , 283	Dianthus, 53
<i>succisaefolia</i> , 230	Cynosurus, 488	Armeria, 53
taraxacifolia, 230	<i>cristatus</i> , 488	cæsius, 53
		Caryophyllus, 54

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

544

## INDEX.

E.	Epilobium
<i>Dianthus</i>	<i>rivulare</i> , 156
<i>deltoides</i> , 53	<i>roseum</i> , 157
<i>glaucus</i> , 53	<i>rosmarinifolium</i> ,
<i>plumarius</i> , 54	<i>tetragonum</i> , 157
<i>prolifer</i> , 53	<i>virgatum</i> , 157
<i>Diervilla canadensis</i> , 531	<i>Epimedium alpinum</i> , 529
<i>Digitalis</i> , 298	<i>Epipactis</i> , 387
<i>purpurea</i> , 298	<i>atrorubens</i> (sub-sp.)
<i>Digitaria humifusa</i> , 469	388
<i>filiformis</i> , 469	<i>Helleborine</i> , 388
<i>Digraphis</i> , 471	<i>latifolia</i> , 387
<i>Dioscorea</i> , 400	<i>media</i> , 388
<i>Diotis</i> , 213	<i>ovalis</i> , 388
<i>maritima</i> , 213	<i>palustris</i> , 388
<i>Diplotaxis</i> , 33	<i>purpurata</i> (sub-sp.), 388
<i>nudicaulis</i> , 33	<i>rubiginosa</i> , 388
<i>tenuifolia</i> , 34	<i>violacea</i> , 388
<i>viminaria</i> , 529	<i>viridiflora</i> , 388
<i>Dipsaceae</i> , 198	<i>Epipogium</i> , 387
<i>Dipsacus</i> , 199	<i>aphyllum</i> , 387
<i>Fullonum</i> , 199, 532	<i>Gmelini</i> , 387
<i>pilosus</i> , 199	<i>Equisetaceae</i> , 521
<i>sylvestris</i> , 199	<i>Equisetum</i> , 521
<i>Dittander</i> , 39	<i>arenarium</i> , 523
<i>Dock</i> , 347	<i>arvense</i> , 521
<i>fiddle</i> , 348	<i>Drummondii</i> , 522
<i>golden</i> , 348	<i>fluviatile</i> , 522, 523
<i>Dodder</i> , 285	<i>hyemale</i> , 523
<i>Dogberry</i> , 187	<i>limosum</i> , 522
<i>Dog's mercury</i> , 360	<i>Mackayi</i> , 523
<i>Dog-rose</i> , 132	<i>maximum</i> , 522
<i>Dogwood</i> , 187	<i>Moorei</i> , 523
<i>Doronicum</i> , 217	<i>paleaceum</i> , 523
<i>Pardalanthus</i> , 217	<i>palustre</i> , 522
<i>Plantagineum</i> , 217	<i>pratense</i> , 522
<i>Dove's-foot</i> , 82	<i>ramosum</i> , 525
<i>Draea</i> , 34	<i>sylvaticum</i> , 522
<i>aizoides</i> , 34	<i>Telmateia</i> , 522
<i>confusa</i> , 35	<i>trachyodon</i> , 523
<i>contorta</i> , 35	<i>umbrosum</i> , 522
<i>incana</i> , 35	<i>variegatum</i> , 523
<i>murensis</i> , 35	<i>Wilsoni</i> , 523
<i>rupestris</i> , 34	
<i>verna</i> , 35	<i>Eranthis</i> , 12
<i>Dropwort</i> , 116	<i>hyemalis</i> , 12
<i>water</i> , 173	<i>Erica</i> , 252
<i>Drosera</i> , 150	<i>ciliaris</i> , 253
<i>anglica</i> , 150	<i>cinerea</i> , 252
<i>intermedia</i> , 150	<i>hibernica</i> , 253
<i>longifolia</i> , 150	<i>Mackiana</i> , 253
<i>obovata</i> , 150	<i>Mackayi</i> (sub-sp.),
<i>rotundifolia</i> , 150	252
<i>Drosaceae</i> , 149	<i>mediterranea</i> , 253
<i>Dryas</i> , 121	<i>multiflora</i> , 532
<i>depressa</i> , 121	<i>Tetralix</i> , 252
<i>octopetala</i> , 121	<i>vagans</i> , 253
<i>Duckweed</i> , 425	<i>vulgaris</i> , 253
<i>ivy-leaved</i> , 425	
<i>Dutch rush</i> , 523	<i>Ericaceae</i> , 248
<i>Dwale</i> , 287	<i>Erigeron</i> , 204
<i>Dyer's greenweed</i> , 91	<i>acre</i> , 204
<i>weed</i> , 45	<i>alpinum</i> , 204
	<i>canadense</i> , 204

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

545

Erigeron	Euphorbia	Festuca
<i>uniflorum</i> , 204	<i>exigua</i> , 358	<i>Pseudo-myurus</i> , 498
Eriocaulon, 421	<i>Helioscopia</i> , 356	<i>rubra</i> (sub-sp.), 497
<i>septangulare</i> , 421	<i>hiberna</i> , 357	<i>sabulicola</i> , 497
Eriocaulaceæ, 420	<i>Lethyris</i> , 359	<i>sciurooides</i> , 498
Eriophorum, 445	<i>palustris</i> , 357	<i>sylvatica</i> , 496
<i>alpinum</i> , 445	<i>Paralias</i> , 358	<i>tenuifolia</i> , 497
<i>angustifolium</i> , 445	<i>Pepis</i> , 359	<i>triflora</i> , 496
<i>capitatum</i> , 535	<i>Peplos</i> , 358	<i>uniglumis</i> , 498
<i>gracile</i> , 446	<i>pilosa</i> , 357	Feverfew, 214
<i>gracile</i> , 445	<i>platyphyllus</i> , 357	Ficaria, 9
<i>latifolium</i> (sub-sp.), 445	<i>portlandica</i> , 358	Field-madder, 195
<i>pubescens</i> , 446	<i>saicifolia</i> , 510	Figwort, 295
<i>polystachyon</i> , 445	<i>stricta</i> (sub-sp.), 357	Flago, 209
<i>vaginatum</i> , 445	<i>stricta</i> , 357	<i>apiculata</i> , 210
Erodium, 52	Euphorbiaceæ, 366	<i>canescens</i> , 210
<i>cicutarium</i> , 53	Euphrasia, 304	<i>gallica</i> , 210
<i>chaerophyllum</i> , 53	<i>gracilis</i> , 304	<i>germanica</i> , 289
<i>commixtum</i> , 53	<i>Odontites</i> , 304	<i>Jusset</i> , 210
<i>maritimum</i> , 53	<i>officinalis</i> , 304	<i>lutescens</i> , 210
<i>moschatum</i> , 53	<i>rotundata</i> , 304	<i>minima</i> , 210
<i>pilosum</i> , 507	Evening primrose, 158	<i>montana</i> , 210
<i>pimpinellæfolium</i> , 53	<i>Exacum filiforme</i> , 253	<i>spathulata</i> , 210
<i>triviale</i> , 507	Eyebright, 304	Filices, 507
Erophila, 35	F.	Fiorin grass, 477
<i>brachycarpa</i> (sub-sp.), 35	Fagus, 367	Flag, sweet, 424
<i>infata</i> (sub-sp.), 35	<i>sylvatica</i> , 367	yellow, 397
<i>verna</i> , 35	Falcatalpa <i>ornithopodoides</i> , 94	Flax, 78
Ernæastrum, 33	Fennel, 177	common, 78
<i>icanum</i> , 33	<i>hog's</i> , 182	purping, 78
Pollichii, 529	Fenugreek, 94	Flax-seed, 79
Ervum, 107	Fern, adder's tongue, 520	Flea-bane, 204
Eryngium, 165	bladder, 515	Flix-weed, 29
<i>campestre</i> , 165	bristle, 509	Feniculum, 177
<i>maritimum</i> , 165	filmy, 509	<i>officinale</i> , 177
Eryngo, 165	hard, 511	<i>vulgare</i> , 177
Erysimum, 30	hart's-tongue, 514	Fool's-parsley, 180
<i>Alliaria</i> , 30	maiden-hair, 510	Forget-me-not, 280
<i>cheiranthoides</i> , 31	male, 516	Fox-glove, 298
<i>orientale</i> , 529	parsley, 510	Fox-tail grass, 473
<i>virgatum</i> , 529	royal, 520	Fragaria, 123
Erythææ, 270	shield, 515	<i>elatior</i> , 123
<i>capitata</i> , 271	Festuca, 496	<i>sterilis</i> , 126
<i>Centaurium</i> , 271	<i>ambigua</i> , 498	<i>vesca</i> , 123
<i>chloodes</i> , 271	<i>arenaria</i> , 497	Frankenia, 52
<i>conferta</i> , 271	<i>arundinacea</i> , 496	<i>levigata</i> , 52
<i>latifolia</i> (sub-sp.), 271	<i>bromoïdes</i> , 498	<i>pulverulenta</i> , 530
<i>linariifolia</i> , 271	<i>casia</i> , 497	Frankeniaceæ, 51
<i>litoreum</i> (sub-sp.), 271	<i>Calamaria</i> , 496	Fraxinus, 267
<i>pulchella</i> (sub-sp.), 271	<i>decidua</i> , 497	<i>excelsior</i> , 267
Euphragia, 303	<i>duri scula</i> (sub-sp.), 497	<i>heterophylla</i> , 268
Euonymus, 87	<i>elatior</i> , 496	Fritillaria, 410
<i>europea</i> , 87	<i>gigantea</i> , 496	<i>Meleagris</i> , 410
Eupatorium, 203	<i>glauca</i> , 497	Frog-bit, 381
<i>cannabinum</i> , 203	<i>loliacea</i> , 496, 498, 503	Fuller's herb, 54
Euphorbia, 356	<i>Myuros</i> , 497	Fumaria, 19
<i>amygdaloïdes</i> , 357	<i>oraria</i> , 497	<i>agraria</i> , 529
<i>Characias</i> , 510	<i>ovina</i> , 497	<i>agraria</i> , 20
<i>coralloïdes</i> , 346	<i>pratensis</i> , 496	<i>Boræa</i> , 20
<i>Cyparissias</i> , 359		<i>capreolata</i> , 20
<i>dulcis</i> , 510		<i>confusa</i> (sub-sp.), 20
<i>Esula</i> , 359		<i>densiflora</i> , 20

N N

Fumaria	Galium	Glaucium
<i>micrantha</i> , 20	<i>uliginosum</i> , 193	<i>luteum</i> , 19
<i>muralis</i> (sub-sp.), 20	<i>Vaillantii</i> (sub-sp.), 194	<i>phoeniceum</i> , 529
<i>officinalis</i> , 20	<i>vernum</i> , 192	<i>violaceum</i> , 19
<i>pallidiflora</i> , 20	<i>Witheringii</i> , 193	
<i>perviflora</i> , 21		Glaux, 264
<i>spicata</i> , 529	<i>Garlic</i> , field, 40/	<i>maritima</i> , 264
<i>tenuisecta</i> , 21	<i>mustard</i> , 30	<i>Glechoma hederacea</i> , 323
<i>Vaillantii</i> (sub-sp.) 21	<i>Gastridium</i> , 479	<i>Globe flower</i> , 11
Fumariaceae, 19	<i>lendigerum</i> , 479	<i>Glyca maritima</i> , 36
Fumitory, 19	<i>Gean</i> , 114	<i>Glyceria</i> , 494
Furze, common, 92	<i>Genista</i> , 91	<i>aquatica</i> , 494
Irish, 92	<i>anglica</i> , 91	<i>Borreri</i> , 495
needle, 91	<i>pillosa</i> , 91	<i>conferta</i> , 495
G.	<i>tinctoria</i> , 91	<i>declinata</i> , 494
Gagea, 411	<i>Gentian</i> , 271	<i>distans</i> , 495
<i>lutea</i> , 411	<i>Gentiana</i> , 271	<i>fuitans</i> , 494
Galanthus, 400	<i>acaulis</i> , 533	<i>loliacea</i> , 493
<i>nivalis</i> , 400	<i>Amarella</i> , 272	<i>maritima</i> , 495
<i>Galeobdolon luteum</i> , 330	<i>campestris</i> , 272	<i>pedicellata</i> , 494
<i>Galeopsis</i> , 326	<i>germanica</i> (sub-sp.), 272	<i>placata</i> , 494
<i>angustifolia</i> (sub-sp.), 327	<i>nivalis</i> , 272	<i>procumbens</i> , 495
<i>bifida</i> , 327	<i>Pneumonanthe</i> , 272	<i>rigida</i> , 498
<i>canescens</i> , 327	<i>praecox</i> , 272	<i>spectabilis</i> , 494
<i>dubia</i> , 327	<i>uliginosa</i> , 272	<i>Gnaphalium</i> , 207
<i>intermedia</i> , 327	<i>verna</i> , 272	<i>luteo-album</i> , 208
<i>Ladanum</i> , 328	<i>Gentianæ</i> , 269	<i>norvegicum</i> (sub-sp.), 208
<i>ochroleuca</i> , 327	<i>Geraniaceæ</i> , 79	<i>pitulare</i> , 208
<i>speciosa</i> (sub-sp.), 327	<i>Geranium</i> , 79	<i>rectum</i> , 208
Tetrahit, 328	<i>angulatum</i> , 530	<i>spinum</i> , 208
<i>versicolor</i> , 327	<i>columbinum</i> , 81	<i>sylvaticum</i> , 208
<i>villosa</i> , 326	<i>dissectum</i> , 82	<i>uliginosum</i> , 208
Galingale, 440	<i>lanceastriense</i> , 80	<i>Goat's-beard</i> , 243
Galinsoga, 211	<i>Lebelii</i> , 82	<i>weed</i> , 173
<i>parviflora</i> , 211	<i>lucidum</i> , 82	<i>Golden-rod</i> , 208
Galium, 192	<i>modestum</i> , 82	<i>Gold</i> of Pleasure, 37
<i>anglicum</i> , 195	<i>molle</i> , 81	<i>Goodyers</i> , 336
<i>Aparine</i> , 194	<i>nodosum</i> , 530	<i>repens</i> , 336
<i>aristatum</i> , 194	<i>perenne</i> , 80	<i>Gooseberry</i> , 144
<i>boreale</i> , 194	<i>pinnum</i> , 81	<i>wild</i> , 144
<i>cinereum</i> , 531	<i>pratense</i> , 80	<i>Goose-foot</i> , 336
<i>commutatum</i> , 194	<i>prostratum</i> , 80	<i>grass</i> , 194
Cruciata, 193	<i>purpureum</i> , 82	<i>Gorse</i> , 92
<i>cruciatum</i> , 193	<i>pusillum</i> , 81	<i>Gout-weed</i> , 173
<i>elatum</i> , 194	<i>rymenaicum</i> , 80	<i>Gramineæ</i> , 466
<i>elongatum</i> , 193	<i>Raii</i> , 82	<i>Grape hyacinth</i> , 407
<i>erectum</i> (sub-sp.), 194	<i>Robertianum</i> , 82	<i>Grass, barley</i> , 506
<i>insubricum</i> , 194	<i>rotundifolium</i> , 81	<i>beard</i> , 478
Mollugo, 194	<i>sanguineum</i> , 80	<i>blue-eyed</i> , 396
montanum, 194	<i>striatum</i> , 530	<i>brome</i> , 499
<i>nitidulum</i> , 194	<i>sylvaticum</i> , 80	<i>canary</i> , 471
<i>palustre</i> , 193	<i>Gernander</i> , 331	<i>cat's-tail</i> , 475
<i>pusillum</i> , 194	<i>Geum</i> , 122	<i>cock's-foot</i> , 490
<i>saccharatum</i> , 531	<i>intermedium</i> , 122	<i>couch</i> , 504
<i>saxatile</i> , 193	<i>rivale</i> , 122	<i>dog's-tail</i> , 488
<i>scabrum</i> , 194	<i>urbanum</i> , 122	<i>dog's-tooth</i> , 486
<i>spurium</i> , 531	<i>Gipsy-wort</i> , 318	<i>fescue</i> , 495
<i>sylvestre</i> , 193	<i>Githago</i> , 58	<i>florin</i> , 477
<i>tricorne</i> , 195	<i>segetum</i> , 58	<i>fox-tail</i> , 473
	<i>Gladiolus</i> , 398	<i>hare's-tail</i> , 481
	<i>communis</i> , 398	<i>holly</i> , 472
	<i>illyricus</i> , 398	<i>lyme</i> , 507

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

547

Grass	<i>Heleocharis</i> , 440 <i>acicularis</i> , 441 <i>multicaulis</i> , 441 <i>palustris</i> , 441 <i>unigiumnis</i> (sub-sp.). 441 <i>Watsoni</i> , 441	<i>Hieracium</i> <i>chrysanthum</i> , 284 <i>cinerascens</i> , 235 <i>collinum</i> , 532 <i>croctatum</i> , 287 <i>corymbosum</i> (sub-sp.), 237 <i>decipiens</i> , 284 <i>denticulatum</i> , 235 <i>Dewari</i> (sub-sp.), 236 <i>divaricatum</i> , 234 <i>dubium</i> , 532 <i>extimum</i> , 233 <i>filiforme</i> , 237 <i>flocculosum</i> , 235 <i>Gibsoni</i> , 235 <i>globosum</i> , 233 <i>glomeratum</i> , 532 <i>gothicum</i> (sub-sp.), 236 <i>gracilentum</i> , 233 <i>heterophyllum</i> , 237 <i>holosericeum</i> , 233 <i>hypochloroides</i> , 235 <i>inuloides</i> , 237 <i>Iricum</i> (sub-sp.), 234 <i>juranum</i> , 237 <i>Lapeyrousei</i> , 234 <i>lasiophyllum</i> , 235 <i>Lawsoni</i> , 234 <i>lingulatum</i> , 234 <i>maculatum</i> , 236 <i>melanocephalum</i> , 233 <i>molle</i> , 231 <i>murorum</i> , 234 <i>murorum</i> , 235 <i>nigrescens</i> , 233 <i>nitidum</i> , 235 <i>obtusifolium</i> , 235 <i>pallidum</i> (sub-sp.), 235 <i>paludosum</i> , 233 <i>pedunculatum</i> , 509 <i>Peteeriaum</i> , 232 <i>Pilosella</i> , 232 <i>pilosissimum</i> , 232 <i>pratense</i> , 532 <i>prenanthesoides</i> , 236 <i>pulmonarium</i> , 233 <i>rigidum</i> , 237 <i>rupestre</i> , 232 <i>sabaudum</i> , 237 <i>saxifragum</i> , 234 <i>senescens</i> , 234 <i>stelligerum</i> , 235 <i>stoloniferum</i> , 532 <i>strictum</i> , 236 <i>sylvaticum</i> , 236 <i>tenellum</i> , 233 <i>tridentatum</i> (sub-sp.), 236 <i>umbellatum</i> , 237 <i>villosum</i> , 532 <i>villosum</i> , 233
H.	<i>Hemlock</i> , 167 Hemp agrimony, 208 Hemp nettle, 326 Henbane, 286 Heracleum, 183 <i>angustifolium</i> , 184 <i>Sphondylium</i> , 184 Herb Christopher, 14 Gerard, 178 Paris, 413 Robert, 82 Herminium, 393 Monorchis, 393	N N 2
Habenaria, 393	<i>Hernaria</i> , 384 <i>ciliata</i> , 384 <i>glabra</i> , 384 <i>hirsuta</i> , 384	
Halimia, 340	<i>Hesperis</i> , 31 <i>matronalis</i> , 31	
Haloragæ, 151	<i>Hieracium</i> , 232 <i>aggregatum</i> , 235 <i>alpinum</i> , 233 <i>amplexicaule</i> , 532 <i>anglicum</i> , 234 <i>argenteum</i> , 235 <i>atratum</i> , 234 <i>aurantiacum</i> , 233 <i>Auricula</i> , 532 <i>boreale</i> , 237 <i>Borreri</i> , 237 <i>cesium</i> (sub-sp.), 235 <i>calenduliflorum</i> , 233 <i>canadense</i> , 237 <i>cerinthoides</i> , 532 <i>cerithoides</i> , 234	
Haloscias scotica, 181		
Hard-heads, 222		
Hare-bell, 246		
Hare's-ear, 168		
Hart's-tongue, 514		
Hawk-bit, 238		
Hawk's-beard, 230		
Hawkweed, 232		
mouse-ear, 232		
Hawthorn, 187		
Hazel, 367		
Heart's-ease, 49		
Heath, 252		
Cornish, 253		
cross-leaved, 252		
St. Dabeoc's, 254		
Hedera, 186		
canariensis, 187		
Helix, 187		
Hedge-mustard, 30		
parsley, 185		
Hedypnois hirtus, 239		
<hispidus< i="">, 239</hispidus<>		
Taraxaci, 239		

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

548

## INDEX.

Hieracium	Hyoscyamus	Iris'
<i>vulgatum</i> , 236	<i>niger</i> , 286	<i>tuberosa</i> , 534
Hierochloe, 472	<i>pallidus</i> , 286	<i>Xiphium</i> , 534
borealis, 473		
Hippocratea, 106	Hypericaceæ, 71	<i>Isatis</i> , 42
<i>comosa</i> , 106	Hypericum, 72	<i>tinctoria</i> , 42
Hippophae, 334	<i>Androsænum</i> , 72	<i>Inardia palustris</i> , 158
<i>rhamnoïdes</i> , 351	<i>barbatum</i> , 530	<i>Isoetes</i> , 516
Hippuris, 151	<i>batticum</i> , 73	<i>Duriæ</i> , 526
<i>vulgaris</i> , 151	<i>calycinum</i> , 72	<i>echinospora</i> (sub-sp.), 526
Hirculus, 149	<i>decumbens</i> , 73	<i>Hystrix</i> , 526
Hog's Fennel, 182	<i>dubium</i> , 73	<i>lacustris</i> , 526
Hog-weed, 183	<i>elatum</i> , 530	<i>Morei</i> , 526
Holcus, 483	<i>elodes</i> , 74	<i>Isolepis</i> , 443
<i>lanatus</i> , 483	<i>hircinum</i> , 530	<i>fluitans</i> , 443
<i>mollis</i> , 484	<i>hirsutum</i> , 74	<i>Holoscheirus</i> , 443
Holly, 85	<i>humifusum</i> , 73	<i>pygmaea</i> , 443
Holosteum, 58	<i>linarifolium</i> , 73	<i>Savii</i> , 443
<i>umbellatum</i> , 58	<i>montanum</i> , 74	<i>setacea</i> , 443
Honckenya, 65	<i>perforatum</i> , 72	<i>Ivy</i> , 186
Honewort, 169	<i>pulchrum</i> , 74	ground, 823
Honeysuckle, 190	<i>quadrangulum</i> , 73	
Hop, 363	<i>tetraplerum</i> , 73	
Horehound, black, 330	<i>undulatum</i> , 73	
white, 324		J.
Hordeum, 505	Hypochaëris, 238	
<i>maritimum</i> , 506	<i>Balbisii</i> , 238	Jack by the Hedge, 30
<i>mirrinum</i> , 506	<i>glabra</i> , 238	Jacob's Ladder, 274
<i>pratense</i> , 506	<i>maculata</i> , 238	Jasione, 244
<i>sylvaticum</i> , 505	<i>radicate</i> , 238	<i>montana</i> , 245
Horehound, black, 330	Hypopythis, 257	Juncea, 413
white, 324	<i>multiflora</i> , 257	Juncus, 414
Hornbeam, 368		<i>acutiflorus</i> , 417
Horned pond-weed, 437	I.	<i>acutus</i> , 415
poppy, 18	Iberis, 41	<i>articulatus</i> , 417
Hornwort, 278	<i>amaria</i> , 41	<i>balticus</i> , 415
Horse-radish, 37	Ilex, 85	<i>biglumis</i> , 416
Horse-tail, 500	<i>Aquifolium</i> , 86	<i>bottnicus</i> , 417
Hottonia, 266	Ilicineæ, 85	<i>bunonis</i> , 418
<i>palustris</i> , 266	Illecebræceæ, 333	<i>bulbous</i> , 417
Hound's-tongue, 233	Illecebrum, 334	<i>capitatus</i> , 418
House-leek, 149	<i>verticillatum</i> , 334	<i>castaneus</i> , 416
Humulus, 363	Impatiens, 84	<i>cænosus</i> , 417
<i>Lupulus</i> , 363	<i>fulva</i> , 85	<i>communis</i> , 414
Hutchinsia, 42	<i>Noli-me-tangere</i> , 85	<i>compressus</i> , 417
<i>alpina</i> , 529	<i>parviflora</i> , 85	<i>conglomeratus</i> , 414
<i>petræa</i> , 42	Imperatoria, 183	<i>difflorus</i> , 414
Hyacinth, grape, 407	Inula, 206	<i>effusus</i> , 414
wild, 408	<i>Conyza</i> , 206	<i>filiformis</i> , 415
Hyacinthus <i>nonscriptus</i> ,	<i>crithmoides</i> , 206	Gerardi (sub-sp.), 417
408	<i>dyserterica</i> , 207	<i>glaucus</i> , 414
Hydatella, 139	<i>Helemium</i> , 207	<i>lamprocarpus</i> (sub-sp.),
Hydrocharideæ, 381	<i>Pulicaria</i> , 207	418
Hydrocharis, 381	<i>salicina</i> , 206	<i>maritimus</i> , 415
<i>Morsus-Ranae</i> , 381	Iridæ, 396	<i>nigritellus</i> , 418
Hydrocotyle, 165	Iris, 397	<i>obtusiflorus</i> , 417
<i>vulgaris</i> , 165	<i>acoriformis</i> , 398	<i>pygmæus</i> , 418
Hymenophyllum, 509	<i>fotid</i> , 398	<i>squarrosum</i> , 416
<i>slatum</i> , 510	<i>fotidissima</i> , 398	<i>subverticillatus</i> , 418
Tunbridge, 509	<i>germanica</i> , 534	<i>supinus</i> (sub-sp.), 418
unilaterale, 509	Pseud-acorus, 397	<i>tennis</i> , 416
<i>Wilsoni</i> , 509	<i>pumila</i> , 533	<i>trifidus</i> , 416
Hyoscyamus, 286		<i>triglumis</i> , 415
albus, 533		

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

549

Juncus	Lathyrus	Leucorchis, 394
<ul style="list-style-type: none"><li><i>virginicus</i>, 418</li></ul>	<i>hirsutus</i> , 111	<i>Libanotis</i>
Juniper, 380	<i>latifolius</i> , 530	<i>montana</i> , 177
Juniperus, 380	<i>macrorhizus</i> , 112	<i>Ligusticum</i> , 181
<ul style="list-style-type: none"><li><i>communis</i>, 380</li><li><i>nana</i>, 380</li></ul>	<i>maritimus</i> , 112	<i>scoticum</i> , 181
K.	<i>niger</i> , 112	<i>Ligustrum</i> , 267
Kail, scotch, 32	<i>Nissolia</i> , 110	<i>vulgare</i> , 267
Knapweed, 476	<i>palustris</i> , 112	Liliaceæ, 401
Knapweed, 222	<i>pratensis</i> , 111	<i>Lilium</i> , 409
Knautia, 200	<i>sphaericus</i> , 530	<i>Martagon</i> , 410
Knawell, 334	<i>sylvestris</i> , 111	<i>pyrenaicum</i> , 535
Knot-grass, 346	<i>tuberosus</i> , 111	<i>Lily of the Valley</i> , 404
Kobresia, 447	Lavatera, 76	<i>Lent</i> , 399
<ul style="list-style-type: none"><li><i>caricina</i>, 447</li></ul>	<i>arborea</i> , 76	<i>Lime-tree</i> , 77
Koeleria, 488	<i>sylvestris</i> , 530	<i>Linanthemum</i> , 273
<ul style="list-style-type: none"><li><i>cristata</i>, 488</li></ul>	Lavender, sea, 258	<i>nymphoides</i> , 273
Königa maritima, 36	Ledum palustre, 533	<i>peلتatum</i> , 273
L.	Loek, sand, 406	<i>Limosella</i> , 297
Labiatae, 313	<i>wild</i> , 406	<i>aquatica</i> , 297
Lactuca, 240	Leersia, 471	<i>Linaria</i> , 293
<ul style="list-style-type: none"><li><i>alpina</i>, 241</li><li><i>inuralis</i>, 241</li><li><i>saligna</i>, 241</li><li><i>Scariola</i>, 241</li><li><i>virosa</i>, 240</li></ul>	<i>oryzoides</i> , 471	<i>Cymbalaria</i> , 293
Lady's bedstraw, 192	Leguminosæ, 89	<i>Elatine</i> , 293
<ul style="list-style-type: none"><li><i>mantle</i>, 126</li><li><i>slipper</i>, 395</li><li><i>smock</i>, 28</li><li><i>tresses</i>, 336</li></ul>	Lemma, 425	<i>latifolia</i> , 294
Lagurus, 481	<i>Micheli</i> , 426	<i>minor</i> , 295
<ul style="list-style-type: none"><li><i>ovatus</i>, 481</li></ul>	<i>minor</i> , 425	<i>Pelisseriana</i> , 294
Lamb's lettuce, 197	<i>polyrhiza</i> , 425	<i>purpurea</i> , 533
<ul style="list-style-type: none"><li><i>Succory</i>, 229</li></ul>	<i>trisulca</i> , 425	<i>repens</i> , 294
Lamium, 328	Lemnaceæ, 424	<i>septium</i> , 294
<ul style="list-style-type: none"><li><i>album</i>, 329</li><li><i>amplexicaule</i>, 329</li><li><i>dissectum</i>, 329</li><li><i>Galeobdolon</i>, 330</li><li><i>hybridum</i> (sub-sp.), 329</li><li><i>incisum</i>, 329</li><li><i>intermedium</i>, 329</li><li><i>maculatum</i>, 329</li><li><i>purpureum</i>, 328</li></ul>	Lentibulariaceæ, 310	<i>spartea</i> , 533
Lapsana, 229	Lent Lily, 399	<i>speciosa</i> , 294
<ul style="list-style-type: none"><li><i>communis</i>, 229</li></ul>	Leontodon, 238	<i>spuria</i> , 293
Larrea, 62	<i>autumnalis</i> , 239	<i>striata</i> , 294
Larkspur, 11	<i>hirtus</i> , 239	<i>supina</i> , 533
Lastrea abbreviata, 516	<i>hispidus</i> , 239	<i>vulgaris</i> , 294
<ul style="list-style-type: none"><li><i>emula</i>, 518</li><li><i>collina</i>, 517</li><li><i>recurrens</i>, 518</li><li><i>virginica</i>, 517</li></ul>	<i>pratensis</i> , 239	Lineæ, 77
Lathraea, 307	Taraxacum, 240	<i>Ling</i> , 253
<ul style="list-style-type: none"><li><i>Squamaria</i>, 307</li></ul>	Leonurus, 323	<i>Linnaea</i> , 191
Lathyrus, 110	Leopard's-bane, 217	<i>borealis</i> , 191
Aphaca, 110	Lepidium, 39	<i>Linosyris vulgaris</i> , 104
	<i>campestre</i> , 40	<i>Linum</i> , 78
	<i>Draba</i> , 40	<i>angustifolium</i> , 78
	<i>hirtum</i> , 529	<i>catharticum</i> , 78
	<i>hirtum</i> , 40	<i>perenne</i> , 78
	<i>latifolium</i> , 39	<i>usitatissimum</i> , 78
	<i>ruderale</i> , 39	<i>Liparis</i> , 384
	<i>sativum</i> , 529	<i>Loeselii</i> , 384
	<i>Smithii</i> (sub-sp.), 40	<i>Listera</i> , 385
	Lepidium, 68	<i>cordata</i> , 386
	<i>m-dium</i> , 68	<i>ovata</i> , 385
	<i>neglectum</i> , 68	Lithospermum, 278
	<i>rupestre</i> , 68	<i>arvense</i> , 279
	<i>rupicola</i> , 68	<i>officinale</i> , 278
	<i>saitinum</i> , 68	<i>purpureo-caruleum</i> , 279
	Lepthurus, 504	<i>Littoralia</i> , 290
	<i>filiformis</i> , 505	<i>lacustris</i> , 290
	<i>incurvatus</i> , 505	<i>Lloydia</i> , 411
	Lettuce, 240	<i>serotina</i> , 411
	Leucojum, 400	<i>Lobelia</i> , 244
	<i>astivum</i> , 400	<i>Dortmanna</i> , 244
	<i>vernun</i> , 400	<i>urens</i> , 244
		<i>Lobelliaceæ</i> , 245
		<i>Lobularia maritima</i> , 36

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

550

## INDEX.

Loiseleuria, 255	Lycopodiaceæ, 523	Martagon lily, purple, 410
procumbens, 255	Lycopodium, 524	Master-wort, 183
Lolium, 503	alpinum (sub-sp.), 524	Matricaria, 213
arvense, 503	annnotinum, 524	Chamomilla, 213
italicum, 503	clavatum, 524	inodora, 213
multiflorum, 503	complanatum, 524	maritima, 214
perenne, 503	inundatum, 524	Parthenium, 214
remotum, 503	Selago, 525	Matthiola, 23
temulentum, 503	<i>Lycopis</i> , 277	incana, 24
Lomaria, 511	Lycopus, 318	sinuata, 24
Spicant, 511	europaeus, 318	Master-wort, 183
London Pride, 140	Lysimachia, 262	Mat-weed, 505
Lonicera, 190	ciliata, 533	May-weed, stinking, 212
Caprifolium, 191	nemorum, 263	Meadow-rue, 2
Periclymenum, 190	Nummularia, 263	saffron, 412
Xystospermum, 191	punctata, 533	sweet, 116
Loosestrife, 282	thyrsiflora, 263	Meconopsis, 18
Loranthaceæ, 354	Lythriææ, 153	cambrica, 18
<i>Loroglossum</i> , 391	Lythrum, 154	Medicago, 94
Lords and Ladies, 423	hyssopifolia, 154	<i>apiculata</i> , 95
Lotus, 102	Salicaria, 154	denticulata, 95
angustissimus, 103		falcata, 94
corniculatus, 102		<i>lappacea</i> , 95
crassifolius, 103		lupulina, 95
decumbens, 103		maculata, 95
deflexus, 103		minima, 95
diffusus, 103		muricata, 530
hispidus, 103		sativa, 95
major, 103		<i>sylvestris</i> , 94
tenuifolius, 103		Medick, 94
tenuis (sub-sp.), 103		black, 95
uliginosus, 103		purple, 95
Lousewort, 305	Madder, 192	Medlar, 137
Lovage, 181	Madderwort, 282	Melampyrum, 306
Lucerne, 95	Madwort, 282	arvensे, 307
Ludwigia, 158	Malianthemum Convallaria,	cristatum, 307
palustris, 158	404	montanum, 306
Lung-wort, 279	<i>bifolium</i> , 404	pratense, 306
Luzula, 419	Maiden-hair, 510	sylvaticum, 307
albida, 535	Malachium, 61	Melica, 490
arcuata, 420	Malaxis, 384	nutans, 490
Barrelieri, 419	paludosa, 384	uniflora, 490
caneperrisia, 419	Malcolmia maritima, 529	Melilot, 96
congesta, 420	Male Fluellin, 293	Mellilotus, 96
erecta, 420	Mallow, 75	alba, 96
Forsteri, 419	tree, 76	altissima, 96
maxima, 419	marsh, 75	arvensis, 96
multiflora, 420	Malva, 74	leucantha, 96
nivea, 535	borealis, 530	officinalis, 96
pilosæ, 419	mo-chata, 76	parviflora, 530
spicata, 420	parviflora, 530	<i>vulgaris</i> , 96
syriatica, 419	rotundifolia, 76	Melissa, 321
vernalis, 419	sylvestris, 76	<i>officinalis</i> , 321
Lychins, 56	Malvaceæ, 74	Melittis, 324
alba, 57	Maple, 89	<i>grandiflora</i> , 324
alpina, 57	common, 89	<i>Melissophyllum</i> , 324
dioica, 57	great, 89	Mentha, 315
diurna, 57	Mare's-tail, 151	<i>agrestis</i> , 317
Flos-cuculi, 57	Marigold, corn, 214	<i>Allionii</i> , 317
vespertina, 57	Marsh, 11	<i>alopecuroides</i> , 315
Viscaria, 57	Marjoram, 318	aquatica, 316
Lycium barbarum, 533	Marram grass, 480	arvensis, 317
	Marrubium, 324	
	<i>vulgare</i> , 625	
	Marsh marigold, 11	
	mallow, 75	
	Marsileaceæ, 527	

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

551

Mentha	Mint	Myrrhis, 174
<i>citrata</i> , 316	pepper, 316	<i>odorata</i> , 175
<i>gentilis</i> (sub-sp.), 317	spear, 315	
<i>gracilis</i> (sub-sp.), 317	Mistletoe, 355	
<i>hircina</i> , 316	Mithridate mustard, 40	
<i>hirsuta</i> , 316	<i>Mohringia trinervia</i> , 61	
<i>mollissima</i> , 315	<i>Mancita erecta</i> , 59	
<i>nemorosa</i> , 315	<i>Molinia</i> , 489	
<i>nummularia</i> , 317	<i>caerulea</i> , 489	
<i>officinalis</i> , 316	<i>depauwala</i> , 489	
<i>paludosa</i> , 317	<i>Moneses grandiflora</i> , 256	
<i>palustris</i> , 316	Monk's-hood, 13	
<i>parietariaefolia</i> , 318	Money-wort, 263	
<i>Pauliana</i> , 317	Monk's-rhubarb, 350	
<i>piperita</i> , 316	<i>Monotropa</i> , 257	
<i>precoxa</i> , 317	<i>Hypopitys</i> , 257	
<i>bratensis</i> (sub-sp.), 317	Monotropaea, 257	
<i>pubescens</i> (sub-sp.),	Montia, 67	
316	<i>fontana</i> , 69	
<i>Pulegium</i> , 318	<i>minor</i> , 69	
<i>rotundifolia</i> , 315	<i>riicularis</i> , 69	
<i>rubra</i> (sub-sp.), 317	Moon-wort, 520	
<i>sativa</i> , 316	Moschatel, 190	
<i>subglabra</i> , 316	Moss Campion, 56	
<i>sylvestris</i> , 316	Mother-wort, 328	
<i>viridis</i> , 315	Mountain ash, 136	
<i>vulgaris</i> , 316	Mouse-ear Chickweed, 58	
<i>Wirtgeniana</i> , 317	Mouse-tail, 4	
Menyanthes, 273	Mudwort, 297	
<i>trifoliata</i> , 273	Mugwort, 215	
Menziesia	<i>Mulgedium</i> ,	
<i>carulea</i> , 254	<i>alpinum</i> , 21	
Mercurialis, 360	Mullein, 291	
<i>annua</i> , 360	Muscari, 407	
<i>perennis</i> , 360	<i>racemosum</i> , 408	
Mercury, 333	Musk-thistle, 224	
dog's, 360	Mustard, black, 32	
Mertensia, 279	Mithridate, 40	
<i>maritima</i> , 279	white, 33	
<i>virginica</i> , 533	<i>Myosotis</i> , 280	
Mespilus	<i>alpestris</i> (sub-sp.), 281	
<i>germanica</i> , 137	<i>arvensis</i> , 281	
Meu, 180	<i>caespitosa</i> , 281	
Menin, 180	<i>collina</i> , 282	
<i>athamanticum</i> , 181	<i>tingulata</i> , 281	
Mezereon, 338	<i>Mitteni</i> , 282	
Mibora verna, 476	<i>palustris</i> , 280	
Micranthes, 135	<i>repens</i> (sub-sp.), 281	
Microcala filiformis, 253	<i>rupicola</i> , 281	
Mignonette, 45	<i>strigulosa</i> , 280	
Milfoil, 212	<i>svylvatica</i> , 281	
water, 151	<i>versicolor</i> , 282	
Milium, 474	<i>Myosurus</i> , 4	
<i>effusum</i> , 475	<i>minimus</i> , 4	
Milkwort, 50	<i>Myrica</i> , 364	
<i>sea</i> , 264	<i>Gale</i> , 364	
<i>thistle</i> , 228	<i>Myricaceæ</i> , 364	
Millet-grass, 460	<i>Myriophyllum</i> , 151	
Mimulus, 297	<i>alterniflorum</i> , 152	
<i>luteus</i> , 297	<i>pectinatum</i> , 152	
Mint, 315	<i>spicatum</i> , 152	
<i>Bergamot</i> , 316	<i>verticillatum</i> , 152	
<i>cat</i> , 322		
<i>horse</i> , 315		
		N.
		Naidaceæ, 428
		<i>Naïas</i> , 438
		<i>flexilis</i> , 439
		<i>major</i> , 439
		<i>marina</i> , 439
		Narcissus, 399
		<i>biflorus</i> , 399
		<i>conspicuus</i> , 534
		<i>incorruptus</i> , 534
		<i>lobularis</i> , 399
		<i>major</i> , 399
		<i>minor</i> , 534
		<i>poeticus</i> , 534
		<i>Pseudo-narcissus</i> , 399
		Nardus, 505
		<i>stricta</i> , 505
		Narthecium, 412
		<i>ossifragum</i> , 412
		Nasturtium, 24
		<i>amphibium</i> , 25
		<i>officinale</i> , 24
		<i>palustre</i> , 25
		<i>stipitatum</i> , 25
		<i>sylvestre</i> , 25
		<i>terrestris</i> , 25
		Naumburgia, 263
		Navel-wort, 146
		Neotinea intacta, 294
		Neottia, 335
		<i>Nidus-avis</i> , 335
		Nepeta, 322
		<i>Cataria</i> , 322
		<i>Glechoma</i> , 323
		Nephrodium, 495
		<i>anulum</i> , 517
		<i>cristatum</i> , 517
		<i>dilatatum</i> (sub-sp.), 517
		<i>Filix-mas</i> , 517
		<i>fænisecti</i> , 518
		<i>montanum</i> , 518
		<i>Oreopteris</i> , 518
		<i>remotum</i> (sub-sp.), 517
		<i>rigidum</i> , 517
		<i>spinulosum</i> , 517
		<i>Thelypteris</i> , 518
		Nettle, 362
		dead, 328
		Nicandra physaloides, 533
		Nightshade, 287
		deadly, 287
		Nipple-wort, 229
		Nit-grass, 479
		Nuphar, 15
		<i>intermedium</i> , 15
		<i>luteum</i> , 15
		<i>pumilum</i> , 16

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

552

## INDEX.

Nymphaea, 16	Orchis	Orobanche
alba, 16	butterfly, 395	<i>Rapum</i> , 308
Nymphaeaceæ, 15	dark-winged, 390	<i>rubra</i> , 309
O.	dwarf, 390	Orobanchæ, 308
Oak, 366	fen, 344	<i>macrorhizus</i> , 112
Oat, wild, 484	fly, 393	<i>niger</i> , 112
Obioneæ, 340	fragrant, 393	<i>sylvatica</i> , 108
Odontites, 304	frog, 394	<i>tenuijolius</i> , 112
<div style="text-align: center;">divergens, 304</div>	<i>fusca</i> , 390	<i>tuberosus</i> , 112
<div style="text-align: center;"><i>rubra</i>, 304</div>	green-winged, 390	Orpine, 146
<div style="text-align: center;"><i>serotina</i>, 304</div>	hircina, 311	Osier, 375
Œnothera, 178	incarnata (sub-sp.), 390	purple, 377
<div style="text-align: center;">crocata, 179</div>	latifolia, 390	Osmunda, 520
<div style="text-align: center;">fistulosa, 178</div>	laxiflora, 339	<i>regalis</i> , 520
<div style="text-align: center;">futuviilis (sub-sp.), 180</div>	lizard, 391	Oxalideæ, 79
<div style="text-align: center;">Lachenalii, 179</div>	maculata, 390	Oxalis, 83
<div style="text-align: center;">peucedanifolia, 179</div>	magellana, 390	<i>Acetosella</i> , 84
<div style="text-align: center;">Phellandrium, 179</div>	man, 392	<i>corniculata</i> , 84
<div style="text-align: center;">pimpinelloides, 179</div>	marsh, 389	<i>stricta</i> , 84
<div style="text-align: center;"><i>silifolia</i>, 179</div>	masculea, 389	Ox-eye daisy, 214
<div style="text-align: center;"><i>Smithii</i>, 179</div>	militaris, 390	Oxlip, 261
Enothera, 153	militaris, 391	Ox-tongue, 230
<div style="text-align: center;">biennis, 159</div>	Morio, 390	Oxyeococcus, 250
<div style="text-align: center;">odorata, 159</div>	musk, 393	<i>palustris</i> , 250
Old man's beard, 2	palmata, 389	Oxytropis, 104
Oleaceæ, 267	purple, 395	<i>campestris</i> , 103
Omphalodes verna, 533	pyramidalis, 391	<i>Halleri</i> , 105
Onagraceæ, 155	Simia (sub-sp.), 391	<i>uralensis</i> , 105
Onobrychis, 106	spider, 392	Oxyria, 351
<div style="text-align: center;">sativa, 106</div>	spotted, 390	<i>digyna</i> , 351
Oncoclea sensibilis, 535	tephrosanthos, 391	<i>reniformis</i> , 351
Ononis, 93	ustulata, 390	P.
<div style="text-align: center;">arvensis, 93</div>	Origanum, 318	Paeonia corallina, 529
<div style="text-align: center;">campestris, 93</div>	<i>megastachyum</i> , 3.9	Paddock-pipes, 500
<div style="text-align: center;">inermis, 93</div>	Onitis, 533	Paigle, 261
<div style="text-align: center;">procumbens, 93</div>	virens, 533	Panicum, 469
<div style="text-align: center;">procurrens, 93</div>	vulgare, 319	<i>glabrum</i> , 469
<div style="text-align: center;">reclinata, 93</div>	Ornitogalum, 409	<i>Crus-Galli</i> , 469
<div style="text-align: center;">spinosa, 93</div>	nutans, 409	<i>sanguinale</i> , 535
Onopordon, 227	pyrenacium, 409	Pansy, 49
<div style="text-align: center;">Acanthium, 227</div>	unbelatum, 409	Papaver, 17
Ophioglossum, 520	Ornitopus, 105	<i>Argemone</i> , 17
<div style="text-align: center;">lusitanicum (sub-sp.), 520</div>	ebrianteus, 105	<i>dubium</i> , 17
<div style="text-align: center;">vulgatum, 520</div>	perpusillus, 105	<i>hybridum</i> , 17
Ophrys, 392	Orobanche, 308	<i>Lamottei</i> , 17
<div style="text-align: center;">apifera, 392</div>	anesthetes (sub-sp.), 310	<i>Lecoqii</i> (sub-sp.), 17
<div style="text-align: center;">arachnites (sub-sp.), 392</div>	arenaria (sub-sp.), 310	<i>nudicaule</i> , 529
<div style="text-align: center;">aranifera, 392</div>	barbata, 310	Rheas, 17
<div style="text-align: center;">fucifera, 392</div>	carula, 310	<i>setigerum</i> , 529
<div style="text-align: center;">muscifera, 393</div>	caryophyllacea, 309	<i>somniferum</i> , 18
<div style="text-align: center;"><i>Trollit</i>, 392</div>	clatior, 309	Papaveraceæ, 16
Orache, 339	Eryngium, 309	Papilionaceæ, 89
Opium poppy, 18	Galii, 309	Parietaria, 363
Oporinta, 2.9	Hederae (sub-sp.), 310	<i>diffusa</i> , 363
Orchidæe, 383	lucorum, 533	<i>officinalis</i> , 363
Orchis, 389	major, 308	Paris, 413
<div style="text-align: center;">bee, 392</div>	minor, 309	<i>quadrifolia</i> , 413
<div style="text-align: center;">bird's nest, 385</div>	Picridis (sub-sp.), 309	Parnassia, 148
<div style="text-align: center;">bog, 384</div>	ramosa, 533	

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

553

<i>Parnassia</i>	<i>Phyllococe</i>	<i>Platanthera</i> , 394
<palustris, 143<="" p=""></palustris,>	<i>cærulea</i> , 254	<i>Ploughman's spikenard</i> ,
<i>Parsley</i> , beaked, 176	<i>taxifolia</i> , 254	206
bur, 185		<i>Plum</i> , 114
common, 171		<i>Plumbagineæ</i> , 257
corn, 171		<i>Poa</i> , 491
fern, 510		<i>alpina</i> , 493
fool's, 180		<i>angustifolia</i> , 492
hedge, 185		<i>annua</i> , 491
milk, 183		<i>Balfourii</i> , 493
<i>Farnsnp</i> , cow, 183		<i>bulbosa</i> , 493
wild, 183		<i>cæsia</i> , 493
<i>Pasque-flower</i> , 3		<i>compressa</i> , 492
<i>Pastinaca</i> , 183		<i>flexuosa</i> , 493
<i>Pea</i> , everlasting, 110		<i>glauca</i> , 493
<i>Pearl-wort</i> , 65		<i>Koeleri</i> , 492
<i>Pear</i> , 135		<i>laxa</i> , 493
wild, 135		<i>loliacea</i> , 475
<i>Pedicularis</i> , 303		<i>minor</i> , 493
palustris, 306		<i>montana</i> , 493
<i>sylvatica</i> , 366		<i>nemoralis</i> , 492
<i>Pellitory</i> , 363		<i>Parnellii</i> , 493
<i>Penny cress</i> , 40		<i>polynoda</i> , 492
royal, 318		<i>pratensis</i> , 492
wort, 146, 165		<i>stricta</i> (sub-sp.), 493
<i>Pepis</i> , 154		<i>strigosa</i> , 492
<i>Portula</i> , 155		<i>sub-cærulea</i> , 492
<i>Pepper saxifrage</i> , 180		<i>sub-compressa</i> , 492
water, 345		<i>sudetica</i> , 565
wort, 40		<i>sylvatica</i> , 565
<i>Periwinkle</i> , 268		<i>trivialis</i> , 492
<i>Petasites</i> , 216		<i>Polemoniaceæ</i> , 274
<i>albus</i> , 532		<i>Polemonium</i> , 274
<i>fragrans</i> , 532		<i>cæruleum</i> , 274
<i>vulgaris</i> , 216		<i>Polyarpone</i> , 68
<i>Petroselinum sativum</i> , 171		<i>tetraphyllum</i> , 69
<i>Peucedanum</i> , 182		<i>Polygala</i> , 50
<i>officinale</i> , 182		<i>amara</i> , 51
<i>Ostruthium</i> , 183		<i>austriaca</i> , 51
<i>palustre</i> , 183		<i>calcarea</i> , 51
<i>sativum</i> , 183		<i>ciliata</i> , 51
<i>Phaca astragalina</i> , 104		<i>depressa</i> (sub-sp.), 51
<i>Phalaris</i> , 471		<i>oxyptera</i> (sub-sp.), 51
<i>arundinacea</i> , 472		<i>serpylacea</i> , 51
<i>canariensis</i> , 471		<i>uliginosa</i> , 51
<i>paradoxa</i> , 535		<i>vulgaris</i> , 50
<i>Pheasant's-eye</i> , 4		<i>Polygalaæ</i> , 50
<i>Phegopteris</i> , 518		<i>Polygonatum</i> , 403
<i>Phelanthrum aquaticum</i> , 179		<i>multiflorum</i> , 404
<i>Phleum</i> , 475		<i>officinale</i> , 404
<i>alpinum</i> , 475		<i>verticillatum</i> , 403
<i>arenarium</i> , 476		<i>Polygonaceæ</i> , 343
<i>aspernum</i> , 535		<i>Polygonum</i> , 343
<i>Boehmeri</i> , 476		<i>amphibium</i> , 344
<i>Micheli</i> , 535		<i>Aviculare</i> , 346
<i>nodosum</i> , 475		<i>biforme</i> , 345
<i>phalaroides</i> , 476		<i>Bistorta</i> , 344
<i>bratense</i> , 475		<i>Convolvulus</i> , 347
<i>Phragmites</i> , 487		<i>dumetorum</i> , 347
<i>communis</i> , 487		<i>Fagopyrum</i> , 534
<i>nigriceps</i> , 487		<i>Hydropiper</i> , 345
<i>Phyllococe</i> , 254		<i>Lapathifolium</i> , 344

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

554

## INDEX.

Polygonum	Potamogeton	Primula
<i>lacuum</i> , 345	<i>Kirkii</i> , 535	<i>elatior</i> , 261
<i>littorale</i> , 346	<i>lanceolatus</i> , 432	<i>farinosa</i> , 262
<i>maculatum</i> (sub-sp.),	<i>lithuanicus</i> , 433	<i>officinalis</i> , 261
345	<i>Lonchites</i> , 432	<i>scotica</i> , 262
<i>maritimum</i> , 346	<i>longifolius</i> , 433	<i>variabilis</i> , 261
<i>minus</i> , 346	<i>lucens</i> , 432	<i>veris</i> , 261
<i>mite</i> , 345	<i>marinus</i> , 436	<i>vulgaris</i> , 261
<i>nodosum</i> , 345	<i>mucronatus</i> , 435	
<i>Persicaria</i> , 345	<i>natans</i> , 431	
<i>Raii</i> , 346	<i>nitens</i> (sub-sp.), 432	
Robertii (sub-sp.), 316	<i>oblongus</i> , 431	
<i>viviparum</i> , 344	<i>obtusifolius</i> , 435	
Polypodium, 518	<i>pectinatus</i> , 436	
<i>alpestre</i> , 519	<i>perfoliatus</i> , 434	
<i>calcareum</i> , 519	<i>plantagineus</i> , 431	
<i>cambricum</i> , 518	<i>polygonifolius</i> , 431	
<i>Dryopteris</i> , 519	<i>praerolongus</i> , 433	
<i>flexile</i> , 519	<i>pusillus</i> , 435	
<i>Phegopteris</i> , 519	<i>rufescens</i> , 431	
<i>Robertianum</i> (sub-sp.),	<i>salicifolius</i> , 433	
519	<i>serratus</i> , 434	
<i>vulgare</i> , 518	<i>sparganioides</i> , 535	
Polypody, 518	<i>spathulatus</i> , 432	
Polygonum, 478	<i>trichoides</i> , 436	
<i>littoralis</i> , 478	<i>Zizii</i> (sub-sp.), 433	
<i>monspeliensis</i> , 478	<i>zosterifolius</i> , 434	
Pond-weed, horned, 437	Potentilla, 123	
Poor man's weather-glass,	<i>alba</i> , 580	
265	<i>alpestris</i> , 125	
Poplar, 369	<i>anserina</i> , 125	
black, 370	<i>argentea</i> , 126	
grey, 369	<i>aurea</i> , 125	
white, 369	<i>Comarum</i> , 124	
Poppy, 17	<i>Fragariastrum</i> , 126	
horned, 18	<i>fruticosa</i> , 123	
Welsch, 18	<i>maculata</i> , 125	
Populus, 369	<i>mista</i> , 125	
alba, 369	<i>memorialis</i> , 125	
nigra, 370	<i>norvegica</i> , 126	
canescens (sub-sp.).	<i>opaca</i> , 530	
369	<i>procumbens</i> (sub-sp.), 125	
tremula, 369	<i>procumbens</i> , 124	
Portulaceæ, 69	<i>repants</i> , 125	
Potamogeton, 430	<i>rupicola</i> , 126	
<i>acuminatus</i> , 433	<i>salisburgensis</i> , 125	
<i>acutifolius</i> , 435	<i>Sibboldi</i> , 124	
<i>compressus</i> , 434, 435	<i>Tormentilla</i> , 124	
<i>crispus</i> , 434	<i>tridentata</i> , 530	
<i>cuspidatus</i> , 434	<i>verna</i> , 125	
<i>decipiens</i> (sub-sp.), 433	Poterium, 126	
<i>densus</i> , 434	<i>muricatum</i> , 129	
<i>filiformis</i> , 436	<i>officinale</i> , 129	
<i>flabellatus</i> (sub-sp.), 436	<i>Sanguisorba</i> , 128	
<i>fluitans</i> , 431	<i>Prenanthes muralis</i> , 241	
Friesii (sub-sp.), 435	<i>purpurea</i> , 532	
gracilis, 535	<i>Prickwood</i> , 187	
gracilis, 435	Primrose, 260	
<i>gramineus</i> , 432, 435	bird's-eye, 262	
Griffithii, 433	evening, 158	
<i>heterophyllum</i> , 432	Primula, 261	
<i>juncifolius</i> , 436	<i>acaulis</i> , 261	

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

555

<p><b>Q.</b></p> <p>Queen of the meadows, 116      Queen stock, 24      Quercus, 366  <i>intermedia</i>, 367  <i>pedunculata</i>, 367      Robur, 367  <i>sessiliflora</i>, 367      Quill-wort, 526</p> <p><b>R.</b></p> <p>Radiola, 79  <i>linoides</i>, 79  <i>Millegrana</i>, 79      Radish, 44      Ragged-robin, 57      Ragwort, 218      Rampion, 246      Ramsons, 407      Ranunculaceæ, 1      Ranunculus, 4  <i>acris</i>, 9  <i>alpestris</i>, 529  <i>aquatica</i>, 5  <i>arvensis</i>, 10  <i>auricomus</i>, 8  <i>Bachii</i>, 6  <i>Baudotii</i>, 6  <i>Boreanus</i>, 9  <i>bulbosus</i>, 9  <i>charophylloides</i>, 9  <i>circinatus</i>, 6  <i>cenosus</i>, 7  <i>confervoides</i>, 6  <i>confusus</i>, 6  <i>divaricatus</i>, 7  <i>diversifolius</i>, 6  <i>Drouetii</i>, 6      Ficaria, 10  <i>fissifolius</i>, 5      Flaxmula, 8  <i>forribundus</i>, 5  <i>fluitans</i>, 6  <i>Godronii</i>, 6      gramineus, 529  <i>hederaceus</i>, 7  <i>heterophyllus</i>, 5  <i>hirsutus</i>, 10  <i>homophyllus</i>, 7  <i>intermedius</i>, 7  <i>Lenormandi</i>, 7      Lingua, 8  <i>marchicus</i>, 5  <i>ophioglossifolius</i>, 8  <i>pantothrix</i>, 6  <i>parviflorus</i>, 10  <i>parvulus</i>, 10  <i>peltatus</i>, 5</p>	<p>Ranunculus  <i>peucedanifolius</i>, 6  <i>penicillatus</i>, 5  <i>Philonotis</i>, 10  <i>pseudo-fluitans</i>, 5  <i>radians</i>, 6  <i>repens</i>, 9  <i>reptans</i> (sub-sp.), 8  <i>salsuginosus</i>, 6  <i>sardous</i>, 10  <i>sceleratus</i>, 8  <i>tomophyllus</i>, 9  <i>trichophyllus</i>, 6  <i>triparitus</i>, 7  <i>triphyllus</i>, 5  <i>truncatus</i>, 5  <i>vulgatus</i>, 9</p> <p>Rape, 32      Raphanus, 44  <i>maritimus</i>, 44      Rapianistrum, 44      Raspberry, 117      Reed, 486      bur, 421      mace, 422      Reseda, 45  <i>alba</i>, 45  <i>fruticulosa</i>, 45  <i>Hookeri</i>, 45  <i>lutea</i>, 45  <i>Luteola</i>, 45  <i>Phyteuma</i>, 529  <i>sufruticulosa</i>, 45      Resedaceæ, 44      Rest-harrow, 93      Rhamneæ, 87      Rhamnus, 88  <i>cantharticus</i>, 88      Frangula, 88      Rhinanthus, 305  <i>Crista galli</i>, 305  <i>major</i> (sub-sp.), 305  <i>minor</i>, 305  <i>Reichenbachia</i>, 305  <i>Rhodiola rosea</i>, 146      Rhubarb, 350      Rhynchospora, 446  <i>alba</i>, 446  <i>fusca</i>, 446      Ribes, 143  <i>alpinum</i>, 144  <i>Grossularia</i>, 144  <i>nigrum</i>, 145  <i>petreum</i>, 144  <i>rubrum</i>, 144  <i>sativum</i>, 144  <i>spicatum</i>, 144  <i>sylvestre</i>, 144  <i>Uva-crispa</i>, 144      Ribesieæ, 138      Rib-grass, 288      Rib-wort, 289</p>	<p>Roast-beef plant, 398      Rocket, 33      London, 29      sea, 43      Rock-rose, 46      Rœmeria, 19  <i>hybrida</i>, 19      Romulea, 396  <i>Columnæ</i>, 396      Rosa, 125  <i>agrestis</i> (sub-sp.), 132  <i>Andevagensis</i>, 133  <i>arvatica</i>, 133  <i>arvensis</i>, 134  <i>aspernata</i>, 133  <i>austriaca</i>, 581  <i>Bakeri</i>, 134  <i>bibracteata</i>, 135  <i>Billietii</i>, 132  <i>biserrata</i>, 133  <i>Blondiana</i>, 134  <i>Borreri</i>, 134  <i>bractescens</i>, 135  <i>Briggei</i>, 132  <i>britannica</i>, 130  <i>cæstia</i>, 133  <i>canescens</i>, 133  <i>canina</i>, 132  <i>celerata</i>, 134  <i>cianamomea</i>, 581  <i>coerulea</i>, 130  <i>collina</i>, 133  <i>concinna</i>, 133  <i>coronata</i>, 131  <i>corifolia</i>, 135  <i>Crepiniana</i>, 134  <i>cryptopoda</i>, 132  <i>decipiens</i>, 129      Dickson, 580  <i>Doniana</i>, 131  <i>dumalis</i>, 138  <i>dumetorum</i>, 133, 134  <i>Eglanderia</i>, 131  <i>Jarinosa</i>, 130  <i>fastigiata</i>, 136  <i>Forsteri</i>, 133  <i>frondosa</i>, 133  <i>gallicoides</i>, 135  <i>glabra</i>, 132  <i>glaucophylla</i>, 133  <i>gracilescens</i>, 131  <i>gracilis</i>, 131  <i>Hailstonei</i>, 134  <i>heterophylla</i>, 130  <i>hibernica</i>, 132  <i>Hystrix</i>, 132  <i>impresa</i>, 134  <i>incana</i>, 133  <i>indora</i>, 132, 133  <i>involuta</i>, 130  <i>Jundzilliana</i>, 130  <i>Kosinciana</i>, 133</p>
--	--	---

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

556

## INDEX.

Rosa	Rose	Rubus
<i>levigata</i> , 131	dog, 132	<i>Leightonianus</i> , 119
<i>leucochroa</i> , 135	root, 146	<i>Lejeunii</i> , 121
<i>lucida</i> , 581	Scotch, 129	<i>lentiginosus</i> , 118
<i>lutetiana</i> , 133	Rowan-tree, 136	leucostachys (sub-sp.).
<i>marginata</i> , 134	Rubia, 192	119
<i>micrantha</i> (sub-sp.), 131	peregrina, 192	<i>Lindleianus</i> , 118
<i>mollis</i> (sub-sp.), 130	Rubiaceæ, 191	<i>macrophyllus</i> (sub-sp.),
<i>mollissima</i> , 130	Rutus, 116	119
<i>Monsonica</i> , 135	abruptus, 119	<i>mucronatus</i> , 119
<i>monticola</i> , 134	ascœtus, 119	<i>mucronulatus</i> (sub-sp.),
<i>Moorei</i> , 131	affinis, 118	119
<i>Nicholsonii</i> , 131	altheæfolius, 118	<i>mutabilis</i> , 120
<i>nivalis</i> , 131	amplificatus, 119	<i>nemorosus</i> , 120
<i>nuda</i> , 134	arcticus, 581	<i>nitidus</i> , 118
<i>obovata</i> , 130	Babingtonii, 120	<i>obliquus</i> , 120
<i>obtusifolia</i> , 133	Balfourianus, 118	<i>pallidus</i> (sub-sp.), 121
<i>occidentalis</i> , 131	Bellardii, 121	<i>pampinosis</i> , 119
<i>opaca</i> , 135	Bl.-xami (sub-sp.), 120	<i>plicatus</i> , 118
<i>permixta</i> , 131	Borreri, 120	preruptorum, 121
<i>platyphylla</i> , 133	Briggsii, 120	<i>Pseudo-ideus</i> , 118
<i>pomifera</i> , 130	caesius (sub-sp.), 118	Purchasi, 121
<i>provincialis</i> , 530	calvatus, 117	<i>purpureus</i> , 118
<i>pruinosa</i> , 138	carpinifolius, 119	<i>pygmaeus</i> , 121
<i>Pseudo-rubiginosa</i> , 130	cavatifolius, 120	pyramidalis (sub-sp.), 121
<i>pulverulenta</i> , 132	Chamaemorus, 116	Radula (sub-sp.), 120
<i>repens</i> , 134	Colemanni, 118	<i>ramosus</i> , 118
<i>Reuteri</i> , 134	concinnus, 120	Reuteri, 121
<i>Robertsoni</i> , 131	conjungens, 118	<i>rhamnifolius</i> (sub-sp.),
<i>rubella</i> , 581	cordifolius, 118	118
<i>rubiginosa</i> , 131	corylofolius (sub-sp.), 118	<i>rosaceus</i> , 121
<i>Sabinii</i> , 131	dentatus, 121	<i>rotundifolius</i> , 121
<i>sarmamentacea</i> , 133	denticulatus, 120	<i>rubeolus</i> , 119
<i>scabriuscula</i> , 130	derasus, 119	<i>rubicolor</i> , 120
<i>sclerophylla</i> , 134	discolor (sub-sp.), 118	<i>rudis</i> , 120
<i>senticososa</i> , 133	diversifolius, 120	Salteri (sub-sp.), 119
<i>sepium</i> (sub-sp.), 132	dumetorum (sub-sp.), 120	Saltaum (sub-sp.), 121
<i>Sherrardi</i> , 130	Emeristylus, 120	saxatilis, 117
<i>Smithii</i> , 131	fastigiatus, 118	<i>seaber</i> , 120
<i>sphaerica</i> , 133	fissus, 118	<i>Schlechtendahlii</i> , 119
<i>spinossissima</i> , 129	foliosus, 121	spectabilis, 531
<i>stylosa</i> (sub-sp.), 135	fruticosus, 117	Sprengelii (sub-sp.), 119
<i>subcrustata</i> , 129	fusco-ater, 120	suberectus (sub-sp.), 118
<i>subglobosa</i> , 130	fucus, 121	<i>sublustris</i> , 118
<i>surculosa</i> , 133	glandulosus (sub-sp.), 121	<i>tenuis</i> , 118
<i>svilvestris</i> , 130	Grabowskii, 118	<i>thyrsoides</i> , 119
<i>svilvicola</i> , 131	Güntheri, 121	<i>tuberulatus</i> , 120
<i>sytyla</i> , 135	hemistemon, 118	<i>ulmifolius</i> , 118
<i>tomentella</i> , 133	hirtus, 121	<i>umbrosus</i> (sub-sp.), 119
<i>tomentosa</i> (sub-sp.), 130	hirtifolius, 119	<i>umbrosus</i> , 118
<i>uncinella</i> , 133	hispidus, 118	<i>vestitus</i> , 119
<i>urbica</i> , 133	humifusus, 121	<i>villicaulis</i> (sub-sp.), 119
<i>verticillacantha</i> , 133	Hystrix (sub-sp.), 121	<i>vulgaris</i> , 119
<i>villosa</i> , 130	Idæus, 117	<i>Wahlbergii</i> , 118
<i>vinacea</i> , 133	imbricatus, 118	Runex, 347
<i>Watsoni</i> , 134	incurvatus, 118	<i>Acetosa</i> , 350
<i>Wilsoni</i> , 131	infestus, 120	<i>Acetosella</i> , 351
<i>Woodiana</i> , 130	intermedius, 118	<i>acutus</i> , 348
<i>Rosaceæ</i> , 113	Koehlerii (sub-sp.), 120	<i>acutus</i> , 349
<i>ose</i> , 129	latifolius, 118	<i>alpinus</i> , 350
<i>bay</i> , 156	Leesii, 117	<i>aquaticus</i> , 350
<i>Burnet</i> , 129	Leightoni, 120	<i>conglomeratus</i> , 349

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

557

<b>Rumex</b>	<b>Salicornia</b>	<b>Salix</b>
<i>conspersus</i> , 348	<i>ramosissima</i> , 341	<i>nigricans</i> , 378
<i>crispus</i> , 349	<i>Salix</i> , 370	<i>nitens</i> , 374
<i>domesticus</i> , 331	<i>acuminata</i> , 375	<i>oleifolia</i> , 372
<i>elongatus</i> , 349	<i>acutifolia</i> , 374	<i>parvifolia</i> , 373
<i>Friesii</i> , 348	<i>alba</i> , 371	<i>pentandra</i> , 371
<i>Hydrolathrum</i> , 350	<i>ambigua</i> , 373	<i>petiolaris</i> , 534
<i>Knafii</i> , 348	<i>amygdalina</i> , 370	<i>petrea</i> , 374
<i>longifolius</i> , 350	<i>Andersoniana</i> , 374	<i>phillyreafolia</i> , 374
<i>maritimus</i> , 348	<i>aquatica</i> , 372	<i>phylicifolia</i> , 374
<i>maximus</i> , 350	<i>Arbuscula</i> , 376	<i>plicata</i> , 534
<i>nemorosus</i> , 349	<i>arbutifolia</i> , 376	<i>pontederana</i> , 378
<i>obtusifolius</i> , 347	<i>arenaria</i> , 373	<i>propinqua</i> , 374
<i>palustris</i> (sub-sp.), 349	<i>argentea</i> , 373	<i>procumbens</i> , 376
<i>pratensis</i> , 348	<i>ascendens</i> , 373	<i>prostrata</i> , 375
<i>pulcher</i> , 348	<i>aurita</i> , 372	<i>prunifolia</i> , 377
<i>rupestris</i> , 349	<i>bicolor</i> , 374	<i>purpurea</i> , 377
<i>sanguineus</i> , 349	<i>Borreriana</i> , 374	<i>radicans</i> , 374
<i>scutatus</i> , 534	<i>cerulea</i> , 371	<i>ramulosa</i> , 378
<i>Steinii</i> , 349	<i>Caprea</i> , 372	<i>repens</i> , 372
<i>sylvestris</i> , 348	<i>carinata</i> , 377	<i>reticulata</i> , 377
<i>viridis</i> , 349	<i>cinerea</i> (sub-sp.), 372	<i>rosmarinifolia</i> , 373
<i>Ruppia</i> , 436	<i>contorta</i> , 370	<i>rubra</i> , 378
<i>maritima</i> , 437	<i>cotinifolia</i> , 374	<i>rugosa</i> , 375
<i>rostellata</i> (sub-sp.), 437	<i>Crowea</i> , 374	<i>rupestris</i> , 374
<i>spiralis</i> , 437	<i>cuspidata</i> , 371	<i>Russelliana</i> , 371
<i>Rupture-wort</i> , 334	<i>damascena</i> , 374	<i>Sadlerii</i> , 376
<i>Ruscus</i> , 403	<i>daphnoides</i> , 374	<i>serrata</i> , 376
<i>aculeatus</i> , 403	<i>dasyclados</i> , 534	<i>serpyllifolia</i> , 534
<i>Rush</i> , 414	<i>Davalliana</i> , 374	<i>Smithiana</i> , 375
<i>flowering</i> , 423	<i>decipiens</i> , 371	<i>stipularis</i> , 375
<i>wood</i> , 419	<i>Dicksoniana</i> , 374	<i>spathulata</i> , 373
<i>S.</i>	<i>Doniana</i> , 378	<i>sphaelata</i> , 372
<i>Saffron, meadow</i> , 412	<i>ferruginea</i> , 375	<i>Stuartiana</i> , 376
<i>Sage</i> , 321	<i>floribunda</i> , 374	<i>tenuifolia</i> , 374
<i>wood</i> , 331	<i>fatida</i> , 372, 377	<i>tenuior</i> , 374
<i>Sagina</i> , 65	<i>Forbyana</i> , 378	<i>tetrapla</i> , 374
<i>ambigua</i> , 66	<i>Forsteriana</i> , 374	<i>Trevirana</i> , 371
<i>apetala</i> , 66	<i>fragilis</i> , 371	<i>triandra</i> , 370
<i>ciliata</i> (sub-sp.), 66	<i>fusca</i> , 373	<i>undulata</i> , 370
<i>debilis</i> , 66	<i>glauca</i> , 376	<i>vaccinifolia</i> , 377
<i>densa</i> , 66	<i>Grahamii</i> , 376	<i>venulosa</i> , 377
<i>Linnæi</i> , 66	<i>grandifolia</i> , 534	<i>viminalis</i> , 375
<i>maritima</i> (sub-sp.), 66	<i>hastata</i> , 534	<i>vividis</i> , 371
<i>nivalis</i> (ub-sp.), 66	<i>Helia</i> , 378	<i>vitellina</i> , 371
<i>nodosa</i> , 67	<i>herbacea</i> , 377	<i>Weigeliana</i> , 374
<i>procumbens</i> , 66	<i>hirta</i> , 374	<i>Woolgariana</i> , 378
<i>saxatilis</i> , 66	<i>Hoffmanniana</i> , 370	<i>Wulfeniana</i> , 374
<i>subulata</i> , 67	<i>holosericea</i> , 375	
<i>Sagittaria</i> , 428	<i>incubacea</i> , 373	<i>Sallow, common</i> , 371
<i>sagittifolia</i> , 428	<i>levii</i> , 376	<i>Salsify</i> , 243
<i>Sainfoin</i> , 106	<i>Lambertiana</i> , 378	<i>Salsola</i> , 342
<i>Salad burnet</i> , 128	<i>lanata</i> , 375	<i>Kali</i> , 343
<i>Salicinea</i> , 369	<i>lanceolata</i> , 370	<i>Saltwort</i> , 342
<i>Salicornia</i> , 341	<i>Laponnum</i> , 375	<i>Salvia</i> , 321
<i>herbacea</i> , 341	<i>laurina</i> , 374	<i>clandestina</i> , 322
<i>Lignosa</i> , 342	<i>taxiflora</i> , 374	<i>pratensis</i> , 322
<i>megastachya</i> , 342	<i>livida</i> , 377	<i>Verbenaca</i> , 321
<i>procumbens</i> , 341	<i>Meyeriana</i> , 371	<i>Sambucus</i> , 189
<i>radicans</i> , 342	<i>mollissima</i> , 375	<i>Ebulus</i> , 189
	<i>Myrsinites</i> , 376	<i>nigra</i> , 189
	<i>myrtilloides</i> , 374	<i>Samolus</i> , 266
		<i>Valerandi</i> , 266

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

558

## INDEX.

<i>Samphire</i> , 178	<i>Saxifraga</i>	<i>conferta</i> , 495
golden, 206	<i>stellaris</i> , 139	<i>distantia</i> , 495
marsh, 341	<i>Sternbergii</i> , 142	<i>loliacea</i> , 498
<i>Sand leek</i> , 406	<i>tridactylites</i> , 141	<i>maritima</i> , 495
<i>Sandwort</i> , 63	<i>trifida</i> , 142	<i>multiculmis</i> , 495
<i>Sanguisorba media</i> , 581	<i>trifurcata</i> , 581	<i>procumbens</i> , 495
<i>officinalis</i> , 129	<i>umbrosa</i> , 140	<i>rigida</i> , 498
<i>Sanicle</i> , 186	<i>Saxifrage</i> , 188	<i>Scolopendrium</i> , 493
<i>Sanicula</i> , 166	<i>golden</i> , 142	<i>vulgare</i> , 498
<i>europea</i> , 166	<i>pepper</i> , 180	<i>Scorodonia</i> , 381
<i>Santalaceæ</i> , 355	<i>Saxifrage</i> , 188	<i>Scorpion grass</i> , 280
<i>Sapindaceæ</i> , 88	<i>Scabiosa</i> , 199	<i>Scotch Fir</i> , 380
<i>Saponaria</i> , 54	<i>arvensis</i> , 200	<i>Scrophularia</i> , 295
<i>hybrida</i> , 54	<i>Columbaria</i> , 200	<i>aquatica</i> , 296
<i>officinalis</i> , 54	<i>maritima</i> , 532	<i>Balbisii</i> , 296
<i>Vaccaria</i> , 580	<i>succisa</i> , 200	<i>cinerea</i> , 296
<i>Sarrothamnus scorpiarius</i> , 92	<i>Scabious</i> , 199	<i>Ehrharti</i> , 296
<i>Sauce alone</i> , 30	<i>Scandix</i> , 175	<i>nodosa</i> , 296
<i>Saussurea</i> , 224	<i>Anthriscus</i> , 176	<i>Scorodonia</i> , 296
<i>alpina</i> , 224	<i>Cerefolium</i> , 176	<i>umbrosa</i> (sub-sp.), 296
<i>Savory</i> , 32	<i>Pecten-Veneris</i> , 175	<i>vernalis</i> , 297
<i>Saw-wort</i> , 224	<i>Schedonorus</i> , 496	<i>Scrophularineæ</i> , 296
<i>Saxifrage</i> , 189	<i>Scheuchzeria</i> , 430	<i>Scurvy-grass</i> , 36
<i>affinis</i> , 142	<i>palustris</i> , 430	<i>Scutellaria</i> , 323
<i>azoides</i> , 140	<i>Schoberia fruticosa</i> , 342	<i>galericulata</i> , 324
<i>Andrewsii</i> , 531	<i>maritima</i> , 342	<i>minor</i> , 324
<i>autumnalis</i> , 140	<i>Schoenus</i> , 446	<i>Sea blite</i> , 324
<i>cespitosus</i> , 142	<i>nigricans</i> , 447	<i>buckthorn</i> , 354
<i>cernua</i> , 141	<i>Scilla</i> , 408	<i>heath</i> , 52
<i>Cotyledon</i> , 531	<i>autumnalis</i> , 408	<i>holly</i> , 165
<i>decipiens</i> , 142	<i>bifolia</i> , 535	<i>kale</i> , 43
<i>elegans</i> , 140	<i>nutans</i> , 408	<i>lavender</i> , 258
<i>elongata</i> , 142	<i>verna</i> , 408	<i>milk-wort</i> , 264
<i>Geum</i> , 140	<i>Scirpus</i> , 441	<i>pink</i> , 258
<i>gracilis</i> , 140	<i>caspitosus</i> , 444	<i>purslane</i> , 65
<i>granulata</i> , 141	<i>caricinus</i> , 444	<i>rocket</i> , 43
<i>greenlandica</i> , 142	<i>Caricus</i> , 444	<i>Sedge</i> , 448
<i>hibernica</i> , 142	<i>carinatus</i> (sub-sp.),	<i>Sedum</i> , 146
<i>Hirculus</i> , 140	442	<i>acre</i> , 148
<i>hirsuta</i> , 140	<i>fluitans</i> , 448	<i>albescens</i> , 149
<i>pinta</i> , 142	<i>glaucus</i> , 442	<i>album</i> , 147
<i>hypnooides</i> , 142	<i>Holoschoenus</i> , 443	<i>anglicum</i> , 147
<i>incurvifolia</i> , 142	<i>lacustris</i> , 442	<i>Cepaea</i> , 531
<i>late-virens</i> , 142	<i>maritimus</i> , 442	<i>dasyphyllum</i> , 148
<i>tævis</i> , 142	<i>parvulus</i> , 444	<i>elegans</i> , 148
<i>leptophylla</i> , 142	<i>pauciflorus</i> , 444	<i>Fabaria</i> , 147
<i>leucanthemifolia</i> , 531	<i>planifolius</i> , 444	<i>Forsterianum</i> (sub-sp.),
<i>moschata</i> , 531	<i>pungens</i> , 442	148
<i>muscoidea</i> , 531	<i>pygmaeus</i> , 449	<i>glaucum</i> , 149
<i>nivalis</i> , 139	<i>Rothii</i> , 442	<i>micranthum</i> , 147
<i>oppositifolia</i> , 139	<i>rufus</i> , 444	<i>purpurascens</i> , 147
<i>palmata</i> , 142	<i>Savil</i> , 443	<i>reflexum</i> , 149
<i>pedatifida</i> , 531	<i>setaceus</i> , 443	<i>Rhodiola</i> , 146
<i>platyptala</i> , 142	<i>sylvaticus</i> , 443	<i>rupestre</i> , 148
<i>punctata</i> , 140	<i>Tabernaemontani</i> (sub-	<i>rupestris</i> , 149
<i>Pygmaea</i> , 531	sp.), 442	<i>pruinatum</i> , 149
<i>quinquefida</i> , 142	<i>triqueter</i> , 442	<i>sexangulare</i> , 148
<i>rivularis</i> , 141	<i>Scleranthus</i> , 334	<i>stellatum</i> , 531
<i>rotundifolia</i> , 531	<i>annuus</i> , 335	<i>Telephium</i> , 147
<i>serratifolia</i> , 140	<i>biennis</i> , 335	<i>teretifolium</i> , 147
<i>Sibthorpia</i> , 531	<i>perennis</i> , 335	<i>villosum</i> , 147

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

559

<i>Selaginella</i> , 525	<i>Silene</i>	<i>Solidago</i> , 205
<i>selaginoides</i> , 525	<i>Cucubalus</i> , 55	<i>cambrica</i> , 206
<i>spinosa</i> , 525	<i>gallica</i> , 55	<i>lanceolata</i> , 532
<i>Selaginaceæ</i> , 525	<i>infata</i> , 55	<i>Virgaurea</i> , 205
<i>Sel'-heal</i> , 323	<i>italica</i> , 530	<i>Solomon's seal</i> , 404
<i>Selinum</i> , 181	<i>maritima</i> , 55	<i>Sonchus</i> , 241
<i>carvifolium</i> , 181	<i>Otites</i> , 56	<i>alpinus</i> , 241
<i>Semperivium</i> , 149	<i>noctiflora</i> , 56	<i>arvensis</i> , 242
<i>tectorum</i> , 149	<i>nutans</i> , 56	<i>asper</i> (sub-sp.), 242
<i>Senebiera</i> , 38	<i>paradoxa</i> , 56	<i>caruleus</i> , 241
<i>Coronopus</i> , 39	<i>patens</i> , 530	<i>oleraceus</i> , 242
<i>didyma</i> , 39	<i>quinquevulnera</i> , 55	<i>palustris</i> , 242
<i>Senecio</i> , 217	<i>Siler</i> <i>trilobum</i> , 581	<i>Sorbus</i> , 136
<i>aquaticus</i> , 219	<i>Silver weed</i> , 125	<i>jennica</i> , 136
<i>barbareifolius</i> , 219	<i>Silybum</i> , 228	<i>latifolia</i> , 136
<i>campestris</i> , 220	<i>marianum</i> , 228	<i>scandica</i> , 136
<i>crassifolius</i> , 532	<i>Simethis</i> , 405	<i>Sorrel</i> , 351
<i>erratiens</i> , 532	<i>bicolor</i> , 405	<i>mountain</i> , 351
<i>erucifolius</i> , 218	<i>plantifolia</i> , 405	<i>sheep s.</i> , 351
<i>flosculosus</i> , 218	<i>Sinapis</i> , 32	<i>wood</i> , 84
<i>Jacobaea</i> , 218	<i>alba</i> , 33	<i>Sowbread</i> , 262
<i>lividus</i> , 218	<i>arvensis</i> , 33	<i>Sowthistle</i> , 241
<i>baludosus</i> , 219	<i>incana</i> , 33	<i>corn</i> , 242
<i>palustris</i> , 219	<i>tenuifolia</i> , 34	<i>Sparganium</i> , 421
<i>saracenicus</i> , 219	<i>Sison</i> , 172	<i>affine</i> , 422
<i>spathulatusfolius</i> , 220	<i>Amomum</i> , 172	<i>minimum</i> , 422
<i>squalidus</i> , 219	<i>Sisymbrium</i> , 29	<i>natas</i> , 422
<i>sylvaticus</i> , 218	<i>Alliaria</i> , 30	<i>ramosum</i> , 422
<i>tenuifolius</i> , 218	<i>Iro</i> , 29	<i>simplex</i> , 422
<i>viscosus</i> , 218	<i>murale</i> , 33	<i>Spartina</i> , 470
<i>vulgaris</i> , 218	<i>officinale</i> , 30	<i>alterniflora</i> , 470
<i>Serrafucus</i> , 501	<i>pannonicum</i> , 529	<i>stricta</i> , 470
<i>Serratula</i> , 224	<i>polyceratum</i> , 30	<i>Townsendii</i> , 471
<i>tinctoria</i> , 224	<i>Sophia</i> , 29	<i>Spartium scoparium</i> , 92
<i>Service</i> , wild, 186	<i>tenuifolium</i> , 34	<i>Spear-wort</i> , 8
<i>Sesseli</i> , 177	<i>Thaliana</i> , 29	<i>lesser</i> , 8
<i>Libanotis</i> , 177	<i>Sisyrinchium</i> , 384	<i>thistle</i> , 225
<i>Sesleria</i> , 487	<i>angustifolium</i> , 396	<i>Specularia</i> , 248
<i>caerulea</i> , 487	<i>bermudiana</i> , 396	<i>hybrida</i> , 248
<i>Setaria</i> , 470	<i>Sium</i> , 172	<i>Speedwell</i> , 293
<i>glauca</i> , 535	<i>angustifolium</i> , 173	<i>Spergella</i> , 66
<i>verticillata</i> , 470	<i>erectum</i> , 173	<i>Spergula</i> , 67
<i>viridis</i> , 470	<i>latifolium</i> , 173	<i>arvensis</i> , 67
<i>Sheep's-bit</i> , 244	<i>repens</i> , 169	<i>nodosa</i> , 67
<i>Shepherd's-needle</i> , 176	<i>Skull-cap</i> , 323	<i>pentandra</i> , 530
<i>purse</i> , 38	<i>Sloe</i> , 114	<i>pilifera</i> , 530
<i>Sherardia</i> , 195	<i>Smilacina bifolia</i> , 404	<i>saginoides</i> , 66
<i>arvensis</i> , 195	<i>Smyrnium</i> , 167	<i>sativa</i> , 67
<i>Shore-weed</i> , 290	<i>Olusatrum</i> , 167	<i>stricta</i> , 64
<i>Sibbaldia procumbens</i> , 124	<i>Snake-root</i> , 344	<i>subulata</i> , 67
<i>Sibthorpia</i> , 297	<i>Snake's head</i> , 410	<i>vulgaris</i> , 67
<i>europeæ</i> , 298	<i>Snap-dragon</i> , 295	<i>Spergularia</i> , 67
<i>Silaus</i> , 180	<i>Sneeze-wort</i> , 212	<i>marina</i> , 68
<i>pratensis</i> , 180	<i>Snow-drop</i> , 400	<i>media</i> , 68
<i>Silene</i> , 55	<i>flake</i> , 400	<i>rubra</i> , 68
<i>acaulis</i> , 56	<i>Soap-wort</i> , 54	<i>rupestris</i> , 68
<i>alpestris</i> , 530	<i>Solanaceæ</i> , 286	<i>salina</i> , 68
<i>anglica</i> , 55	<i>Dulcamara</i> , 287	<i>Spignel</i> , 180
<i>annulata</i> , 530	<i>luteo-virescens</i> , 287	<i>Spikenard</i> , ploughman's 206
<i>Armeria</i> , 530	<i>miniatum</i> , 287	<i>Spindle-tree</i> , 87
<i>conica</i> , 55	<i>nigrum</i> , 287	<i>Spiræa</i> , 115
		<i>Filipendula</i> , 116

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

560

## INDEX.

*Spiraea*  
*salicifolia*, 116  
*Ulmaria*, 116  
*Spiranthes*, 386  
*festivalis*, 387  
*autumnalis*, 386  
*cernua*, 387  
*geminipara*, 387  
*Romanzoviana*, 387  
*Spiraea*, 425  
*Spleen-wort*, 491  
*Spurge*, 356  
*caper*, 351  
*laurel*, 353  
*sun*, 356  
*Spurrey*, 67  
*knotted*, 67  
*sand-wort*, 67  
*Squill*, 408  
*Squinancy-wort*, 195  
*Stachys*, 325  
*ambigua*, 326  
*annua*, 584  
*arvensis*, 326  
*Betonica*, 326  
*germanica*, 326  
*palustris*, 325  
*sylvatica*, 325  
*Staphylea* *pinnata*, 580  
*Star-fruit*, 437  
*Star of Bethlehem*, 409  
*yellow*, 411  
*Star-thistle*, 223  
*Statice*, 258  
*Armeria*, 258  
*auriculifolia*, 259  
*bahuriensis*, 259  
*Behen*, 259  
*bellidifolia*, 259  
*binervosa*, 259  
*Caspia*, 259  
*Dodartia*, 259  
*Limonium*, 259  
*occidentalis*, 259  
*oxylobus*, 259  
*rariiflora* (sub-sp.), 259  
*reticulata*, 259  
*serotina*, 259  
*spathulata*, 259  
*St. Dabeoc's heath*, 254  
*Stellaria*, 61  
*aquatica*, 61  
*Boreana*, 62  
*cerastoides*, 61  
*Elizabethae*, 62  
*glauca*, 62  
*graminea*, 62  
*Holostea*, 62  
*media*, 62  
*niglecta*, 62  
*nemorum*, 61  
*palustris*, 62

*Stellaria*  
*scapigera*, 62  
*uliginosa*, 63  
*umbrosa* (sub-sp.), 62  
*stellata*, 191  
*Stinking May-weed*, 213  
*Stipa pennata*, 535  
*Stitch-wort*, 61  
*St. John's-wort*, 72  
*Stock*, 23  
*Stonecrop*, 146  
*biting*, 148  
*Stork's-bill*, 82  
*St. Patrick's cabbage*, 140  
*Strap-wort*, 333  
*Stratiotes*, 382  
*alooides*, 382  
*Strawberry*, 123  
*tree*, 251  
*wild*, 123  
*Sturmia Loeselii*, 384  
*minima*, 476  
*Suaeda*, 342  
*fruticosa*, 342  
*maritima*, 342  
*Subularia*, 38  
*aquatica*, 38  
*Succory*, 229  
*Sulphur-wort*, 182  
*Sundew*, 150  
*Sweetbriar*, 131  
*Sweet-flag*, 424  
*Sweetgale*, 364  
*Swertia perennis*, 583  
*Swine's succory*, 229  
*Sycamore*, 89  
*Symphtym*, 277  
*aspernum*, 533  
*officinale*, 177  
*orientale*, 533  
*patens*, 277  
*peregrinum*, 533  
*tauricum*, 533  
*tuberosum*, 277  
  
 T.  
*Tamariscineæ*, 70  
*Tamarisk*, 70  
*Tamarix*, 70  
*anglica*, 70  
*gallica*, 70  
*Tamus*, 401  
*communis*, 401  
*Tanacetum*, 215  
*vulgare*, 215  
*Tansy*, 215  
*Taraxacum*, 240  
*Dens-leonis*, 240  
*erythrospermum*, 240  
*lavigatum*, 240

*Taraxacum*  
*officinale*, 240  
*palustre*, 240  
*Tare*, 107  
*Taxus*, 380  
*baccata*, 380  
*fastigata*, 380  
*Teasel*, 199  
*Fuller's*, 199  
*wild*, 199  
*Teesdalia*, 42  
*Iberis*, 42  
*nudicaulis*, 42  
*Telmatophace*, 425  
*Teucrium*, 331  
*Botrys*, 331  
*Chamaedrys*, 332  
*regum*, 534  
*scordioides*, 331  
*Scordium*, 331  
*Scorodonia*, 331  
*Thalictrum*, 2  
*alpinum*, 2  
*calcareum*, 3  
*flavum*, 3  
*flexuosum*, 3  
*Kochii* (sub-sp.), 3  
*majus*, 529  
*majus* (sub-sp.), 3  
*maritimum*, 3  
*minus*, 2  
*minus*, 3  
*montanum*, 3  
*Mortoniæ*, 3  
*nutans*, 529  
*riparium*, 3  
*saxatile* (sub-sp.), 3  
*sphaerocarpum*, 3  
*Thesium*, 355  
*divaricatum*, 355  
*humifusum*, 355  
*humile*, 534  
*intermedium*, 534  
*linophyllum*, 355  
*Thistle*, 224  
*carline*, 221  
*cotton*, 227  
*melancholy*, 227  
*musk*, 224  
*spear*, 225  
*star*, 223  
*Thlaspi*, 40  
*alpestre*, 41  
*arvense*, 40  
*occitanum*, 41  
*perfoliatum*, 41  
*sylvestre*, 41  
*virens*, 41  
*Thrift*, 258  
*Thrincia*, 239  
*Thyme*, 319  
*water*, 332

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

561

Thymelaeaceæ, 352	Trifolium	Tway-blade
Thymus, 319	hybridum, 100	lesser, 386
<i>Acinos</i> , 321	incarnatum, 97	Typha, 422
Chamaedrys (sub-sp.),	maritimum, 98	<a>angustifolia</a> , 422
319	medium, 98	<a>latifolia</a> , 422
Serpullum, 319	minus, 101	<a>media</a> , 422
Tilia, 77	Molinieri (sub-sp.), 98	minor, 385
<i>grandifolia</i> , 77	ochroleucum, 98	Typhaceæ, 421
<i>intermedia</i> , 77	ornithopodioides, 94	
<i>parvifolia</i> , 77	parviflorum, 580	
<i>vulgaris</i> , 77	pratense, 98	
Tiliaceæ, 76	procumbens, 101	
Tiliaæ, 145	procumbens, 101	
muscosa, 145	repens, 100	U.
Timothy grass, 475	resupinatum, 580	
Tinea intacta, 394	scabrum, 99	<i>Udora canadensis</i> , 382
Toad-flax, 293	stellatum, 530	Ulex, 92
bastard, 355	striatum, 99	<a>europeus</a> , 92
ivy-leaved, 293	strictum, 100	<a>Gallii</a> (sub-sp.), 92
Tofieldia, 412	subterraneum, 97	<a>nanus</a> , 92
<b>borealis</b> , 413	suffocatum, 99	<a>strictus</a> , 92
<i>palustris</i> , 413	tomentosum, 530	Ulmus, 361
Tooth-wort, 307	Triglochin, 429	<a>campestris</a> , 362
Tordylium, 184	<i>maritimum</i> , 430	<a>campestris</a> , 362
maximum, 184	<i>palustre</i> , 430	<a>carpinifolia</a> , 362
officinale, 531	Trigonella, 94	<a>glabra</a> , 362
Torilis, 185	<i>ornithopodioides</i> , 94	<a>major</a> , 362
<i>vermentilla erecta</i> , 125	Trinia, 156	<a>montana</a> , 362
<i>officinalis</i> , 125	<i>Kitaibelli</i> , 531	<a>stricta</a> , 362
Tragopogon, 242	<i>vulgaris</i> , 169	<a>suberosa</a> , 362
<i>grandiflora</i> , 243	Triodia, 486	Umbelliferæ, 161
<i>minor</i> , 243	decumbens, 486	Urtica, 362
<i>porrifolius</i> , 243	Trisetum, 484	<a>dioica</a> , 362
<i>pratensis</i> , 243	<i>flavescens</i> , 484	<a>Dodartia</a> , 363
Traveler's joy, 2	<i>subspicatum</i> , 535	<a>pilulifera</a> , 363
Treacle-mustard, 30	<i>Triticum acutum</i> , 504	urens, 362
Trefolium, 96	<i>alpinum</i> , 504	Urticaceæ, 361
bird's-foot, 102	<i>caninum</i> , 504	Utricularia, 311
bare-foot, 97	<i>juncinum</i> , 504	<a>Brenii</a> , 312
hop, 101	<i>laxum</i> , 504	<a>intermedia</a> , 312
Trichodium, 477	<i>littorale</i> , 504	<a>minor</a> , 312
Trichomanes, 509	<i>loliaceum</i> , 498	<a>neglecta</a> (sub-sp.), 312
Andrewsii, 510	<i>pungens</i> , 504	<a>vulgaris</a> , 312
<i>brevisetum</i> , 509	<i>repens</i> , 504	
radicans, 509	Trollius, 11	V,
<i>speciosum</i> , 509	<i>europaeus</i> , 11	Vaccinium, 249
Trichonema, 383	Tulip, wild, 410	<i>macrocarpon</i> , 533
<i>Bulbocodium</i> , 396	Tulipa, 410	<i>Myrtillus</i> , 249
Columnæ, 396	<i>syvestris</i> , 410	Oxycoccus, 250
Trichothalamus, 123	Turgenia, 185	<i>uliginosum</i> , 250
Trientalis, 264	Turnip, 32	Vitis- <i>idaea</i> , 250
<i>europaea</i> , 264	Swedish, 32	<i>Valantia Cruciflora</i> , 193
Trifolium, 96	<i>Turritis glabra</i> , 27	Valerian, 196
<i>agrarium</i> , 530	<i>hiruta</i> , 27	cat's, 197
arvense, 97	Tussilago, 216	Greek, 274
Bocconi, 97	<i>alpina</i> , 532	spur, 197
dubium, 101	<i>Farfara</i> , 217	Valeriana, 196
<i>elegans</i> , 100	<i>hybrida</i> , 216	<a>dioica</a> , 196
filiforme, 101	<i>Petasites</i> , 216	
fragiferum, 100	Tutsan, 72	
glomeratum, 99	Tway-blade, 385	

o o

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

562

## INDEX.

**Valeriana**  
*Locusta*, 197  
*Mikani*, 197  
*officinalis*, 197  
*pyrenaica*, 197  
*sambucifolia*, 197

**Valerianella**, 196

**Auricula**, 198  
*carinata*, 198  
*dentata*, 198  
*dentata*, 198  
*eriocarpa*, 198  
*eriocarpa*, 198  
*mixta*, 198  
*Morisonii*, 198  
*Olitoria*, 197  
*tridentata*, 198

**Vella annua**, 529

**Verbascum**, 291

**Blattaria**, 292

**Lychnitis**, 292

**nigrum**, 292

**Phlomoides**, 533

**Phoeniceum**, 533

**pulverulentum**, 292

**thapsiforme**, 533

**Thapsus**, 291

**virgatum** (sub-sp.), 298

**Verbena**, 313

**officinalis**, 313

**Verbenaceæ**, 313

**Veronica**, 298

*agrestis*, 299  
*alpina*, 300  
*Anagallis*, 302  
*arvensis*, 300

**Buccabunga**, 302

**Buxbaumii**, 299

**Chamaedrys**, 301

*extima*, 300

**fructiculosa**, 533

**hederifolia**, 299

*hirsuta*, 301

*nummifera*, 300

*hybrida*, 302

*montana*, 301

*officinalis*, 301

*peregrina*, 533

*polita* (sub-sp.), 299

*saxatilis*, 301

*saligna*, 301

*scutellata*, 302

*serpyllifolia*, 300

*apicata*, 302

*triphylos*, 299

*verna*, 300

**Vervain**, 313

**Vetch**, 107

bitter, 108

**Vetch**  
*horse-shoe*, 106  
*kidney*, 102  
*milk*, 103  
*wood*, 108

**Viburnum**, 188

*Lantana*, 189

*Opulus*, 189

**Vicia**, 107

*angustifolia*, 109  
*bithynica*, 109  
*Bobartii*, 109

*Cracca*, 107

*gracilis* (sub-sp.), 107

*hirsuta*, 107

*hybrida*, 109

*lavigata*, 109

*latyroides*, 109

*lutea*, 108

*Orobous*, 108

*sativa*, 109

*segetalis*, 109

*sepium*, 108

*sylvatica*, 108

*tetrasperma*, 107

**Villarsia nymphœoides**, 273

**Vinca**, 268

*major*, 269

*minor*, 268

**Viola**, 47

*arenaria*, 49

*arvensis* (sub - sp.), 49

*calcarea*, 48

*canina*, 48

*Curtisia* (sub-sp.), 49

*epipsila*, 530

*fasciornis*, 48

*grandiflora*, 50

*hirta*, 48

*lactea* (sub-sp.), 48

*lutea* (sub-sp.), 50

*odorata*, 48

*palustris*, 47

*permixta*, 48

*peregrina* (sub-sp.), 48

*pumila*, 48

*Reichenbachiana*, 49

*Riviniana*, 49

*sabulosa*, 49

*sepincola*, 48

*stagnina*, 48

*stricta*, 530

*sylvatica*, 48

*tricolor*, 49

**Violacea**, 47

**Violet**, 47

dog, 48

sweet, 48

**Violet**  
water, 266

**Viper's Bugloss**, 276

**Viscum**, 355

album, 355

**Vulpia**, 497

*membranacea*, 498

## W.

**Wahlenbergia**, 245

hederacea, 245

**Wallflower**, 24

**Wall-pepper**, 148

**Wart-cress**, 39

**Water-cress**, 24

drop-wort, 178

fennel, 6

hemlock, 172

lily, white, 16

lily, yellow, 15

milfoil, 151

parsnip, 172

pepper, 345

plantain, 427

purslane, 154

soldier, 382

star-wort, 152

thyme, 352

violet, 266

wort, 71

**Way-bent**, 506

**Wayfaring-tree**, 189

**Weid**, 45

**Welsh poppy**, 18

**Whin**, 92

**White-bottle**, 55

rot, 165

thorn, 137

**Whitlow-grass**, 34

vernal, 35

**Whortleberry**, 249

**Willow**, 370

almond-leaved, 370

bay-leaved, 371

Bedford, 371

crack, 371

French, 156, 370

goat, 372

golden, 372

herb, 155

rose, 378

tea-leaved, 374

violet, 374

white, 371

**Winter aconite**, 12

cress, 25

green 255

**Withy**, 371

Cambridge University Press

978-1-108-06966-3 - The Student's Flora of the British Islands

Joseph Dalton Hooker

Index

[More information](#)

## INDEX.

563

Woad, 42  
*Wolfia*, 425  
  *arrhiza*, 426  
*Wolf's-bane*, 13  
*Wood betony*, 326  
*Woodbine*, 190  
*Woodruff*, 195  
  rush, 419  
  sage, 331  
  sorrel, 84  
  violet, 49  
*Woodsia*, 515  
  *hyperborea*, 515  
  *ilvensis*, 515  
*Wormwood*, 216  
*Wound-wort*, 325

**X.**  
*Xanthium spinosum*, 532  
*strumarium*, 532

**Y.**  
*Yarrow*, 212  
*Yellow Archangel*, 330  
  *centaury*, 269  
  *rattle*, 305  
  wort, 269  
*Yew*, 330

**Z.**  
*Zannichellia*, 437  
*brachystemon* (sub-sp.),  
  437  
*macrostemon*, 437  
*major*, 437  
*palustris*, 437  
*pedicellata*, 437  
*pedunculata* (sub-sp.),  
  437  
*polycarpa* (sub-sp.), 438  
*tenuissima*, 438  
*Zostera*, 438  
  *marina*, 438  
  *nana*, 438

THE END.