

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in
the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)*Classis VIII.***O C T A N D R I A*****M O N O G Y N I A.***T R O P Æ O L U M. *Gen. pl. 466.**Cal.* 1-phyllus, calcaratus. *Petala 5,* inæqualia.
Baccæ 3, siccæ.

1. T. foliis peltatis repandis, petalis acuminato-setaceis. *minus.*
Syst. veget. 357.
Small Indian Cres, or Tropæolum.
Nat. of Peru.
Cult. 1596, by Mr. John Gerard. *Hort. Ger.*
Fl. June—October. H. ⊖.
2. T. foliis peltatis subquinquelobis, petalis obtusis. *majus.*
Syst. veget. 357. *Curtis magaz.* 23.
α flore simplici.
Great Indian Cres, or Tropæolum.
β flore pleno.
Double-flower'd Indian Cres, or Tropæolum.
Nat. of Peru.
Introd. 1686, by Dr. Lumley Lloyd. *Collins. msgr.*
Fl. June—October. α. H. ⊖. β. Gr. H. 4.
3. T. foliis palmatis, petalis multifidis. *Sp. pl. 490.* *peregrinum.*
Fringed-flower'd Tropæolum.
Nat. of Peru.
Introd. 1775, by Benjamin Bewick, Esq.
Fl. September and October. S. ⊖.

VOL. II.

B

RHEXIA.

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

2

OCTANDRIA MONOGYNIA.

R H E X I A. *Gen. pl. 468.*

Cal. 4-fidus. Petala 4, calyci inferta. Antheræ de-clinatæ. Capſula 4-locularis, intra ventrem ca-lycis.

- virgini-* 1. R. foliis fessilibus ferratis, calycibus glabris. *Sp. pl.*
ca. 491.
 Hairy-leav'd Rhexia.
Nat. of North America.
Cult. 1759, by Mr. Ph. Miller. Mill. diſ. edit. 7. n. 1.
Fl. July and August. H. 24.

Œ N O T H E R A. *Gen. pl. 469.*

Cal. 4-fidus. Petala 4. Capſ. cylindrica, infera,
Sem. nuda.

- biennis.* 1. Œ. foliis ovato-lanceolatis planis, caule muricato subvilloso. *Sp. pl. 492.*
 Broad-leav'd Tree Primrose, or Œnothera.
Nat. of North America.
Cult. 1629. Park. parad. 263. f. 6.
Fl. June—September. H. ♂.

- grandi-* 2. Œ. foliis ovato-lanceolatis, staminibus declinatis,
flora. caule fruticoso. *L'Herit. Stirp. nov. tom. 2. tab. 4.*
 Great-flower'd Œnothera.
Nat. of North America.
Introd. 1778, by John Fothergill, M. D.
Fl. July and August. G. H. ♂.

- parviflo-* 3. Œ. foliis ovato-lanceolatis planis, caule lævi subvillo-
ra. fo. *Sp. pl. 492.*
 Small-flower'd Œnothera.
Nat. of North America.

Introd.

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)OCTANDRIA MONOGYNIA. *Œnothera.* 3*Introd. 1775, by John Earl of Bute.**Fl. June—August.* H. ♂.

4. *Œ. foliis denticulatis, caulibus simplicibus pilosis, longifloris petalis distantibus bilobis.* *Syst. veget. 358. Jeaqu. ra. hort. 2. p. 81. t. 172.*

Long-flower'd *Œnothera.**Nat. of Buenos Ayres.**Introd. 1776, by Chevalier Murray.**Fl. July—September.* H. ♂.

5. *Œ. foliis lanceolatis undulatis.* *Sp. pl. 492.* *molliflora.*
Soft *Œnothera.*

*Nat. of Buenos Ayres.**Cult. 1732, by James Sherard, M. D. Dill. elth. 297. t. 219. f. 286.**Fl. June—October.* H. ♂.

6. *Œ. foliis ovatis dentatis: inferioribus lyratis, capsulis clavatis.* *rosea.*

*Œnothera rosea. L'Herit. Stirp. nov. tom. 2. tab. 6.*Rose-flower'd *Œnothera.**Nat. of Peru.**Introd. 1783, by Mons. Thouin.**Fl. most part of the Summer.* G. H. 4.

7. *Œ. foliis dentato-sinuatis, capsulis prismaticis.* *sinuata.*
Œnothera sinuata. Linn. mant. 228. Murray in nov. comment. getting. 5. pag. 44. tab. 9.

*Œnothera repanda. Medicus in act. palat. vol. 3. phys. pag. 198. tab. 8.*Scollop-leav'd *Œnothera.**Nat. of North America.**Introd. 1770, by Mons. Richard.**Fl. July.* H. ♂.

B 2

8. *Œ.*

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

4

OCTANDRIA MONOGYNIA. *CEnothera.*

- fruticosa.* 8. *CE.* foliis lanceolatis subdentatis, capsulis pedicellatis acutangulis, racemo pedunculato. *Sp. pl.* 492.
L'Herit. stirp. nov. tom. 2. tab. 5.

Shrubby *CEnothera.**Nat. of Virginia.**Cult. 1739, by Mr. Philip Miller. Rand. chel. Onagra 5.**Fl. June—August.*

H. 24.

- pumila.* 9. *CE.* foliis lanceolatis obtusis glabris subpetiolatis, caulinibus prostratis, capsulis acutangulis. *Sp. pl.* 493.

Dwarf *CEnothera.**Nat. of North America.**Cult. 1757, by Mr. Ph. Miller. Mill. ic. 125. t. 188.**Fl. May—September.*

H. 24.

G A U R A. *Gen. pl.* 470.

Cal. 4-fidus, tubulosus. Cor. 4-petala, adscendens versus latus superius. Nux infera, 1-sperma, 4-angula.

- biennis.* 1. *GAURA.* *Sp. pl.* 493.

Biennial *Gaura.**Nat. of Pennsylvania and Virginia.**Introd. 1762, by Mr. James Gordon.**Fl. August—October.*

H. 3.

E P I L O B I U M. *Gen. pl.* 471.

Cal. 4-fidus. Petala 4. Cap. oblonga, infera. Sem. papposa.

* *Staminibus declinatis.*

- angustifolium.* 1. *E.* foliis sparsis linear-lanceolatis integerrimis venosis, floribus inaequalibus.

Epilobium

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in
the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

OCTANDRIA MONOGYNIA. Epilobium.

5

Epilobium angustifolium. *Sp. pl. 493. Curtis lond.*

Narrow-leav'd Epilobium, or Rose-bay Willow-herb.

*Nat. of Britain.**Fl. July and August.*

H. 4.

2. E. foliis sparsis linearibus obsolete denticulatis ave- *angustif-*
niis, petalis æqualibus integerrimis. *simum.*Epilobium angustissimum. *Weber dec. pl. min. cogn.**p. 3.*Epilobium angustifolium *r.* *Sp. pl. 494.*Epilobium flore difformi, foliis linearibus. *Hall.*
bif. 1001.

Linear-leav'd Epilobium.

*Nat. of Switzerland.**Introd. 1775, by the Doctors Pitcairn and Fothergill.**Fl. July and August.* H. 4.* * *Staminibus erectis regularibus, petalis bifidis.*3. E. foliis ovato-lanceolatis semiamplexicaulibus hir-
sutum, caule ramosissimo, radice repente. Curtis lond. *birsutum.*Epilobium hirsutum *a.* *Sp. pl. 494.*Epilobium ramosum. *Huds. angl. 162.*Epilobium grandiflorum. *Allion. pedem. 1. p. 279.*

Large-flower'd Epilobium.

*Nat. of Britain.**Fl. July and August.*

H. 4.

4. E. foliis oblongo-lanceolatis dentatis pubescentibus, *villosum,*
*caule tereti villoso. Curtis lond.*Epilobium hirsutum *β.* *Sp. pl. 494.*Epilobium hirsutum. *Huds. angl. 161. Allion. pedem. 1.*
p. 279.

Hoary Epilobium.

*Nat. of Britain.**Fl. July and August.*

H. 4.

B 3

5. E.

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

6

OCTANDRIA MONOGYNIA. Epilobium.

- monta-*
num. 5. E. foliis oppositis ovatis dentatis. *Sp. pl. 494. Curtis lond.*
Mountain Epilobium.
Nat. of Britain.
Fl. June. H. ♂.
- tetrago-*
num. 6. E. foliis lanceolatis denticulatis : imis oppositis, caule tetragono. *Sp. pl. 494. Curtis lond.*
Square-stalk'd Epilobium.
Nat. of Britain.
Fl. July. H. ♀.
- palustre.* 7. E. foliis oppositis lanceolatis integerrimis, petalis emarginatis, caule erecto. *Sp. pl. 495.*
Marsh Epilobium.
Nat. of Britain.
Fl. July. H. ♀.
- alpinum.* 8. E. foliis oppositis ovato-lanceolatis integerrimis, siliquis sessilibus, caule repente. *Sp. pl. 495.*
Alpine Epilobium.
Nat. of Britain.
Fl. July. H. ♀.

M E L I C O C C A. *Gen. pl. 472.*

Cal. 4-partitus, *Petala 4,* reflexa infra calycem.
Stigm. subpeltatum. *Drupe coriacea.*

- bijuga.* 1. MELICOCCA. *Sp. pl. 495.*
Winged-leav'd Melicocca.
Nat. of Jamaica.
Intro'd. 1778, by Thomas Clark, M.D.
Fl. S. ♂.

K O E L R E U.

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

OCTANDRIA MONOGYNIA.

7

KŒLREUTERIA. *Laxmann.*

Cal. 5-phyllus. *Cor.* 4-petala, irregularis. *Caps.* 3-locularis. *Sem.* bina.

I. KŒLREUTERIA. *Laxmann in nov. comm. petrop.* *panicula-*
ta. 16. p. 561. tab. 18.

Kœlreuteria paullinioides. *L'Herit. fert. angl.* tab. 19.

Sapindus chinensis. *Linn. suppl.* 228.

Panicled Kœlreuteria.

Nat. of China.

Introd. about 1763, by George W. Earl of Coventry.

Fl. August.

H. h.

G U A R E A. *Linn. mant.* 150.

Cal. 4-dentatus. *Petala* 4. *Nectarium cylindricum,*
ore Antheras gerens. *Caps.* 4-locularis, 4-valvis.
Sem. solitaria.

I. GUAREA. *Syst. veget.* 360.

Trichilia Guara. *Sp. pl.* 551.

trichilioi-
des.

Ash-leav'd Guarea.

Nat. of South America.

Cult. 1770, by Mr. James Gordon.

Fl.

G. H. h.

X I M E N I A. *Gen. pl.* 477.

Cal. 4-fidus. *Petala* 4, pilosa, revoluta. *Drupa monosperma.*

I. X. foliis oblongis, pedunculis multifloris. *Sp. pl.* 497. *america-*
American Ximenia.

Nat. of the West Indies.

Cult. 1759, by Mr. Ph. Miller. *Mill. dict. edit.* 7. n. 1.

Fl.

S. h.

B 4

FUCH-

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

8

OCTANDRIA MONOGYNIA.

F U C H S I A. *Gen. pl. 128.*

Cal. 1-phyllo, coloratus, corollifer, maximus. *Petala* 4,
parva. *Bacca* infera, 4-locularis, polysperma.

- coccinea.* 1. *F.* foliis oppositis ovatis denticulatis, petalis obovatis obtusis.
Thilco. *Feuillée it. 3. p. 64. t. 47.*
Scarlet-flower'd Fuchsia.
Nat. of Chili.
Introd. 1788, by Captain Firth.
Fl. May—July. S. ♂.

C H L O R A. *Linn. mant. 10.*

Cal. 8-phyllo. *Cor.* 1-petala, 8-fida. *Capit.* 1-locularis, 2-valvis, polysperma.

- perfolia-
ta.* 1. *C.* foliis perfoliatis. *Syst. veget. 361.*
Gentiana perfoliata. *Sp. pl. 335.*
Yellow Wort, or perfoliate Centory.
Nat. of Britain.
Fl. June and July. H. ♂.

M I C H A U X I A. *L'Heritier monogr.*

Cal. 16-partitus. *Cor.* rotata, 8-partita. *Neck.* 8-valve, staminiferum. *Capit.* 8-locularis, polysperma.

- campanu-
loides.* 1. *MICHAUXIA.* *L'Heritier monogr.*
Rough leav'd Michauxia.
Nat. of the Levant.
Introd. 1787, by Mons. L'Heritier.
Fl. June—August. G. H. ♂.

D O D O N Æ A.

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

OCTANDRIA MONOGYNIA.

9

DODONÆA. *Linn. mant.* 149.

Cal. 4-phyllus. *Cor.* o. *Capf.* 3-locularis, inflata.
Sem. bina.

1. *D. foliis oblongis.* *Linn. suppl.* 218. *vifosa.*

Broad-leav'd Dodonæa.

Nat. of the Countries between the Tropics.

Introd. 1690, by Mr. Bentick. *Br. Mus. Sloan.* mff.
 3370.

Fl. June and July. *S. h.*

2. *D. foliis linearibus.* *Linn. suppl.* 218. *angusti-folia.*

Narrow-leav'd Dodonæa.

Nat. of the Cape of Good Hope.

Cult. 1758, by Mr. Philip Miller.

Fl. May—August. *G. H. h.*

LAWSONIA. *Gen. pl.* 482.

Cal. 4-fidus. *Petala* 4. *Stamina* 4 parium. *Capf.*
 4-locularis, polysperma.

1. *L. ramis inermibus.* *Sp. pl.* 498. *inermis.*

Smooth Lawsonia.

Nat. of Egypt.

Cult. 1739, by Mr. Philip Miller. *Mill. dict. vol.* 2.

Ligustrum 2.

Fl. *S. h.*

2. *L. ramis spinosis.* *Sp. pl.* 498. *spinosa.*

Prickly Lawsonia.

Nat. of the East Indies.

Cult. 1759, by Mr. Ph. Miller. *Mill. dict. edit.* 7. n. 2.

Fl. *S. h.*

VACCINI

Cambridge University Press

978-1-108-06968-7 - Hortus Kewensis: Or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew: Volume 2: Octandria to Monadelphia

William Aiton

Excerpt

[More information](#)

10

OCTANDRIA MONOGYNIA.

VACCINIUM. Gen. pl. 483.

*Cal. superus. Cor. 1-petala. Filamenta receptaculo
inserta. Bacca 4-locularis, polysperma.*

* *Foliis annotinis s. deciduis.*

- Myrtillus.* 1. *V. pedunculis unifloris, foliis ferratis ovatis deciduis,
caule angulato.* Sp. pl. 498.
Common Blea-berry, or Whortle-berry.
Nat. of Britain.
Fl. April. H. b.
- pallidum.* 2. *V. racemis bracteatis, corollis cylindraceo-campanu-
latis, foliis ovatis acutis ferrulatis glabris deciduis.*
Pale Whortle-berry.
Nat. of North America. Samuel Martin, M.D.
Introd. 1772.
Fl. May and June. H. b.
- ftamineum.* 3. *V. pedunculis solitariis nudis unifloris, antheris corol-
la longioribus, foliis oblongo-ovatis acutis integer-
rimis subtus subglaucis.*
Vaccinium ftamineum. Sp. pl. 498.
Green-wooded Whortle-berry.
Nat. of North America.
Introd. 1772, by Mr. William Young.
Fl. May and June. H. b.
- uliginosum.* 4. *V. pedunculis unifloris, foliis integerrimis deciduis
ovalibus basi attenuatis lævibus.*
Vaccinium uliginosum. Sp. pl. 499.
Marsh Bilberry, or Whortle-berry.
Nat. of Britain.
Fl. April and May. H. b.
5. V.