

## CONTENTS.

		ARTICLE		PAGE
	<b>INTRODUCTION</b> . . . . .			1
	<b>SECT. I.—AN ACCOUNT OF THE INVENTION AND PROGRESSIVE IMPROVEMENT OF THE STEAM ENGINE.</b>			
<b>DATE.</b>	1663 Marquis of Worcester . . . . .	4	.	2
	1683 Sir Samuel Morland . . . . .	5	.	4
	1698 Thomas Savery . . . . .	7	.	5
	1698 Dr. Denis Papin . . . . .	8	.	7
	1705 Thomas Newcomen . . . . .	10	.	9
	1718 Henry Beighton . . . . .	11	.	12
	1720 Leupold . . . . .	12	.	13
	1736 Jonathan Hulls . . . . .	14	.	14
	1739 Bernard Belidor . . . . .	15	.	15
	1741 John Payne . . . . .	16	.	16
	1751 Francis Blake . . . . .	19	.	18
	1757 Keane Fitzgerald . . . . .	20	.	20
	1758 William Emerson . . . . .	21	.	20
	1762 Dr. Joseph Black . . . . .	23	.	21
	1765 John Smeaton . . . . .	24	.	21
	1766 John Blakey . . . . .	25	.	24
	1769 James Watt . . . . .	26	.	25
	1781 Jonathan Hornblower . . . . .	32	.	29
	1782 Marquis De Jouffroy . . . . .	34	.	30
	1788 Patrick Miller . . . . .	36	.	31
	1790 Bettancourt . . . . .	40	.	32
	1790 R. Prony . . . . .	41	.	32
	1795 John Banks . . . . .	42	.	33
	1797 Dr. Edmund Cartwright . . . . .	43	.	34
	1797 John Curr . . . . .	44	.	36
	1799 Matthew Murray . . . . .	46	.	37
	1799 W. Murdoch . . . . .	49	.	38

## CONTENTS.

			ARTICLE		PAGE
DATE.	1801	Dr. Robison . . . . .	50	.	38
	1801	Joseph Bramah . . . . .	52	.	39
	1801	John Dalton . . . . .	54	.	40
	1802	William Symington . . . . .	55	.	41
	1802	Trevithick and Vivian . . . . .	56	.	41
	1804	Arthur Woolf . . . . .	57	.	42
	1806	Oliver Evans . . . . .	58	.	43

SECT. II.—OF THE NATURE AND PROPERTIES OF STEAM, ITS ELASTIC FORCE,  
EXPANSIVE FORCE, AND POWER OF MOTION.

Of the equilibrium of heat . . . . .	65	.	.	47
Of the heat which converts water and other bodies into steam or vapour . . . . .	71—82	.	.	48
Of the elastic force of steam and vapours . . . . .	83	.	.	56
Rules for the force of steam . . . . .	88	.	.	59
Watt's experiments on salt water . . . . .	.	.	.	62
Watt's experiments on pure water . . . . .	94	.	.	63
Robison's experiments on pure water . . . . .	95	.	.	64
Dalton's experiments on pure water . . . . .	96	.	.	65
Ure's experiments on pure water . . . . .	98	.	.	68
Southern's experiments on pure water . . . . .	99	.	.	71
Taylor's experiments on pure water . . . . .	100	.	.	72
Arsberger's experiments on pure water . . . . .	102	.	.	73
Of the elastic force of the vapour of alcohol . . . . .	104, 105	.	.	75
——Elastic force of the vapour of sulphuric ether . . . . .	106—108	.	.	77
Cagniard de la Tour's experiments . . . . .	107	.	.	78
Ure's and Dalton's experiments on ether . . . . .	108	.	.	79
——Elastic force of sulphuret of carbon . . . . .	109	.	.	80
Cagniard de la Tour's experiments . . . . .	111	.	.	81
——Elastic force of vapour of petroleum, oil of turpentine, oil gas . . . . .	113	.	.	83
——Elastic force of compressed gases . . . . .	115—117	.	.	84
Faraday's experiments. . . . .	117	.	.	85
——Elastic force of vapours separated from the liquids from which they were generated . . . . .	118	.	.	86
——Volume or bulk occupied by steam of a given elastic force . . . . .	120	.	.	87
——Mixture of air and vapour . . . . .	122—126	.	.	89
General Roy's experiments . . . . .	125	.	.	90

## CONTENTS.

xiii

	ARTICLE	PAGE
Of the Motion of elastic fluids and vapours . . . . .	127—134	92
——Motion of steam in an engine . . . . .	. . . . . 135	. . . . . 93
——Loss of force by cooling in steam pipes . . . . .	. . . . . 145	. . . . . 97
——Area of steam passages . . . . .	150—154	. . . . . 99
——Loss of force in the cylinder . . . . .	. . . . . 155	. . . . . 101
In double engines . . . . .	. . . . . 157	. . . . . 102
Single engines . . . . .	. . . . . 160	. . . . . <i>ibid.</i>
Atmospheric engines . . . . .	161—164	. . . . . <i>ibid.</i>
——Temperature of condensation in atmospheric engines which gives the maximum effect . . . . .	. . . . . 165	. . . . . 104
——Ascent of smoke in chimneys . . . . .	168—172	. . . . . 106
——Escape of steam at safety valves . . . . .	173—175	. . . . . 108

SECT. III.—OF THE GENERATION AND CONDENSATION OF STEAM AND THE  
APPARATUS FOR THOSE PURPOSES.

Of combustion and combustibles . . . . .	177—196	. . . . . 110
Tables of the effect of different bodies as fuel . . . . .	187—191	. . . . . 114
Process of combustion . . . . .	192—196	. . . . . 119
Supply of air and area of fire grating . . . . .	197—199	. . . . . 120
Of the surface of boiler to receive the effect of the fire . . . . .	200—209	. . . . . 122
——Space for steam and water in boilers . . . . .	210—220	. . . . . 127
Space for water in boiler . . . . .	. . . . . 217	. . . . . 129
——Power of low pressure boilers . . . . .	. . . . . 221	. . . . . 130
——Form of boilers as it depends on effects . . . . .	222—244	. . . . . 131
Watt's boilers . . . . .	. . . . . 224	. . . . . 132
Cylindrical boilers . . . . .	. . . . . 227	. . . . . 133
Count Rumford's boilers . . . . .	. . . . . 232	. . . . . 135
Woolf's boilers . . . . .	. . . . . 233	. . . . . 136
Steam boat boilers . . . . .	. . . . . 239	. . . . . 138
Portable high pressure boilers . . . . .	. . . . . 244	. . . . . 139
Of Fire places . . . . .	245—250	. . . . . <i>ibid.</i>
Watt's fire place . . . . .	. . . . . 246	. . . . . <i>ibid.</i>
Roberton's furnace . . . . .	. . . . . 247	. . . . . 140
Brunton's fire place . . . . .	. . . . . 250	. . . . . 141
—Apparatus for boilers . . . . .	. . . . . 251	. . . . . 142
Feeding apparatus . . . . .	. . . . . <i>ibid.</i>	. . . . . <i>ibid.</i>

c

	ARTICLE	PAGE
Of regulating the fire of a steam boiler . . . .	256—258 . . . .	144
Self-regulating dampers . . . . .	257 . . . .	<i>ibid.</i>
Self-acting air regulator . . . . .	258 . . . .	145
Safety valves . . . . .	259—274 . . . .	<i>ibid.</i>
The area of chimneys for steam engine boilers . . . .	274—278 . . . .	151
Of the condensation of steam . . . . .	279—288 . . . .	152

SECT. IV.—OF THE MECHANICAL POWER OF STEAM, AND THE NATURE,  
GENERAL PROPORTIONS AND CLASSIFICATION OF STEAM ENGINES.

Of the power of steam, and the modes of obtaining it . . . .	290—301 . . . .	156
By condensation . . . . .	291—294 . . . .	156
By generation . . . . .	295, 296 . . . .	157
By expansion . . . . .	297—301 . . . .	158
Of computing the power of steam to produce rectilinear motion . . . . .	302—311 . . . .	159
Of computing the power of steam to produce rotary motion . . . . .	312—318 . . . .	163
Modes of applying the power of steam . . . . .	319—326 . . . .	166
Classification of steam engines . . . . .	323—326 . . . .	168
Of the ratio between the length of the stroke, and the diameter of the cylinder . . . . .	327—330 . . . .	<i>ibid.</i>
—Maximum of useful effect in steam engines . . . . .	331—343 . . . .	170
—Maximum for engines equalized by a fly . . . . .	332—338 . . . .	171
—Maximum of useful effect in engines for raising water . . . . .	339—343 . . . .	173
—Proportions of air pumps and condensers for steam engines . . . . .	344—352 . . . .	174
Power required for working an air pump of a steam engine . . . . .	353—355 . . . .	177

SECT. V.—OF THE CONSTRUCTION OF NONCONDENSING ENGINES.

Definition and classification . . . . .	356—360 . . . .	181
First species . . . . .	361—370 . . . .	182
The proportions of parts . . . . .	366 . . . .	183

## CONTENTS.

xv

	ARTICLE	PAGE
Of the power of noncondensing engines working at full pressure . . . . .	367—370	184
Noncondensing engines to work by expansion, or second species . . . . .	371—380	185
Power of an expansive engine . . . . .	377—380	187
Double cylinder expansive engine . . . . .	381—383	189
Of the best force for the steam of noncondensing engines . . . . .	384	191

## SECT. VI.—OF THE CONSTRUCTION OF CONDENSING ENGINES.

General description and classification of condensing engines . . . . .	385—391	193
Of the construction of engines working by condensation . . . . .	392	195
Atmospheric engines . . . . .	393—405	<i>ibid.</i>
The common atmospheric engine . . . . .	393—399	<i>ibid.</i>
The proportions of the parts . . . . .	395	196
To determine the power of an atmospheric engine . . . . .	396—399	197
Atmospheric engines with a separate condenser . . . . .	400—405	198
Steam pressure engines . . . . .	406—410	200
Boulton and Watt's single engine . . . . .	406	<i>ibid.</i>
The proportions of the parts . . . . .	407	201
Rule for the power . . . . .	408—410	202
Single engines acting expansively . . . . .	411—413	203
Of the double engine of Boulton and Watt . . . . .	414—418	204
The proportions of the parts for a double engine acting with full pressure . . . . .	415	205
To determine the power of a double engine . . . . .	416—418	206
Double engine acting expansively . . . . .	419—423	207
Combined cylinder engines . . . . .	424—429	209
The double engine with combined cylinders . . . . .	425	<i>ibid.</i>
The proportions of combined engines . . . . .	426	210
The power of combined engines . . . . .	427—429	<i>ibid.</i>

## SECT. VII.—OF THE PROPORTIONS, AND THE CONSTRUCTION OF THE PARTS OF STEAM ENGINES.

Of cocks and valves . . . . .	432—461	213
-------------------------------	---------	-----

	ARTICLE	PAGE
General principles and arrangement . . . . .	432—435	213
Rising valves . . . . .	436—442	215
Hornblower's valve . . . . .	441	216
Improved form for Hornblower's valve . . . . .	442	<i>ibid.</i>
Sliding valves . . . . .	443—450	217
Bramah's slide valve . . . . .	444	<i>ibid.</i>
Murray's slide . . . . .	446	<i>ibid.</i>
Murdoch's slides . . . . .	447	218
Rotary valves . . . . .	451—461	219
Bramah's four way cock . . . . .	457	221
Four way cock to cut off the steam at any portion of the stroke . . . . .	458	<i>ibid.</i>
Double passaged cocks . . . . .	459	<i>ibid.</i>
Plate or flat valves . . . . .	466	222
Regulator . . . . .	461	<i>ibid.</i>
Of pistons . . . . .	462—474	<i>ibid.</i>
Woolf's piston . . . . .	468	226
Metallic pistons . . . . .	469—473	227
Cartwright's piston . . . . .	469	<i>ibid.</i>
Barton's piston . . . . .	470	228
Jessop's piston . . . . .	473	229
Of the friction of pistons . . . . .	474	230
Piston rod collars or stuffing boxes . . . . .	475—477	231
Modes of opening valves, cocks, and slides . . . . .	478—485	233
Piston guides . . . . .	486—495	236
Cranks . . . . .	487	237
Table of the variation of rotary force, when a crank is impelled by a constant force . . . . .	.	239
Parallel motion . . . . .	488—495	<i>ibid.</i>
Of the strength of the parts of steam engines with practical rules . . . . .	496—529	244
Strength of rods where the strain is wholly tensile . . . . .	503	246
Strength of rods alternately extended and compressed . . . . .	505—507	<i>ibid.</i>
Strength of arms of beams, cranks, &c. . . . .	508	248
Beams . . . . .	509	249
Cranks . . . . .	510	<i>ibid.</i>
Wheel arms . . . . .	511	<i>ibid.</i>

## CONTENTS.

xvii

	ARTICLE	PAGE
A Table of the strength, &c. of teeth and arms for wheel work . . . . .	513	251
The strength of shafts . . . . .	515	252
Of the strength of pipes and working cylinders . . . . .	516—520	253
Of the strength of flat plates to bear the pressure of steam or other elastic fluids . . . . .	521	255
Of the excess of strength to render boilers safe . . . . .	522—523	257
Boilers formed of plates . . . . .	524—527	259
Cast iron boilers . . . . .	528—529	261
Of joining pipes and other parts of engines . . . . .	530—533	263

SECT. VIII.—OF EQUALIZING THE ACTION, REGULATING THE POWER, MEASURING THE USEFUL EFFECT, AND MANAGING THE STEAM ENGINE.

Of equalizing the action of steam engines . . . . .	535—541	265
Of the fly wheel . . . . .	536	<i>ibid.</i>
Case I. A double engine with a crank . . . . .	540	268
Case II. A single engine . . . . .	541	269
Counter weights . . . . .	542	<i>ibid.</i>
Of regulating the power of engines . . . . .	543—556	270
The throttle valve . . . . .	544	<i>ibid.</i>
To regulate by working more or less by expansion . . . . .	546	271
Field's valve . . . . .	547	<i>ibid.</i>
Spring beams . . . . .	549	272
The conical pendulum or governor . . . . .	550	<i>ibid.</i>
The regulator . . . . .	554	274
The cataract . . . . .	556	<i>ibid.</i>
Of the methods of ascertaining the state and effective power of a steam engine . . . . .	557—563	275
Steam gauge . . . . .	558	<i>ibid.</i>
Condenser gauge . . . . .	559	276
The indicator . . . . .	560—561	<i>ibid.</i>
To measure the useful effect of an engine . . . . .	562	279
The counter . . . . .	563	280
Of working steam engines . . . . .	564—568	<i>ibid.</i>
Of working condensing engines . . . . .	566	282
Of the management of the fire . . . . .	567	283

	ARTICLE	PAGE
<b>SECT. IX.—OF THE APPLICATION OF STEAM ENGINES TO DIFFERENT PURPOSES.</b>		
Of raising water . . . . .	570—572	. . . 284
Of the drainage of mines . . . . .	573—578	. . . 286
Extract from the reports of the cornish engines . . . . .	576	. . . 288
Drawing ores &c. . . . .	579	. . . 289
Stamping engines . . . . .	580	. . . <i>ibid.</i>
Water works . . . . .	581	. . . 290
Of impelling machinery for manufacturing purposes . . . . .	583—586	. . . 291
Iron manufactures, blowing machines . . . . .	584	. . . <i>ibid.</i>
Cotton mills . . . . .	585	. . . 292
Paper mills . . . . .	586	. . . <i>ibid.</i>
Of impelling machinery for agricultural purposes . . . . .	587—589	. . . 293
Thrashing machines . . . . .	588	. . . <i>ibid.</i>
Corn mills . . . . .	589	. . . 294
Of the application of steam power to impelling car- riages . . . . .	590—592	. . . 294
By fixed engines . . . . .	591	. . . 295
To steam carriages . . . . .	592	. . . 296

**SECT. X.—OF STEAM NAVIGATION.**

Of the form of vessels for stability, speed, capacity and strength . . . . .	594	. . . 299
Of the stability of vessels . . . . .	595—610	. . . <i>ibid.</i>
Longitudinal . . . . .	598	. . . <i>ibid.</i>
Lateral . . . . .	599—610	. . . 300
Of the resistance of vessels . . . . .	611—623	. . . 302
—Methods of propelling steam vessels . . . . .	624—642	. . . 309
Spiral propellor or water screw . . . . .	626, 627	. . . 310
Paddle wheels . . . . .	628—641	. . . 312
Modifications of paddle wheels . . . . .	642	. . . 321
—Strength of vessels . . . . .	643	. . . 322
—Application of sails . . . . .	645	. . . <i>ibid.</i>
Rule for the power of boat engines . . . . .	650	. . . 324
Of arranging the power for vessels . . . . .	652—656	. . . 325



## CONTENTS.

xix

	ARTICLE	PAGE
Tables of steam vessels as executed . . . .	657—660 . . . .	329 . . . .
To ascertain the register tonnage . . . . .	661 . . . . .	333 . . . . .

## TABLES.

Table I. Of the properties of the steam of water of different degrees of elastic force . . . .	662 . . . .	335 . . . .
Table II. Of the proportions of single acting steam engines . . . . .	663 . . . . .	336 . . . . .
Table III. Of the proportions of double acting steam engines . . . . .	664 . . . . .	337 . . . . .
Explanation of the plates . . . . .	. . . . .	340 . . . . .
Index . . . . .	. . . . .	361 . . . . .