

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS

TO

BOTH VOLUMES.

- Abelia*, i, 448; ii, 324, 541, 673
 Chinensis, ii, 325, 541
 triflora, ii, 531, 541
 uniflora, ii, 542
Abelmoschus, ii, 546
Abroma, i, 11; ii, 509
 angusta, ii, 509
 fastuosa, ii, 509, 510
 Wheleri, ii, 509
Abrus precatorius, i, 111, 165, 168
Acacia, i, 23, 62, 64, 110, 339; ii, 445
 acicularis, ii, 445
 alata, ii, 446
 armata, ii, 446
 biflora, ii, 446
 ciliata, ii, 447
 decipiens, ii, 446
 fasciculata, i, 95
 læta, i, 95
 marginata, ii, 446
 melanoxylon, ii, 445
 nigricans, ii, 447
 nilotica, i, 288
 pubescens, ii, 447
 pulchella, ii, 446
 Sophoræ, ii, 445
 sulcata, ii, 445
Acaciæ, i, 311
Acanthaceæ, i, 134, 380
Acanthus tetragonus, i, 94
Acer villosum, ii, 719
Aceras, ii, 475
 anthropophora, ii, 475
Achenopsis, ii, 684
Achyranthus papposa, ii, 543
Acicarpa, ii, 309, 312
 lanata, ii, 309
 spathulata, ii, 307
 tribuloides, ii, 309, 312
Acioa, i, 115
Acorum maritimum, ii, 536
Acrostichum, ii, 250
 alcicorne, i, 147, 165
 alpinum, ii, 254
 aureum, i, 147, 165, 169
 calomelanos, i, 473
 hyperboreum, ii, 254
 ilvense, ii, 254
 Stemaria, i, 147, 165
 velleum, i, 303
Actinophora, ii, 645
 fragrans, ii, 645
Actinotus, i, 29
Adansonia, i, 153
 digitata, i, 288
Adelanthus, ii, 652
Adelioides decumbens, ii, 708
Adenantha, i, 22
Adenanthos, ii, 16, 20, 21, 36, 125
 cuneata, ii, 125
 obovata, ii, 125
 sericea, ii, 125
 terminalis, ii, 125
Adenophorus, ii, 566
Adiantum, i, 146
 Africanum, i, 148 *note*
 capillus-veneris, i, 148 *note*
 tenerum, i, 148 *note*
 truncatum, i, 83; ii, 446
Ægiceras, i, 150 *note*, 364, 380
Ægopricon, i, 127
Ærides, ii, 492
 odoratum, ii, 492
 paniculatum, ii, 689
Æschynanthus, ii, 585, 590, 594, 596
 acuminata, ii, 597
 bracteata, ii, 597
 fulgens, ii, 596
 Griffithii, ii, 596
 Horsfieldii, ii, 597
Æschynanthus longicaulis, ii, 597

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

738

INDEX OF NAMES OF PLANTS.

- Æschynanthus parasitica*, ii, 596
 parvifolia, ii, 596
 radicans, ii, 596, 597
 ramosissima, ii, 596
 volubilis, ii, 596
 Wallichii, ii, 597
Æschynomene, ii, 444
 Americana, ii, 444
 aspera, ii, 444
 bispinosa, ii, 444
 hispida, ii, 444
 indica, ii, 445
 sensitiva, ii, 444
Ætheilema, i, 134
Æthionema, i, 271 ; ii, 376
 monospermum, ii, 376
 saxatile, ii, 376
Agalmyla, ii, 593, 594, 597
 staminea, ii, 598
Agaricus alneus, i, 70
 campestris, i, 70
 muscarius, i, 70
Agastachys, ii, 17, 37, 132
 odorata, ii, 132
Agathis, i, 47, 458, 461
Agaty, ii, 443
Ageratum conyzoides, i, 165, 167
Agoul, i, 295
Agrostis, i, 221
 algida, i, 177
 laxiflora, ii, 514
 paradoxa, i, 177, 222
 virginica, i, 58, 164, 166
Aikinia, ii, 581, 606
 Brunonis, ii, 554
 Horsfieldii, ii, 556
Aira, i, 232
 aquatica, ii, 514
 spicata, i, 231
 subspicata, i, 231 ; ii, 514
Akee, i, 161
Alchornea, i, 127, 164
Alcina, ii, 285
Alfonzia oleifera, i, 141
Alhagi Maurorum, i, 295
Alisma Plantago, i, 68
Allamanda, i, 532
Allium, ii, 550
 descendens, ii, 250
Allmania albida, ii, 534
 esculenta, ii, 534
 nodiflora, ii, 534
Aloe, i, 64
Alopecurus, i, 55
 alpinus, i, 67, 177, 219 ; ii, 514
Alopecurus antarcticus, i, 219
 aristulatus, ii, 514
 ovatus, i, 219
 pratensis, i, 219
Alsine rubella, i, 199
 stricta, i, 201
Alsodeia, i, 123
Alsodina, i, 123
Alstonia, ii, 233, 245
 costata, ii, 246
 scholaris, ii, 245
 spectabilis, ii, 246
 venenata, ii, 246
Alyssum, i, 266, 267 *note*, 271 ; ii, 386
 alpestre, ii, 387
 austriacum, ii, 386
 calycinum, i, 267 *note* ; ii, 387
 campestre, i, 267 *note* ; ii, 387
 clypeatum, ii, 389
 deltoides, ii, 389
 densiflorum, i, 267 *note*
 Dioscoridis, ii, 389
 fulvescens, i, 267 *note*
 halimifolium, ii, 388
 hirsutum, i, 267 *note*
 incanum, ii, 389
 lunarioides, ii, 388
 maritimum, i, 266 ; ii, 388
 micropetalum, i, 267 *note*
 minimum, i, 267 *note* ; ii, 388
 montanum, ii, 387
 mutabile, ii, 389
 rostratum, i, 267 *note*
 sativum, ii, 386
 saxatile, ii, 387
 sinuatum, ii, 390
 spinosum, ii, 388
 strictum, i, 267 *note*
 strigosum, i, 267 *note*
 umbellatum, i, 267 *note*
 utriculatum, ii, 389
Alyssineæ, i, 263
Alyxia, i, 37
Amaranthaceæ, i, 36 ; ii, 543, 545
Amaryllideæ, i, 51
Amaryllis, i, 364
Ambora, i, 25
Ambun Ambun, i, 393
Ambrosia, i, 31
Amellus, ii, 295, 296
Ammannia, ii, 535
 triflora, ii, 710
Ammobium, ii, 676
 alatum, ii, 677

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

739

- Amomum granum Paradisi*, i, 155
Ampelopsis, i, 151
Amphicome, ii, 588, 725
Amygdaleæ, i, 115
Amyrideæ, i, 112
Amyris Gileadensis, i, 94
 Kataf, i, 94
Anabathra, ii, 722
Anacardeæ, i, 112
Anacardium, i, 43, 112
Anadenia, ii, 37, 139, 280
 illicifolia, ii, 140
 pulchella, ii, 140
 trifida, ii, 140
Anagallis, i, 297
 cærulea, i, 297
Anagyris, ii, 421
 fetida, i, 25 ; ii, 421
Anasser, i, 37, 132
Anastatica, ii, 376
 hierochuntica, ii, 376
 Syriaca, ii, 371
Anchusa affinis, i, 94
Ancistrocarpus, i, 139 *note*
Andromeda tetragona, i, 177, 213
Andropogon, i, 55, 57, 146
 acicularis, i, 302
Angianthus, ii, 283
 tomentosus, ii, 283
Angophora, i, 311
Angræcum, ii, 689, 694
Anictangium aquaticum, ii, 335
 ciliatum, i, 69
 Humboldtii, ii, 335
 pulvinatum, ii, 344
Anisomeles, i, 380 ; ii, 503
 malabarica, ii, 670
 ovata, ii, 503
Anisophyllæa, ii, 715
Anodontium, i, 348
Anona, i, 164
 Asiatica, i, 105
 hexapetala, ii, 685
 microcarpa, i, 162 *note*
 mucosa, i, 105
 muricata, i, 105
 myristica, i, 162 *note*
 obtusiflora, i, 105
 Senegalensis, i, 105, 153, 155
 uncinata, ii, 685
Anonaceæ, i, 37, 74, 105, 382 ; ii, 685
Anopterus, ii, 523
Antennaria, ii, 301
 alpina, i, 212
Anthemis apiifolia, ii, 690
 odorata, ii, 466
Anthenantia, i, 57
Anthericum, i, 50
 cirratum, ii, 676
 latifolium, ii, 676
Antherylum, i, 120
Anthistiria, i, 57
 australis, i, 43, 308, 309
Anthobolus, i, 42
Anthoceros punctatus, i, 69
Anthocleista, i, 133, 153
Anthospermum, i, 131
Anthoxanthum, i, 231 ; ii, 571
Antiaris, i, 78
 macrophylla, i, 78
 toxicaria, i, 79
Antidaphne, i, 413 *note*
Antidesma, i, 155 ; ii, 663
Antidesmæ, ii, 663
Antirrhinum majus, i, 479
Antonia, ii, 577
Aotus, ii, 430
 ferruginea, ii, 430
 villosa, ii, 430
Aphanes arvensis, i, 68
Aphelandra, ii, 505
 cristata, ii, 505
Aphyteia, i, 388, 391, 396, 401, 461
 Hydnora, i, 416
 multiceps, i, 429
Aplodon, i, 240, 247
Apocineæ, i, 36, 37, 131, 133, 151, 295, 469 ; ii, 6, 22, 195, 551
Apocinum, ii, 233, 239
 androsæmifolium, ii, 239
 cannabinum, ii, 240
 cordatum, ii, 229
 frutescens, ii, 236
 hastatum, ii, 227
 hypericifolium, ii, 240
 lanceolatum, ii, 229
 lineare, ii, 228
 minutum, ii, 227
 pubescens, ii, 240
 Sibiricum, ii, 240
 triflorum, ii, 228
 Venetum, ii, 240
Apodanthæ, i, 429
Apodanthes, i, 424, 430
 Berterii, i, 430
 Blanchetii, i, 430
 Calliandra, i, 431
 Caseariæ, i, 430
Apostasia, i, 503, 560 ; ii, 547

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

740

INDEX OF NAMES OF PLANTS.

- Apostasia nuda*, ii, 548, 551
 odorata, ii, 547, 551
 Wallichii, ii, 548, 551
Appendicula, ii, 575
Aquilaria, i, 126
Aquilarinæ, i, 126
Aquilegia, ii, 318
Aquilicia, i, 151
Arabis, i, 195, 271; ii, 395
 alpina, ii, 395
 arenosa, ii, 396
 bellidifolia, ii, 395
 cærulea, ii, 395
 Canadensis, i, 268; ii, 397
 ciliata, ii, 396
 falcata, ii, 397
 hirsuta, ii, 397
 hispida, ii, 396
 nudicaulis, i, 197
 nutans, ii, 395
 pendula, i, 268; ii, 397
 pumila, ii, 395
 stricta, ii, 396
 thaliana, ii, 396
 turrita, i, 268; ii, 397
 verna, ii, 395
Arachis, i, 24
 hypogæa, i, 154, 159
Araliaceæ, ii, 322
Araliæ, i, 29
Araucaria, i, 456
 excelsa, i, 48, 64; ii, 721
Arbor radulifera, i, 72
Arctotheca, ii, 465
 repens, ii, 465
Arctotis, ii, 298, 467
 acaulis, ii, 467
 angustifolia, ii, 468
 argentea, ii, 468
 aspera, ii, 469
 auriculata, ii, 469
 calendulacea, ii, 465
 erithmoides, ii, 466
 decumbens, ii, 468
 decurrens, ii, 468
 dentata, ii, 466
 fastuosa, ii, 469
 flaccida, ii, 468
 glaucophylla, ii, 467
 grandiflora, ii, 467
 hypochondriaca, ii, 465
 paleacea, ii, 466
 paradoxa, ii, 466
 plantagina, ii, 468
 repens, ii, 465
Arctotis reptans, ii, 469
 rosea, ii, 468
 scariosa, ii, 466
 spinulosa, ii, 469
 tricolor, ii, 467
 undulata, ii, 467
Ardisia, i, 150 *note*
Areca, i, 51
Arenaria marina, i, 66, 68, 310
 quadrivalvis, i, 199
 Rossii, i, 200
Arethusa, i, 507, 538; ii, 486
 bulbosa, ii, 487
 divaricata, ii, 485
Aristida ramosa, i, 93
Aristolochia, i, 384; ii, 358, 534
 cordiflora, i, 385
 grandiflora, i, 385
Arnica angustifolia, i, 210
 fulgens, i, 211
 montana, i, 210
 plantaginea, i, 211
Aroideæ, i, 169, 298, 365, 381, 383
Arrhenatherum, i, 232
Artabotrys, ii, 685
 odoratissimus, ii, 685
Arthrochloa, i, 232
Arthropodium cirratum, ii, 676
 paniculatum, ii, 676
Artocarpeæ, i, 138
Arundo, i, 58
 Canadensis, ii, 514
 Phragmites, i, 43, 58, 68, 301
 stricta, ii, 514
Asarinæ, i, 384, 385, 392, 396, 401;
 ii, 358
Asclepiadæ, i, 36, 37, 133, 134, 295,
 466, 487, 513, 516, 545, 549;
 ii, 6, 195, 551
Asclepias, ii, 6, 216
 amœna, i, 524; ii, 216
 aphylla, ii, 226
 arborescens, ii, 217
 carnosa, ii, 209
 citrifolia, ii, 216
 cordata, ii, 226
 crispa, ii, 217
 curassavica, i, 519, 534; ii, 216
 Davurica, ii, 223
 decumbens, ii, 216
 elevata, ii, 216
 fruticosa, ii, 217
 gigantea, ii, 218
 grandiflora, ii, 217
 incarnata, ii, 216

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

741

- Asclepias lacitifera*, ii, 213
laniflora, i, 94; ii, 218
linaria, ii, 216
Mexicana, ii, 216
nigra, ii, 224
nivea, ii, 216
parviflora, ii, 216
phytolaccoides, i, 528, 535, 549
procera, ii, 218
pubescens, ii, 217
pulchra, ii, 216
purpurascens, i, 524, 534, 535;
 ii, 216, 528
rubra, ii, 216
scandens, ii, 226
setosa, ii, 217
Sibirica, ii, 224
stipitata, ii, 226
Syriaca, ii, 196, 216
tuberosa, ii, 216
undulata, ii, 217
variegata, ii, 216
verticillata, ii, 216
viminalis, ii, 226
Vincetoxicum, ii, 224
volubilis, ii, 209
vomitaria, ii, 220
Asparagæ, i, 50
Asperulæ, i, 36
Asphodelæ, i, 50, 52, 298, 433; ii, 278
Aspidium, ii, 546
 fragile, ii, 518
 fragrans, ii, 518
 trifoliatum, ii, 543
Asplenium, i, 59, 146; ii, 250
 Filix-fœmina, i, 60
Astelia, i, 50, 64
Astelma, ii, 691
 eximium, ii, 691
Astephanus, ii, 228
Aster argutus, ii, 711
 glutinosus, ii, 461
Asteranthos, i, 387 *note*, 388 *note*
Astragalus alpinus, i, 209
Astrantia, ii, 273
Astranthus, i, 120
Ataxia, i, 231; ii, 571
 Horsfieldii, ii, 571
Atherospermeæ, i, 25, 64
Athyrium fragile, ii, 518
Atlas tree, ii, 30
Atriplex Halimus, i, 66, 68
Attil, i, 288
Attyah, i, 112 *note*
Atylus, ii, 55, 58
Aubrietia, i, 271
Aulax, ii, 19, 21, 35, 39, 41
 pinifolia, ii, 39, 41
 umbellata, ii, 39, 40
Aurantiacæ, ii, 537
Avena, i, 231
 arundinacea, i, 301
 Forskalii, i, 301
 striata, ii, 514
Avenacæ, ii, 571
Averrhoa, i, 113
 Carambola, i, 114
Avicennia, i, 40, 364
Axyris Moorcroftiana, ii, 534
Azolla, i, 87
 pinnata, i, 87
Baccharis, ii, 293, 294
 nereifolia, ii, 294 *note*
 scoparia, ii, 306
Bæa, ii, 590, 595, 605
 Commersonii, ii, 605
 hygrometrica, ii, 605
 multiflora, ii, 605
 Wallichii, ii, 605
Bæckia, i, 19
 arbuscula, ii, 710
 camphorata, ii, 679
 pygmæa, ii, 710
Bæobotrys, i, 151 *note*, 293
Balanophora, i, 389, 391
 dioica, i, 392 *note*; ii, 534
 fungosa, i, 392 *note*
Balanophoreæ, i, 412
Balanites, i, 44
 Ægyptiaca, i, 287
Balbisia, ii, 283
 elongata, ii, 283
Balfouria, ii, 233, 241
Ballota disticha, ii, 503
Bambusa, i, 56
Bamia Abelmoschus, ii, 532
Banana, i, 156
Banisteria, i, 164
 Leona, i, 105
Banksia, i, 116, 308, 310, 450, 455;
 ii, 11, 15, 17, 19, 38
 æmula, ii, 177
 asplenifolia, ii, 176
 attenuata, ii, 176
 australis, ii, 174
 coccinea, ii, 175
 collina, ii, 172
 compar, ii, 175
 conchifera, ii, 177

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

742

INDEX OF NAMES OF PLANTS.

- Banksia dactyloides*, ii, 22, 156
dentata, ii, 177
depressa, ii, 173
elatior, ii, 177
ericifolia, ii, 172
gibbosa, ii, 152
glaucæ, ii, 174
grandis, ii, 178
ilicifolia, ii, 178
insularis, ii, 174
integrifolia, ii, 12, 174
latifolia, ii, 176
littoralis, ii, 173
marcescens, ii, 176
marginata, ii, 173
microstachya, ii, 173
musculiformis, ii, 190
nivea, ii, 181
nutans, ii, 172
oblongifolia, ii, 175
occidentalis, ii, 172
oleæfolia, ii, 156, 174
paludosa, ii, 175
patula, ii, 173
pinifolia, ii, 152
præmorsa, ii, 176
pulchella, ii, 171
pyriformis, ii, 159
quercifolia, ii, 178
repens, ii, 178
robur, ii, 176
salicifolia, ii, 176
serrata, ii, 177
serratifolia, ii, 177
speciosa, ii, 13, 178
sphærocarpa, ii, 171
spicata, ii, 174
spinulosa, ii, 172
tenuifolia, ii, 152
teretifolia, ii, 150
verticillata, ii, 175
Baptisia, ii, 422
alba, ii, 423
australis, ii, 423
perfoliata, ii, 423
Barbarea, ii, 398
præcox, ii, 398
tinctoria, ii, 423
vulgaris, ii, 398
Barbula leucostoma, i, 238, 253
ruralis, i, 239
unguiculata, i, 69
Barleria brevispina, i, 94
eranthemoides, i, 93
grandiflora, i, 94
Barleria macracantha, i, 94
mollis, i, 94
parviflora, i, 94
Barraldeia, i, 119 *note*
pomiformis, i, 69
Bartholina, ii, 478
Bartramia, ii, 335
pectinata, ii, 478
Bassia, i, 296
rufescens, i, 294
Basteria aculeata, ii, 463
Bauera, i, 20
Bauhinia, i, 25
Beaufortia, i, 19, 311; ii, 457
decussata, ii, 457
sparsa, ii, 457
Beckmannia erucæformis, ii, 515
Begonia, ii, 279 *note*
Begoniaceæ, i, 149
Belis, i, 461
Bellenda, i, 131 *note*
Bellendena, ii, 17, 18, 23, 37
Belvisæ, i, 388 *note*
Belvisia, i, 387 and *note*, 388 *note*
Bennettia, ii, 661
affinis, ii, 665
Finlaysoni, ii, 665
Jackiana, ii, 665
javanica, ii, 661
pedicellata, ii, 665
phlebocarpa, ii, 665
Wallichii, ii, 664
Bennettiaceæ, ii, 663
Berberideæ, i, 124 *note*, 381
Berberides, i, 65, 124, 361
Berberis, i, 124 *note*
Berckheya, ii, 462
cernua, ii, 463
ciliaris, ii, 462
cynaroides, ii, 462
incana, ii, 463
obovata, ii, 463
setosa, ii, 462
squarrosa, ii, 462
Berteroa, i, 271
Besleriaceæ, ii, 586
Besleria, ii, 590
Bidens arborea, ii, 292 *note*
hirsuta, ii, 291
nivea, ii, 290, 295
scandens, ii, 290
Bignonia cærulea, ii, 674
Copaia, ii, 674
discolor, i, 94
filicifolia, ii, 674

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

743

- Bignonia procera, ii, 674
 Bignoniaceæ, ii, 584
 Billardiera, i, 13
 Billottia, i, 311
 flexuosa, i, 311 *note*
 linearifolia, i, 311 *note*
 marginata, i, 311 *note*
 Biscutella, i, 264; ii, 373
 apula, ii, 373
 auriculata, ii, 373
 coronopifolia, ii, 373
 lævigata, ii, 374
 sempervirens, ii, 374
 Bixineæ, ii, 716
 Blackwellia, i, 120
 Bladhia, i, 150 *note*
 Blechnum, i, 164; ii, 506
 Brownei, ii, 506
 Blennodia, i, 316
 canescens, i, 316
 Blepharis, i, 135
 Bletia, ii, 694
 capitata, ii, 488
 florida, ii, 487
 hyacinthina, ii, 487
 Tankervilleæ, i, 491, 498, 512;
 ii, 487
 verecunda, ii, 487
 Blighia sapida, i, 161 *note*
 Blumea diffusa, ii, 711
 Bocconia, i, 270 *note*; ii, 271
 cordata, i, 270 *note*; ii, 271
 frutescens, i, 270 *note*; ii, 271
 Bœomyces paschalis, i, 252
 vermicularis, i, 252
 Boërhaavia mutabilis, i, 164, 167
 Boletus ignarius, i, 70
 Bombaceæ, ii, 620
 Bombax pentandrum, i, 109, 153, 166
 Bonatea speciosa, i, 503, 537
 Bontia, i, 40; ii, 506
 daphnoides, ii, 506
 Boopidæ, ii, 312
 Boopis, ii, 309, 312
 balsamitifolia, ii, 317
 Boragineæ, i, 297; ii, 659
 Boronia, i, 17
 affinis, ii, 709
 albiflora, ii, 709
 Borrera aurantiaca, i, 250, 253
 flavicans, i, 250
 Bossiæa, i, 25; ii, 437
 cinerea, ii, 438
 heterophylla, ii, 437
 lanceolata, ii, 438
 linophylla, ii, 438
 Bossiæa microphylla, ii, 438
 prostrata, ii, 438
 rufa, ii, 437
 Scolopendrium, ii, 437
 Botria, i, 151
 Botrychium Lunaria, i, 67
 Brabeum stellatum, ii, 16, 18, 36, 41,
 137, 138
 Brabyla, ii, 138
 Bracheilema paniculatum, i, 95
 Brachychilum, ii, 726
 Horsfieldii, ii, 726
 Brachychiton, i, 315; ii, 637
 diversifolium, ii, 638
 incanum, ii, 638
 platanoides, ii, 638
 populneum, ii, 638
 ramiflorum, ii, 637
 Brachylæna, ii, 294 *note*
 Brachysema, ii, 427
 latifolium, ii, 427
 uniflorum, ii, 709
 Brachystelma, ii, 675
 tuberosa, ii, 675
 Brachystemum, ii, 503
 virginicum, ii, 504
 Bragantia, i, 385
 Wallichii, ii, 534
 Brassavola, ii, 495
 cucullata, ii, 495
 Brassia, ii, 494
 maculata, ii, 494
 Brassica, ii, 408, 494
 alpina, ii, 410
 arvensis, ii, 398
 campestris, ii, 410
 chinensis, ii, 409
 elongata, ii, 409
 Eruca, ii, 409
 Erucastrum, ii, 409
 monensis, ii, 409
 muralis, ii, 412
 Napus, ii, 408
 oleracea, ii, 408
 orientalis, ii, 404
 Rapa, ii, 408
 Braya, i, 192, 193
 Breweria evolvuloides, i, 94
 Bridelia, i, 127
 Bromelia Ananas, i, 154
 Bromeliaceæ, i, 413 *note*
 Bromus purgans, ii, 515
 Brosimum, i, 79
 Broughtonia, ii, 496
 sanguinea, ii, 496
 Brucea, ii, 537

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

744

INDEX OF NAMES OF PLANTS.

- Brugmannsia*, i, 402, 427, 558
 Zippelii, i, 427
Bruguiera, i, 20, 119, 364
Brunia, i, 64; ii, 322
 Levisanus, ii, 45
Bruniaceæ, ii, 322
Brunonia, i, 31; ii, 267 *note*, 269
 note, 310, 357
 australis, ii, 310
 sericea, ii, 310
Bryum, i, 178; ii, 335
 argenteum, i, 69
 cæspititium, i, 237
 calophyllum, i, 235
 capillaceum, i, 238
 capillare, i, 69
 macrocarpum, i, 353, 354; ii, 335
 tenuifolium, 8, 238
 rostratum, i, 235
Buchanania, i, 112
Buchnera orobanchoides, i, 94
Bucklandia populnea, ii, 534
Buddlea acuminata, i, 93
 foliata, i, 93
Bulbocodium, i, 298
Bunias, ii, 372
 ægyptiaca, ii, 372
 balearica, ii, 375
 Cakile, ii, 369
 Erucao, ii, 372
 myagroides, ii, 408
 orientalis, ii, 372
 syriaca, ii, 371
Burchellia, ii, 687
 Capensis, ii, 687
Burmannia, i, 53
Bursaria, i, 13, 132
Bursera, i, 112
Burtonia, ii, 428
 scabra, ii, 428
Butomeæ, i, 379 *note*, 555
Butter and tallow tree, i, 161, 295
Buttneriaceæ, i, 11, 26, 63, 109; ii, 614, 646, 672
Buxbaumia, i, 348, 351; ii, 349
 aphylla, i, 351; ii, 350

Cabomba, i, 451
Cacalia abyssinica, i, 95
Cachio, i, 140 *note*
Cactus quadrangularis, i, 128
Cadaba dubia, i, 276
 farinosa, i, 276
Cænopteris, i, 59
Cæsalpineæ, i, 110, 116, 294

Cæsulia, ii, 274
 radicans, ii, 284
Cakile, i, 263; ii, 369
 maritima, ii, 369
 perennis, ii, 369
 rugosa, ii, 369
Caladenia, 485
 alba, ii, 485
Calamagrostis Canadensis, ii, 514
 purpurascens, ii, 514
 stricta, ii, 514
Calamus secundiflorus, i, 142
Calanchoë pubescens, i, 94
Calanthe, ii, 694
Caldasias, i, 389
Calea, ii, 287
 aculeata, ii, 303, 305, 306
 affinis, ii, 305
 Amellus, ii, 287, 290
 arcuata, ii, 306
 aspera, ii, 295, 306, 307
 aurea, ii, 305
 cordata, ii, 306
 cordifolia, ii, 287, 306
 denticulata, ii, 305
 Jamaicensis, ii, 287, 295, 299
 lævis, ii, 305
 leptophylla, ii, 300, 303, 304
 lobata, ii, 298
 longifolia, ii, 305
 oppositifolia, ii, 287, 290
 pinifolia, ii, 300, 302
 quinquefaria, ii, 306
 scoparia, 293, 306
 spectabilis, ii, 304, 306
Caleacte, ii, 289
 pinnatifida, ii, 289
 urticifolia, ii, 289
Caleana, ii, 486
Calectasia, i, 52, 84, 436
 cyanea, i, 85
Caleya, ii, 486
 major, ii, 486
Calicium claviculare, i, 69
Calladium, i, 365
Callistachys elliptica, ii, 426
Callistemon, i, 19
 rigidum, ii, 683
Callitriche, i, 22
Callitris, i, 48, 308, 339
 australis, ii, 706
 calcarata, ii, 706
 fruticosa, ii, 707
 glauca, ii, 706
 propinqua, ii, 706
 rhomboidea, ii, 707

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

745

- Callitris robusta*, ii, 706
 tuberculata, ii, 706
 Ventenatii, ii, 706
 verrucosa, ii, 706
Calocephalus, ii, 286
Calopogon, ii, 486
 pulchellus, ii, 486
Calosacme, ii, 599
Calothamnus, i, 19, 311; ii, 456
 gracilis, ii, 457
 quadrifida, ii, 457
 villosa, ii, 457
Calothyrsus, ii, 147
Calotis, ii, 688
 cuneifolia, ii, 688
 dentex, ii, 688
 pterosperma, ii, 711
 radicans, i, 190
Calotropis, ii, 217
 gigantea, ii, 218
 procera, ii, 218
Caltha arctica, i, 190
 natans, i, 190
Calvaria, i, 296
Calycera, ii, 309
Calyceræ, ii, 309, 312
Calycomis, i, 20
Calymperes, ii, 343, 345
Calypso, ii, 488
 Americana, ii, 489
 borealis, ii, 489
Calystegia sepium, i, 68, 296
Calythrix, i, 311; ii, 683
 decandra, ii, 710
 glabra, ii, 684
 laricina, ii, 710
Camelina, ii, 386
 austriaca, ii, 386
 sativa, ii, 386
Cameraria, ii, 247
Campanula uniflora, i, 212
Campanulacæ, i, 31, 212; ii, 269
 note
Campulosus, i, 58
Candollea, i, 12
 fasciculata, ii, 704
 pedunculata, ii, 704
Canella, i, 381
Canna Indica, i, 158
Canneæ, i, 49; ii, 550
Canscora diffusa, ii, 533
Cantharellus lobatus, i, 253
Canthium attenuatum, ii, 711
 lucidum, i, 93
Capparideæ, i, 272, 282
- Capparis*, i, 273
 lasiantha, ii, 705
 lucida, ii, 708
 sodada, i, 279
 trifoliata, i, 277
 umbellata, ii, 705
Capraria, ii, 504
 biflora, ii, 504
Caprifoliaceæ, ii, 324, 541, 673
Caprifolium, ii, 541
Capsella bursa-pastoris, i, 263, 271
Capsicum, i, 155, 156, 158
 frutescens, i, 158
Carallia, i, 20, 119
Caralluma, ii, 200, 208
 adscendens, ii, 208
Cardamine, ii, 392
 Africana, ii, 393
 amara, ii, 394
 articulata, i, 197
 asarifolia, ii, 393
 bellidifolia, i, 198
 bulbifera, ii, 393
 chelidonia, ii, 393
 enneaphylla, ii, 392
 græca, ii, 393
 hastulata, ii, 396
 hirsuta, ii, 394
 impatiens, ii, 394
 latifolia, ii, 394
 nivalis, ii, 397
 nudicaulis, i, 197
 pentaphylla, ii, 392
 pinnata, ii, 392
 pratensis, ii, 394
 resedifolia, ii, 394
 trifolia, ii, 393
Cardiopteridæ, ii, 659
Cardiopteris, ii, 655
 Javanica, ii, 655
 lobata, ii, 655
 moluccana, ii, 655, 657
Cardiospermum grandiflorum, i, 107,
 165, 172
Carduaceæ, ii, 270
Carex, i, 53, 143, 145
 affinis, ii, 516
 ampullacea, ii, 517
 aristata, ii, 517
 attenuata, ii, 516
 bicolor, ii, 516
 bullata, ii, 517
 cæspitosa, i, 68, 255
 capillaris, ii, 517
 compacta, i, 178; ii, 517

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

746

INDEX OF NAMES OF PLANTS.

- Carex concinna*, ii, 516
 concolor, i, 218, 255
 dioica, ii, 515
 filifolia, ii, 516
 fuliginosa, i, 218, 255; ii, 516
 lacustris, ii, 517
 limosa, ii, 517
 loliacea, ii, 516
 lupulina, ii, 517
 marginata, ii, 517
 media, ii, 516
 misandra, i, 217, 255
 mutica, ii, 517
 oligocarpa, ii, 517
 pellita, ii, 517
 podocarpa, ii, 517
 polytrichoides, ii, 516
 pseudo-cyperus, i, 68
 pulla, i, 178
 remota, ii, 516
 Richardsonii, ii, 516
 saxatilis, ii, 517
 scirpoidea, ii, 515
 scoparia, ii, 516
 varia, ii, 517
 Wormskioldiana, ii, 515
Cargillia australis, i, 162 *note*
Carica papaya, i, 154, 158
Carissa abyssinica, i, 94
 edulis, i, 94
 mitis, ii, 236
Cartonema, i, 53
Carmichaelia, ii, 698
 australis, ii, 698
Carphephorus, ii, 299 *note*
Carpodinus, ii, 715
Carpolithus Smithiæ, ii, 723
Cartodium, ii, 286
Caryophyllæ, i, 65, 198, 285; ii, 587
 note
Cassa, i, 111, 153
Cassava, i, 154, 155
Cassia, i, 24, 153, 339
 artemisiæfolia, i, 326
 canaliculata, i, 326
 circinata, i, 327
 eremophila, i, 326
 glaucescens, i, 326
 linearis, i, 327
 obovata, i, 294
 occidentalis, i, 111, 163, 165,
 167
 phyllodinea, i, 326
 platypoda, i, 326
 pubescens, i, 94
Cassia spectabilis, ii, 306
 Sturtii, i, 325
 zygophylla, i, 326
Cassinia, ii, 304, 470
 aculeata, ii, 306
 aurea, ii, 283, 470
 leptophylla, ii, 304
Cassipourea, i, 164
Casuarina, i, 45, 308, 339, 549
 equisetifolia, i, 45
 nodiflora, i, 45
 quadrivalvis, i, 45
Casuarinæ, i, 45
Cassuviæ, i, 112
Cassytha, i, 149
 pubescens, i, 150, 165
Catabrosa, i, 220, 228
Catesbæa, ii, 268
Catharinea glabrata, i, 234
 lævigata, i, 234
Caulinia oceanica, i, 68
 ovalis, ii, 536
Caulophyllum, i, 124 *note*
 thalictroides, i, 361
Causjera, ii, 536
Ceanothus, i, 26
Cecropia, i, 138
Cedrelex, i, 72, 149
Celastrina, i, 114
Celastrinea?, ii, 536
Celastrinæ, i, 13, 27, 107
Celastrus glaucus, i, 94
 serrulatus, i, 94
Celosia albida, i, 165
 argentea, i, 165
 margaritacea, i, 165
Celtis, i, 138; ii, 279
 orientalis, i, 165
Cenarrhenes, ii, 37, 132
 nitida, ii, 132
Cenchrus, i, 57
 tripsacoides, i, 93
Cenomyce coccifera, i, 69
 cornuta, i, 69
 deformis, i, 69
 fimbriata, i, 178
 pyxidata, i, 69, 252
 rangiferina, i, 6, 9, 178
 vermicularis, i, 69, 252
Centotheca lappacea, i, 165
Centronia, ii, 595, 609
 mirabilis, ii, 609
Centrophorum, i, 302
Centropodia, i, 302
Cephalotæ, ii, 357

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

747

- Cephalotus, i, 76; ii, 353
 follicularis, i, 76, 440
 Cerania vermicularis, i, 251
 Ceranthera dentata, i, 123
 Cerastium alpinum, i, 178, 198
 latifolium, i, 198
 Ceratopetalum, i, 20, 120
 Ceratophyllum, ii, 155
 compressum, ii, 152
 demersum, ii, 723
 Ceratopteris, ii, 570
 Cerbera, i, 133
 Cercis, i, 24; ii, 436
 siliquastrum, i, 25; ii, 436
 Ceropegia, i, 549; ii, 200, 205, 227, 696
 acuminata, ii, 205
 Africana, ii, 696
 biflora, ii, 205
 bulbosa, ii, 205
 Candelabrum, ii, 205
 juncea, ii, 205
 sagittata, ii, 228
 tenuiflora, ii, 228
 tuberosa, ii, 205
 Cestrum, ii, 267
 Ceterach alpinum, ii, 254
 Cetraria cucullata, i, 251
 islandica, i, 178, 251
 juniperina, i, 250
 nivalis, i, 178, 250
 odontella, i, 251
 Chaillotea, i, 125
 Chaillertia, i, 125, 164
 sessiliflora, i, 126
 Chaillertiaeae, ii, 535
 Chamærops humilis, i, 52
 Chamissoa albida, ii, 534
 Chasme, ii, 40
 Cheilanthes leptophylla, i, 95
 Cheiranthus, ii, 404
 albus, ii, 405
 alpinus, ii, 403
 annuus, ii, 406
 Cheiri, i, 379 *note*; ii, 404
 coccineus, ii, 405
 erysimoides, ii, 403
 Farsertia, ii, 388
 fenestralis, ii, 406
 glabrus, ii, 406
 helveticus, ii, 404
 incanus, ii, 405
 littoreus, ii, 407
 longifolius, ii, 404
 maritimus, ii, 407
 mutabilis, ii, 404
 Cheiranthus odoratissimus, ii, 406
 parviflorus, ii, 406
 quadrangulus, ii, 403
 sinuatus, ii, 406
 tenuifolius, ii, 404
 tricuspidatus, ii, 406
 tristis, ii, 406
 Chenopodea, i, 138
 Chenopodiaceae, ii, 535
 Chichæa aserifolia, ii, 628
 Chilli, i, 158
 Chiloglottis, ii, 549, 575
 serpyllifolia, ii, 575
 Chilurus, ii, 129
 Chionachne, ii, 573, 574
 Chirita, ii, 585, 591, 594, 598
 acuminata, ii, 599
 bifolia, ii, 599
 cærulea, ii, 599
 dimidiata, ii, 599
 flava, ii, 599
 grandiflora, ii, 598
 hamosa, ii, 599
 Horsfieldii, ii, 599
 macrophylla, ii, 599
 pumila, ii, 599
 scaberrima, ii, 599
 urticifolia, ii, 598
 Chlenaceae, i, 11, 108, 109, 110
 Chloanthes, i, 39
 Chlorantheae, i, 215
 Chloranthus, ii, 671
 monostachys, ii, 671
 Chondrachne, i, 145
 Chorisperrum, ii, 413, 705
 tenellum, ii, 413
 Chorispora, ii, 705
 Chorizandra, i, 145
 Chorizema, ii, 425
 Henchmanii, ii, 699
 ilicifolia, ii, 425
 ilicifolium, ii, 425
 nana, ii, 425
 rhombea, ii, 425
 trilobatum, ii, 426
 Chrysanthemum Indicum, ii, 691
 Chrysobalanæ, i, 115; ii, 537
 Chrysobalanus, i, 115
 Icaco, i, 115, 153, 155, 167
 Chrysocoma, ii, 293
 cinerea, ii, 302
 Chrysosplenium alternifolium, i, 205
 Chuquiraga, i, 81; ii, 269
 Chuncoa, i, 20
 Cichoraceae, i, 30; ii, 263, 269

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

748

INDEX OF NAMES OF PLANTS.

- Cinclidotus*, ii, 335
Cineraria congesta, i, 211, 255
 palustris, i, 211, 255
Cinarocephalæ, i, 30; ii, 298
Cissampelos, i, 381
 nymphææfolia, i, 95
Cissus, i, 151
 angustifolia, i, 394 *note*
Cistineæ, i, 65, 124, 282, 288, 453
 and *note*, 532
Cistus, i, 453 *note*
Citrus aurantium, i, 154
 medica, i, 154
Cladium Mariscus, i, 68
Cladonia subuliformis, i, 252
Clarckia pulchella, i, 466
Clavaria coralloides, i, 70
 pistillaris, i, 70
Clavija, i, 151 *note*
Clematis aristata, ii, 703
 stenopetala, ii, 703
Cleome, ii, 413
 arabica, i, 273, 275; ii, 415
 arborea, i, 278
 Chelidonii, ii, 413
 deflexa, i, 276
 Erucago, ii, 414
 gigantea, ii, 414
 Houstoni, ii, 414
 monophylla, ii, 415
 ornithopodioides, ii, 414
 pentaphylla, i, 273; ii, 414
 procumbens, ii, 415
 Siliquaria, i, 94
 spinosa, ii, 414
 violacea, i, 276; ii, 414
 viridiflora, ii, 414
 viscosa, ii, 413
Clerodendron, i, 135; ii, 507
 fragens, ii, 507
 inermis, ii, 508
 ligustrinum, ii, 508
 myricoides, i, 94
 paniculatum, ii, 507
 pyramidale, ii, 507
 Siphonanthus, ii, 508
 squamatum, ii, 507
 tomentosum, ii, 508
 viscosum, ii, 507
Clanthus Dampieri, i, 320, 330, 339
 Oxleyi, i, 320, 321
Clidanthra, i, 322
 psoralioides, i, 322
Cliffortia, i, 64
Clinopodium incanum, ii, 503
Clypeola, ii, 374
 Ionthlaspi, ii, 374
Cnestis, i, 112, 113, 294
Cochlearia, i, 271; ii, 383
 anglica, i, 178; ii, 383
 Armoracia, i, 379 *note*; ii, 384
 Coronopus, ii, 373
 danica, i, 178; ii, 383
 Draba, ii, 381
 fenestrata, i, 178, 191
 glastifolia, ii, 383
 officinalis, ii, 383
 saxatilis, ii, 384
Coccol-nut, i, 158, 161
Cocoinæ, i, 141
Cocos indica, i, 141
Codarium acutifolium, i, 161
 nitidum, i, 161 *note*
Codia, i, 20
Cœlorachis, ii, 553
Coffea, ii, 269 *note*
Coix arundinacea, ii, 573
 heteroclita, ii, 574
Cola, i, 153; ii, 642
 acuminata, ii, 642
Colchicum fasciculare, i, 300
 Ritchii, i, 298
Coleanthus, i, 220
Collema fasciculare, i, 70
 nigrum, i, 70
 tremelloides, i, 70
Colletia, i, 26
Collomia, i, 549
Colpodium, i, 210, 221
 compressum, i, 221
 latifolium, i, 221, 255
 Stevenii, i, 221
Coluria, i, 206
Colutea, ii, 441
 aperta, ii, 441
 arborescens, ii, 441
 cruenta, ii, 441
 frutescens, ii, 442
 galegifolia, ii, 442
 herbacea, ii, 442
 Novæ Hollandiæ, i, 320
 perennans, ii, 443
 Pocockii, ii, 441
Combretaceæ, i, 19; ii, 663
Combretum molle, i, 94
 ovale, i, 94
Comesperma, i, 15
 aphyllum, ii, 708
 lanceolatum, ii, 708
Cometes, ii, 543

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

749

- Cometes abyssinica*, ii, 546
 alterniflora, ii, 545
 Surattensis, ii, 544
Commelina, i, 298, 299 *note*; 513
 acuminata, i, 93
 hirsuta, i, 93
Commelineæ, i, 53
Commersonia, i, 11; ii, 672
Compositæ, i, 30, 62, 65, 81, 104, 128,
 210, 295, 308, 448; ii, 257, 571
Conchium, ii, 20, 149
 aciculare, ii, 152
 cornutum, ii, 152
 dactyloides, ii, 22, 157
 drupaceum, ii, 187
 ellipticum, ii, 157
 gibbosum, ii, 152
 longifolium, ii, 150
 nervosum, ii, 157
 oleifolium, ii, 155
 pugioniforme, ii, 150
 salicifolium, ii, 156
 salignum, ii, 156
 sphaeroideum, ii, 152
 teretifolium, ii, 150
 trifurcatum, ii, 153
Conferæ, i, 70
 ericetorum, i, 70
Coniferæ, i, 44, 46, 138, 312, 453,
 506 *note*, 509; ii, 720, 721
Connaraceæ, i, 112
Connarus, i, 112, 294
Conocarpodendron, ii, 26, 40, 78, 380
 note, 413 *note*
Conocarpus, i, 164; ii, 40
Conohoria, i, 123
Conospermum, i, 41, 82, 381; ii, 11,
 15, 17, 18, 21, 37, 127
 cæruleum, ii, 129
 capitatum, ii, 129
 distichum, ii, 129
 ericifolium, ii, 128
 longifolium, ii, 128
 reticulatum, ii, 130
 taxifolium, ii, 128
 tenuifolium, ii, 128
 teretifolium, ii, 129
Contortæ, i, 384; ii, 269
Convolvulaceæ, i, 81, 104, 130, 168,
 296; ii, 545
Convolvulus, i, 135; ii, 545
 Batatas, i, 161
 Brasiliensis, i, 164
 cirrhosus, i, 94
 congestus, i, 94
Convolvulus pes-capræ, i, 164
 pilosus, i, 94
 repens, i, 296
Conyza, ii, 294, 298
 bifrons, ii, 294
 squarrosa, ii, 294
Corallorrhiza, ii, 489
 innata, ii, 490
Corechorus, i, 108
 gracilis, i, 94
 Pumilio, ii, 709
Cordia abyssinica, i, 94
 ovalis, i, 94
Cordilocarpus lævigatus, ii, 408
Coreopsis tripteris, ii, 263, 297
Corethrum, i, 42
Cornicularia bicolor, i, 178
 lanata, i, 70, 251
 ochroleuca, i, 251
 pubescens, i, 70
 spadicea, i, 70
Cornulaca monacantha, i, 297
Cornus, ii, 322
Coronilla aculeata, ii, 443
 grandiflora, ii, 443
 Sesban, ii, 443
Coronopus, ii, 372
 didyma, ii, 373
 Ruellii, ii, 373
Correa, i, 17
Corymbifera, i, 30; ii, 270
Corymbium, ii, 269
Corypha, i, 141, 161
 Taliera, i, 142
 umbraculifera, i, 142
Corysanthera, ii, 609
Corysanthes, i, 85
 fimbriata, i, 86
Costus, ii, 550
Coupea, i, 115
Courtenia, ii, 620, 641
 Afzelii, ii, 641
 heterophylla, ii, 641
 triloba, ii, 641
Coussapoa, i, 138
Crambe, ii, 369
 filiformis, ii, 371
 fruticosa, ii, 370
 hispanica, ii, 370
 maritima, ii, 370
 orientalis, ii, 370
 pinnatifida, ii, 370
 strigosa, ii, 371
 suecica, ii, 370
 tatarica, ii, 370

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

750

INDEX OF NAMES OF PLANTS.

- Craspedia*, ii, 285
 uniflora, ii, 286
Crassula puberula, i, 94
Crassulaceæ, ii, 318, 356
Crateva, i, 273
 acuminata, i, 278
 Adansonii, i, 277
 fragrans, i, 277
 gynandra, i, 278
 læta, i, 277
 Roxburghii, i, 277
 Tapia, i, 278
Cream fruit, i, 153, 155
Cremolobæ, i, 264
Cremolobus, i, 264
Crinum, i, 364
Crossandra, ii, 505
 undulæfolia, ii, 505
Crotalaria axillaris, i, 165
 Cunninghamii, i, 320
 farcta, i, 95
 trifoliatum, ii, 533
 propinqua, i, 95
 Saltiana, i, 95
 Sturtii, i, 319, 325
Croton acuminatum, i, 95
Crocea dentata, ii, 709
Cruciferae, i, 65, 182 *note*, 186, 261, 282, 294, 503, 559; ii, 271, 367
Cryphiospermum, ii, 284
 repens, ii, 284
Cryptandra, i, 26
 pyramidalis, ii, 708
Cryptarrhena, ii, 683
 lunata, ii, 683
Cryptodon, i, 247
Cryptogramma, ii, 525
 acrostichoides, ii, 519, 525
Cryptolepis, ii, 233, 240, 687
Cryptostegia, ii, 686
 grandiflora, ii, 686
Cryptostemma, ii, 465
 calendulaceum, ii, 465
 hypochondriacum, ii, 465
 runcinatum, ii, 465
Cucifera, i, 141
Cucurbita Pepo, i, 154
Cucurbitaceæ, i, 121, 384, 388, 444
Culhamia, ii, 616
Callumia, ii, 462
 ciliaris, ii, 462
 setosa, ii, 462
 squarrosa, ii, 462
Cunninghamia, i, 458; ii, 707
Cunonia, i, 20
Cunoniaceæ, i, 20, 21, 120; ii, 523
Cuphea, ii, 238
Cupressinæ, i, 458
Curatella, i, 12
Curculigo, i, 51
Cusparia, i, 16
Cyanorchis, ii, 694
Cyâthea, ii, 546
Cycadeæ, i, 149
Cycadites, ii, 380 *note*, 453, 717
 microphyllus, ii, 719
 Saxbyanus, ii, 724
Cycadoidea, ii, 716, 717
 megalophylla, ii, 717
 microphylla, ii, 717
Cycas, i, 458; ii, 717
Cyclophorus, ii, 566, 568
Cyclopia, ii, 422
 genistoides, ii, 422
Cyclopteræ, ii, 11, 20, 148
Cylindria, ii, 190
Cymbidium, i, 50; ii, 493
 aculeatum, ii, 694
 aloefolium, ii, 493
 Andersonii, ii, 495
 coccineum, ii, 490
 Corallorhizon, ii, 490
 cucullatum, ii, 495
 ensifolium, ii, 493
 floridum, ii, 487
 giganteum, ii, 694
 hyacinthinum, ii, 488
 lineare, ii, 490
 pedicellatum, ii, 694
 præmorsum, ii, 493
 proliferum, ii, 490
 pulchellum, ii, 486
 sinense, ii, 493
 tesselatum, ii, 689
 tripterum, ii, 494
 triquetrum, ii, 495
 verecundum, ii, 487
Cynanchum, ii, 6, 221
 acutum, ii, 221
 bicolor, ii, 226
 Capense, ii, 223
 Carolinense, ii, 215
 Chinense, ii, 221
 crassifolium, ii, 223
 crispiflorum, ii, 215
 erectum, ii, 212
 erubescens, ii, 222
 extensum, ii, 226
 floribundum, ii, 222

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

751

- Cynanchum grandiflorum*, ii, 215
 hirtum, ii, 215
 maritimum, ii, 213
 medium, ii, 224
 Monspeliacum, ii, 221
 nigrum, i, 215, 224, 529
 obliquum, ii, 215
 obtusifolium, ii, 223
 parviflorum, ii, 227
 pauciflorum, ii, 222
 pedunculatum, ii, 222
 pilosum, ii, 223
 planiflorum, ii, 215
 prostratum, ii, 215
 pyrotechnicum, ii, 226
 racemosum, ii, 215
 roseum, ii, 223
 rostratum, ii, 215
 Sibiricum, ii, 224
 suberosum, ii, 215
 undulatum, ii, 215
 viminale, ii, 226
 Vincetoxicum, ii, 224
Cynodon Dactylon, i, 65, 68
Cynodontium capillaceum, i, 238
Cynomorium, i, 389, 391
 cayanense, i, 389 *note*
 coccineum, i, 412
 jamaicense, i, 389 *note*
Cynontodium capillaceum, i, 69, 238
Cynosurus erucæformis, ii, 515
Cyperaceæ, i, 53, 54, 62, 85, 104, 142, 217, 298, 300
Cyperus, i, 143, 300
 articulatus, i, 144, 162, 164, 166
 densus, i, 93
 involutus, i, 93
 laxiflorus, i, 144
 laxus, i, 93
 ligularis, i, 144, 165
 melanocephalus, i, 93
 niloticus, i, 164
 Papyrus, i, 143, 162, 166, 300
 rotundus, i, 66, 68
 scirpoides, i, 93
Cyphia, i, 32, 34
Cypripedium, i, 48, 503; ii, 489, 549, 551
 acaule, ii, 499
 album, ii, 499
 arietinum, ii, 499
 Calceolus, ii, 498
 flavescens, ii, 499
 humile, ii, 499
 parviflorum, ii, 498
Cypripedium pubescens, ii, 498
 spectabile, i, 508; ii, 499
Cyrtandra, i, 558; ii, 585, 596, 609
 C? lanuginosa, ii, 534
Cyrtandraceæ, i, 558; ii, 537, 577, 584
Cyrtandrea, ii, 585, 590
Cyrtodon, i, 241
Cyrtolobus, ii, 533
Cyrtopodium, ii, 495, 567, 670
 Andersonii, ii, 495, 670
 Woodfordii, ii, 670
Cytineæ, i, 428; ii, 358
Cytinus, i, 385, 389, 391, 396, 401, 428
 americanus, i, 429
 dioicus, i, 429
 Hypocistis, i, 428
Cytisus Cajan, i, 154, 159

Dacrydium, i, 44, 47, 455, 458, 460
Dahlia, ii, 321
Dalechampia, ii, 544
 tripartita, i, 95
Dammara, i, 458
Dampiera, i, 315; ii, 271
Danais, i, 131
Danthonia, i, 301
 Forskali, i, 301
Dasypogon, i, 52, 83, 436
 bromeliifolius, i, 84
Datisca, i, 285
Datisceæ, i, 285
Datura, ii, 267
Daviesia, ii, 435
 concinna, ii, 709
 corymbosa, ii, 435
 denudata, ii, 429
 latifolia, ii, 435
 mimosoides, ii, 435
 teretifolia, ii, 709
 ulicifolia, ii, 435
 ulicina, ii, 435
Dawsonia, i, 348; ii, 331, 335, 340
 polytrichoides, i, 349
Deidamia, i, 386, 387 *note*
Delabechia, i, 315
Dendrobium, i, 49; ii, 492
 Barringtoniæ, ii, 493
 cucullatum, ii, 692
 graminifolium, ii, 492
 linguiforme, ii, 492
 moniliforme, i, 49
 Pierardi, ii, 692
 ruscifolium, ii, 491
 sanguineum, ii, 496
 speciosum, ii, 492

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

752

INDEX OF NAMES OF PLANTS.

- Dentaria*, ii, 392
 bulbifera, ii, 393
 enneaphylla, ii, 392
 heptaphyllos, ii, 393
 pentaphylla, ii, 392
 pinnata, ii, 393
Deschampsia, i, 221, 228, 231
 brevifolia, i, 230
Desmochæta, ii, 543, 544
 lappacea, i, 165, 167
 staminea, ii, 532
Deutzia, ii, 550
 corymbosa, ii, 532
Dialcalpe, ii, 546
Dianella, i, 50
Dianthus, i, 285
 abyssinicus, i, 94
Diaspasis, i, 32
Dichapetalum, i, 125
Dicksonia antarctica, i, 59
Dicoryphe, ii, 321
Dicranun, ii, 345
 falcifolium, ii, 335
 flexuosum, i, 69
 pulvinatum, i, 69
 purpureum, i, 69
 scoparium, i, 69, 178
Dictamnus, i, 16
Didelta, ii, 463
 carnosum, ii, 463
 tetragonæfolium, ii, 463
 spinosum, ii, 463
Didymocarpus, i, 532, 585, 590, 594, 599
 acuminata, ii, 602
 aromatica, ii, 601, 602
 barbata, ii, 599
 corchorifolia, ii, 603
 cordata, ii, 603
 corniculata, ii, 613
 crinita, ii, 602
 elongata, ii, 603
 frutescens, ii, 603
 hamosa, ii, 599
 helicteroides, ii, 605
 lanuginosa, ii, 603
 macrophylla, ii, 602
 missionis, ii, 603
 multiflora, ii, 605
 oblonga, ii, 601
 obtusa, ii, 602
 pedicellata, ii, 602
 plicata, ii, 602
 primulifolia, ii, 601
 Punduana, ii, 601
Didymocarpus racemosa, ii, 603
 reptans, ii, 603
 Rexii, ii, 604
 Rottleriana, ii, 603
 serrata, ii, 603
 subalternans, ii, 602
 verticillata, ii, 601
 villosa, ii, 601
 Zeylanica, ii, 603
Didymochlæna, ii, 569
Didymodon, ii, 348
 capillaceum, i, 238
 latifolium, ii, 348
 subulatum, i, 238
Diervilla, ii, 541
Digera, ii, 543
Dillenia, i, 12, 381
Dilleniaceæ, i, 12, 63, 64, 293
Dillwynia, ii, 430
 cinerascens, ii, 673
 ericifolia, ii, 431
 floribunda, ii, 430
 glaberrima, ii, 431
 myrtifolia, ii, 431
 obovata, ii, 431
 parvifolia, ii, 669
Diomedea, ii, 297 *note*
Dioscorea, i, 154, 160; ii, 655, 657
Diosmeæ, i, 16, 63, 72, 114, 285
Diphylleia, i, 124 *note*
Diplachne Baueri, ii, 707
Diplacrum, i, 54, 145
Diplanthera, ii, 531
Diplasia, i, 145
Diplazium, i, 60
Diplolæna, i, 17
Diplolepis, ii, 219
Diplomeris, i, 504
Dipodium, ii, 694
Dipsacæ, i, 65; ii, 277, 309
Dipsacus, ii, 277
Dipteris, ii, 562, 565
 conjugata, ii, 562
Disa, ii, 480, 694
 cornuta, ii, 480
 spathulata, ii, 480
Dischidia, ii, 213, 357
Ditassa, ii, 225
Diuris, ii, 482, 549
 aurea, ii, 483
Dobera glabra, i, 93
Dœmia, i, 295; ii, 225
Dombeya Erythroxylon, ii, 509
Donia, i, 177, 321; ii, 282, 461
 glutinosa, ii, 461

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

753

- Donia speciosa*, i, 320
Doom, i, 141
Doroceras hygrometrica, ii, 605
Doronicum glutinosum, ii, 461
Doubah, i, 329
Doura, i, 289
Draba, i, 268, 271; ii, 384
 aizoides, ii, 385
 alpina, i, 190
 androsacea, i, 191
 ciliaris, ii, 385
 corymbosa, i, 178
 hirta, ii, 385
 incana, ii, 385
 lapponica, i, 191
 muralis, ii, 385
 muricella, i, 178
 nemoralis, ii, 385
 oblongata, i, 178
 pauciflora, i, 190, 253
 Pumilio, ii, 705
 pyrenaica, ii, 386
 rupestris, i, 178; ii, 384
 verna, ii, 384
Dracophyllum verticillatum, i, 38
Drapetes, i, 82, 83
Drepanophyllum, ii, 335
Drosera, i, 65
 Banksii, ii, 705
 petiolaris, ii, 705
 Menziesii, ii, 705
Droseraceæ, i, 282
Dryandra, i, 116, 450, 455; ii, 38,
 179
 armata, ii, 180
 blechnifolia, ii, 182
 cuneata, ii, 180
 falcata, ii, 180
 floribunda, ii, 179
 formosa, ii, 180
 longifolia, ii, 181
 mucronulata, ii, 180
 nivea, ii, 181
 obtusata, ii, 181
 plumosa, ii, 181
 pteridifolia, ii, 182
 tenuifolia, ii, 182
Dryas integrifolia, i, 178, 206
 octopetala, i, 206
 pentapetala, i, 206
 tenella, i, 206
Drymis, ii, 704
Drynaria, ii, 566
Dufurea rugosa, i, 178
Dunalia acaulis, i, 94
Dupontia, i, 221, 228
 Fisheri, i, 229, 253
Dysodium, ii, 285
Ebenaceæ, i, 109
Echinops, ii, 274
 Ritro, ii, 263
Echites, ii, 232-4
 acuminata, ii, 234
 agglutinata, ii, 234
 annularis, ii, 234
 asperuginis, ii, 234
 biflora, ii, 234
 bispinosa, ii, 235
 circinalis, ii, 234
 corymbosa, ii, 235, 238
 costata, ii, 246
 Domingensis, ii, 234
 floribunda, ii, 235, 238
 glandulosa, ii, 235
 hirsuta, ii, 234
 laxa, ii, 234
 quinquangularis, ii, 234
 repens, ii, 234
 scholaris, ii, 246
 siphilitica, ii, 235
 spicata, ii, 235, 238
 suberecta, ii, 234
 succulenta, ii, 235
 torulosa, ii, 234
 umbellata, ii, 234
Eclipta, ii, 297 *note*
 sessilis, ii, 283
Edwardsia, ii, 419
 grandiflora, ii, 419
 microphylla, ii, 419
Ehretia abyssinica, i, 94
 obovata, i, 94
Ehrharta, i, 56
Elæagneæ, i, 65, 82
Elæis, i, 164
 guineensis, i, 140, 153, 154, 161
Elæodendrum, i, 107; ii, 538
Elate sylvestris, i, 142
Elatine, ii, 536
 Hydropiper, i, 65
Eleocharis capitata, i, 144, 164
 palustris, ii, 513
Eleusine brevifolia, ii, 533
 indica, i, 165
 EP stolonifer, i, 93
Elichrysum, ii, 692
Ellisia, ii, 519
Elymus canadensis, ii, 515
 mollis, ii, 515

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

754

INDEX OF NAMES OF PLANTS.

- Emba*, i, 140 *note*
Embelia, i, 150 *note*
Embothrium, ii, 11, 13, 18, 19, 22, 38, 271
 buxifolium, ii, 146
 chaparro, ii, 187
 coccineum, ii, 165
 cytisoides, ii, 142
 dentatum, ii, 170
 emarginatum, ii, 13, 166
 ferrugineum, ii, 13, 169
 genianthum, ii, 146
 grandiflorum, ii, 166
 herbaceum, ii, 168
 hirsutum, ii, 170
 lanceolatum, ii, 165
 lineare, ii, 143
 linearifolium, ii, 143
 monospermum, ii, 162
 myricoides, ii, 169
 obliquum, ii, 170
 pinnatum, ii, 162
 salignum, ii, 155
 sericeum, ii, 142; β , ii, 142; γ , ii, 143
 silafolium, ii, 168
 spatulatum, ii, 167
 speciosum, ii, 167
 speciosissimum, ii, 167
 strobilinum, ii, 187
 tinctorium, ii, 168, 169
 truncatum, ii, 167
 umbellatum, ii, 170
Empetrum nigrum, i, 178
Empleurum, i, 16
Encalypta, ii, 349
 vulgaris, i, 69
Endocarpum hepaticum, i, 69
Enhydra, ii, 284
Ensete, i, 157
Entelaea, ii, 677
 arborescens, ii, 678
Entelia ammannioides, ii, 710
Epacridae, i, 36, 38, 62, 63, 64, 308, 339, 380
Ephedra, i, 46, 453, 455, 457
Epiblema, ii, 549
Epidendrum, i, 49, 515; ii, 496
 aloifolium, ii, 493
 altissimum, ii, 474
 autumnale, i, 50
 Barringtonia, ii, 493
 ciliare, ii, 497
 cochleatum, ii, 496
 conopseum, i, 49; ii, 497
Epidendrum cucullatum, ii, 495
 elongatum, ii, 497
 ensifolium, ii, 493
 fragrans, ii, 496
 fuscatum, ii, 497
 humile, i, 49 *note*
 lineare, ii, 490
 nutans, ii, 497
 ophioglossoides, ii, 491
 præcox, i, 49 *note*
 præmorsum, ii, 494
 ruscifolium, ii, 491
 secundum, ii, 496
 sinense, ii, 493
 tripterum, ii, 493
 umbellatum, ii, 497
 undulatum, ii, 495
Epimedium, i, 124 *note*
Epipactis, i, 492, 542
 cordata, ii, 483
 ensifolia, ii, 484
 latifolia, ii, 484
 ovata, ii, 483
 pallens, ii, 484
 palustris, i, 528; ii, 484
 rubra, ii, 484
Epistephium, i, 501
Epithema, ii, 581, 586, 595, 606
Equisetaceæ, i, 65
Equisetum, i, 469
 arvense, ii, 517
 palustre, ii, 518
 scirpoides, ii, 518
 sylvaticum, ii, 518
 umbrosum, ii, 518
 variegatum, ii, 518
 virgatum, i, 474 *note*
Eragrostis ciliaris, i, 165
Erasma, ii, 322
Eremocharis, i, 322
Eremodendron Cunninghamii, i, 332
Eremophila, i, 332, 339
 alternifolia, i, 332
 arborescens, i, 332
 Cunninghamii, i, 332
 Mitchelli, i, 333
 oppositifolia, i, 332
 Sturtii, i, 333
Ericeæ, i, 12, 65
Ericinæ, i, 213, 381
Erigeron, i, 329
Erinus frutescens, ii, 504
 verticillatus, ii, 505
Eriocaulon, i, 53
Eriocephalus, ii, 470

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

755

- Eriocephalus africanus*, ii, 470
 frutescens, ii, 470
 racemosus, ii, 470
Eriophorum angustifolium, i, 218 ; ii, 514
 capitatum, i, 218
 gracile, i, 218
 polystachyon, i, 177, 218
 strictum, ii, 514
 tenellum, ii, 514
 vaginatum, ii, 514
Eriostemon, i, 17
 parvifolius, ii, 709
Eriostylis, ii, 145
Ernodea, ii, 267
Erodendrum, ii, 15, 29, 60
 amplexicaule, ii, 77
 formosum, ii, 65
 tenax, ii, 72
 turbiniiflorum, ii, 76
Erodium, i, 288
Eruca peregrina, ii, 390
Erucaria, ii, 408
 aleppica, ii, 408
Erysimum, ii, 402
 Alliaria, ii, 404
 angustifolium, ii, 405
 Barbarea, ii, 398
 bicorne, ii, 404
 cheiranthoides, ii, 402
 diffusum, ii, 403
 helveticum, ii, 403
 hieracifolium, ii, 404
 lanceolatum, ii, 403
 odoratum, ii, 404
 officinale, ii, 400
 orientale, ii, 404
 præcox, ii, 398
 repandum, ii, 403
 sessiliflorum, ii, 403
Erythræa compar, i, 94
Erythrina tomentosa, i, 95
Erythrophleum, i, 111, 290
Erythropsis, ii, 639
Erythrospermum, i, 121
Erythroxyton, i, 106
 ellipticum, ii, 709
Escalloneæ, ii, 523
Escallonia, ii, 523
Ethulia conyzoides, i, 162
Eucalyptus, i, 18, 62, 64, 74, 75, 311, 339
 Baxteri, ii, 710
 calophylla, i, 311
 ciliata, i, 240
 globulus, i, 18, 75
Eucalyptus grandifolia, ii, 710
 hypericifolia, ii, 710
 perfoliata, ii, 710
Euchilus, ii, 432
 obcordatus, ii, 432
Euclidium, ii, 371
 syriacum, ii, 371
Eudema, i, 254
Eudesmia, i, 74
 tetragona, i, 75
Eugenia, i, 364
Eulophia virens, ii, 534
Eulophus, ii, 694
Euodia, i, 16
Euonymus, i, 448, 537
Eupatorium, ii, 299 *note*
 ferrugineum, ii, 302
 rosmarinifolium, ii, 302
Euphorbia, i, 28, 62, 128 ; ii, 279
 propinqua, i, 95
 punicea, ii, 279 *note*
Euphorbiaceæ, i, 27, 28, 104, 127, 283, 559 ; ii, 587 *note*, 615, 659, 663
Eupomatia, i, 73, 382
 laurina, i, 73
Eurya, ii, 326
 Chinensis, ii, 327
 Japonica, ii, 328
Euryale, i, 461
Euryspermum, ii, 30, 40
 grandiflorum, ii, 47
 salicifolium, ii, 49
Eustegia, ii, 226
Eustrephus, i, 50
Eutaxia, ii, 431
 myrtifolia, ii, 431
Euthales, i, 33 ; ii, 266 *note*
Eutoca, ii, 519
 Franklinii, ii, 520
 parviflora, ii, 519
 Menziesii, ii, 519, 522
Eutrema, i, 193
 Edwardsii, i, 193, 254
Evernia prunastri, i, 69
Exocarpus, i, 42, 137, 308, 310
 cupressiformis, i, 43, 308, 310
Fagara, i, 16, 37, 133
Fagonia arabica, i, 285
 armata, i, 94
 cretica, i, 285
 Mysorensis, i, 286
 Oudneyi, i, 285
Farsetia, i, 262, 264, 265, 269 *note* ; ii, 388

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

756

INDEX OF NAMES OF PLANTS.

- Farsetia Aegyptiaca*, i, 269 *note*
cheiranthoides, ii, 388
clypeata, ii, 389
deltoidea, ii, 389
incana, ii, 389
lunarioides, ii, 388
mutabilis, ii, 389
stylosa, i, 269 *note*
Festuca brevifolia, i, 225, 256
Halleri, i, 225
ovina, i, 225 ; ii, 515
vivipara, i, 225
Fibigia, i, 271
Ficus, i, 137
Brassii, ii, 715
religiosa, i, 137
Fieldia, ii, 609
australis, ii, 609
Filices, i, 59, 62, 104, 146
Fimbristylis, i, 143, 300
Firmiana, ii, 639
colorata, ii, 640
platanifolia, ii, 639
Fissidens exilis, i, 69 ; ii, 344, 348
Fissilia, i, 136
disparilis, i, 136
Flabellaria pinnata, i, 106
Flacourtianæ, ii, 716
Flagellaria, i, 52
indica, i, 165, 166, 169
Flindersia, i, 71
australis, i, 71
Floerkea, ii, 363
Forstera, i, 34 ; ii, 312
Fothergilla, ii, 321
Francoaceæ, ii, 357
Franklandia, i, 79 ; ii, 15, 16, 18, 19,
37 ; ii, 130
fucifolia, i, 80 ; ii, 131
Fresiera, ii, 327
Frostia, i, 430
Fructus musculiformis, ii, 190
Fuchsia, i, 21
Fucus articulatus, i, 70
corneus, i, 70
obtus, i, 70
palmat, i, 70
pinnatifidus, i, 70
plicatus, i, 70
rubens, i, 70
sinuosus, i, 70
Fuirena, i, 53
umbellata, i, 144, 164, 169
Fumariaceæ, i, 65, 272
Funaria hygrometrica, i, 69, 346
Funaria minor, ii, 334
Fungi, i, 253
Fusanus, i, 42
alternifolia, i, 93
Gærtnera, i, 37, 132
Gaguedi, i, 163 *note*
Galega astragaloides, ii, 709
crocea, ii, 710
juncea, ii, 709
oblongata, ii, 709
porrecta, ii, 709
reticulata, ii, 710
Galipea, i, 16
Galium, i, 295
Gangi, i, 155
Garcinioides, ii, 537
Gardenia, i, 131, 269 *note*
fucata, ii, 711
suffruticosa, ii, 711
Gastrolobium, ii, 432
bilobum, ii, 432
Gazania, ii, 464
Pavonia, ii, 464
rigens, ii, 464
subulata, ii, 464
Geissorrhiza abyssinica, i, 93, 163
Geniostoma, i, 37, 132
Gentianæ, i, 36, 37, 133, 295
Geodorum, ii, 488
citrinum, ii, 488
dilatatum, ii, 488
purpureum, ii, 488
Geraniaceæ, i, 114, 288
Geranium compar, i, 95
Geropogon glabrum, ii, 270
Gesneriaceæ, ii, 586, 589
Gesneriæ, ii, 589
Getonia, ii, 609
Geum, i, 206
congesta, i, 206
dilatata, i, 206
glaciale, i, 206
humilis, i, 206
montanum, i, 206
Peckii, i, 206
radiatum, i, 206
reptans, i, 206
triflorum, i, 206
urbanum, i, 65
Gisekia, i, 139
pharnaceoides, i, 165, 172
Gleichenia, i, 59
Hermannii, i, 146, 164
Glinus lotoides, i, 162, 165, 166

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

757

- Globba*, ii, 551
Globularia cordifolia, ii, 315
Globulariæ, i, 65
Gloriosa simplex, i, 170
 superba, i, 165, 169, 170
Glossanthus, ii, 577, 590, 595, 607
 grandifolia, ii, 607
 Malabarica, ii, 607
 Mexicana, ii, 581, 607
 Notoniana, ii, 607
 Zeylanica, ii, 607
Glossodia, ii, 485, 549
 major, ii, 485
Glyceria, i, 56, 226
 fluitans, i, 68
Glycine bimaculata, ii, 440
 coccinea, ii, 440
 rubicunda, ii, 440
 subterranea, i, 155, 160
Glycyrrhiza, i, 323
Glyphocarpa capensis, ii, 335
Gnaphalium, ii, 294, 300
 alpinum, i, 212; ii, 302
 carpaticum, ii, 302
 dioicum, ii, 302
 Leontopodioides, ii, 302
 Leontopodium, ii, 302
 luteo-album, ii, 300
 margaritaceum, ii, 301 *note*, 302
 mucronatum, ii, 302
 muricatum, ii, 302
 plantagineum, ii, 302
 seriphioides, ii, 302
 sylvaticum, ii, 300
 uliginosum, ii, 300
Gnaphaloideæ, i, 30
Gnetum, i, 453, 455
Gomeza, ii, 669
 recurva, ii, 669
Gomphocarpus, ii, 216
 arborescens, ii, 217
 crispus, ii, 217
 fruticosus, i, 542; ii, 217
 setosus, ii, 217
Gompholobium, ii, 427
 ellipticum, ii, 426
 fimbriatum, ii, 427
 latifolium, ii, 427
 maculatum, ii, 422
 marginatum, ii, 427
 polymorphum, ii, 427
 psoralisefolium, ii, 427
 scabrum, ii, 428
 spinosum, ii, 429
 tomentosum, ii, 428
Gompholobium venustum, ii, 428
Gonocarpus, i, 22
Gonolobus, ii, 215
 Carolinensis, ii, 215
 crispiflorus, ii, 215
 grandiflorus, ii, 215
 hirtus, ii, 215
 maritimus, ii, 215
 niger, ii, 215
 obliquus, ii, 215
 planiflorus, ii, 215
 prostratus, ii, 215
 racemosus, ii, 215
 rostratus, ii, 215
 suberosus, ii, 215
 undulatus, ii, 215
Goodenia, ii, 267 *note*
 bellidifolia, ii, 267 *note*
 cycloptera, i, 331
 decurrens, ii, 267 *note*
Goodenovia, i, 31, 63, 81, 308; ii, 266, 271, 272, 310
Goodenovia littoralis, i, 34, 64
Goodia, ii, 439
 lotifolia, ii, 439
 pubescens, ii, 439
Goodyera, ii, 481
 pubescens, ii, 481
 repens, ii, 481
Gorteria, ii, 464
 araneosa, ii, 463
 asteroides, ii, 463
 cernua, ii, 463
 personata, ii, 464
 rigens, ii, 464
Gossypium, i, 317
Gouania, i, 26
Gramineæ, i, 54, 62, 85, 104, 145, 169, 182 *note*, 219, 298, 300, 468, 559; ii, 276, 587 *note*
Grammitis, ii, 525, 566
 Ceterach, i, 303
 leptophylla, ii, 526
Grangea maderaspatana, i, 162, 165, 167
Grangeria, i, 115
Gratiola involucrata, ii, 555
Grevillea, i, 41, 339; ii, 11, 18, 20, 22, 37, 140, 271, 280
 acuminata, ii, 145
 arenaria, ii, 144
 aspera, ii, 144
 aspleniifolia, ii, 147
 australis, ii, 143
 Banksii, ii, 147

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

758

INDEX OF NAMES OF PLANTS.

- Grevillea Baueri*, ii, 145
buxifolia, ii, 146
ceratophylla, ii, 148
Chrysodendron, ii, 16, 147
cinerea, ii, 145
concinna, ii, 144
Dryandri, ii, 147
dubia, ii, 142
gibbosa, ii, 149
Goodii, ii, 146
heliosperma, ii, 148
juncea, i, 335
juniperiæna, ii, 143
linearis, ii, 142
lineata, i, 335
longistyla, i, 335
lorea, i, 335; ii, 149
mimosoides, ii, 148
Mitchellii, i, 335
montana, ii, 144
mucronulata, ii, 145
neglecta, i, 335
occidentalis, ii, 145
parviflora, ii, 143
pauciflora, ii, 144
phyllicoides, ii, 146
polystachya, ii, 148
pungens, ii, 147
punicea, ii, 142
refracta, ii, 148
riparia, ii, 143
sericea, ii, 142
sphacelata, ii, 146
striata, i, 335; ii, 148
stricta, ii, 143
Sturtii, i, 334
tenuifolia, ii, 144
venusta, ii, 146
Grewia, i, 108; ii, 534
Griffithia Daviesii, ii, 334
parviflora, ii, 689
Grimmia, ii, 338, 344
apocarpa, i, 69
Daviesii, ii, 344
pulvinata, i, 69
Grindelia, ii, 282
Grossularinæ, i, 65
Ground nuts, i, 154
Guevina, ii, 18, 36, 138
Avellana, ii, 138
Guiera, i, 20
Guilandina, i, 294
Bonduc, i, 111, 165, 168
Bonducella, i, 165, 171
Guttiferae, i, 149
Gwillimia, ii, 705
Gymnadenia, ii, 475
conopsea, ii, 475
Gymnanthera, ii, 231
Gymnema, ii, 213
lactifera, ii, 213
sylvestris, ii, 214
Gymnocarpus decandrum, i, 297
Gymnogonia, i, 275
Gymnogramma, ii, 568
Gymnostomum, ii, 341, 354
Bonplandii, ii, 344
fasciculare, ii, 341, 344
Griffithianum, ii, 341
julaceum, ii, 345
lapponicum, ii, 344
microstomum, ii, 341, 344
obtusifolium, i, 240, 253
pennatum, ii, 344
pulvinatum, ii, 344
pyriforme, i, 69; ii, 339
Rottleri, ii, 344
viridissimum, ii, 344
Gymnostyles, ii, 281
anthemifolia, ii, 282
nasturtiifolia, ii, 282
Gynandropsis, i, 273, 275
Gynocardia, ii, 716
Gynocephalum, ii, 651
Gyratæ, ii, 525
Gyrinops, i, 126
Gyromium proboscideum, i, 250
Gyrophora erosa, i, 178, 250
heteroidea β , i, 69
hirsuta, i, 178, 250
polyphylla, i, 69
proboscidea, i, 69
Habenaria, ii, 476
albida, ii, 477
bifolia, i, 491, 500; ii, 477, 549
bracteata, ii, 476
ciliaris, ii, 477
cristata, ii, 477
fimbriata, ii, 477
herbiola, ii, 477
hyperborea, ii, 477
nigra, ii, 476
viridis, i, 540 *note*; ii, 476
Hakea, i, 310, 339; ii, 11, 15, 18, 22, 37, 187
acicularis, ii, 152
amplexicaulis, ii, 155

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

759

- Hakea arborescens*, ii, 157
attenuata, ii, 154
ceratophylla, ii, 155
cinerea, ii, 156
clavata, ii, 157
cycloptera, ii, 153
dactyloides, ii, 156
elliptica, ii, 157
epiglottis, ii, 150
flexilis, ii, 151
florida, ii, 154
gibbosa, ii, 152
glabra, ii, 150
ilicifolia, ii, 154
leucoptera, ii, 151
linearis, ii, 154
lissosperma, ii, 151
lorea, i, 335
marginata, ii, 156
microcarpa, ii, 153
nitida, ii, 154
nodosa, ii, 151
obliqua, ii, 151
oleifolia, ii, 155
prostrata, ii, 155
pubescens, ii, 152
pugioniformis, ii, 150
pyriformis, ii, 159
rugosa, ii, 150
ruscifolia, ii, 156
saligna, ii, 155
sericea, ii, 152
suaveolens, ii, 153
sulcata, ii, 151
trifurcata, ii, 153
undulata, ii, 155
varia, ii, 153
vittata, ii, 152
Haloragæ, i, 21, 63
Haloragis, i, 21, 22
lanceolata, ii, 710
paniculata, ii, 710
pusilla, ii, 710
stricta, ii, 710
Hamamelidæ, i, 381; ii, 321, 334
Hamamelis, ii, 321
Chinensis, ii, 322
Virginica, ii, 323
Harrisonia, ii, 707
Hedwigia secunda, ii, 335
Hedychium elatum, ii, 690
Horsfieldii, ii, 725
speciosum, ii, 690
Hedyotis, i, 131, 295
alata, ii, 532
Hedyotis alsinifolia, ii, 532
approximata, ii, 532
H.? *arguta*, ii, 532
articularis, ii, 532
biflora, ii, 532
Burmanniana, ii, 532
cephalophora, ii, 531
congesta, ii, 531
costata, ii, 532
cymosa, ii, 532
H.? *elongata*, ii, 532
brachypoda, ii, 532
extensa, ii, 532
H.? *glabra*, ii, 531, 532
Heynii, ii, 532
linarifolia, ii, 532
H.? *macrocephala*, ii, 531
polycarpa, ii, 531
puberula, ii, 532
racemosa, ii, 532
scandens, ii, 531
scapigera, ii, 532
stipulata, ii, 532
stylosa, ii, 532
tubularis, ii, 532
vestita, ii, 531
volubilis, ii, 531
Hedysarum adscendens, i, 165
pictum, i, 165
triflorum, i, 111, 165
vaginale, i, 165
Helianthæ, i, 128; ii, 297
Helianthemum, i, 453 *note*
Helianthus, ii, 266
multiflorus, ii, 265
Helicia, ii, 532
cochinchinensis, ii, 161
robusta, ii, 532
Helicteræ, ii, 620
Helicteres apetala, ii, 628
paniculata, ii, 632
undulata, ii, 632
Heliophila, ii, 391
amplexicaulis, ii, 391
arabioides, ii, 391
filiformis, ii, 391
foeniculacea, ii, 392
incana, ii, 391
integrifolia, ii, 391
pendula, ii, 392
pilosa, ii, 391
pinnata, ii, 392
platysiliqua, ii, 391
Heliotropium cinereum, i, 94
H.? *dubium*, i, 94

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

760

INDEX OF NAMES OF PLANTS.

- Heliotropium ellipticum*, i, 94
 gracile, i, 94
 indicum, i, 165
Helosis guianensis, i, 124
Helvella membranacea, i, 253
Hemarthria, i, 58
Hemerocallideæ, i, 513
Hemidesmus, ii, 230
Hemigenia, i, 89
Hemionitis hastata, ii, 532
Hemistemma, i, 12
 angustifolium, ii, 703
 Banksii, ii, 703
 dealbatum, ii, 703
Hepaticæ, i, 66, 249
Heritiera, ii, 615, 643
 attenuata, ii, 643
 Fomes, ii, 643
 littoralis, ii, 643
 minor, ii, 643
Hermannia, i, 63
Hermanniaceæ, i, 109
Herminium, ii, 476
 Monorchis, ii, 476
Hermodactylum, i, 300
Hernandia, ii, 651
Hernandiaceæ, ii, 651
Hesperideæ, i, 72, 149
Hesperis africana, ii, 407
 inodora, ii, 408
 matronalis, ii, 408
 nitens, i, 272; ii, 407
 ramosissima, i, 272
 tristis, ii, 407
 verna, ii, 396
Heuchera, ii, 522
 Richardsonii, ii, 523
Hexameria, ii, 575
 disticha, ii, 575
Hibbertia, i, 12
 cistifolia, ii, 704
 dentata, ii, 704
 diffusa, ii, 704
 echinifolia, ii, 708
 fasciculata, ii, 704
 lepidota, ii, 704
 linearis, ii, 704
 monogyna, ii, 704
 oblongata, ii, 704
 pedunculata, ii, 704
 saligna, ii, 704
 scabra, ii, 708
 serpyllifolia, ii, 704
 stricta, ii, 708
 tomentosa, ii, 704
Hibbertia vetulina, ii, 708
 virgata, ii, 704
 volubilis, i, 449
Hibiscus, i, 109
 erianthus, i, 95
 parvifolius, i, 95
 surattensis, i, 165
 thespesioides, ii, 709
 tiliaceus, i, 165, 171
Hierochloë, i, 231; ii, 571
 alpina, i, 178, 232
 fragrans, ii, 514
 laxa, ii, 533
 pauciflora, i, 232
Hildegardia, ii, 639
 populifolia, ii, 639
Hingstha, ii, 284
Hippia minuta, ii, 281
 stolonifera, ii, 282
Hippocratea, i, 107
Hippocrateæ?, ii, 537
Hippocrateæ, i, 27, 107
Hippuris, i, 21, 22
Hiræa pinnata, i, 106
Hirculus propinquus, i, 202
Hirtella, i, 115
Holarrhena, ii, 232, 236, 244
Holcus, i, 57, 232
 acicularis, i, 302
 alpinus, i, 178, 232; ii, 514
 Gryllus, i, 66, 68
 saccharatus, i, 160
 sorghum, i, 160
Holostemma, ii, 220
Homalinæ, i, 120, 384, 386
Homalium, i, 120
Hookeria, ii, 337
 lucens, i, 69
Hordeum jubatum, ii, 515
Hoslundia, i, 135
Hostea, ii, 215
Hovea, i, 25; ii, 439
 linearis, ii, 440
 longifolia, ii, 440
Hovenia, i, 26
Hoya, ii, 200, 208, 716
 australis, ii, 715
 carnosa, i, 527, 529; ii, 209, 715
 Nicobarica, ii, 716
 viridiflora, ii, 209
Hudsonia, i, 453 *note*
Huernia, ii, 200, 205
 campanulata, ii, 206
 guttata, ii, 206

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

761

- Huernia venusta*, ii, 206
Humboldtia, ii, 552
 laurifolia, ii, 552
Hutchinsia, i, 263; ii, 378
 alpina, i, 263; ii, 378
 petraea, i, 263; ii, 378
 rotundifolia, ii, 378
Hybanthus, i, 122
Hydnocarpus, ii, 716
Hydnora, i, 401, 427, 558
 africana, i, 402, 412, 416, 427
 americana, i, 428
 triceps, i, 412, 428
Hydnorea, i, 427
Hydrocotyle alata, ii, 706
 asiatica, i, 165
 flaccida, ii, 706
 heteromeria, ii, 706
 hirta, ii, 705
 intertexta, ii, 706
 muscosa, ii, 706
 peduncularis, ii, 706
 plebeia, ii, 706
 pulchella, ii, 706
 pusilla, ii, 706
 tripartita, ii, 706
 vulgaris, i, 68
Hydrolea, i, 135
Hydrolea, i, 135
Hydropeltidæ, i, 556
Hydropeltis, i, 74, 451
Hydrophyllæ, ii, 519
Hydrophyllum, ii, 519
 lineare, ii, 519
Hymenanthera, i, 125
 angustifolia, ii, 705
 dentata, ii, 705
Hymenopappus, ii, 265, 267 *note*, 268
 note
 scabiosæus, ii, 265
 tenuifolius, ii, 266
Hymenophyllum, i, 146; ii, 342
 alatum, ii, 510
 tunbridgense, i, 68
Hypælyptum argenteum, i, 144, 164
Hypælytrum, i, 144
Hyphæne, i, 141
 coriacea, i, 141
Hypnum, ii, 345
 aduncum, i, 178, 235
 cordifolium, i, 234
 nitens, i, 234
 recognitum, i, 68
 rufescens, i, 235
 velutinum, i, 346
Hypoderris, ii, 543
Hypoclyptum, i, 54
Hypoestes, i, 134
 Forskaliæ, i, 93
Hypophyllocarpodendron, ii, 25, 86
Hypoxidæ, i, 51
Hypoxis, i, 51
 fascicularis, i, 298
Hyptis, i, 135, 164
 obtusifolia, i, 165, 167
Iberis, i, 265; ii, 379
 amara, ii, 380
 ciliata, ii, 379
 gibraltarica, ii, 379
 linifolia, ii, 380
 nudicaulis, ii, 378
 pinnata, ii, 380
 rotundifolia, ii, 378
 saxatilis, ii, 379
 semperflorens, ii, 379
 sempervirens, ii, 379
 umbellata, ii, 379
 violacea, ii, 380
Ibetsonia, ii, 422
 genistoides, ii, 422
Ichnocarpus, ii, 232, 235
Ilex Japonica, i, 124 *note*
Illecebreæ, i, 138; ii, 543
Illicium, ii, 704
Impatiens, ii, 535
 tenella, i, 94
Imperata aurundinacea, i, 68
 cylindrica, i, 165
Incarvillea, ii, 725
 oblongifolia, ii, 599
 parasitica, ii, 585
Indigofera, i, 295
 albicans, i, 95
 diffusa, i, 95
 lateritia, i, 165
Incumba, i, 155
Inga biglobosa, i, 288
 Senegalensis, i, 289
Inocarpus, ii, 651
Inula, ii, 294
Iodes, ii, 650
 ovalis, ii, 650
Ionidium, i, 122 *note*
 aquatica, i, 296
 Clappertoni, i, 296
 pentaphylla, i, 164
 pes-capræ, i, 164
Ipomœa, i, 135, 296; ii, 545
Ipomopsis, i, 532

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

762

INDEX OF NAMES OF PLANTS.

- Irideæ, i, 54, 56, 64, 502, 513, 559
 Iris, i, 298, 559
 Isachne, i, 57
 Isatis, i, 270 *note*; ii, 271, 375
 aleppica, ii, 375
 lusitanica, ii, 375
 orientalis, ii, 375
 tinctoria, ii, 375
 Ischæmum, i, 57
 rottböllioides, ii, 553
 Isocarpha, ii, 289
 Isochilus, ii, 490
 linearis, ii, 490
 prolifer, ii, 490
 Isolepis fluitans, i, 68
 setacea, i, 68
 Isonema, ii, 232, 236
 Isopogon, i, 310; ii, 11, 14, 16, 17,
 35, 58, 185
 anemonifolius, ii, 59, 185
 anethifolius, ii, 58, 185
 attenuatus, ii, 60
 axillaris, ii, 60
 buxifolius, ii, 60
 ceratophyllus, ii, 59
 cuneatus, ii, 59
 formosus, ii, 58
 longifolius, ii, 59
 polycephalus, ii, 60
 teretifolius, ii, 58
 trilobus, ii, 59
 Iva frutescens, ii, 266 *note*
 Ivira, ii, 615, 616
 pruriens, ii, 629
 Ixodia, ii, 461
 achillæoides, ii, 461
 Ixora, ii, 269 *note*
 ? arguta, ii, 533
 concinna, ii, 533
 coriacea, ii, 533
 densa, ii, 533
 diversifolia, ii, 533
 elliptica, ii, 533
 grandifolia, ii, 533
 lucida, ii, 533
 macrophylla, ii, 533
 nigricans, ii, 533
 oblonga, ii, 533
 opaca, ii, 533
 propinqua, ii, 533
 triflora, ii, 711
 Jacaranda, ii, 673
 acutifolia, ii, 674
 bahamensis, ii, 674
 Jacaranda caroliniana, ii, 674
 obtusifolia, ii, 674
 ovalifolia, ii, 674
 procera, ii, 674
 rhombifolia, ii, 674
 tomentosa, ii, 675
 Jacksonia, ii, 428
 scoparia, ii, 429
 spinosa, ii, 429
 Jacquinia, i, 151 *note*
 Jamaica nutmeg, i, 161
 Jambolifera, i, 16
 Jasminum abyssinicum, i, 93
 lineare, i, 330, 339
 micranthum, i, 331
 Mitchellii, i, 330
 Jasione, ii, 314
 Jatropha Manihot, i, 154
 Jeffersonia, i, 124 *note*
 Jenkinsia, ii, 652, 653
 Josephia, ii, 11, 19
 Juncea, i, 52, 53, 216, 299 *note*, 436;
 ii, 278
 Juncus, i, 298
 affinis, ii, 515
 arcuatus, i, 217
 bicornis, ii, 515
 biglumis, i, 216
 campestris, i, 217; ii, 515
 castaneus, ii, 515
 echinatus, ii, 515
 effusus, i, 68
 filiformis, ii, 515
 glaucus, ii, 515
 maritimus, i, 68
 melanocarpus, ii, 515
 tenuis, ii, 515
 triglumis, ii, 515
 Jungermannia, i, 178; ii, 351
 bicornis, i, 249
 bidentata, i, 69
 byssacea, i, 69
 complanata, i, 69
 furcata, i, 69
 minuta, i, 249
 pinguis, i, 69
 tamarisci, i, 69
 tomentella, i, 69
 ventricosa, i, 249
 Jussiaea arborea, ii, 505
 bivalvis, i, 93
 cristata, ii, 505
 cynanchifolia, i, 93
 erecta, i, 165, 167, 171
 Forskali, i, 93

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

763

- Jussiaea infundibuliformis*, ii, 505
 pulcherrima, ii, 505
 tetragona, ii, 505

Kadsura, ii, 685
Kallstroemia, i, 318
Kanahia, ii, 218
 laniflora, i, 94; ii, 218
Kangaroo grass, i, 308
Kantuffa, i, 94
Kasheia, i, 303
Kennedia, i, 25; ii, 440
 coccinea, ii, 440
 monophylla, ii, 440
 prostrata, ii, 440
 rubicunda, ii, 440
 speciosa, i, 321
Kernera, i, 271
Kingia, i, 433, 436
 australis, i, 308, 436; ii, 724
Kino gum, i, 290
Klugia azurea, ii, 607
Knightia, ii, 12, 38, 163
Knoxia mollis, ii, 531
 teres, ii, 531
Kobresia scirpina, ii, 515
Koniga, i, 266 *note*, 271
 libyca, i, 268
 maritima, i, 268
Kouka, i, 288
Krameria, i, 14
Krubut, i, 372, 393
Kyllinga, i, 54, 144

Labiatae, i, 38, 135, 297, 380
Labichea, i, 328
Lada Tchilli, i, 158
Lactuca virosa, ii, 263
Lagasca, ii, 274
Laguncularia, i, 20
Lambertia, ii, 11, 15, 18, 38, 157, 280
 echinata, ii, 158
 formosa, ii, 158, 280
 inermis, ii, 158, 280
 teretifolia, ii, 150
 uniflora, ii, 158, 280
Langsdorfia, i, 412
Lantana, i, 136
 polycephala, i, 94
Lappago, i, 57, 379 *note*
Lardizabaleæ, i, 555
Lasianthera, i, 151
Lasiopetalum, i, 11, 12
 rufum, ii, 708
Lastræa, ii, 568

Lauradia, i, 124
Laurelia, i, 26, 64
Laurinæ, i, 25, 149, 380
Laurus, i, 150
Lavandula, i, 297
 multifida, i, 297
Lavenia erecta, i, 165, 167; ii, 290
Laxmannia, ii, 292 *note*
Lecanora atra, i, 69
 brunnea, β *nebulosa*, i, 69
 elegans, i, 250
 decipiens, i, 69
 β *dendritica*, i, 69
 fusco-atra, i, 69
 gelida, i, 69
 lentigera, i, 69
 lepidosa, i, 69
 microphylla, i, 69
 parella, i, 69
 subfusca, i, 69
 sulphurea, i, 69
 ventosa, i, 69
Lechea, i, 453 *note*
Lecidea confluens, i, 69
 geographica, i, 69
 lurida, i, 69
 luteola, i, 69
 parasema, i, 69
Leea, i, 151
 sambucina, i, 165, 169
Leersia ciliata, i, 240
Legnotis, i, 119, 164
Leguminosæ, i, 22, 62, 104, 110, 113,
 168, 288, 291, 307, 503
Leichhardtia, i, 329
 australis, i, 329
Lemna, i, 448
 minor, i, 68
 trisulca, i, 68
Leontice, i, 124 *note*
 altaica, i, 362
 Leontopetalum, i, 362
 thalictroides, i, 361
Leontodon lividus, i, 210
 nana, i, 178
 palustre, i, 210
 Taraxacum, i, 178, 210
Leontopodium, ii, 302
Lepeyrodia, i, 145
Lepidium, ii, 380
 alpinum, ii, 378
 bidentatum, ii, 382
 bonariense, ii, 381
 campestre, ii, 382
 Cardamines, ii, 381

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

764

INDEX OF NAMES OF PLANTS.

- Lepidium didymum*, ii, 373

Draba, ii, 381
 graminifolium, ii, 381
Iberis, ii, 381, 383
 latifolium, ii, 380
 lyratum, ii, 380
 oleraceum, ii, 382
 perfoliatum, ii, 382
 petræum, ii, 378
 piscidium, ii, 382
 procumbens, i, 271
 rotundifolium, ii, 378
 ruderales, ii, 381
 sativum, ii, 382
 spinosum, ii, 382
 subulatum, ii, 382
 virginicum, ii, 383
Lepidocarpodendron, ii, 25, 26, 29
Lepidodendron Harcourtii, ii, 722
Lepidosperma, i, 53
Lepraria botryoides, i, 70
 flava, i, 70
 incana, i, 70
Leptadenia, i, 214
Leptomeria, i, 42
Leptospermum, i, 19, 311 *note*
Leptostomum, i, 352; ii, 341, 345
 erectum, i, 352
 gracile, i, 353
 inclinans, i, 352
 Menziesii, i, 353
Lepturus, i, 55; ii, 553
Lepyrodia, i, 54
Leskea, ii, 335
 complanata, i, 68
 rufescens, i, 235
Lessertia, ii, 442
 annua, ii, 442
 diffusa, ii, 443
 perennans, ii, 443
Leucadendron, ii, 15, 17, 21, 22, 24,
 29, 35, 40, 41, 60, 183, 184,
 723
 abietinum, ii, 52
 acaulon, ii, 73
 adscendens, ii, 49, 51, 184
 æmulum, ii, 52
 angustatum, ii, 43, 183
 argenteum, ii, 41
 buxifolium, ii, 44
 cancellatum, ii, 40
 cartilagineum, ii, 54
 cinaroides, α , ii, 61
 cinereum, ii, 46
Leucadendron comosum, ii, 52
 concinnum, ii, 50
 concolor, ii, 47
Conocarpodendron, ii, 81
 corymbosum, ii, 46
 crassifolium, ii, 54
 eucullatum, ii, 88
 cyanoides, ii, 97
 decorum, ii, 46
 decurrens, ii, 48
 divaricatum, ii, 91
 elongatum, ii, 109
 ericifolium, ii, 54
 floridum, ii, 51
 fusciflorum, ii, 183
 glabrum, ii, 48, 50
 Globularia, ii, 53
 glomeratum, ii, 28, 106
 grandiflorum, ii, 47, 82
 hirtum, ii, 87
Hypophyllocarpodendron, ii, 84
 imbricatum, ii, 44
Lepidocarpodendron, ii, 66, 68
Levisanus, ii, 45
 linifolium, ii, 183
 nanum, ii, 71
 oleæfolium, ii, 25
 ovale, ii, 48
 phylicoides, ii, 103
 pinifolium, ii, 28, 39
 platyspermum, ii, 51
 plumosum, ii, 42, 184
 proteoides, ii, 27, 91
 pubescens, ii, 53
 racemosum, ii, 120
 repens, ii, 69; β , ii, 75
 retusum, ii, 43, 62, 184, 187
 salignum, ii, 50
 scabrum, ii, 53
Scolymocephalum, ii, 70
 sericeum, ii, 53
Serruria, α , ii, 108; β , ii, 106
 sessile, ii, 43
 spathulatum, ii, 43
 speciosum, ii, 28, 64
 sphærocephalum, ii, 186
 spicatum, ii, 112
 squarrosus, ii, 47, 184
 strictum, ii, 48
 thymelæoides, ii, 90
 tortum, ii, 45, 183
 uliginosum, ii, 51
 venosum, ii, 48
 virgatum, ii, 49, 50
Leucadendros, ii, 26, 30, 31

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

765

- Leucadendros africana*, ii, 30
Leucadendrum, ii, 78
Leucas affinis, i, 94
 quinquedentata, i, 94
Leucodon, ii, 348
Leucolæna, i, 29
Leucophyta, ii, 286
Leucosia, i, 125
Leucospermum, ii, 20, 35, 78, 185, 271
 attenuatum, ii, 79
 buxifolium, ii, 82
 Conocarpum, ii, 81, 190
 crinitum, ii, 85
 diffusum, ii, 85
 ellipticum, ii, 80, 185
 grandiflorum, ii, 81, 82
 Hypophyllum, ii, 84
 lineare, ii, 79
 medium, ii, 80
 molle, ii, 85
 nutans, ii, 80
 oleæfolium, ii, 85
 patulum, ii, 82, 86
 puberum, ii, 82, 83
 spathulatum, ii, 83
 tomentosum, ii, 83
 Tottum, ii, 79
Levenhookia, i, 34
Leycesteria, ii, 542
Liatris, ii, 299 *note*
 spicata, ii, 270
Licania, i, 115
Lichen apthosus, i, 251
 cucullatus, i, 251
 elegans, i, 250
 islandicus, i, 251
 lanatus, i, 251
 nivalis, i, 250
 normöricus, i, 251
 ochroleucus, i, 251
 odontellus, i, 251
 paschalis, i, 252
 ramulosus, i, 252
 vermicularis, i, 252
Lichenosæ, i, 66, 250
Liliacæ, i, 299, 439, 449, 450, 513;
 ii, 273
Lime, i, 154, 156
Limnanthæ, ii, 363
Limnanthus, ii, 363
 Douglassii, ii, 364
Limodorum, ii, 689
 altum, ii, 487
 barbatum, ii, 694
Limodorum carinatum, ii, 694
 epidendroides, ii, 694
 lians, ii, 694
 longicorne, ii, 694
 nutans, ii, 488
 purpureum, ii, 487
 striatum, ii, 694
 Tankervillia, ii, 487
 triste, ii, 694
 tuberosum, ii, 486
 veratrifolium, ii, 694
 virens, ii, 694
Limonia, ii, 664
Linaria gracilis, i, 94
 hastata, i, 94
 propinqua, i, 94
Linconia, ii, 322
Lindernia japonica, ii, 505
Linkia, ii, 133
 lævis, ii, 136
Linnaea, ii, 324, 541, 673
Linschotenia, i, 315
Lipocarpa, i, 144
 argentea, i, 164, 169
Lipotriche, ii, 297 *note*
Lippia, i, 136
Liriope spicata, ii, 695
Lissochilus, ii, 692, 694
 speciosus, ii, 692, 707
Listera, ii, 483
 cordata, ii, 483
 ovata, ii, 483
Lithospermum? *ambiguum*, i, 94
Lobelia, i, 32
Lobeliacæ, i, 292; ii, 269 *note*, 310,
 679
Lobularia, i, 266
Loganæ, i, 37
Logania, i, 37, 132
Lolium, i, 55; ii, 277
 perenne, i, 468 *note*, 530 *note*
Lomaria, ii, 525
Lomatia, i, 41, 64; ii, 38, 168
 dentata, ii, 169
 ferruginea, ii, 168
 ilicifolia, ii, 169
 longifolia, ii, 169
 obliqua, ii, 170
 polymorpha, ii, 169
 silicifolia, ii, 168
 tinctoria, ii, 168
Lomentacæ, i, 23
Lonicera, ii, 687
Lonicercæ, ii, 324

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

766

INDEX OF NAMES OF PLANTS.

- Loranthaceæ, i, 413 *note*, 501
 Loranthææ, i, 288
 Loranthus, i, 21, 120, 137, 288
 angustifolius, ii, 710
 calycinus, i, 94
 congestus, i, 94
 floribundus, i, 308
 lætus, i, 94
 Loropetalum, ii, 323
 Lotus arboreus, ii, 698
 Loxidium, ii, 442
 Loxocarpus, ii, 595, 606
 incana, ii, 606
 Loxonia, ii, 580, 582, 595
 acuminata, ii, 582
 discolor, ii, 582
 hirsuta, ii, 584
 Loxophyllum, ii, 585
 Loxotis, ii, 577, 590, 595
 intermedia, ii, 577
 obliqua, ii, 577
 Lunaria, ii, 390
 annua, ii, 390
 libyca, i, 262, 265
 parviflora, i, 262
 rediviva, ii, 390
 Luzula campestris, i, 68, 217; ii, 515
 hyperborea, i, 216
 melanocarpa, ii, 515
 pilosa, i, 217
 Luzuriaga, i, 50
 Lychnis, i, 285
 apetala, i, 177, 198
 triflora, i, 178
 Lycoperdon pratense, i, 253
 Lycopodiaceæ, ii, 722
 Lycopodineæ, i, 147
 Lycopodium alpinum, ii, 518
 annotinum, ii, 518
 complanatum, ii, 518
 dendroideum, ii, 518
 Selago, i, 178; ii, 518
 Lycopus europeus, i, 65
 Lyellia, ii, 331, 345, 351
 crispa, ii, 333
 Lygodium, i, 146
 Lyonsia, ii, 232, 238
 Lysionotus, ii, 585, 593, 594, 598
 serratus, ii, 598
 ternifolia, ii, 598
 Lysipoma, ii, 679
 Lyssostylis, ii, 142
 Lythrum, ii, 238
 Lythrum Salicaria, i, 68
 Maba, i, 140; ii, 536
 Macleaya cordata, i, 270 *note*
 Macradenia, ii, 695
 lutescens, ii, 695
 Macromitrium, ii, 335
 Macropodium, ii, 397
 nivale, ii, 397
 Madia, ii, 266
 Mærua, i, 280 *note*
 angolensis, i, 281 *note*
 rigida, i, 280
 senegalensis, i, 280
 uniflora, i, 281 *note*
 Mæsa, i, 151 *note*
 Magnolia, ii, 705
 Magnoliaceæ, i, 12, 149
 Mahernia, i, 63
 Maize, i, 155, 160
 Malachra radiata, i, 109, 165
 Malaguetta Pepper, i, 155
 Malaxideæ, ii, 575
 Malaxis, ii, 489
 lilifolia, ii, 489
 Loeselii, ii, 489
 nutans, ii, 488
 paludosa, ii, 489
 Malcomia, i, 272; ii, 407
 littorea, ii, 407
 Malesherbia, i, 387 *note*
 Malpighiaceæ, i, 105
 Malvaceæ, i, 11, 26, 104, 109, 168, 288; ii, 613
 Mammillaria, i, 549
 Mangifera, i, 112
 Mangrove, i, 363
 Manioc, i, 155, 160
 Manisuris, ii, 554
 Mantellia cylindrica, ii, 717
 nidiformis, ii, 717
 Marantææ, i, 49, 380; ii, 551
 Marchantia hemisphærica, i, 69
 polymorpha, i, 69, 249
 Marcgravia, ii, 357
 Marigold, ii, 262
 Marlea, ii, 322
 barbata, ii, 534
 begonifolia, ii, 532
 Marsdenia, ii, 210
 cinarescens, ii, 211
 clausa, ii, 211
 erecta, ii, 212
 rostrata, ii, 212

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

767

- Marsdenia suaveolens*, ii, 211
 tinctoria, ii, 211
 velutina, ii, 211
 viridiflora, ii, 211
Marshallia, ii, 267 *note*
Marsilea quadrifolia, i, 68
Matelea, ii, 215
Mathiola, i, 272, 316; ii, 405
 elliptica, i, 94
 fenestralis, ii, 406
 incana, ii, 405
 odoratissima, ii, 406
 parviflora, ii, 406
 sinuata, ii, 406
 tricuspidata, ii, 406
 tristis, ii, 406
Matonia, ii, 542, 565
 pectinata, ii, 531, 542
Mazus, ii, 505
 rugosus, ii, 505
Meionectes, i, 21
Meisarrhena tomentosa, i, 93
Melaleuca, i, 19, 311; ii, 451
 armillaris, ii, 453
 Cajeputi, i, 19
 calycina, ii, 455
 coronata, ii, 454
 cylindrica, ii, 710
 decussata, ii, 454
 densa, ii, 456
 diosmifolia, ii, 452
 ericifolia, ii, 453
 fulgens, ii, 455
 genistifolia, ii, 452
 globifera, ii, 452
 gnidiæfolia, ii, 454
 hypericifolia, ii, 455
 incana, ii, 684
 lanceolata, ii, 710
 laurina, ii, 456
 Leucadendron, i, 19; ii, 451
 linariifolia, ii, 455
 myrtifolia, ii, 455
 nereiifolia, ii, 456
 nodosa, ii, 453
 paludosa, ii, 451
 pulchella, ii, 454
 salicifolia, ii, 456
 scabra, ii, 454
 squamea, ii, 453
 squarrosa, ii, 455
 striata, ii, 452
 stypelioides, ii, 452
 thymifolia, ii, 454
 thymoides, ii, 452
Melaleuca uncinata, ii, 454
 viridiflora, ii, 451
Melampodium, ii, 284
 americanum, ii, 285
 australe, ii, 284
 humile, ii, 284
 longifolium, ii, 284
Melananthera, ii, 291, 296
 aspera, ii, 306, 307
Melanthaceæ, i, 298, 299 *note*
Melanthera, ii, 296
Melanthium punctatum, i, 298
Melastomaceæ, i, 116
Melastoma decumbens, i, 116
 octandra, i, 117
Melhania, ii, 509
 Denhamii, i, 288
 Erythroxylon, ii, 509
 Melanoxylon, ii, 509
Meliaceæ, i, 72, 123, 124, 149
Melica, i, 56
Melicocca, i, 108
Melicope, i, 16
Melocactus, i, 549
Memecylon, i, 118
Meniocus, i, 265, 268
Meniscium, ii, 566, 569
Menispermæ, i, 379; ii, 652
Menonvillea, i, 264
Merendera, i, 298
Meriana, i, 118
Mertensia, i, 138
 dichotoma, i, 146 *note*, 164
Mesembryanthemum, i, 64, 556
 æquilaterale, i, 43, 309
 cordifolium, i, 556
 crystallinum, i, 556
 nodiflorum, i, 556
 papulosum, i, 556
Mesochlæna, ii, 569
Mesodactylis deflexa, ii, 547
Mestotes, i, 125
Metalasia, ii, 302
Metaplexis, ii, 224
Metastelma, ii, 227, 229
Metrosideros, i, 19
 quinquenervia, ii, 451
Meyera, ii, 283
Micadania, i, 295
Micrandra, ii, 644
 ternata, ii, 644
Micranthus, i, 134 *note*
Microchloa elongata, ii, 533
Microcorys, i, 39
Microloma, ii, 227, 229

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

768

INDEX OF NAMES OF PLANTS.

- Microlooma lineare*, ii, 228
 sagittatum, ii, 228
Micropus, ii, 285
Microstemna, ii, 200, 208
Microtea, i, 139, 139 *note*
Mikania chenopodifolia, i, 128
Millet, i, 160
Miltus, i, 139 *note*
Mimetes, ii, 20, 36, 86, 186
 capitulata, ii, 87
 cucullata, ii, 88, 190
 divaricata, ii, 91
 Hartogii, ii, 88, 190
 Hibbertii, ii, 89
 hirta, ii, 86, 191
 Massoni, ii, 89
 myrtifolia, ii, 90
 pauciflora, ii, 87
 purpurea, ii, 91
 thymelæoides, ii, 90
Mimosa, i, 294
 aspera, i, 110
 canescens, i, 110
 decipiens, ii, 446
 Habbas, i, 288
 nigricans, ii, 447
 pubescens, ii, 447
 Sophoræ, ii, 446
 stellata, i, 23
 taxifolia, i, 290 *note*
Mimoseæ, i, 22, 110, 288
Miquelia, ii, 652, 653
 cærulea, ii, 607
Mirbelia, ii, 435
 dilatata, ii, 436
 reticulata, ii, 435
Misodendron, i, 413 *note*
Mitella grandiflora, ii, 522
Mitrasacme, i, 37
Mnesithea, ii, 553
Mnium rostratum, i, 235
 turgidum, i, 178, 235
Modecca, i, 150, 387 *note*; ii, 686
 australis, ii, 705
Molina, ii, 294
Molucella integrifolia, i, 94
 repanda, i, 94
 scariosa, i, 94
Monachne, i, 57
Monimia, i, 25
Monimieæ, i, 25
Monkey Pepper, i, 161
Monnieria, i, 16
Monnina, i, 14
Monocaryum, i, 300
Monodora Myristica, i, 162 *note*
Monogamia, ii, 276
Monophyllea, ii, 595, 608
 Horsfieldii, ii, 608
Moquilea, i, 115
Moræa, i, 559
Morinda, i, 131
Moringa, i, 294
Moringeæ, i, 294
Mosses, i, 469
Murucua, i, 386
Musa, i, 156, 157 *note*
 sapientum, i, 154, 156
 superba, i, 157 *note*
Musanga, i, 138, 153
Musci, i, 66
Myagrum, ii, 371
 arborescens, ii, 371
 hispanicum, ii, 412
 paniculatum, ii, 372
 perenne, ii, 369
 perfoliatum, ii, 371
 rugosum, ii, 369
 sativum, ii, 386
 saxatile, ii, 384
Myoporinæ, i, 339
Myoporum, i, 40, 63
Myrianthus, i, 138
Myrioneura nutans, ii, 534
Myriophyllum, i, 21, 22
Myristica, i, 381
Myrobroma fragrans, ii, 498
Myrospermum, i, 127 *note*
Myroxylon, i, 127 *note*
Myrsine, i, 150 *note*
Myrsinæ, i, 149, 293; ii, 536
Myrtaceæ, ii, 534
Myrtaceæ, i, 18, 20, 63, 75, 118, 307, 311
Mystropetalon, i, 414 *note*
Myzodendron, i, 413 *note*
 brachystachyum, i, 413 *note*
 punctulatum, i, 413 *note*
 quadriflorum, i, 413 *note*
Nama, i, 135
Nandina, i, 124 *note*
Nansiatum, ii, 651, 653
Napimoga, i, 120
Napoleona, i, 387, 388 *note*
Nardus, ii, 553
Nasturtium, ii, 399
 amphibium, i, 68; ii, 399
 officinale, ii, 399

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

769

- Nasturtium pyrenaicum*, ii, 399
 sagittatum, ii, 400
 sylvestre, ii, 399
 terrestre, ii, 399
Natter Wurtz, i, 214
Nauclea, i, 131
 Wallichiana, ii, 533
Neckera, ii, 335
 heteromalla, i, 69
 pennata, i, 69
Neli Tali, ii, 445
Nelsonia, i, 134
Nemophila, ii, 519
Neottæ, i, 538
Neottia, ii, 481
 acaulis, ii, 481
 cernua, ii, 482
 elata, ii, 481
 glandulosa, ii, 482
 minor, ii, 482
 orchioides, ii, 481
 picta, i, 501; ii, 481
 pubescens, ii, 481
 repens, ii, 481
 speciosa, ii, 481
 spiralis, ii, 482
Nepenthes, i, 77, 386, 449; ii, 357
Nepeta azurea, i, 94
 indica, ii, 503
 virginica, ii, 504
Nephrodium, i, 61, 146; ii, 569
 fragrans, ii, 518
 rufidulum, ii, 518
Nerium, ii, 233, 242, 686
 antidysentericum, ii, 242, 244
 coronarum, ii, 242
 divaricatum, ii, 242
 obesum, ii, 242
 odorum, ii, 242
 Oleander, ii, 242, 243
 salicinum, ii, 242
 Zeylanicum, ii, 242, 243, 244
Nety, i, 289
Neurachne, i, 58
 alopecuroides, i, 337
 Mitchelliana, i, 337
 paradoxa, i, 336
Neurada prostrata, i, 288
Neurocarpæa, i, 131
 lanceolata, i, 94
Neurolæna, ii, 299
Nicandra, i, 133
Nicotiana, i, 158
 Australasiæ, i, 158
 undulata, i, 158
Nipholobolus, ii, 568
Nisa, i, 120
Nitta, i, 289
Nivenia, ii, 20, 36, 110, 187
 capitata, ii, 115
 crithmifolia, ii, 113
 Lagopus, ii, 114
 marginata, ii, 111
 media, ii, 113
 mollissima, ii, 114, 187
 parvifolia, ii, 112
 sceptrum, ii, 111
 spathulata, ii, 111
 spicata, ii, 112
Notoceras, ii, 404
 canariensis, ii, 404
 mollis, ii, 274
Nuphar, i, 379 *note*, 451
Nürvala, i, 278
Nuxia congesta, i, 93
 dentata, i, 93
Nuytsia floribunda, i, 308
Nyctagineæ, ii, 587 *note*
Nyctagines, i, 81
Nymphæa, i, 74, 379 *note*, 451
 Lotus, i, 162, 165, 166
 pubescens, i, 165
Nymphæaceæ, i, 451, 555

Ochradenus, i, 281
Octadenia, i, 267
Octoblepharum, ii, 337, 339
 albidum, i, 165; ii, 337
 serratum, ii, 337
Octodiceras, ii, 334
Octomeria, ii, 491
 graminifolia, ii, 491
Ocymum, i, 135
 cinereum, i, 94
 monadelphum, i, 94
Oenothera, i, 467
Ogheghe, i, 155
Olacinae, i, 136
Olacinea? ii, 538
Olax, i, 44, 136
 scandens, i, 136
 zeylanica, i, 136
Oldenlandia, ii, 532
 biflora, ii, 532
 herbacea, ii, 532
 pentandra, ii, 522
Oleina, ii, 535
Olmedia, i, 79
Omphalobium, i, 113
Onagrarizæ, i, 21, 467

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

770

INDEX OF NAMES OF PLANTS.

- Oncidium*, i, 515; ii, 494, 696
 altissimum, ii, 494
 bifolium, ii, 494
 carthagenense, ii, 494
 triquetrum, ii, 495
Oncoba, i, 108
Onobrychis simplicifolia, i, 95
Onoclea, ii, 525
Opercularia, i, 36, 131, 132
 volubilis, ii, 711
Ophiopogon spicatus, ii, 695
Ophiorrhiza bracteolata, ii, 534
 discolor, ii, 534
Ophiospermum, i, 126 *note*
Ophioxylum, i, 132
Ophrydæ, i, 538
Ophrys, i, 493, 538; ii, 479
 anthropophora, ii, 475
 apifera, i, 491, 502, 508, 540
 note, 547; ii, 479
 aranifera, ii, 479
 corallorrhiza, ii, 490
 cordata, ii, 483
 lilifolia, ii, 489
 Loeseli, ii, 489
 Monorchis, ii, 476
 muscifera, ii, 479
 myodes, ii, 479
 ovata, ii, 483
 spiralis, ii, 482
Opilia, ii, 536
Orange, i, 154, 156
Orchideæ, i, 48, 53, 62, 380, 405, 469,
 487, 545, 557, 560; ii, 6, 547
Orchis, i, 493; ii, 473
 albida, ii, 477
 bicornis, ii, 479
 bifolia, ii, 477
 bractealis, ii, 476
 bracteata, ii, 476
 Burmanniana, ii, 478
 carnea, ii, 480
 ciliaris, ii, 477
 conopsea, ii, 475
 cristata, ii, 477
 fimbriata, ii, 477
 fusca, i, 547; ii, 474
 globosa, ii, 474
 hircina, ii, 474
 hyperborea, ii, 477
 latifolia, i, 500; ii, 474, 549
 mascula, ii, 473, 475, 491, 500,
 502
 militaris, ii, 474
 Morio, i, 500, 540, 547; ii, 473
Orchis nigra, ii, 476
 papilionacea, ii, 475
 pectinata, ii, 478
 pyramidalis, ii, 474
 spectabilis, ii, 475
 ustulata, i, 547; ii, 473
 viridis, ii, 476
Ordeal tree, i, 153
Oreobolus, i, 53
Oreocallis, ii, 38, 165
 grandiflora, ii, 166
Orites, ii, 38, 159
 diversifolia, ii, 160
 revoluta, ii, 160
Oritina acicularis, ii, 189
Ormosia, ii, 420
 dasycarpa, ii, 420
Ornithidium, ii, 490
 coccineum, ii, 490
Orobanche compacta, i, 296
Orobancheæ, i, 557
Orpetium, ii, 553
Orthodon, ii, 337, 338
Orthotrichum, ii, 344, 345, 348, 349
 cupulatum, i, 178
Oryzopsis asperifolia, ii, 514
 parviflora, ii, 514
Osbeckia, i, 117
Osmunda barbara, i, 64
Osmundaceæ, i, 146
Othera, i, 150 *note*
Oudneya, i, 272 *note*
 africana, i, 272 *note*
Ovieda mitis, ii, 509
Ovvando, i, 159
Oxalideæ, i, 114
Oxalis, i, 64, 113
 corniculata, i, 65
 sensitiva, i, 114
Oxylobium, ii, 426
 arborescens, ii, 426
 cordifolium, ii, 426
 ellipticum, ii, 426
Oxypetalum, ii, 219
Oxyria, i, 177 *note*, 214
 reniformis, ii, 215
Oxystelma, i, 134, 295; ii, 218
 Bornouense, i, 295 *note*
 esculentum, i, 134, 165, 295;
 ii, 219
Oxytropis arctica, i, 209, 254
 uralensis, i, 210
Ozothamnus, ii, 303
Pachynema complanatum, ii, 703

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

771

- Pæonia Moutan*, ii, 318
Pagamea, i, 37, 132
Paliurus, i, 26
Palmae, i, 51; ii, 587 *note*
Pancratium, i, 364
Pandanus, ii, 718
 Candelabrum, i, 153
Paniceæ, i, 57, 145, 300; ii, 553, 572
Panicum, i, 55, 57, 146
 crus-galli, i, 68, 165
 ovale, i, 93
 turgidum, i, 303
Papaver nudicaule, i, 178, 190, 379
 note
 radicatum, i, 190
Papaveraceæ, i, 190, 272, 559
Papaw, i, 154, 155, 156, 158
Papilionaceæ, i, 23, 24, 209, 295, 339
Pappophorum, i, 55
Paranomus, ii, 110
Parinarium, i, 115
Parkeria, ii, 570
Parkia, i, 289
 africana, i, 290 *note*
Parmelia caperata, i, 69
 conspersa, i, 69
 olivacea, i, 69
 parietina, i, 69
 physodes, i, 69
 plumbea, i, 69
 stellaris, i, 69
Parnassia, i, 559
Paronychia sedifolia, i, 94
Paropsia, i, 121, 387 *note*
Parrya, i, 195, 268, 271, 272 *note*
 arctica, i, 196
 macrocarpa, i, 197
Parsonsia, ii, 232, 237, 238
Paspalum, i, 55, 57
Passalia, i, 123
Passifloreæ, i, 121, 149, 280, 282,
 384, 386, 392
Passura, i, 123
Patrisia, i, 125
Paullinia, i, 164
 japonica, i, 107
 pinnata, i, 107, 165, 172
Pavetta, ii, 269 *note*
 canescens, ii, 534
 congesta, i, 93
 ? *lucens*, ii, 533
 mollis, ii, 534
 nauchleiflora, ii, 533
 polyantha, ii, 533
 reflexa, i, 93
Pavetta weberæfolia, ii, 534
Pavonia, i, 25, 64
Pedicularis arctica, i, 213, 253
 hirsuta, i, 178
 Langsdorffii, i, 253
 sudetica, i, 214, 253
Peganum, i, 16
Pelargonium, i, 64
 abyssinicum, i, 95, 163
Peliosanthes Teta, i, 362; ii, 695
Peltaria, ii, 374
 alliacea, ii, 374
Peltidea aphthosa, i, 251
 canina, i, 69
Penæa, i, 64
Pennisetum dichotomum, i, 302
 glaucum, i, 68
 villosum, i, 93
Pentadactylon, ii, 133
Pentadynamis, i, 325
 incana, i, 325
Pentaloba sessilis, i, 123
Pentapetes Erythroxylon, ii, 509
Pentatropis cynanohoides, i, 94
Peperomia, i, 150
Pergularia, ii, 6, 210, 212, 237
 edulis, ii, 212
 glabra, ii, 212
 Japonica, ii, 212
 minor, ii, 212
 odoratissima, ii, 212
 purpurea, ii, 212
Periploca, i, 134; ii, 198, 231
 angustifolia, ii, 231
 capsularis, ii, 238
 emetica, ii, 230
 esculenta, i, 165; ii, 219
 græca, ii, 231
 indica, ii, 230
 lævigata, ii, 231
 Secamone, ii, 230
 sylvestris, ii, 214
 tunicata, ii, 222
Periploceæ, i, 469; ii, 230
Peripterygium quinquelobum, ii, 655
Perotis latifolia, i, 165
Persoonia, i, 116, 339; ii, 11, 17,
 18, 20, 22, 23, 24, 37, 133
 articulata, ii, 137
 elliptica, ii, 137
 falcata, ii, 136
 flexifolia, ii, 135
 furruginea, ii, 136
 graminea, ii, 137
 hirsuta, ii, 134

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

772

INDEX OF NAMES OF PLANTS.

- Persoonia juniperina*, ii, 134
 lanceolata, ii, 136
 latifolia, ii, 136
 laurina, ii, 136
 linearis, ii, 134
 longifolia, ii, 137
 lucida, ii, 135
 microcarpa, ii, 134
 mollis, ii, 134
 nutans, ii, 135
 pinifolia, ii, 134
 prostrata, ii, 136
 salicina, ii, 136
 scabra, ii, 135
 spathulata, ii, 135
 teretifolia, ii, 133
 virgata, ii, 135
Petaloma, i, 118
Petalostemma chenopodii, i, 94
Petalostylis, i, 328
 labicheoides, i, 328
Petiveria, i, 139
Petrobium, ii, 292 *note*, 314
Petrocallis, i, 268; ii, 386
 pyrenaica, ii, 386
Petrophila, i, 310; ii, 11, 17, 35, 55, 723
 acicularis, ii, 56
 diversifolia, ii, 57, 723
 filifolia, ii, 56, 57
 pedunculata, ii, 57
 pulchella, ii, 56
 rigida, ii, 56
 squamata, ii, 57
 teretifolia, ii, 56
 trifida, ii, 57
Peziza scutellata, i, 70
Phaca astragalina, i, 209
Phacelia, ii, 519
 parviflora, ii, 520
Phalænopsis, ii, 576
 amabilis, ii, 576
Phalaridæ, ii, 571
Phascum, i, 247
 alternifolium, i, 348
 bryoides, i, 247
 curvicollum, i, 248
 flexuosum, i, 248
 muticum, i, 69
Phaseolus, i, 154
Phayloopsis, i, 13
Phebalium, i, 17
Phelypæa sanguinea, i, 429
Philydrum, i, 48, 53; ii, 357
 lanuginosum, i, 53
Philydrum pygmæum, i, 53
Phippisia, i, 219
 algida, i, 220
Phlebodium, ii, 567
Phleum alpinum, i, 67
Phragmites, i, 58
Phyllica, i, 26
Phyllanthus, ii, 279 *note*
Phyllocladus, i, 460
Physcia islandica, i, 251
Physematium molle, ii, 546
Physiphora, i, 123
Phytocrene, ii, 651, 652
Phytocreneæ, ii, 652
Phytolacca, i, 139
 abyssinica, i, 139
Phytolaccææ, i, 138
Piarranthus, ii, 200, 206
 pulla, ii, 206
 punctata, ii, 206
Picris hieracioides, i, 68
Pileanthus, i, 76
Pilocarpus, i, 16
Pilotyles, i, 414 *note*, 424, 430
 Berterii, i, 430
 Blanchetii, i, 430
 Calliandræ, i, 431
Pimelea, ii, 16
Pine apples, i, 154, 155
Pinus, i, 47, 455
Piper Æthiopicum, i, 105, 161
 caudatum, i, 150
 Cubeba, i, 150
Piperaceæ, i, 138, 149, 452
Piptocarpha, ii, 299 *note*
Pisonia morindifolia, ii, 534
Pistia Stratiotes, i, 164, 166, 169, 298
Pittosporææ, i, 13, 63
Pittosporum, i, 13
 revolutum, ii, 268 *note*
Plagioloba, i, 272
Plagiopoda, ii, 146
Planta Aphyteja, i, 416
Plantago, ii, 281
Plantain, i, 154, 156
Platylobium, i, 25; ii, 436
 formosum, ii, 436
 lanceolatum, ii, 438
 microphyllum, ii, 438
 ovatum, ii, 438
 parviflorum, ii, 437
 Scolopendrium, ii, 437
 triangulare, ii, 437
Platypetalum, i, 192, 193
 dubium, i, 193, 253

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

773

- Platypetalum purpurascens*, i, 192, 254
Platystemma, ii, 595, 608
Platyzoma, i, 59
Pleopeltis, ii, 566, 567
Pleurandra, i, 12
 acerosa, ii, 704
 bracteata, ii, 703
 cinerea, ii, 703
 furfuracea, ii, 703
 nitida, ii, 703
 parviflora, ii, 703
 pedunculata, ii, 704
 riparia, ii, 704
 scabra, ii, 704
 sericea, ii, 703
 stricta, ii, 704
Pleurogramma, ii, 569
Pleuropogon, i, 226
 Sabinii, i, 226, 256
Pleurothallis, i, 515 ; ii, 491
 ruscifolia, ii, 491
Pluchea Dentex, ii, 711
Plumbaginaceæ, i, 297
Plumbago eglandulosa, i, 94
Plumeria, ii, 247
Poa, i, 221
 abbreviata, i, 223, 255
 alpina, ii, 515
 angustata, i, 223, 255
 arctica, i, 224
 ciliaris, i, 165
 crocata, ii, 515
 flexuosa, i, 225
 laxa, i, 177, 224, 225
Poaceæ, i, 58, 145, 228, 300 ; ii, 553
Podalyria, ii, 422, 423
 alba, ii, 423
 argentea, ii, 424
 aurea, ii, 421
 australis, ii, 423
 biflora, ii, 424
 bracteata, i, 111
 calyptrata, ii, 424
 capensis, ii, 422
 cordata, ii, 424
 genistoides, ii, 422
 hirsuta, ii, 424
 lupinoides, ii, 421
 myrtillifolia, ii, 423
 sericea, ii, 424
 tinctoria, ii, 423
Podocarpus, i, 44, 47, 455, 460
 alpina, ii, 707
 antillarum, ii, 707
 asplenifolia, i, 47
 cupressina, ii, 706
 elata, ii, 707
 ensifolia, ii, 706
 falcata, ii, 707
 Horsfieldii, ii, 533
 latifolia, ii, 707
 Nageia, ii, 706
 polystachya, ii, 706
 spicata, ii, 707
 spinulosa, ii, 707
 thuyoides, ii, 707
Podocarya, ii, 717
Podocoma, i, 329
 acuminata, ii, 462
 cuneifolia, i, 329
Podolepis, ii, 461
 rugata, ii, 461
Podolobium, ii, 425
 trilobatum, ii, 425
Podophyllum, i, 124 *note*
Podopogon, ii, 572
Podostemon Wallichii, ii, 533
Podostigma, i, 520
Pœcilodermis, ii, 637, 638
Pogonia, ii, 485
 divaricata, ii, 485
Pohlia, i, 236
 arctica, i, 236
 bryoides, i, 236
 purpurascens, i, 237
Poiretia linearis, ii, 440
Polanisia, i, 273
Polemoniaceæ, i, 135
Polemonidææ, i, 65
Polemonium dubium, ii, 520
Polygala abyssinica, i, 95
 linearis, i, 95
Polygalææ, i, 13, 16, 63, 125, 282, 291, 380
Polygamia congregata, ii, 276
 segregata, ii, 276
Polygonææ, i, 138, 214
Polygonum sinuatum, i, 94
 viviparum, i, 214
Polyosma Cunninghamii, ii, 708
Polypodiaceæ, ii, 525
Polypodium, i, 166 ; ii, 205
 arvonicum, ii, 254
 aureum, ii, 567
 decumanum, ii, 567
 Dipteris, ii, 562
 diversifolium, ii, 566
 Dryopteris, ii, 518
 Horsfieldii, ii, 531, 562
 hyperboreum, ii, 252

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

774

INDEX OF NAMES OF PLANTS.

- Polypodium ilvense*, ii, 252
lycopodioides, ii, 566
melanopus, ii, 531
phymatodes, ii, 543, 566
propinquum, ii, 531
quercifolium, ii, 566
spinulosum, i, 83
vulgare, ii, 518, 570
Wallichii, ii, 531, 562
Polystichum, ii, 569
Polytoca, ii, 574
bracteata, ii, 574
Polytrichoides, ii, 336, 351
Polytrichum, i, 348; ii, 331, 345, 349, 351
alpinum, i, 234; ii, 336
angustatum, ii, 338
brevifolium, i, 233
commune, i, 233; ii, 339
hyperboreum, i, 233
juniperinum, i, 178
laevigatum, i, 234; ii, 337, 340
magellanicum, ii, 337
microstomum, ii, 339
piliferum, i, 233
propinquum, i, 233
septentrionale, i, 234
subrotundum, ii, 338
undulatum, ii, 336, 338, 340
urnigerum, ii, 339
Pomaderris, i, 26
Pomax, i, 36, 132
Pombalia, i, 122
Ponthieva, ii, 482
glandulosa, ii, 482
Portlandia, ii, 268
Portulaca oleracea, i, 68
Potalia, i, 133
Potamogeton crispum, i, 68
gramineum, i, 66, 68
natans, i, 68
perfoliatum, i, 68
Potentilla anserina, i, 68
Brauniana, i, 178
frigida, i, 178, 209
groenlandica, i, 178, 209
hirsuta, i, 209
Jamesoniana, i, 209
macrantha, i, 209
nivea, i, 208
pulchella, i, 178, 208
sericea, i, 178, 208
Vahlbiana, i, 209
verna, i, 209
Poterium, ii, 279
Poupartia, i, 112
Prestonia tomentosa, ii, 241
Primulaceae, i, 151 *note*, 293; ii, 315, 581, 586
Prionopteris, ii, 531
Proserpinaca, i, 21
Prosopis, i, 22
Prostanthera, i, 39
Protea, ii, 10, 14, 15, 20, 24, 26, 29, 35, 40, 60, 185, 272
abrotanifolia, ii, 103, 186
abyssinica, i, 163; ii, 70
acaulis, ii, 28, 72
acerosa, ii, 78
acufera, ii, 58
acuifolia, ii, 71
adscendens, ii, 104
alba, ii, 46
alopecuroides, ii, 111
amplexicaulis, ii, 77
anemonifolia, ii, 59
anethifolia, ii, 58
angustata, ii, 73
angustifolia, ii, 70
arcuata, ii, 47; β , ii, 47
argentea, ii, 12, 24, 25, 27, 30, 31, 42; β , ii, 50
argentiflora, ii, 108
aulacea, ii, 40
barbata, ii, 64
bracteata, ii, 40
bruniades, ii, 46
cæspitosa, ii, 76
canaliculata, ii, 72
cancellata, ii, 28, 30
candicans, ii, 83, 187
caudata, ii, 124, 125
Chamelæa, ii, 48
cinerea, ii, 45, 46
coccinea, ii, 63
comosa, ii, 52
compacta, ii, 62
concava, ii, 187
conica, ii, 49
conifera, ii, 27, 28, 49; A, ii, 49; α , ii, 50
conocarpa, ii, 26, 28, 30, 31, 81; A, ii, 80
cordata, ii, 77
cordifolia, ii, 77
coronata, ii, 64, 65
corymbosa, ii, 46
criniflora, ii, 85
crinita, ii, 85
cristata, ii, 66

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

775

- Protea cucullata*, ii, 88; β , ii, 89
cyanoides, ii, 97, 102
cynaroides, ii, 61, 185
decumbens, ii, 100, 104
dichotoma, ii, 56, 186
divaricata, ii, 91, 185
elliptica, ii, 80
elongata, ii, 73
florida, ii, 104
formosa, ii, 64, 80
fucifolia, ii, 56, 183, 184
fusca, ii, 27, 45
glabra, ii, 184
glaucophylla, ii, 73
globosa, ii, 47
globularia, ii, 53
glomerata, ii, 28, 98, 101, 106, 109
grandiflora, ii, 66, 69, 185
Gustaviana, ii, 112
heterophylla, ii, 85
hirta, ii, 30, 87
humiflora, ii, 77
humilis, ii, 77
hypophylla, ii, 31, 84
Hypophyllocarpodendron, ii, 84
imbricata, ii, 44, 118
incompta, ii, 67
incurva, ii, 52, 124
lacticolor, ii, 63
lævis, ii, 74
Lagopus, ii, 113, 114
lanata, ii, 117
latifolia, ii, 61, 62
Laureola, ii, 47
Lepidocarpodendron, ii, 28; β , ii, 64, 66
Lepidocarpon, ii, 65
Levisanus, ii, 28, 44, 45
linearis, ii, 79, 183
linifolia, ii, 183
longiflora, ii, 62, 68, 185
lorea, ii, 76
macrophylla, ii, 64
melaleuca, ii, 65
mellifera, ii, 13, 68
mucronifolia, ii, 70
myrtifolia, ii, 90
nana, ii, 71, 73
nectarina, ii, 158
neriifolia, ii, 66
obliqua, ii, 42; β , ii, 47; α , ii, 47
ochroleuca, ii, 63
odorata, ii, 184
- Protea odoratissima*, ii, 71
pallens, ii, 28, 48, 49
parviflora, ii, 28, 40
patens, ii, 67
patula, ii, 106
pedunculata, ii, 98
pendula, ii, 71
phylicoides, ii, 99, 100
pinifolia, ii, 39
pinnata, ii, 96
plumosa, ii, 42
procumbens, ii, 104
prolifera, ii, 122
prostrata, ii, 187
pubera, ii, 82
pulchella, ii, 56, 66
purpurea, ii, 27, 91
racemosa, ii, 25, 121, 122
repens, ii, 75, 77
revoluta, ii, 73
rosacea, ii, 71
saligna, ii, 25, 27, 28, 50, 51
scabra, ii, 74
Sceptrum, ii, 111, 112
Scolopendrium, ii, 76
Scolymus, ii, 70
sericea, ii, 53
Serraria, ii, 26, 108
spathulata, ii, 111, 112
speciosa, ii, 28, 63, 66, 67
speciosa nigra, ii, 65
sphærocephala, ii, 97, 103, 186; A , ii, 98
spicata, ii, 112, 113
strobilina, ii, 28, 47, 184
tenax, ii, 72
tenuifolia, ii, 74
teretifolia, ii, 52
thyrsoides, ii, 109
tomentosa, ii, 83
torta, ii, 45
totta, ii, 28, 79
tridactylites, ii, 59
triternata, ii, 108, 186
turbiniiflora, ii, 76
vestita, ii, 80
villosa, ii, 100, 186
villosiuscula, ii, 82
virgata, ii, 78
- Proteaceæ, i, 21, 36, 40, 63, 80, 81, 307, 310, 339, 449, 501; ii, 5, 271, 317
 Proteæ, ii, 9
 Prestonia, ii, 233, 241
 Primulaceæ, i, 297

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

776

INDEX OF NAMES OF PLANTS.

- Prunella vulgaris*, i, 68
Psilotum, ii, 722
Psilurus, ii, 553
Psoralea, i, 322
Psychotria, i, 131
Ptelidium, i, 107
Pteranthus, ii, 543
Pteris, i, 146; ii, 250
 crispa, ii, 525
 esculenta, i, 309
 gracilis, ii, 518
 thalictroides, ii, 526
Pterocarpus, i, 106, 111, 290
 Ecastophyllum, i, 111, 165, 172
 erinacea, i, 290
 lunatus, i, 111, 165, 172
 senegalensis, i, 200
Pterocymbium, ii, 611, 641
 javanicum, ii, 611
Pterogonium declinatum, i, 354
Pterolobium lacerans, i, 94
Pterostylis, ii, 486, 549
 obtusa, ii, 486
Pterygodium, ii, 480
 Volucris, ii, 480
Pterygota, ii, 620, 638
 alata, ii, 639
Pterygynandrum, ii, 345
Ptilotus latifolius, i, 336
Ptychocarpa, ii, 144
Ptychocarya, i, 532
Ptychostomum pulchellum, i, 237
Pulicaria aromatica, i, 95
 involuta, i, 95
 viscida, i, 95
Pultenæa, ii, 433
 acerosa, ii, 709
 biloba, ii, 670
 daphnoides, ii, 433
 ericoides, ii, 430
 flexilis, ii, 434
 hispidula, ii, 709
 illicifolia, ii, 425
 linophylla, ii, 433
 nana, ii, 425
 obcordata, ii, 433
 retorta, ii, 431
 retusa, ii, 433
 rigida, ii, 709
 rubiaefolia, ii, 436
 scabra, ii, 433
 stipularis, ii, 434
 tenuifolia, ii, 670
 vestita, ii, 434, 670
 villosa, ii, 434
Pultenæa viscosa, ii, 709
Pumpkins, i, 154
Pupalia, ii, 544
Pycnanthemum, ii, 503
 aristatum, ii, 504
 incanum, ii, 503
 virginicum, ii, 504
Pycnospora, ii, 708
 hedysaroides, ii, 708
Pyrenacantha, ii, 652, 653
Pyrethrum, ii, 691
Pyrola rotundifolia, i, 177

Quadria, ii, 138
 heterophylla, ii, 139
Quinchamalium, i, 137
Quirivelia Zeylanica, ii, 236

Racomitrium lanuginosum, i, 238
Rafflesia, i, 374, 558; ii, 358
 Arnoldi, i, 374, 401, 415, 424;
 ii, 724
 Cumingii, 405 *note*, 425; ii, 724
 Horsfieldii, i, 390 *note*, 425
 Manillana, i, 405 *note*, 425
 Patma, i, 402, 424; ii, 724
 Titan, i, 415
Rafflesia, i, 424
Rafflesiaceæ, i, 423
Rafnia perfoliata, ii, 423
 retusa, ii, 439
Ramalina fastigiata, i, 70
 fraxinea, i, 70
Ranunculaceæ, i, 65, 188, 318
Ranunculus affinis, i, 189, 253
 auricomus, i, 189, 253
 collinus, ii, 703
 frigidus, i, 188
 glacialis, i, 178
 hyperboreus, i, 189
 inundatus, ii, 703
 Laxmanni, i, 188
 nivalis, i, 188, 253
 plebeius, ii, 703
 Pumilio, ii, 703
 pygmæus, i, 188
 Sabini, i, 189, 253
 sessiliflorus, ii, 703
 Smithii, i, 188
 sulphureus, i, 178, 188
 Willdenovii, i, 188
Raphanus, ii, 412
 erucoides, ii, 410
 maritimus, ii, 412
 Raphanistrum, ii, 412

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

777

- Raphanus sativus*, ii, 412
 tenellus, ii, 413
Raphia vinifera, i, 142, 153, 154
Rapinia herbacea, i, 171 *note*
Rapistrum, ii, 372
 ægyptiacum, ii, 372
 paniculatum, ii, 372
 rugosum, ii, 319
Ratzburgia, ii, 552
 pulchella, ii, 552
Ravenala, i, 157 *note*
 Red Snow, i, 178
 Red Water Tree, i, 153
Reevesia Wallichii, ii, 632
Reimaria, i, 57
Renanthera coccinea, i, 548
Reseda, i, 363
 odorata, i, 284
 pedunculata, i, 94
 propinqua, i, 281
 suffruticulosa, i, 281
 undata, i, 281
Resedaceæ, i, 65, 272, 273, 281
Restiaceæ, i, 52, 53, 54, 63, 339; ii, 278
Rhabdotheramnus, ii, 594, 595, 608
 Solandri, ii, 608
Rhamnaceæ? ii, 537
Rhamneæ, i, 12, 13, 26, 27, 114, 120
Rhamnus, i, 26
 inebrians, i, 94
Rhaphis, i, 302
Rheum, i, 214
 digynum, i, 215
Rhexia, i, 116
Rhinanthaceæ, i, 14
Rhinanthæ, ii, 580
Rhincoglossum obliquum, ii, 577
Rhizophora, i, 20, 119, 364, 381
 setiformis, i, 70
Rhizophoreæ, i, 20, 119
Rhodolæna, i, 108
Rhodoraceæ, i, 109
Rhopala, ii, 13, 15, 18, 21, 22, 38, 160, 532
 cochinchinensis, ii, 161
 dentata, ii, 162
 diversifolia, ii, 162
 media, ii, 161
 moluccana, ii, 161
 montana, ii, 160
 nitida, ii, 161
 peruviana, ii, 162
 serrata, ii, 162
 sessilifolia, ii, 163
Rhus, i, 112
Rhynchothecum, ii, 609
Riania, i, 123
Ribes, ii, 522
Riccia fluitans, i, 69
 glauca, i, 69
 natans, i, 69
Rice, i, 161
Richea, ii, 286
 glauca, ii, 286
Richœia, i, 119
Ricinus, ii, 279
Ricotia, i, 264; ii, 390
 ægyptiaca, ii, 390
Rinorea, i, 123
Ritchiea, i, 279
Rivina, i, 139, 164
 octandra, i, 139 *note*
Robergia, i, 112
Robinia subdecandra, ii, 421
Roccella, i, 252
 fuciformis, i, 69, 165
Rohria, i, 126
Rolandra, ii, 274
Rondeletia febrifuga, i, 131
Ropala nitida, ii, 161
 hameliæfolia, ii, 163
Roridula, i, 94
 paradoxa, i, 94
 parviflora, i, 94
Rosa abyssinica, i, 94
Rosaceæ, ii, 536
Rosaceæ, i, 65, 77, 109, 115, 120, 288, 291; ii, 356
Rottbölliacæ, ii, 553
Rottböllia Cœlorachis, ii, 553
 perforata, ii, 553
Roupala, ii, 160
 montana, ii, 161
 pinnata, ii, 188
 sessilifolia, ii, 163
Rourea, i, 112
Rubiaceæ, i, 36, 37, 104, 130, 295; ii, 14, 195, 269 *note*, 314, 588 *note*, 687
Rubus compar, i, 94
Ruellia balsamea, i, 135
 Blechum, ii, 506
 cristata, ii, 506
 infundibuliformis, ii, 505
 uliginosa, i, 135
Ruizia, i, 25
Rulingia, ii, 671, 672
Rumex, i, 214
 digynus, i, 177, 215

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

778

INDEX OF NAMES OF PLANTS.

- Rupala montana*, ii, 161
Ruta, i, 16
Rutaceae, i, 285
Ryania, i, 121, 387 *note*

Saccharum, i, 57, 146
Sadoo, i, 94
Safu, i, 112, 154, 160
Sagonea palustris, i, 135
Sagus Palma-pinus, i, 142
Salacia, i, 107
Salicariæ, i, 120
Salisburya, i, 460
Salix arctica, i, 178, 215
 curviflora, ii, 292
 hirsuta, ii, 292
 oleifolia, i, 379 *note*
 scandens, ii, 292
Salmea, ii, 291, 317
Salomonina, i, 14
Saltia, ii, 543, 544, 545
 abyssinica, i, 94; ii, 546
Salvia abyssinica, i, 93
Salviæ, i, 380
Samolus, i, 65, 151 *note*, 293, 397
 ebracteatus, i, 297
 Valerandi, i, 68, 297
Samydeæ, i, 122, 126; ii, 535, 536, 537
Santalaceæ, i, 20, 41, 44, 136, 413 *note*, 501
Santalum, i, 42
Santolina, ii, 26, 287, 291
Sapindaceæ, i, 107; ii, 537, 659
Sapindus, i, 107
Sapotæ, i, 295
Sapria, i, 426
 Himalayana, i, 426
Sarcocephalus, i, 153, 155
Sarcobolus, ii, 214
Sarcophyte, i, 389
Sarcostemma, ii, 226
Sarcostigma, ii, 648, 651
 Horsfieldii, ii, 648
Sarmienta, ii, 586
Sarracenia, ii, 357
Satureja ovata, i, 94
 punctata, i, 94
Satyrion, i, 504; ii, 479
 albidum, ii, 477
 carneum, ii, 480
 cucullatum, ii, 479
 hians, ii, 694
 hircinum, ii, 474
 nigrum, ii, 476

Satyrion pustulatum, i, 497
 repens, ii, 481
 viridis, ii, 476
Saururus, i, 452
Savignya, i, 265 *note*, 271
 Ægyptiaca, i, 262
Saxifraga, i, 201
 bulbifera, i, 205
 cæspitosa, i, 177, 205, 254
 cernua, i, 177, 205
 flagellaris, i, 177, 202
 foliolosa, i, 205
 Hirculus, i, 177, 202
 hyperborea, i, 204
 longiscapa, i, 205
 nivalis, i, 204
 oppositifolia, i, 177, 201
 petiolaris, i, 177, 204
 propinqua, i, 177, 202
 rivularis, i, 177, 204
 setigera, i, 177, 202
 stellaris, i, 205
 tricuspidata, i, 177, 203
 uniflora, i, 204, 254
 venosa, i, 204
Saxifrageæ, i, 20, 65, 182 *note*, 201; ii, 522
Scabiosa, ii, 275, 278, 315
 atropurpurea, ii, 278
 succisa, ii, 278
Scævola, i, 34
 depauperata, i, 331
Scalia jaceoides, ii, 462
Scaphium, ii, 611
Schistostega pennata, ii, 344
Schivereckia, i, 265
Schizopetalon, ii, 697
Schlotheimia, ii, 335
Schoenus nemorum, i, 54
Schwenckia, i, 164
 americana, i, 165, 167
Scitamineæ, i, 49, 53, 59, 380, 452, 501; ii, 317, 548, 550
Scirpus, i, 300
 cæspitosus, ii, 513
 lacustris, i, 68; ii, 513
 maritimus, i, 68; ii, 513
 mucronatus, i, 68
 palustris, ii, 513
 sylvaticus, ii, 514
 triqueter, i, 68
Sclerachne, ii, 573
 punctata, ii, 573
Scleria macrocarpa, ii, 532
Sclerothamnus, ii, 432

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

779

- Sclerothamnus microphyllus*, ii, 432
Scolopendrium, i, 60
Scolymocephalus, ii, 30, 49
Scoparia dulcis, i, 164, 167
Scottia, i, 25; ii, 438
 dentata, ii, 439
Scrophularinæ, i, 135, 213, 296, 532;
 ii, 585
Secamone, ii, 229
Securidaca, i, 14, 291
Seetzenia africana, i, 286
Seguiera, i, 139
Sellignea, ii, 566
Semecarpus, i, 43, 112
Sempervivum tectorum, i, 379 *note*
Senna obovata, i, 294
Senra, i, 317
Sensitivæ, i, 114
Serapias, ii, 478
 cordigera, ii, 478
 ensifolia, ii, 484
 grandiflora, ii, 484
 latifolia, ii, 484
 Lingua, ii, 478
 palustris, ii, 484
 rubra, ii, 485
Sergilus, ii, 293
Serpicula, i, 21
Serraria, ii, 92
Serratula tinctoria, ii, 301 *note*
Serruria, ii, 14, 15, 17, 19, 36, 92,
 186
 acrocarpa, ii, 92, 186
 adscendens, ii, 104
 æmula, ii, 103
 Aitoni, ii, 94
 arenaria, ii, 96
 Bergii, ii, 186
 Burmanni, ii, 107
 candicans, ii, 107, 187
 ciliata, ii, 101
 compar, ii, 107
 congesta, ii, 101, 186
 crithmifolia, ii, 109
 cyanoides, ii, 96
 cygnea, ii, 92
 decipiens, ii, 106, 107
 decumbens, ii, 104
 diffusa, ii, 95
 elevata, ii, 94
 elongata, ii, 109
 flagellaris, ii, 105
 florida, ii, 104
 fœniculacea, ii, 101
 furcellata, ii, 97
Serruria glaberrima, ii, 92
 glomerata, ii, 106
 hirsuta, ii, 99, 186
 nitida, ii, 102
 Niveni, ii, 100
 pedunculata, ii, 98, 186
 phylicoides, ii, 103
 pinnata, ii, 95
 Roxburghii, ii, 107
 rubricaulis, ii, 105
 scariosa, ii, 97
 scoparia, ii, 98
 simplicifolia, ii, 95
 squarrosa, ii, 102
 Stilbe, ii, 99
 tritermata, ii, 108
 villosa, ii, 100
Sesameæ, i, 295
Sesamum pterospermum, i, 94, 295
Sesban, ii, 443
Sesbania, ii, 443
 aculeata, ii, 443
 ægyptiaca, ii, 443
 grandiflora, ii, 443
Shea Tree, i, 295
Shrubby Holcus, i, 154, 160
Sida, i, 109
 acuminata, i, 95
 gracilis, i, 95
 juncea, i, 165
 micropetala, ii, 709
 pannosa, i, 95
 periplocifolia, i, 165, 171
Sideroxylum, i, 296
Sieversia, i, 206
 humilis, i, 253
 Rossii, i, 207, 253
Silene, i, 285
 acaulis, i, 177
Siliquaria arabica, i, 275
 glandulosa, i, 94; ii, 415
Silphium trifoliatum, ii, 263
Simsia, i, 41; ii, 15, 17, 18, 37, 126
 anethifolia, ii, 127
 tenuifolia, ii, 127
Sinapis, ii, 410
 alba, ii, 410
 Allionii, ii, 410
 arvensis, ii, 410
 chinensis, ii, 411
 erucoides, ii, 411
 frutescens, ii, 411
 hispanica, ii, 412
 incana, ii, 412
 juncea, ii, 411

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

780

INDEX OF NAMES OF PLANTS.

- Sinapis lævigata*, ii, 411
millefolia, ii, 402
muralis, ii, 412
nigra, ii, 411
orientalis, ii, 410
pubescens, ii, 411
pyrenaica, ii, 401
tenuifolia, ii, 411
Siphonanthus angustifolia, ii, 509
indica, ii, 509
Siphonia, ii, 279
Sisymbrium, ii, 400
altissimum, ii, 401
amphibium, ii, 399
arenosum, ii, 396
asperum, ii, 401
austriacum, ii, 401
Columnæ, ii, 400
Irio, ii, 400
Loeselii, ii, 398
millefolium, ii, 402
molle, ii, 400
monense, ii, 409
murale, ii, 412
Nasturtium, i, 279; ii, 399
officinale, ii, 401
orientale, ii, 400
palustre, ii, 399
pannonicum, ii, 401
polyceratium, ii, 401
pyrenaicum, ii, 399
sagittatum, ii, 400
sinapoides, ii, 401
Sophia, ii, 402
supinum, ii, 401
strictissimum, ii, 402
sylvestre, ii, 399
tanacetifolium, ii, 402
tenuifolium, ii, 412
terrestre, ii, 399
Skitophyllum, ii, 334
Smeathmannia, i, 121, 150, 386
lævigata, i, 387
media, i, 387
pubescens, i, 387
Smithia, ii, 444
sensitiva, ii, 444
Sobrya, ii, 284
Sodada decidua, i, 279
Solanaceæ, ii, 267
Solanum, i, 381
cinereum, i, 94
uncinatum, i, 94
Solidago urticæfolia, ii, 289
Soliva, ii, 281
Soliva pedicellata, ii, 281
Sonchus oleraceus, i, 68
sibiricus, ii, 263
Sonerila arguta, ii, 533
grandiflora, ii, 533
tenera, ii, 533
Sophora, ii, 419
alopecuroides, ii, 420
australis, ii, 423
cœrulea, ii, 423
cordata, ii, 424
flavescens, ii, 420
japonica, ii, 420
juncea, ii, 429
lupinoides, ii, 421
microphylla, ii, 419
monosperma, ii, 420
occidentalis, ii, 420
sericea, ii, 424
tetraptera, ii, 419
tomentosa, ii, 420
Sorindeia, i, 112
Sorocephalus, ii, 36, 115
diversifolius, ii, 118
imberbis, ii, 116
imbricatus, ii, 118
lanatus, ii, 117
salsoloides, ii, 116
setaceus, ii, 116
spatalloides, ii, 117
tenuifolia, ii, 117
Southwellia, ii, 618
Sparmannia, i, 108
Spatalla, ii, 14, 15, 17, 19, 20, 21,
36, 115, 119
bracteata, ii, 121
brevifolia, ii, 125
caudata, ii, 124
incurva, ii, 124
laxa, ii, 121
mollis, ii, 119
nivea, ii, 120
pedunculata, ii, 120
polystachya, ii, 123
prolifera, ii, 117, 122
propinqua, ii, 124
pyramidalis, ii, 123
ramulosa, ii, 120
sericea, ii, 122
Thunbergii, ii, 125
Spermacoe, i, 131, 295
brachystema, ii, 711
lasiocarpa, ii, 531
longicaulis, ii, 531
membranacea, ii, 711

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

781

- Spermacoce purpureo-cærulea*, ii, 711
 ramosissima, ii, 531
 stricta, ii, 531
 suffruticosa, ii, 711
 tenera, ii, 531
 tubularis, ii, 531
Spermadictyon suaveolens, ii, 534
Sphæria ophioglossoides, i, 70
Sphærolobium, ii, 429
 grandiflorum, ii, 709
 medium, ii, 430
 minus, ii, 430
 vimineum, ii, 429
Sphærophoron compressum, i, 70
 coralloides, i, 70
Sphæropteris, ii, 546
Sphagnum capillifolium, i, 69
Sphenoclea zeylanica, i, 162, 165, 167, 170
Sphenogyne, ii, 465
 abrotanifolia, ii, 466
 anthemoides, ii, 465
 crithmifolia, ii, 466
 dentata, ii, 466
 odorata, ii, 466
 scariosa, ii, 466
Spilanthus, ii, 291, 317
 arboreus, ii, 292 *note*
 atriplicifolius, ii, 290
 tetrandrus, ii, 292 *note*
Splachnæ, ii, 337
Splachnum, i, 240; ii, 343, 347
 angustatum, i, 243; ii, 337
 arcticum, i, 243, 244, 253
 exsertum, i, 245
 Frælichianum, i, 241
 longicollum, i, 241
 luteum, ii, 337
 magellanicum, i, 242
 mnoides, i, 244, 246, 253
 octoblepharum, i, 242
 paradoxum, i, 245, 246
 propinquum, i, 243, 244
 rubrum, ii, 337
 squamosum, ii, 337
 tenue, i, 241
 vasculosum, i, 243
 Wormskioldii, i, 241, 243, 256
Sporobolus coromandelianus, ii, 532
 diander, ii, 532
Staavia, ii, 327
Stachytarpheta cinerea, i, 93
 indica, i, 136
Stackhousia, i, 27, 63
Stæhelia, ii, 285
Stapelia, i, 64; ii, 6, 200, 206, 675
 adscendens, ii, 208
 ambigua, ii, 207
 articulata, ii, 207
 Asterias, ii, 207
 campanulata, ii, 206
 chinensis, ii, 209
 geminata, ii, 207
 glandulifera, ii, 207
 guttata, ii, 206
 hirsuta, ii, 207
 lepida, ii, 207
 mixta, ii, 207
 pedunculata, ii, 207
 pulla, ii, 206
 punctata, ii, 206
 revoluta, ii, 207
 sororia, ii, 207
 stellaris, ii, 207
 tuberosa, ii, 675
 variegata, ii, 207
 venusta, ii, 206
 verrucosa, ii, 207
 vetula, ii, 207
Statice Armeria, i, 297
 Taxanthema, i, 297
Stauntonia, i, 379 *note*
 angustifolia, ii, 533
 latifolia, ii, 533
Stauranthera, ii, 582, 591, 595, 606
 ecalcarata, ii, 607
 grandifolia, ii, 607
Stelis, i, 515; ii, 491
 micrantha, ii, 491
 ophioglossoides, ii, 491
Stellaria Edwardsii, i, 199, 254
 nitida, i, 199, 254
Stellatæ, i, 36, 130
Stemodia, ii, 504
 parviflora, ii, 504
Stenocarpus, i, 41; ii, 12, 38, 170
 Forsteri, ii, 170
 salignus, ii, 171
Stenochilus, i, 333, 339
 curvipes, i, 334
 glaber, i, 334
 longifolius, i, 334
 maculatus, i, 334
 ochroleucus, i, 334
 pubiflorus, i, 334
 salicinus, i, 334
Stenopetalum, i, 192; ii, 705
 lineare, ii, 705
Sterculia, ii, 614, 626

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

782

INDEX OF NAMES OF PLANTS.

- Sterculia abyssinica*, i, 94 ; ii, 616, 627
acuminata, i, 153 ; ii, 618, 642
alata, ii, 620, 639
angustifolia, ii, 622 *note*, 633
Balanghas, ii, 614, 633
Candollei, ii, 636
caribæa, ii, 629
carthaginensis, ii, 622 *note*, 628
ceramica, ii, 636
Chicka, ii, 628
coccinea, ii, 632
colorata, i, 363 ; ii, 618, 640
comosa, ii, 631
cordata, ii, 631
cordifolia, ii, 620, 642
cuneata, ii, 634
cuspidata, ii, 635
ferruginea, ii, 634
fetida, ii, 614, 620, 622 *note*, 626
frondosa, ii, 629
fulgens, ii, 640
grandiflora, ii, 642
grandifolia, ii, 635
guttata, ii, 630
Helicteres, ii, 628
heterophylla, ii, 641
insularis, ii, 635
Ivira, ii, 629
Jackiana, ii, 634
Javanica, ii, 631
lævis, ii, 632
lanceæfolia, ii, 630
lanceolata, ii, 631
longifolia, ii, 631
macrocarpa, ii, 642
macrophylla, ii, 631
madagascariensis, ii, 630
mexicana, ii, 627
mollis, ii, 634
monosperma, ii, 633
nitida ii, 642
nobilis, ii, 622 *note*, 633
oblongata, ii, 635
oblongifolia, ii, 642
obovata, ii, 636
parviflora, ii, 635
parvifolia, ii, 631
platanifolia, i, 363 ; ii, 616, 639
polyphylla, ii, 626
populifolia, ii, 636, 639
propinqua, ii, 629
punctata, ii, 628
Punduana, ii, 632
pyriformis, ii, 640
quadrifida, ii, 622 *note*, 636
- Sterculia Roxburghii*, ii, 630
rubiginosa, ii, 634
rugosa, ii, 630
scaphigera, ii, 640
Scaphium, ii, 640
Spangleri, ii, 632
stipularis, ii, 635
striata, 629
surinamensis, ii, 630
tomentosa, ii, 616, 628, 640, 643
Tragacanthæ, ii, 622 *note*, 636
Triphaca, ii, 628
urceolata, ii, 636
urens, ii, 622 *note*, 627
versicolor, 627
verticillata, ii, 642
villosa, ii, 622 *note*, 623, 627
Wallichii, ii, 640
- Sterculiaceæ*, i, 11, 384, 388 ; ii, 611
Sterculicæ, ii, 614, 620, 624
Stereocaulon paschale, i, 70, 252
Stereoxylon, ii, 523
Sticta crocata, i, 69
pulmonacea, i, 69
scrobiculata, i, 69
Stigmaria ficoides, ii, 721
Stipa, i, 56
canadensis, ii, 514
juncea, ii, 514
Strelitzia, i, 157 *note*
Streptocarpus, ii, 590, 594, 604
Bojeri, ii, 604
Helsingbergii, ii, 604
paniculata, ii, 604
Roxii, ii, 604
Thompsonii, ii, 604
Strœmia farinosa, i, 94, 276
longifolia, i, 94
rotundifolia, i, 94
Strophanthus, ii, 233, 243
Struchium americanum, i, 165
Sturtia, i, 317
gossypoides, i, 317
Stylideæ, i, 34, 63, 339 ; ii, 269 *note*
 312
Stylidium, i, 34 ; ii, 322, 532
adnatum, ii, 678
breviscapum, ii, 678
falcatum, ii, 678
fasciculatum, ii, 678
propinquum, ii, 678
Stypandra, i, 50
Stypheliæ, i, 38
Suag, i, 279
Subularia, i, 192, 254 ; ii, 384

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

783

- Subularia aquatica*, ii, 384
Succowia, ii, 375
 balearica, ii, 375
 Sugar-cane, i, 154, 156
Sutherlandia, ii, 442
 frutescens, ii, 442
Symphionema, ii, 17, 37, 131
 montanum, ii, 131
 paludosum, ii, 13, 131
Symphoria, ii, 672
 racemosa, ii, 672
Symphoricarpus, ii, 324, 542
Symplocæa, i, 388 *note*
Symplocos, ii, 245
Synaphea, i, 41, 82, 381; ii, 11, 15,
 17, 18, 21, 37, 129
 dilatata, i, 82; ii, 130
 favosa, ii, 130
 petiolaris, ii, 130
 polymorpha, ii, 130
 ruralis, i, 239
Syntrichia mucronifolia, i, 239
Systylum, i, 241, 247; ii, 337
Swainsona, ii, 441
 coronillifolia, ii, 442
 grandiflora, i, 323; ii, 441
 Greyana, i, 323, 324
 ? *laxa*, i, 324
Swartzia capillacea, i, 238

Tabernæmontana, ii, 242
Tamarind, i, 154, 156
Tamarindus indica, i, 154
Tamariscineæ, i, 288
Tamarix gallica, i, 285
Tapura, i, 126
 guianensis, i, 126
Targionia hypophylla, i, 69
Tasmania, i, 64, 559; ii, 704
 aromatica, ii, 704
 dipetala, ii, 704
 insipida, ii, 704
Taxanthemum attenuatum, i, 94
Taxus, i, 43, 137
Tayloria, ii, 337
Tchilli, i, 158
Teesdalia, ii, 378
 nudicaulis, ii, 378
Teichostemma fruticosum, i, 95
Telanthera, i, 164
Teleozoma, ii, 526, 570
Tellima, ii, 522
Telopia, ii, 38, 166
 speciosissima, ii, 167
 truncata, ii, 167

Templetonia, ii, 439
 retusa, ii, 439
Terebintaceæ, i, 291
Terminalia, i, 20?; ii, 534
 cycloptera, i, 94
 volucris, ii, 710
Testudinaria, i, 408
Tetracera, i, 12
Tetradia, ii, 637
 Horsfieldii, ii, 637
Tetrameles, i, 285
Tetraphis, ii, 337
 pellucida, ii, 348
Tetratheca, i, 15, 381
Tetrathecaceæ, i, 15
Thamnea, ii, 322
Thelira, i, 115
Thelotrema lepadinum, i, 69
Thelymitra, ii, 483
 ixioides, ii, 483
Theophrasta, i, 151 *note*
Thermopsis, ii, 421
 lanceolata, ii, 421
Thesium, i, 137
Thlaspi, i, 263, 271; ii, 376
 alliaceum, ii, 377
 alpestre, ii, 377
 arvense, ii, 376
 Bursa-pastoris, ii, 377
 campestre, ii, 382
 ceratocarpon, ii, 377
 montanum, ii, 377
 perfoliatum, ii, 377
 saxatile, ii, 376
Thlaspidium, ii, 379
Thoa, i, 453
Thompsonia, i, 387 *note*
Thonningia sanguinea, i, 414 *note*
Thottea, i, 384
 grandiflora, i, 384 *note*
Thunbergia angulata, i, 94
Thymeleæ, i, 82, 127; ii, 16, 31
Thymus virginicus, ii, 504
Thyrsine, i, 429
Ticorea, i, 16
Tiliaceæ, i, 11, 108, 109; ii, 613, 646
Tillandsia usneoides, i, 413 *note*
Timmia cucullata, i, 235
 megapolitana, i, 235
Tmesipteris, ii, 722
Tobacco, i, 155, 156
Toluifera, i, 127 *note*
Tomex glabra, i, 93
Tonina, i, 53
Toresia, i, 231

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

784

INDEX OF NAMES OF PLANTS.

- Tortula mucronifolia*, i, 239
 ruralis, i, 239
Tradescantia, i, 532
 virginica, i, 513, 530 *note*
Tremandra, i, 15; ii, 705
 diffusa, ii, 705
 stelligera, ii, 705
Tremandrea, i, 15, 63
Trematodon, ii, 348
Tremella cruenta, i, 178
Tribulopsis, i, 319
 angustifolia, i, 319
 pentandra, i, 319
 Solandri, i, 319
Tribulus Histrix, i, 318
 occidentalis, i, 318
 terrestris, i, 285
Trichodium, i, 55
 algidum, i, 220
 laxiflorum, ii, 514
Trichomanes, i, 146; ii, 510
 brevisetum, ii, 510
Trichosiphon, ii, 637, 638
Trichosporæ, ii, 585
Trichosporum, ii, 585
Trichostomum, ii, 335, 348
 canescens, i, 69
 capillacæum, i, 238
 lanuginosum, i, 178, 237
Tricocceæ, ii, 615
Tridax, ii, 283
 procumbens, ii, 283
Triosteum, ii, 324, 542
Triphaca africana, ii, 628
Triphelia brunoides, ii, 708
Tripsacum, ii, 574
Triraphis molle, i, 302
 pumilio, i, 302
 pungens, i, 302
Trisetum, i, 230
 airoides, i, 231; ii, 514
 subspicatum, i, 231; ii, 514
Tristania, i, 19; ii, 456
 conferta, ii, 456
 laurina, ii, 456
 nereifolia, ii, 456
Tristemma hirtum, i, 118
 incompletum, i, 116
Triticum, ii, 277
Triumfetta denticulata, ii, 709
 glaucescens, ii, 709
Tropæolum majus, i, 379 *note*, 557
Tromsdorffia, ii, 593, 594, 597
 elongata, ii, 597
 speciosa, ii, 599
Tubercularia vulgaris, i, 70
Turritis, ii, 397
 alpina, ii, 396
 arvensis, ii, 398
 cærulea, ii, 395
 ciliata, ii, 396
 glabra, ii, 398
 hirsuta, ii, 397
 Loeseli, ii, 398
Tussilago corymbosa, i, 211, 253
 frigida, i, 212, 253
 odorata, ii, 270
Tylophora, ii, 210
Typha angustifolia, i, 66, 165

Ulva crispa, i, 178
 Lactuca, i, 70
 plumosa, i, 70
Umbelliferæ, i, 29
Umfar, i, 93
Uncaria elliptica, ii, 533
 ovata, ii, 533
Uniola latifolia, i, 226
Unona Æthiopica, i, 105, 161
 aromatica, i, 105
 hamata, ii, 685
 uncinata, ii, 685
Upas Antiar, i, 79
Urania, i, 157 *note*
Urceola, i, 133
Urena, i, 559
 Americana, i, 109, 165, 171
 glabra, i, 95
 mollis, i, 95
 reticulata, i, 165, 171
Urticea, ii, 534, 537
Urticææ, i, 79, 137
Usnea, i, 178
 florida, i, 70
 melaxantha, i, 252
 ochroleuca, i, 251
 sphacelata, i, 252
Ustera, i, 37, 132
Utricularia, i, 65
Uvaria, ii, 534, 535
 esculenta, ii, 685
 heteroclita, ii, 685
 odoratissima, ii, 685
 uncata, ii, 685

Vahea, i, 133
Vahlia, ii, 522
Valerianææ, i, 65
Vallaris, ii, 232, 237
Valisneria spiralis, i, 64

Cambridge University Press

978-1-108-07682-1 - The Miscellaneous Botanical Works of Robert Brown: Volume 2

Edited by John Joseph Bennett

Index

[More information](#)

INDEX OF NAMES OF PLANTS.

785

- Vanda*, ii, 688
 Roxburghii, ii, 689
Vandæ, ii, 576
Vandellia, i, 164
Vanilla, ii, 497, 551
 aromatica, ii, 498
 planifolia, ii, 498
Vella, ii, 375
 annua, ii, 375
 Pseudo-Cytisus, ii, 376
Velleæ, i, 253
Velleia, i, 33; ii, 266 *note*
Velvet Tamarind, i, 161
Ventenatia, i, 108
Ventilago, i, 26
Verbena officinalis, i, 68
 triphylla, i, 136
Verbenaceæ, i, 38, 40, 135; ii, 659
Verbesina gigantea, ii, 291
Vernoniaceæ, i, 128
Verrucaria nitida, i, 69
Vesicaria, ii, 389
 sinuata, ii, 389
 utriculata, ii, 389
Vestia, ii, 683
Viburnum, ii, 537
Vicia galegifolia, ii, 442
Vigna, i, 325
Vilfa, i, 219, 221
Viminaria, ii, 429
 denudata, ii, 429
Vinca, ii, 247
Vincetoxicum nigrum, i, 529
Viniferæ, i, 151
Viola, i, 122, 532
 tricolor, i, 469 *note*
Violeæ, i, 122
Virgilia, ii, 421
 aurea, ii, 421
 capensis, ii, 422
 intrusa, ii, 422
Viscum, i, 21, 120, 137, 381
 album, i, 460
Visnia, i, 164
Vitellaria paradoxa, i, 296
Vitex, i, 136
Vitis, i, 151, 288, 390
Vitmannia, i, 106
Voacanga, i, 133
Voanda, i, 159
Voandzeia, i, 155
Voandzou, i, 155
Voitia, i, 247
 hyperborea, i, 248, 256
 nivalis, i, 249
Voitia vogesiana, i, 218
Volkameria, ii, 506
 aculeata, ii, 506
 angustifolia, ii, 508
 heterophylla, ii, 508
 japonica, ii, 507
 Kæmpferi, ii, 507
 Kæmpferiana, ii, 507
 ligustrina, ii, 508
 tomentosa, ii, 508
 inermis, ii, 508
Waltheria americana, i, 165, 171
 indica, i, 165, 161
Wanzey, i, 94
Wedelia, ii, 285, 297 *note*
Weigelia, ii, 541
Weinmannia, i, 20
Weissia, ii, 348, 349
 affinis, ii, 344
 controversa, i, 69
 nuda, ii, 348
 radians, ii, 344
 splachnoides, i, 241; ii, 317
 Templetoni, ii, 343, 344
 trichodes, ii, 344
Westringia, i, 39, 380
Whitia, ii, 596, 610
Wintera, i, 64; ii, 704
Winteranæ, i, 413 *note*
Winteræ, ii, 704
Winter's bark, ii, 724
Woodsia, ii, 253, 543, 546
 glabella, ii, 518
 hyperborea, ii, 253
 ilvensis, ii, 253, 518
 mexicana, ii, 546
Wormia, i, 12
 alata, ii, 704
Wrightia, ii, 233, 242, 243
 antidysenterica, ii, 244
 pubescens, ii, 244
 tinctoria, ii, 244
 Zeylanica, ii, 244
Wulfenia intermedia, ii, 577
Notoniana, ii, 607
 obliqua, ii, 577
Xanthium, i, 31
Xanthorrhæa, i, 50, 308, 435
 arborea, ii, 724
Xeropetalum, ii, 673
Xerotes, i, 52, 436
Ximenia, i, 155
 americana, i, 551

50

786 INDEX OF NAMES OF PLANTS.

Xylomelum, ii, 15, 18, 21, 38 ; ii, 159	Zea, i, 506 <i>note</i>
pyriforme, ii, 159	Mays, i, 154, 469 <i>note</i>
Xylophylla, i, 43	Zieria, 17
longifolia, i, 43	canescens, ii, 709
Xylosteum, ii, 541	furfuracea, ii, 709
Xyris, i, 53	involucrata, ii, 709
Xysmalobium, ii, 217	lanceolata, ii, 669
grandiflorum, ii, 217	Smithii, ii, 669
undulatum, ii, 517	Zizania aquatica, i, 469 <i>note</i>
Yam, i, 154, 160	Ziziphus, i, 26
Zaffo, i, 160 <i>note</i>	Zostera marina, i, 68
Zamia, i, 458, 506 <i>note</i> ; ii, 717	Zygodon, ii, 344
spiralis, i, 308, 310	Zygophyllæ, i, 144, 285
Zanthoxylon, i, 16	Zygophyllum album, i, 285
Zapania, i, 136	coccineum, i, 287
nodiflora, i, 66, 68	Fabago, i, 287
	lanatum, i, 286
	simplex, i, 285