

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX TO THE FIRST THREE VOLUMES.

- ABDOMEN**, penetrating wounds of, iii. 559.
- Abernethy, J.* i. 86. Case related by, in which the vena portæ did not terminate in the liver, ii. 86, note. Erroneous interpretation of Hunter's doctrine of life, iii. 122, note. On a new method of opening lumbar abscesses, iii. 424, note.
- Abscesses*, i. 409; iii. 403. Treatment of, i. 412; iii. 411, 518. Methods of opening, iii. 526. The process of cure described, i. 414. Large do not produce hectic fever until they are opened, iii. 423. Constitutional effects of, iii. 424. The approach of to the surface described and explained, iii. 284, 300, 467, 479, 520. (See *Suppuration. Pus.*)
- , *near the anus*, iii. 401.
- , *chronic*, i. 413; iii. 422. Sometimes mistaken for tumours, i. 576.
- , *critical*, i. 370; iii. 303. The question whether they ought to be encouraged, i. 401. Are sometimes absorbed, iii. 417.
- , *in the antrum maxillare*; symptoms and causes of, ii. 77. Treatment of, ii. 78.
- , *in the jaws*; when deeply seated, how to be treated, ii. 76. (See *Gum Boils.*)
- , *lumbar*; i. 554, 596; iii. 423. The propriety of opening, i. 554, 600; iii. 526. The reason of their being so slow, iii. 422.
- , *milk*, iii. 485.
- , *scrofulous*, iii. 419.
- , *near the urethra*; treatment of, ii. 264. In the perinæum, are very apt to return on contracting a fresh gonorrhœa, ii. 271. Venereal, when obstinate, their treatment, ii. 458.
- Absorbents*, uses of discovered, i. 18, 237; ii. 354. Proposed work on, by Hunter, i. 20. Preparations of, i. 160. Description of, i. 250. The modellers of the body, i. 252. Their functions in health and disease, i. 255, 420; ii. 237; iii. 459, 481. Inflammation of, iii. 319, note. Inflam. of on the back of the penis, ii. 358. Resolution of, ii. 370.
- Absorption*, experiments on, i. 18. Organs of, i. 160. Function of, i. 247. Old notion respecting, i. 250. Interstitial, i. 253, 421; iii. 469. Of whole parts, i. 254. Progressive, i. 256, 421; iii. 471. The mode in which it is effected unknown, i. 257; but is not mechanical, i. 481. Table of, i. 258; iii. 460. Is sometimes a substitute for mortification, i. 255, 420. Progressive absorption of diseased parts similar to the healthy processes, *ib.* Remote causes of, i. 420; iii. 464. Immediate causes of, i. 421. General views of, iii. 459. Modes of producing, iii. 482. The external parts more prone to this action than the internal, iii. 467. Of matter, i. 413; iii. 417, 512.
- , *of foreign substances*, rapidity of, iii. 38, note; of matter, how prevented in a gonorrhœa, ii. 207; of venereal matter is of three kinds, ii. 356.
- Accidents*, the different kinds of, i. 388; iii. 240. (See *Wounds.*)
- Acid carbonic*, in venous blood, iii. 28, note. Whether the evolution of is the cause of the coagulation of the blood and of its black colour, iii. 94, note.
- , *prussic*, does not prevent the contraction of the clot, iii. 43, note.
- , *uric*, secreted in superabundance in gout, i. 353, note.
- Action*, the meaning of this term, ii. 396; iii. 3. Occasions waste and exhausts life, i. 214, 224, 345, 603. The power of, dependent on organization, i. 222, 241. Supports life, although not necessary to it, i. 224; iii. 124, note. Should always be in proportion to the powers of a part, i. 312, 479, 603; iii. 8. Action and disposition, the difference between, ii. 396. The former more easily cured than the latter, ii. 401.
- , *of the heart*, cause of, iii. 188, 189, note. (See *Heart.*)

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

- Actions*, of two kinds, i. 243, 318. Those which are vital are uninterrupted, i. 244. The involuntary arise from the brain, i. 263. Sometimes cease during sleep, i. 266. Critical, what meant by, i. 306. Preternatural, i. 308. Are the consequence of unnatural impressions, i. 299. Sometimes wear themselves out, i. 300. The weak destroyed by the strong, i. 310, 388. Scrofulous, remarkable for their tardiness, i. 593. Diseased, incompatible with each other, ii. 132; iii. 3.
- Adair, Mr.* i. 20, 25.
- Adams, Dr.* i. xxi. 28.
- Addison, Dr.* iii. 427.
- Adhesion*, may take place without inflammation or pain, iii. 299, 332. (See *Union by the First Intention* and *Adhesive Inflammation*.)
- Adults*, sympathies of, more determinate than in young children, i. 324.
- Adult Teeth*, progress of their formation, ii. 35. The first grinder decaying at an early age, ought to be removed, ii. 92.
- Age*, its effects on disease, i. 243, 484; and particularly as it respects cancer, i. 622.
- Ague*, iii. 432. Illustrates the doctrine of susceptibilities, i. 306. Ill-formed, i. 307.
- Air*; in the veins, the effects of, i. 350; iii. 28, note. Whether it ought to be regarded as an irritant, exciting to suppuration, i. 410; iii. 405. Coming in contact with the nerve of a tooth, the cause of the pain in, ii. 53. Means for excluding it, ii. 54. Effect of on the coagulation of the blood, iii. 27, note.
- Albumen*, in the serum, properties of, iii. 45, note. Circumstances which increase or diminish its amount, *ib.* Conversion of, into fibrin or oleaginous matter, iii. 37, note. Coagulation of, iii. 49, note. Test of, *ib.*
- Aldini, Professor*, i. 146.
- Alison, Dr.*, his experiments on the tonicity of inflamed arteries, referred to, iii. 328, note.
- Alveolar Process*, in the upper jaw, described, ii. 1. In the lower jaw, ii. 2. Of the upper and lower jaw compared, *ib.* The sockets of the teeth, how formed, ii. 3. In both jaws, are rather to be considered as belonging to the teeth than as parts of the jaw, *ib.* Absorption of, always keeps pace with the gum, ii. 5, note. The formation of, traced from early infancy to adult age, ii. 32. Decay of, by wasting, ii. 79. A filling up of the socket and protrusion of the tooth, *ib.* The cause of these two disorders inquired into, ii. 80. Effects of the scurvy on, *ib.* Decay of, by what is called the scurvy of the gums, ii. 82.
- Amputation*; often immediately removes hectic fever, i. 324; iii. 513. The question of, in severe accidents and compound fractures, i. 510; iii. 281, note. In gun-shot wounds, iii. 572, 575, note.
- Amusements, Mr. Hunter's*, i. 10, 32, 55.
- Analogy*; often an unsafe mode of argument on physiological subjects, ii. 24, note; and also on disease, ii. 62, note.
- Analyses* of the blood and serum, iii. 18, note.
- Anasarca*, the punctures made in, do not always heal, iii. 280.
- Anastomoses*; uses of, iii. 207.
- Anatomy*; lectures on, i. 4. State of, before the time of Hunter, i. 5. Pursuit of and disputes in, i. 17.
- Anatomy Comparative*; Hunter enters on the study of, i. 20. Recommends, i. 29. MSS. volume of, i. 152.
- Anchylosis*; the different kinds of, i. 521.
- Andral*; on the power of effused blood to become vascular, iii. 269; which he compares to the development of the embryonic germ, iii. 457.
- Angina Pectoris*, i. 443, 444; iii. 79.
- Anecdotes*; of Cheselden, i. 9. Of Mr. Christie, i. 138. Of Dr. William Hunter, i. 4. Of Dr. Johnson's friend, i. 5. Of Linnæus, *ib.* Of Pitt, i. 135, 137. Of Pott, i. 5. — of John Hunter, i. 28, 57. Of J. H. at home, i. 41. Of J. H. in the lecture room, i. 47, 49. Of J. H. and Byrne, i. 166. Of J. H. and Sir A. Carlisle, i. 14, 115. Of J. H. and Dr. Clarke, i. 75. Of J. H. and Mr. Cline, i. 53. Of J. H. and Mr. Jesse Foot, i. 22. Of J. H. and Dr. Garthshore, i. 28, 114. Of J. H. and Mr. Lynn, i. 116. Of J. H. and Mr. G. Nicol, i. 29. Of J. H. and Sir Joshua Reynolds, i. 108, 121. Of J. H. and Taylor, i. 87. Of J. H. and Mr. Thomas, i. 114. Of J. H. and a would-be Lecturer, i. 56.
- Anel*; his claims to Hunter's operation for aneurism examined, i. 98.
- Aneurism*; Hunter's operation for, i. 96, 117, 543. Paper on, iii. 594. Anel's claims to, examined, i. 98. True and spurious aneurisms, i. 543. Causes of, i. 544. Na-

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

641

- tural cure of, i. 546. Treatment of, *ib.* Necessity for operating early, i. 548. Arteries, on which the operation for may be practised, i. 549. Operation, i. 550, 551. Cases of, i. 551. The progress of, towards the surface, described, iii. 472. Comparative frequency of aneurism in the different vessels, iii. 595.
- Animals, lower*; the simple condition of, i. 247. Possess little power of resisting changes of temperature, i. 288. Compared in this respect to vegetables, i. 329. Some are not susceptible of venereal irritation, ii. 151.
- Animal Economy*; Hunter's work on, i. 103.
- *Heat.* (See *Heat.*)
- *Life*; the power which it possesses of existing under great extremes of temperature, i. 284, 293, notes.
- *Substances*; instances, showing their disposition to unite, ii. 56.
- Animalculæ*, in scabies, i. 618.
- Animalization*, i. 215, note, 230.
- Ankle*, compound fractures of, i. 510.
- Anson's Voyage*, referred to, iii. 487.
- Anthrax*, i. 607.
- Antimonial Medicines*, and particularly the *Antimonium tartariz.*, in Inflammation, iii. 387, 388.
- Antrum maxillare*; abscess of, ii. 77. Method of puncturing, ii. 78, note.
- Anus*; fistula of, i. 579. Diffuse suppuration near the verge of, iii. 401.
- Aorta*; arch of, particularly subject to variation from the normal type, iii. 208, note. Action of the valves of, iii. 203, note.
- Applications, external*; in inflammation, i. 406, 480, 565. In scrofula, i. 600.
- Apoplexy and Hemiplegia*; proceed from the same cause, iii. 261. The mode of treatment generally adopted not judicious, *ib.*
- Aristotle*; believed that the blood was alive, iii. 105, note.
- Arsenic*; its action on living parts, i. 604, 605. Enters into most of the empirical nostrums for the cure of cancer, i. 625. Alters the diseased action of cancer, i. 626.
- Arteries*; structure of, i. 250; iii. 156. Elasticity of, *ib.* Muscularity of, iii. 157, 162. Not equally muscular in every part, iii. 160. Contractility of in animals is greater than in man, i. 538. Of the effect of these two properties on the circulation, iii. 169. Considered as a sort of supplemental heart, iii. 171. Of the vasa arteriarum, *ib.* Valves of, iii. 202. Ramification of, iii. 205. Anastomoses of, iii. 207. Experiments to prove that the area of an artery increases as it proceeds from the heart, iii. 211; so as to form a cone whose apex is at the heart, iii. 213. Action of, iii. 216. Regeneration of, iii. 242, 531, notes. The proper treatment when large arteries are wounded, i. 540; iii. 246.
- Arteritis*, i. 453; iii. 531.
- Artery Carotid*; peculiar arrangement of, in some animals, iii. 321.
- *Crunal*; case of wound of, iii. 89. Aneurism of, iii. 88.
- Arterialization* of the blood, iii. 92, note.
- Articulation*; of the lower jaw, described, ii. 6. Of the teeth, ii. 28.
- Asphyxia*, iii. 32, note. The order in which the vital functions cease in, iii. 78, note.
- Astringents*; their use in hardening the gums, ii. 81. (See *Gums.*)
- Atmosphere*; the most wholesome temperature of, i. 292. The state of, affects wounds, i. 297.
- Atrophy*; one of the effects of inflammation, iii. 553, note; and particularly of the testicle, ii. 311, 315 - iii. 533, note.
- Attraction*; elective, i. 212. Of cohesion, i. 213. Of gravitation, *ib.*
- Auckland, Lord*; obtains a pension for Mrs. Hunter, i. 137. His letter to Sir J. Banks respecting the Hunterian Museum, i. 139, 141.
- Auricles*, to be considered only as reservoirs of the blood, iii. 177, 178, note.

B.

- Babington, Dr.*, on the liquor sanguinis, iii. 331, note.
- Baillie, Dr.*; relationship to the Hunters, i. 2. Professional punctuality of, i. 53. Resigns Kilbride estate, i. 80. Executor to Hunter, i. 137. And Home, establish the Hunterian Oration, i. 146.
- , *Joanna*, i. 3.
- Balls, Musket*, of the strange course which they sometimes take, iii. 556.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

642

INDEX.

- Balsams*, terebinthinate; in mortification, i. 604; ii. 222; iii. 8.
- Bandages*, remarks on, iii. 257.
- Banks, Sir J.*; Letters of, to Hunter, i. 83, 84. Letters of Lord Auckland to, i. 139. Letters from, to Lord A., i. 141. How affected with cold, i. 286.
- Barber Surgeons*, i. 5.
- Bathing, Cold*, i. 48. In the sea, in scrofula, i. 598, 599; ii. 83, note.
- Bark*; its use in scrofula, i. 598. In mortification, i. 604; ii. 137; iii. 8, 377. In gonorrhœa and gleet, ii. 205, 222. In mortification arising from the effusion of urine, ii. 268. In phimosis, ii. 339. In erysipelas, ii. 370. In inflammation, iii. 278, 284. In gunshot wounds, iii. 577.
- Barruel*; on the halitus of the blood, iii. 54, note.
- Bartholomew's Hospital*; Hunter a pupil at, i. 12.
- Bath*; Hunter visits, i. 64, 95.
- Bats*; torpid, whether the blood in, loses its fluidity, iii. 33, note.
- Bayford, Mr.*, i. 34.
- Bees*; Mr. Hunter's paper on, i. 121. Require a high temperature, i. 285, note. The larvæ of, said to survive boiling, i. 294, note. Hunter's fondness for, i. 337.
- Bell, Mr.*; engaged by Mr. Hunter, i. 51. His drawings, i. 177.
- , *Mr. B.*, ii. 148, note.
- Belladonna*, extract of; does not prevent the contraction of the clot, iii. 43, note.
- Bellows*; Hunter's double, for artificial respiration, iii. 76.
- Belleisle*, siege of, i. 20.
- Berzelius*, his analysis of the blood, iii. 18, note.
- Bibliography*; of the blood, iii. 138. Of the vascular system, iii. 233. Of inflammation, iii. 534. Of gunshot wounds, iii. 578.
- Bicuspidæ*; particular description of that class of teeth, ii. 24. Their use, ii. 25.
- Bichat, X.*; quoted, i. 240, 242. On the effects of black blood on the system, iii. 78, 87, note. His definition of life, iii. 126.
- Bile*; in the blood, i. 353. Depositions of, in various parts, *ib.* Prevents the coagulation of the blood, iii. 35. Sometimes secreted from arterial blood, iii. 86, note.
- Birds*; the temperature of, i. 288. Of passage, i. 294.
- Birthday*; Hunter's, i. 1.
- Black, Dr.*; his discoveries on latent heat, i. 279.
- Bladder*; wounds of, i. 448. Affected in gonorrhœa, ii. 178, 188, 205. Treatment of, ii. 211, 225. Its strength increased in stricture, ii. 241. Diseases of, from obstructions to the urine, ii. 284. Increased irritability of, *ib.* And urethra, contract and relax alternately, *ib.* Inconveniences which arise when these actions do not take place regularly, ii. 285. Their treatment, ii. 286. Paralysis of, from obstruction to the passage of urine, ii. 287. Cure of paralysis of, when it arises from obstruction, owing to pressure or spasm, ii. 289. Puncture of, above the pubes, ii. 290. By the rectum, ii. 292. In the perinæum, ii. 296. Of the increased strength of, ii. 299. Irritability of, independent of obstructions to the urine, ii. 300. The cure of simple irritability of, *ib.* Reason why its contraction in inflammation is so painful, iii. 332.
- Blane, Sir G.*, i. 295.
- Bleeding*; effects of, i. 537. Its use in gonorrhœa, ii. 205. In chordee, ii. 210. (See *Venesection*.)
- Blisters*; applied to the perinæum, their use in removing disagreeable sensations which remain after the cure of a gonorrhœa, ii. 218. In strangury, *ib.* In gleet, ii. 223. In spasmodic affections of the urethra, ii. 275. In paralysis of the urethra, ii. 276. In paralysis of the bladder, ii. 289. In spasmodic affections of the urethra, accompanied by a paralysis of the bladder, ii. 290. In simple irritability of the bladder, ii. 195. In paralysis of the acceleratores urinæ, ii. 301. In nodes, ii. 447.
- Blizard, Mr. Thomas*, i. 255, note.
- , *Sir William*, and Hunter, i. 54.
- Blood*; general principles of, iii. 10. Erroneous views respecting, i. 229. Life of, when communicated, i. 231. Proofs of its vitality, i. 231; iii. 103. The use of extraneous matters in, i. 232. Harmonizes with the solids, i. 233, note, 381; iii. 115. Coagulation of, i. 233; iii. 41, note. Buffy and cupped, i. 233, 383; iii. 38, note. Inflammation of, i. 234. Sensible changes in, i. 235. Foreign substances in, i. 347. Vitiations of, i. 352, note. Of the power of coagulated blood to become vascular, i. 236, 238, 368, 439; iii. 34, 115, 119, 243, 268, 350. Milky i. 353,

- note; iii. 55, note. Death of, i. 381, 382. Disease throws great light on its natural history, iii. 12, 15. Nearly uniform in its composition, in different animals, iii. 13. The colour of, iii. 16, 58, note. Whether its constitution is always globular, iii. 16. Its various parts, and the uses which they fulfil in the animal œconomy, iii. 17. Analysis of, iii. 18. Specific gravity of, iii. 22, note. Standard heat of, iii. 338. Fluidity of, depends on the vitality of the vessels, iii. 29, note, 130. Does not always coagulate on extravasation, iii. 33. Has the power of action within itself, iii. 34, 115, 243, 350. Cases in which it does not coagulate after death, iii. 34, 42, 114, 357. Serum of, iii. 39. Observations to prove that the albuminous principles of the blood are distinct in their nature, iii. 37, note. Of the red globules, iii. 57. Difference between arterial and venous, iii. 73, note; the respective colours of which are sometimes reversed, iii. 91. Effects of respiration on, iii. 74, 92, note. Venous blood not poisonous, iii. 87, note; nor essential to the secretion of bile, iii. 86, note. Cause of the change of colour of the two bloods, iii. 97. The blood the same in all the arteries, iii. 101, 102: but different in the different veins, iii. 73, 102. Effects of various agents on, iii. 121. Whether the quantity of, or the velocity of its circulation is increased in inflammation, iii. 325, note. State of, in inflammation, iii. 354. Of a person having the lues venerea, will not communicate the disease to a sound person by inoculation, ii. 335. (See *Coagulation, Serum, Globules, Buff.*)
- Bloodletting.** (See *Bleeding, Venesection.*)
- local, iii. 376.
- Bloodvessels**, preparations of, i. 169.
- Blotches venereal**, described, ii. 407. (See *Eruptions.*)
- Blows**, on the stomach, destroy the coagulability of the blood and the contractility of muscles after death, iii. 114.
- Blumenbach, Professor**, i. 284, 353, notes.
- Blundell, Dr.**, iii. 14, note.
- Body**; comparative powers of different parts of, ii. 134; which are greater the nearer they are to the heart, *ib.* The structure of different parts produces a difference in the powers of action, *ib.*; and in their susceptibility of particular diseases, ii. 105. No one part of the body applied by Nature to two purposes with advantage, and instances of this in different animals, ii. 228.
- , influence on by the mind. (See *Imagination.*)
- Bodies, foreign**; of the extraction of, in gunshot wounds, iii. 550. Their approach to the surface accounted for, iii. 467, 479, notes.
- Boerhaave**, on the cause of inflammation, iii. 304.
- Boils**, i. 608.
- Bones**; Hunter's intended work on, i. 151. The earth of, not a part of the living body, i. 218. Their mode of growth illustrated, i. 253. Their diseases, i. 498. Inflammation of, i. 505, 514; iii. 277, 278, 530. Suppuration of, i. 513. Death of, i. 255, note. Exfoliation of, i. 514, 529. Absorption of, i. 255, note. Caries of, i. 499. Induration of, i. 500, 506, 514. Union of, i. 501. Of the extraction of dead pieces of, i. 530. Rickets, i. 531. Mollities ossium, i. 532. Exostosis, i. 533; iii. 533. Tumours of, i. 570. Venereal affections of, ii. 421, note. The union of may be destroyed by the poison of mercury, ii. 432, note. By scurvy, iii. 487.
- Bordeu**, calls the blood *la chair coulante*, i. 229.
- Boughton, Sir T.**; trial on the death of, i. 81. Hunter's evidence on the trial, i. 194.
- Bougainville's Voyage**, a passage from, ii. 144.
- Bougies**; their use in gonorrhœa, ii. 198, 213. In gleet, ii. 223, 224. Different kinds of, ii. 233, 252. Their use in stricture, ii. 233. Directions for passing them, ii. 235, 275. Frequently stop in the lacunæ of the urethra, ii. 237, note. Sometimes form a new passage on the side of the urethra, ii. 239, 253. Sometimes slip into the bladder, and occasion the patient to be cut for the stone, ii. 240. Mode of extracting them when a part remains still in the urethra, ii. 241. Description and use of the armed-bougie, ii. 246, note. Affect many parts by sympathy, ii. 251. Hollow, their use in stricture, ii. 266. How introduced, where the prostate gland is enlarged, ii. 280, 281.
- Bowerbank, Mr.** on the globules in the blood of insects, iii. 58, note.
- Brain**; preparations of, i. 170. Of the active and passive states of i. 259. Too much ascribed to it, i. 260. Whether formed before or after the nerves, i. 264, note. Injuries of, i. 487, 492, note. Inflammation of, i. 486, 489, note; iii. 531. Hydatids of, i. 574; identifiable with the *materia vitæ diffusa*, iii. 115. Is diffused through

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

- the whole body in many of the inferior animals, iii. 116 note. Peculiarity of its circulation, designed to protect it against pressure from sudden congestion, iii. 220, 224, note.
- Brande, Mr.*, i. 28.
- Breast*, scrofulous, i. 594, 597. (See *Cancer*.)
- Breath*, rendered foul by rotten teeth, ii. 65. (See *Scurvy*.)
- Brien, O'*, i. 106.
- Brodie, Sir B.*, on the effects of cold, i. 287, note. On abscesses in bones, i. 514. On injuries of the head, i. 491. On hydrocele, i. 461.
- Bromfield, Mr.*; i. 25. His strictures on Mr. Hunter's operation for aneurism, i. 547.
- Bubo*; theory of its formation, ii. 354. Mistakes of authors relative to this subject, ii. 355. Situation and description of, ii. 357. May be formed in the lymphatics or lymphatic glands, ii. 358. How distinguished from other swellings, ii. 359. Of the time between the application of the venereal matter and the formation of, ii. 360. In the right groin, when occasioned by chancres, generally arises from sores situated on the right side of the penis, ii. 361. In women, its division, ii. 362. Of the inflammation of, ii. 363. Marks which distinguish it from other swellings of the glands, ii. 364. General reflections on its cure, ii. 368. Of the resolution of, *ib.* Is attended with different dispositions, which must be treated accordingly, ii. 370. Resolution of; the use of vomits in, *ib.* In the groin; the resolution of, ii. 371. In women; of the resolution of, ii. 372. In different parts of the body; treatment of, *ib.* Resolution of; the quantity of mercury necessary for, *ib.* Is more likely to suppurate if there is one in each groin than when single, ii. 373. Sometimes becomes scirrhus; its treatment, *ib.* Its treatment when it suppurates, ii. 374. The matter of is sometimes absorbed, iii. 512. Mercury is to be given during the suppuration of, *ib.* 374. Method of opening, *ib.* Consequences of, ii. 375. Degenerate sometimes into a sore of the scrofulous kind, ii. 375, 377. In some they spread to an amazing extent, ii. 379. Treatment of when it becomes stationary, *ib.*
- Buchanan, Mr.*; marries Agnes Hunter, i. 3. Fails in business, *ib.* His death, i. 13.
- Buff* of blood; consists of fibrin modified by disease, iii. 40, note. Of the relative proportions of solid and fluid parts in, in health and disease, *ib.* No guide for the repetition of venesection, *ib.* The quantity of, much influenced by the shape of the vessel and the quickness of its solidification, iii. 39, note. The cause of, iii. 38, note. In inflammation, iii. 354, 357.
- Bugs*; the bite of, poisonous, i. 615.
- Buller, Judge*; his strictures on Hunter's evidence, i. 54.
- Bunion*, i. 560.
- Burke, Mr.*, his opinion of what is necessary to form a great man, i. 54.
- Burns*; mode of treating, iii. 265.
- Burning* the nerve of a tooth; method of performing, ii. 66. Reprobated, ii. 68, note. Of the ear, sometimes successful in the tooth-ache, ii. 66.
- Burrows, Dr.*, on the power of coagulated blood to vascularize itself, iii. 269, note.
- Bursæ*, i. 449.
- Butler, Bishop*, his treatise on natural and revealed religion the fruit of twenty years' reflection, i. 276.
- Byrne, C.*, i. 106.

C.

- Cachexia*; the worst forms of, induced by mercury, ii. 432, note.
- Cæsarian operation*, i. 448.
- Calculi*; i. 185. How formed, ii. 42, 54.
- Calculus matter*; frequently attaches itself to the ends of bougies when left in the bladder, ii. 251. Frequently fills up the cavity of the catheter when kept a long time in the bladder, ii. 298.
- Callus*; the nature of, i. 501, note, 502.
- Calomel*, its use in inflammation of the testicle, ii. 212, note.
- Campbell, Lady*, i. 41.
- Camphor*, its use in chordee, ii. 210.
- Cancer*; glands contaminated by, sometimes remain dormant for a long time, i. 309; and sometimes inflame without being contaminated, i. 329, 622. Diagnosis between cancer and scrofula of the testicle, i. 618; and of the breast, i. 598, 618. Symptoms

- and external appearances of, i. 618, 623. Progress of, i. 618, 624. Is strictly a local disease, i. 619. Predisposing causes of, i. 623. Parts most susceptible of, *ib.* Whether hereditary, *ib.* Morbid appearances of, i. 624. Treatment of, i. 625. By caustics, i. 626. By extirpation, *ib.*
- Capacity* for heat of the different bloods, employed to explain the functions of calorification, i. 281.
- Capillaries*; proofs of their muscularity, iii. 158. The peculiarity of their distribution constitutes them a distinct system, iii. 197, note. State of in inflammation, iii. 325, note.
- Carbonic acid gas.* (See *Acid.*)
- Carbuncle*, i. 602, 607; iii. 317. Treatment of, i. 609.
- Caries*, i. 499, 528. The excision of, stops the decay of teeth, ii. 65.
- Carlisle, Sir A.*; his introduction to Hunter, i. 115. His anatomical skill, i. 36. Anecdotes of, i. 14, 115.
- Carswell, Dr.*, on the digestion of the stomach, i. 43.
- Cartilage*; not reproduced, i. 504, note; iii. 530. Inflammation of, iii. 530. Exfoliation of, i. 534. Absorption of, i. 535. Moveable, in the articulation of the jaws, described, ii. 5. Principal use of, ii. 6.
- Cartilages, loose*; how formed, i. 520; iii. 625.
- Caruncles*, in the urethra, ii. 277. Their cure, *ib.*
- Case* of inflammation and abscess of the abdomen, i. 422. Of aneurism of the aorta, *ib.* Of tumour of the dura mater, i. 423. Of ununited fracture of the thigh, i. 426. Of papular eruption, allowed to get well by scabbing, i. 429. Of Cæsarian operation, i. 448. Of chancre and eruptions, i. 478. Of sloughing from the application of a blister, i. 482. Of hæmatemesis, i. 483. Of fracture of the skull, which was trepanned two years after the accident, i. 488. Of hernia cerebri, i. 495. Of fractured patella, in which the extensor muscles were made to resume their action by a particular contrivance, i. 512. Of necrosis, i. 530. Of amputation at the shoulder joint, in which the cartilage was found unadherent two years afterwards, i. 535. Of secondary hæmorrhage after amputation, i. 543. Of secondary hæmorrhage after the operation for popliteal aneurism, i. 551. Of encysted tumour, in which the lining membrane afterwards formed a part of the external integument, i. 576. Of diseased joint, cured by mezereon, i. 599. Of carbuncle, i. 609. Of a tooth which was successfully transplanted, ii. 80, 101, 105. Of the enamel being worn away from the teeth in a peculiar manner, so as to give to them a peculiar truncated appearance, ii. 70, 71, note. Of a child under inoculation attacked with the measles, ii. 133; iii. 5. Of a gentleman, proving that a gonorrhœa may produce a lues venerea, ii. 145. Of a young woman from the Magdalen Hospital, showing that a gonorrhœa may continue two years, ii. 166. Of a gentleman, where a gonorrhœa continued a length of time without losing its virulence, *ib.* Of a gentleman, proving the same, ii. 167. Of a man where the cuticle of the glans came off, ii. 168. Of a young gentleman where the gonorrhœa was confined to the glans, ii. 169. Of a gentleman, showing how the venereal matter is communicated to the urethra, ii. 176. Of a woman having a fluor albus, and communicating a disease similar to gonorrhœa, ii. 186. Of a gentleman cured of a gonorrhœa almost immediately by taking ten grains of calomel, ii. 196. Of a gentleman under a course of mercury contracting a gonorrhœa, ii. 197. Of a gentleman, showing the use of blisters applied to the perinæum in removing disagreeable sensations which remain after the cure of a gonorrhœa, ii. 217. Of a gentleman's servant, showing the same, ii. 218. Of a chimney-sweeper cured of a stricture by the application of lunar caustic, ii. 244. Of a gentleman relieved in a stricture by a gonorrhœa, ii. 250. Of a gentleman, showing the same, *ib.* Of a soldier, where a new passage was made along the side of the urethra by a bougie, ii. 255. Its treatment and cure, *ib.* Of a gentleman where a mortification took place in the cellular membrane of the penis from urine diffused into it, ii. 261. Of a man in St. George's Hospital, showing that keeping extraneous bodies in the urethra prevents wounds made into that canal from healing, ii. 271. Of a man in St. George's Hospital, cured of a paralysis of the urethra, ii. 276. Of John Doby, a poor pensioner in the Charter-house, who died from a suppression of urine occasioned by a swelled prostate gland, ii. 279. Of a gentleman, showing the inconveniences arising from a swelling of the prostate gland, ii. 281. Of a gentleman, showing the use of blisters applied to the perinæum in spasmodic affections of the urethra accompanied with a paralysis of the bladder, ii. 290. Of a total suppression of urine relieved by

a puncture in the bladder through the rectum, ii. 293. Two instances of the same, ii. 294. Of a sailor, where the urine passed from the bladder into the rectum, ii. 295. Of a gentleman, who was impotent with respect to one woman only, ii. 307. Of a young man cured of a seminal weakness by opium, ii. 309. Of a gentleman, where the semen passed into the bladder at the time of emission, ii. 310. Of a gentleman, where one of the testicles wasted entirely, ii. 312. Of a gentleman, showing the same, *ib.* Another instance of the same, ii. 313. Other cases, ii. 315. Of a gentleman, where seven weeks elapsed between the application of the venereal poison and the appearance of a chancre, ii. 319. Of a gentleman, where the penis was bent to one side at the time of erection, ii. 327. Of a gentleman, showing that mercurial frictions sometimes occasion ulcers on the tonsils which have the appearance of venereal ulcers, ii. 342. Another case, showing the same, *ib.* Of a gentleman, with a spreading ulcer of the prepuce cured by sea-bathing, ii. 350. Of a gentleman cured of ulcerations resembling chancres, by the *lixivium saponarium*, *ib.* Of a gentleman who had a swelling in the groin suspected to be venereal, ii. 366. Of an officer at Lisbon, where a bubo was resolved, though it contained matter, by sea-sickness, ii. 370. Of a gentleman, where a bubo degenerated into a sore of the scrofulous kind, ii. 376. Of a gentleman who had a gonorrhœa and two buboes, where a new disposition formed besides the venereal, ii. 377. Of a boy who swallowed some venereal matter without any ill consequences, ii. 384. Of a lady who met with the same accident, *ib.* Of a child who was supposed to infect its nurse with the *lues venerea*, ii. 388. Of a gentleman, proving that venereal complaints are often supposed to exist when they really do not, ii. 390. Of a man having the *lues venerea*, showing that the superficial parts, or those first in order, may come into action and be cured; while those parts which are second in order have only the disposition; but that they afterwards may come into action and be cured as those first in order were, ii. 400. Of a gentleman, showing the same, ii. 402. Of a lady who was salivated by a small quantity of red precipitate applied to sores, ii. 428. Of a gentleman, showing the effects of mercury on the constitution, ii. 431. Another instance of the same, *ib.* Of a gentleman, showing that the effects of mercury on the constitution are not sufficient for the cure of the *lues venerea*, it requiring its specific effects on the poison, as well as its sensible effects on the constitution, ii. 437. Of a gentleman, showing that the efficacy of electricity in the cure of diseases may be increased by mercury, ii. 455. Of a man in St. George's Hospital having the *lues venerea*, where a comparative trial was made of the effects of *guaiacum* and *sarsaparilla*, ii. 456. Of a woman in St. George's Hospital having the *lues venerea*, where the cure was attempted by opium, but without success, ii. 461. Of Luke Ward, in St. Bartholomew's Hospital, showing the inefficacy of opium in the *lues venerea*, and that it may sometimes act as a poison, *ib.* Of J. Morgan, in the same hospital, showing the use of opium in the cure of an ulcerated leg, ii. 462. Of a woman, where hemlock was of use in venereal sores which had put on a cancerous appearance, ii. 463. Of a gentleman infected with the yaws, ii. 472. Of a gentleman having a disease resembling the *lues venerea*, *ib.* Of a gentleman having a similar complaint, ii. 474. Of a lady infected with a disease similar to the *lues venerea*, by the transplanting of a tooth, ii. 483. Another instance in a young lady, ii. 484. Another in a gentleman, *ib.* Of milky blood, iii. 57. Of apoplexy, iii. 79. Of disease of the heart, with shrunken valves, iii. 80. Of disease of the heart, with communication between the ventricles, iii. 82. Of wounded crural artery, iii. 89. Of scarlet blood from the veins of the arm, iii. 91. Of fracture of the thigh in a person who was paralytic from lead, iii. 137. Of disease of the heart, attended with peculiar symptoms, iii. 193. Of ecchymosis of the leg and thigh, iii. 248. Of Lord Hertford's servant, who was tapped eight times, iii. 340. Of a gentleman, whose pulse became harder on bleeding, iii. 361. Of sily blood, continuing after six bleedings, iii. 377. Of sily blood attended with very weak powers, iii. 378. Of erysipelatous inflammation by the side of the anus, iii. 401. Of rigors, iii. 430, 431, 438. Of castration, attended with immediate death, iii. 431. Of suppuration of the cavity of the abdomen, which pointed in several places, iii. 477. Of fracture of the thigh-bone, which had not united, appearances three or four weeks after the accident, iii. 490. Of dissolution, attended by the absorption of anasarcoous fluid before death, iii. 516. Of gun-shot wound in the cheek, iii. 555. Of gun-shot wound of the intestines, iii. 561. Of gun-shot wound through the body, which did well, iii. 564. Of wound of the lungs, by a small sword, iii. 568. Of inflammation of the veins of the arm, iii. 583. Of intromission, iii.

- 589, 592. Of operation for popliteal aneurism by the author, iii. 598, 602, 603, 604, 605; by Mr. Lynn, iii. 605; by Mr. Birch, iii. 606; by Mr. Pott, iii. 608; by Mr. Cline, iii. 609; by Mr. Earle, iii. 611. Of horny excrescences from the head, iii. 632.
- Cases* of dentition attended with anomalous symptoms, ii. 110. Of gun-shot wounds which were left to themselves, iii. 549. Of operation for popliteal aneurism, iii. 598 et seq. and iii. 625. Of horny excrescences, iii. 631. Of a lady, two children, and a wet-nurse, infected with a disease resembling the lues venerea, ii. 475. Of three children and three wet-nurses having similar complaints, *ib.* Of diseases resembling the venereal disease, from transplanted teeth, ii. 483, 484.
- Castle-street Museum*; Hunter builds, i. 85. Opens to his friends, i. 107. Visited by eminent foreigners, i. 146.
- Catalogue* of Museum. (See *Museum*.)
- Catheter* in the urethra; mode of fixing it, ii. 270. Observations on the use of the, ii. 271. How introduced into the bladder when the prostate gland is enlarged, ii. 281. Of allowing it to remain in the urethra and bladder, ii. 297.
- Cavendish, Lord*; peculiarity of his case of stone in the bladder, i. 322.
- Cavities circumscribed*; inflammation of, i. 441.
- Causation*; often attributed to some accidental circumstance, iii. 25.
- Cause and effect*, the relation of, i. 208, note.
- Caustics*; how to apply them to the nerve of a tooth, ii. 66. Their use and application in stricture, ii. 242, 245, note, 267. Description of an instrument for conveying them to strictures in the urethra, ii. 244. And of the armed bougie, ii. 246, note; its chief effect is to relieve spasm, ii. 246, note; accidents attending its use in cases of stricture, ii. 247, note. Their use in opening abscesses, iii. 526. To be preferred to the knife in opening abscesses in irritable persons, i. 557. Their mode of action, i. 604, 605. Their use in cancer, i. 626.
- Cautery actual*; the use of, in diseases of the bones, i. 516, 528, 604. In cases of hæmorrhage, i. 541. In tetanus, i. 586, 588.
- Cells*, for the teeth; how formed, ii. 33. (See *Alveolar Processes*.)
- Cellular tissue*; preparations of the, i. 172. Inflammation of, iii. 518, note. Probably the regenerative tissue, iii. 271, note.
- Chameleon*; peculiarity in the structure of its tongue, i. 251; and vascular system, iii. 178, note.
- Chancre*; its poison the same as in gonorrhœa, ii. 143. Description of, ii. 316, 319, 321, note. Produced in three ways, ii. 317. May attack any part of the body, ii. 318. Not so frequent an effect of the venereal poison as the gonorrhœa, *ib.* Its seat, *ib.* Are to be distinguished more by their course and progress than by their present appearances, ii. 323, note. Of the distance of time between the application of the venereal poison and the appearance of, ii. 318. May produce a gonorrhœa by sympathy, ii. 320. An instance of its curing a gleet, *ib.* Its variation from constitution, ii. 321. Sometimes occasions a profuse bleeding, *ib.* Of, in women, ii. 327. Of the vagina, ii. 328, note. Observations on the treatment of, ii. 328. The constitution to be attended to in the cure of, ii. 329. Is a local complaint, but may infect the constitution by the absorption of its matter, ii. 330. May be destroyed in two ways, by excision or caustic, ii. 330. Neither of these methods to be relied on, ii. 331, note. Its cure, ii. 332. Local applications in, ii. 333. Is attended by particular dispositions, which must be considered in the cure, *ib.* Its cure by mercury given internally, ii. 340. Of the quantity of mercury necessary in the cure of, ii. 341. A kind of false one takes place sometimes after the cure of the true chancre, ii. 348. Consequences of; their treatment, ii. 344. Of dispositions to new diseases taking place during the cure of; their treatment, ii. 345.
- Chara*; flowers and fructifies in the hot-springs of Iceland, i. 293, note.
- Chelsea Hospital*, i. 7, 14.
- Chemistry*; applied to the investigation of the blood, i. 229, 355, notes. Has rendered important aids to physiology, iii. 12, note.
- Cheselden*, Mr.; anecdote of, i. 7.
- Chilblains*, i. 562.
- Children*, sympathies of; less determinate than in old persons, i. 324.
- Chin*, how projected forward in aged persons, ii. 33.
- Cholera*, how far occasioned by a vitiated state of the blood, iii. 46, note.
- Chord*, on the back of the penis; explanation of that appearance, ii. 358. Its treatment, ii. 370.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

648

INDEX.

- Chordee*; its cause, ii. 170, 176. In some cases inflammatory, in others spasmodic, *ib.* Its treatment, ii. 210. The use of opium in, *ib.* The use of camphor in, ii. 210, 225. The use of electricity in, *ib.* The use of bark in, *ib.*
- Christie, Mr.*, anecdote of, i. 138.
- Christison, Dr.*, his work on poisons referred to, i. 355, note.
- Chyle*; the cause of the milkiness of the serum, iii. 56, note. Analogous to the blood, iii. 67, note. Is probably alive, iii. 117.
- Chyme*; the same from whatever substance it is elaborated, i. 230, 231.
- Cicatrices*, contraction of, i. 430.
- Cicatrizatio*n, process of, i. 429, 554; iii. 500.
- Cicuta*. (See *Hemlock*.)
- Cilia vibratory*, of the mucous membranes; an important modern discovery, iii. 499.
- Circulation of the blood*; forces which assist in, iii. 229, note. Consequences of its interruption, ii. 55, note. Rapidity of, iii. 38, note, 210. Varies in different parts of the body, iii. 219. Dependence of, on the function of respiration, iii. 78, note. Manner in which it may be affected by obliteration of the valves of the heart, iii. 81. Gradual development of the organs of, in the zoological scale, iii. 100. Retarded in inflammation, iii. 326, note.
- , *capillary*; description of, iii. 196, note. State of in inflammation, iii. 325, note. Action of in the circulation of the blood, iii. 231, note.
- , *organs of*; i. 166; iii. 145.
- Clarke, Dr.* and Hunter, i. 75.
- Clift, Mr.*, i. 131, 154.
- , *Mr. H.*, i. 154.
- Climate*; influence of in inducing a susceptibility to inflammation, iii. 275. Cause of, i. 294. The different means by which different animals are adapted to, i. 295, note. The effect of on disease, i. 354. In phthisis, i. 597. In scrofula, *ib.* On the lues venerea, ii. 399.
- Cline, Mr.*, anecdotes of, i. 28, 53.
- Clot*; synonyms of, iii. 17, note. Composition and form of, varies according to many circumstances, iii. 25, 47. Contracts for several days, iii. 25; but in this respect does not differ from the curd of milk, iii. 30, note. Is said to be affected by various stimulants, iii. 128, note. In the heart and vessels during life, iii. 30. Reasons for doubting whether it is ever capable of becoming vascular, iii. 269, note. (See *Blood*, *Vascularity*.) Purulent deposits found in the centre of, iii. 457, note.
- Clothing, warm*; its advantages, in scrofula, i. 599.
- Coagulation of the blood*, i. 233; iii. 17. An inherent property of the fibrin, iii. 17, 20. Called an "act of contraction," iii. 23; which is compared to the action of life in the solids, iii. 33, 113. Necessary to the maintenance of life, iii. 20. Use of, in the œconomy, i. 234. Time required for, iii. 22, 23, note. Effect of cold on, iii. 26, 27. Of air on, *ib.* Of rest on, iii. 28. Retarded by contact of blood with blood, or with the living vessels, iii. 31. An act of life, iii. 34. Compared to union by the first intention, iii. 36, 267, note. Whether attended with a rise of temperature, iii. 35. Cause of, i. 238, 239; iii. 43, note. Accelerated by syncope, iii. 74, note. By heat, iii. 134. Power of, destroyed in many cases, i. 236, 238; iii. 42, note. Effect of various substances on, iii. 134, note.
- Congulum*. (See *Clot*.)
- Cocks*, experiments on; in which their combs and wattles were frozen, iii. 109; and their testicles and spurs transplanted, ii. 56; iii. 256, 273.
- Colchicum*; the effect of, in inflammation, i. 401.
- Cold*; the negation of heat, i. 279, note; iii. 336. The generation of, in animals, i. 281, 292, 385; iii. 344. Its effects upon stricture, ii. 231. Upon the urethra, ii. 217. In disposing different parts of the body in receiving the venereal infection, ii. 400. Applied to the skin, affects the deeper-seated parts by sympathy, ii. 399. Effects of, when extreme, on the animal body, i. 284, note. Induces sleep, i. 285. In moderate degrees, acts as a stimulant, i. 286, 289, 345, 370, 481, 562. On its employment in mortification, iii. 8. In inflammation, iii. 265, 385. Effects of, on the coagulation of the blood, iii. 26, 27, notes. And on muscular fibre, *ib.*
- Coleman, Professor*, i. 48.
- College of Surgeons*. (See *Corporation*.)
- Colour*; advantage of a white, in animals, i. 295, note. Of inflamed parts, i. 383.
- Committee*; Hunter's revising, i. 101.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

649

- Compression* of the brain, i. 487, 490, note.
- Concretion*, gouty; nature of, iii. 312, note.
- Concussion* of the brain, i. 487, 490, note; iii. 241, 243 notes. From gun-shot wounds, iii. 553, 570.
- Consciousness*; how used, in respect of the acts of an animal body, i. 232, 236, 255, 260, 264, 324, 361, 374, 398, 421, 430, 431, 524, 546, 553.
- Constitution*; an act of, what is to be understood by, i. 306, 339, 340, 483. Scorbutic, ii. 132. Treatment of, in the cure of gonorrhœa, ii. 204. Effects of inflammation in the perinæum and scrotum, on, ii. 267. To be attended to, in the cure of chancres, ii. 328. How infected by the matter of chancre, ii. 329. Irritable, consists in an increased disposition to act, without the power of acting, iii. 378, 381. Often affected in a degree disproportionate to the apparent cause, iii. 425. May be fatally depressed by simple violence, iii. 431.
- Consumption*; i. 596.
- Contamination*; the meaning of, ii. 396.
- Contractility*; a distinguishing mark of life, i. 242, note. Of the clot and muscular fibre, compared, iii. 43.
- Cook's Voyage*, quoted, ii. 143.
- Copaiba*; in gonorrhœa, ii. 208, note.
- Copley Medal*; Hunter receives, i. 107.
- Copulation*; of the requisites necessary for performing that act well, ii. 305.
- Cornish, Mr.*, on the blood of torpid bats, iii. 33.
- Corns*, i. 560, 561.
- Coronoid Process*; in the upper jaw, described, ii. 2. The cells for the grinders formed in the root of, ii. 33.
- Corporation of Surgeons*; Hunter a member of, i. 34. Blamed by Sir J. Banks, i. 141. Accept the Hunterian Museum, i. 142. Obtain a royal charter, i. 143.
- Correspondence*. (See *Letters*.)
- Corrosive sublimate*; mode of giving it in the lues venerea, ii. 408, 442, note. A cure for itch, i. 618.
- Cough*; may be occasioned by the lues venerea, ii. 417.
- Council* of the College of Surgeons. (See *Museum Catalogue*.)
- Counter-irritants*, i. 406.
- Coverings*, external, i. 172.
- Cowper's Glands*; suppuration of, and fistula communicating with, i. 579; ii. 211. Affected in gonorrhœa, ii. 173, 178.
- Cowpox and Smallpox* form a hybridous disease, iii. 5, note.
- Cranioscopy*; the foundation on which it rests insecure, iii. 333.
- Cranium*; fractures of, i. 489. Peculiarities of, i. 493.
- Crassamentum*. (See *Clot*.)
- Croonian Lectures*, i. 50, 83.
- Cruveilhier*; his opinion respecting the reparative powers of the cellular tissue, iii. 271, note.
- Crystals*; Hunter's Collection of, i. 138.
- Cubebs*; in gonorrhœa, ii. 209, note.
- Cuckoo*; Hunter's letters on the, i. 37, 46, 91, 94, 104, 117. Stomach of, i. 46, 92. Jenner's paper on, i. 104.
- Culley, Dr.*, i. 3.
- Cuspidati*, or canine teeth; particular description of, ii. 23. Their use, ii. 24. The frequent irregularity of, to what owing, ii. 88.
- Cuticle*; cracking of, a symptom of the lues venerea, ii. 408. Separation of from the cutis, how accounted for, i. 397, 554; iii. 349. New formed, nature of, i. 431; iii. 504.
- Cutis*; new-formed, nature of, iii. 502.

D.

- Dancing*, excited by sympathy, i. 321.
- Davy, Dr.*, on buffy blood, i. 234.
- , *Sir H.*, on the effect of gases on the blood, iii. 28, note.
- Dead Teeth*; in what cases they are preferable to living ones, for transplantation, ii. 98. The objections they are liable to, ii. 101.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

650

INDEX.

- Death*; the premonition of, i. 268. Difference between apparent and absolute, i. 345.
Convulsions of, i. 361.
Definitions; Mr. Hunter's objection to, i. 217.
Delirium; explanation of, i. 334, 364; iii. 436. In what respect it differs from insanity, i. 334, note.
Delusion; explanation of, i. 333, 354.
Denis and Emmerets, the first who performed transfusion on the human subject, iii. 13, note.
Dentes sapientiæ; particular description of those teeth, ii. 26. A frequent inconvenience in the cutting of, ii. 109. Violent pain from the cutting of, ii. 110.
Dentists; quackery of, ii. 58, note.
Dentition; cause of the pain in, explained, ii. 34, 105. Symptoms of, *ib.* Origin of these symptoms, ii. 106. Methods of relief and cure, ii. 108. Lancing the gums, *ib.* Contraction of the fingers and toes produced by, ii. 110.
Denudation; the decay of teeth by, described, ii. 70. (See *Scurvy*.)
Derivation, iii. 388, 394. (See *Revsulsion*.)
Dessault's operation for aneurism, i. 98.
Development, laws of; in regard to the vascular system, iii. 184, note. In regard to the nervous system, iii. 329, note.
Diet, vegetable; in scrofula, of doubtful efficacy, i. 599.
Diet-Drinks; formulæ for, ii. 348. Their use in the lues venerea, ii. 460.
Digastricus; description and use of this muscle, ii. 11.
Digestion, i. 247, 248, note. Organs of, i. 161. Of the stomach, after death, i. 43, 165. Is suspended during hybernation, i. 286, note.
Digitalis; in inflammation, iii. 387.
Disease; the tendency of to destroy the body, i. 215. Curable and incurable, i. 300. Pathology of, ill understood, i. 301. Requires different occasional causes for its production, i. 309. Causes of, *ib.* Two cannot possibly exist in the same part at the same time, i. 313; ii. 132; iii. 2. Observations on, i. 314. Constitutional and local, reciprocally affect one another, i. 338, 485. Specific, i. 342, 554; iii. 306, 308, note, 367. Hereditary, i. 353. How affected by the mind, i. 359.
———, *Venereal*; Hunter's work on, i. 101. Its different forms, ii. 153. Varieties of, in different constitutions, ii. 154. Specific, observes a specific distance and extent, ii. 177, 395. A number of diseases said to be venereal which are not, ii. 423. Of the time necessary for the cure of its different forms, ii. 424. Of its prevention, ii. 464.
Diseases of the Teeth, specified, ii. 53.
——— *epidemic*; an observation on, ii. 152.
Dislocations, i. 518. Treatment of, *ib.*
Disposition to action; what is meant by, i. 269. May wear itself out, ii. 270. To be distinguished from action, i. 271, 300. And from susceptibility, i. 301, note. Is difficultly curable by medicine, i. 478; ii. 401.
Dispositions, diseased; meaning of, ii. 396; iii. 238. Division of, i. 308, 555. Always simple, i. 313. Of the irritable, i. 555. Of the indolent, i. 557. Of the cure of, i. 561. Are always more difficult of cure than the action, ii. 401. Actions which lead to restoration cannot be called diseased, iii. 239.
Dissolution, i. 341, 435; iii. 296, 506, 513.
Donellan, Capt., his trial, i. 81, 194.
Drawing of Teeth; the proper indication for, ii. 95. Consequence of deferring the operation too long, *ib.* Directions for its performance, *ib.* Remarks on the usual treatment of the gums, *ib.* How to stop the extraordinary bleeding of the gums, ii. 96. No bad consequences to be apprehended from breaking the alveolar processes, *ib.* Breaking of teeth, ii. 97. How to replace a tooth, drawn by mistake, ii. 100.
Drawings, Hunterian, i. 149.
Dreams; explanation of, i. 335. In what respect they differ from insanity, i. 337, note.
Dress; Hunter's style of, i. 133.
Dressings, may be advantageously dispensed with in many cases, i. 429.
Dropsy; the reparative powers often greatly reduced in, iii. 280.
——— *Ovarian*; proposal for extirpating the cysts in, i. 573, note.
Drowning; the question as to the probability of resuscitation from, iii. 32, note.
Dura mater; tumour of, i. 424; iii. 473. Wounds of, i. 451.

E.

- Ear*; burning of, useful in tooth-ache, ii. 66.
- Earl's Court*; Hunter's purchase of, i. 32. Description of, i. 120. Sale of, i. 137.
- Ecchymosis*, i. 388; iii. 244. The blood does not always coagulate in, iii. 33, 34. The effused blood in, is always dark-coloured, iii. 87.
- Effect, ultimate*; of an animal body, is the preservation and continuance of the species, i. 225, 273, 293.
- Effusions, serous*; in what respect they differ from the serum of the blood, iii. 21.
- Egg*; development of the chick in, i. 176. Drawings of, i. 177. Life of, i. 224; which is evinced by its resistance to cold and putrefaction, i. 228. Experiments on, iii. 106.
- Elasticity*; its properties and uses, in the animal body, i. 245; iii. 149, 155. Distinct from muscular action, i. 246, note.
- Electricity*; destroys the contractility of muscles, i. 228; promotes absorption, i. 431. Operates as a stimulant, i. 482. Its use in chordee, ii. 210. In the swelled testicle, ii. 214. In paralysis of the urethra, ii. 276. In paralysis of the bladder, ii. 290. In venereal warts, ii. 352. Its powers on diseases increased by mercury, ii. 455. Accelerates the coagulation of the blood, iii. 34. Is not identifiable with the vital principle, iii. 122, note.
- Elephantiasis*, i. 562.
- Elliotson, Dr.*, i. 285, 294, notes.
- Emaciation*, iii. 11.
- Emetics*; their uses and effects, iii. 383. In abscesses, iii. 417. The second emetic does not need to be so powerful as the first, i. 276.
- Eminent men*; their small beginnings, i. 5.
- Empyema*; cases of, i. 442, 444; iii. 417.
- Enamel of the teeth*; description and use of, ii. 15. Experiments on, to ascertain the nature of its composition, ii. 15, note. Formation of, explained, ii. 41.
- Endosmose and Exosmose*, iii. 84, 85, note.
- Epididymis*; state of, in a swelled testicle, ii. 180, 213, 226.
- Epistaxis*; cure of, by oil of turpentine, i. 539.
- Erection of the penis*; how effected, i. 250. Painful, how prevented, ii. 210.
- Erectile tissue*; the structure of, i. 251.
- Erethismus, mercurial*; described, ii. 432, note.
- Eruptions, venereal*; variety of, baffles all description, ii. 409, note. Description of, ii. 410, note. Pustular, ii. 413, note. (See *Blotches*.)
- Erysipelas*; described, i. 398; iii. 314. The order of the effects of inflammation reversed in, iii. 284, 290, 315.
- Escharotics*; their use in destroying strictures in the urethra, ii. 243. In destroying warts, ii. 353.
- Evacuations*; seldom proper in specific diseases, i. 609.
- Evaporation*; one of the chief means by which the animal temperature is regulated, i. 289, note.
- Exacerbations*; the reason of, i. 381; iii. 431.
- Examination, post mortem*; of Hunter, i. 132. Of Sir J. Reynolds, i. 121.
- Excrescences, horny*; iii. 631.
- Exercise*; occasions the blood to become buffy, iii. 40, note.
- Exfoliation of bone*; i. 514, 525, 529.
- Exostosis*, i. 534. Sometimes arises from inflammation, iii. 533.
- Experience*; the only means by which we obtain a knowledge of the powers of medicines, iii. 366.
- Experiments*; made to prove that matter from sores in the lues venerea will not affect a person locally who has the lues venerea; but that matter from a gonorrhœa or chancre will, ii. 386. To ascertain the progress and effects of the venereal poison, ii. 417. Conclusion drawn from those experiments, ii. 419. To prove that mercury and its preparations are dissolved in the animal juices, ii. 453.
- Extirpation*, of tumours; often difficult, i. 567. Mode of, i. 569.
- Extraction*, of pieces of dead bone; i. 530. Of teeth, ii. 53, 54, note 95. The folly and mischief of, in many cases, ii. 47, 92, notes.
- Eye*; inflammation of, i. 449. Doubtful if ever venereal, ii. 417. Of the iris, undoubtedly venereal, *ib.* note.

F.

Face; how shortened in aged persons, ii. 32.

Facts; their use and value, i. 208.

Fainting. (See *Syncope*.)

Fangs of teeth; comparative observations on, ii. 26. How formed, ii. 40. Will continue sound when the tooth is destroyed, ii. 60. Swelling of, described, ii. 71.

Fat; unnatural accumulation of, i. 563. Uses of, iii. 12, note. The cause of the milky colour of the serum, iii. 56, note.

Fatness; the cause of, iii. 11, note.

Feelings; when powerful, prevent reasoning and voluntary motion, i. 260.

Feet, wet; effect of on the stomach, i. 325.

Fermentation, i. 217, note, 218. Not the cause of animal heat, i. 282. The venereal poison does not arise from, ii. 147.

Fever; two different kinds of, cannot exist at the same time, ii. 132. Its effects on gonorrhœa, ii. 205. Brings the lues venerea into action, ii. 400.

—, *hectic*, i. 324, 341, 431; ii. 131; iii. 433, 507. The effect of an incurable local disorder, i. 341; iii. 507. Hence it arises most readily from diseases of the bones and in scrofulous persons, i. 506. Sometimes an original constitutional disorder, i. 432; iii. 507. Does not depend on the absorption of pus, i. 433; iii. 509. Is not usually produced by large abscesses, until opened, iii. 511. Treatment of, i. 434; iii. 512.

—, *jail*. (See *Plague*.)

—, *suppurative*; iii. 424. Sometimes takes place in gonorrhœa, ii. 191.

—, *sympathetic inflammatory*, i. 324, 341; ii. 131; iii. 433. Does not necessarily attend union by the first intention, iii. 249. Is favourable when equal to and of the same nature as the existing inflammation, iii. 306. Violence of, depends on many circumstances, iii. 424.

Fibrin; solidity the natural state of, iii. 15. Described, iii. 23. Specific gravity of, iii. 22, 24, notes. The most important element of the blood, iii. 37. The relative proportion of, in the blood, varies, iii. 37, 46, notes. Is increased during inflammation and utero-gestation, iii. 37. Undergoes changes in the inflamed vessels, i. 367; iii. 353, note. Effused, becomes vascular, i. 367. And forms the medium of union of divided parts, iii. 267, note. And becomes of the same nature as the parts which afford it, i. 396.

Filing; the injurious effects of, on the teeth, ii. 81, note.

Fingers and toes; case of contraction of, produced by dentition, ii. 110.

Fistulæ, i. 426, 428, 577. Cure of, i. 581; iii. 572. Of the buccal glands, i. 578. Of Cowper's glands in the female, *ib*. Of the parotid gland, i. 579.

—, *lachrymales*, i. 578.

—, *in ano*, i. 579.

—, *in perinæo*; its cause, ii. 268. The occasion of aguish complaints, *ib*. Its cure, ii. 269. Description of the operation for, *ib*.

Fluor albus; sometimes communicates a disease similar to the gonorrhœa, ii. 186.

Cure of, ii. 221, note; iii. 279.

Fluids, animal; the consequences of their stagnation pointed out, ii. 56.

Fœtal peculiarities, i. 178.

Fœtus; before birth has no sensation, i. 264. Acephalous, i. 265. Progress of the formation of the teeth in, ii. 33. May be infected *in utero* with the lues venerea by the matter which infected the mother, ii. 385. But not from the effects of that matter upon the mother, ii. 388. This opinion questioned, i. 354; ii. 476, notes. The blood of, does not contain fibrin, and therefore does not coagulate, iii. 37, note. Is more vascular than the adult, iii. 213.

Fomentations; their use in inflammation, iii. 386, 396, 413.

Fontana; his experiments referred to, ii. 164; iii. 30, note.

Food; on an artificial method of conveying into the stomach, in cases of paralysis of the muscles of deglutition, iii. 622.

Foot, Mr. Jesse; his calumnies of Hunter, i. 21. His Life of Hunter, i. xxi. 22. His work on the Venereal Disease, *ib*. His Life of Murphy, *ib*.

Forayce, Dr., i. 44, 57, 85. His experiments quoted, ii. 291, 292.

Foreign bodies; their approach to the surface explained, iii. 300, 479, notes.

Formation, the order of, in the development of the fœtus, i. 264, note.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

653

- Fossils*, Hunter's collection of, i. 148.
- Fractures, simple*, i. 439. Their mode of union, i. 501. Their treatment, i. 503. Period required for their union, i. 504.
- , *compound*, i. 440, 509. The question of amputation in such cases, i. 510 ; iii. 281, 575, notes. The danger of, *ib.*
- *of the Cranium*, i. 489. From gun-shot wounds, iii. 553, 570.
- *of the Thigh*, ununited, i. 426. Cause of, i. 504. Treatment of, i. 505.
- Fragility*; of the bones, i. 532, note. Of structure, one of the consequences of inflammation, iii. 532.
- Frank, Dr.*, i. 146.
- Freezing*, Mr. Hunter's speculations on, as a method of prolonging life, i. 57, 284.
- Fresne, M. Du*, i. 146.
- Friction*; not the cause of animal heat, i. 281. A stimulus, i. 481.
- Frost-bitten parts*; the principle on which they should be restored, i. 603.
- Frozen animals*; may be recovered, i. 284; iii. 107, notes.
- Functions*; of sensation and voluntary motion, perfect in proportion to the proximity of the parts to the heart and brain, i. 274.

G.

- Gaertner, Dr.*, i. 146.
- Galvanism*; accelerates coagulation, iii. 34, note. A delicate test of the presence of albumen, iii. 49, note.
- Ganglions*, i. 449.
- Gangrene*, iii. 318. (See *Mortification*.)
- Garthshore, Dr.*, i. 28. And Hunter, i. 114. Kindness to Mrs. Hunter, i. 139.
- Gases*, effects of on the blood, iii. 28, note.
- Gay Lussac and Thenard*; their analysis of animal substances, iii. 20, note.
- Gelatine*; does not exist in the blood or animal secretions, iii. 20, 50, notes.
- Gendrin, M.*, iii. 325, 457, notes.
- Generation*, organs of, multiplied in the lower animals, iii. 116, note. The ultimate object of life, i. 273, 293.
- George's St., Hospital*; Hunter a pupil at, i. 15. Disagreement amongst the surgeons of, i. 127. Appeal to the Governors of, i. 128. Death of Hunter at, i. 132.
- Gillaroo Trout*, i. 50.
- Gland, prostate*, swelling of, ii. 278. Its effects on the canal of the urethra, ii. 278, 280. Sometimes prevents a stone in the bladder being felt, ii. 279. Mode of detecting it, ii. 280. Its treatment, ii. 282. Should be perforated rather than puncture the bladder, in cases of retention of the urine, ii. 297, note. The use of hemlock in, ii. 283. The use of burnt sponge in, *ib.* Of the discharge of the secretion of, ii. 302. Mucus of; the distinction between it and the semen, ii. 203.
- Glands, absorbent*; swellings of, from sympathy, ii. 77, 182, 251, 256. Affected singly by the venereal poison, ii. 360. Those which are second in order are not affected by the venereal poison; the reason of this, *ib.* Swellings of, how distinguished from buboes, ii. 263.
- *of the groin*; affected by sympathy in a gonorrhœa, ii. 177, 182. Of the urethra, their suppurations, how treated, ii. 172, 211. Of the groin, affected sympathetically by the use of bougies, ii. 251, 256.
- , *buccal*; obstruction of, i. 579. Fistula of, i. 578.
- , *conglomerate*; most susceptible of cancer, i. 618.
- , *Cowper's*; obstruction of, i. 578. Fistula of, *ib.*
- , *mesenteric*; do not form the red globules of the blood, iii. 68, note.
- , *parotid*; obstruction of, i. 579. Fistula of, *ib.*
- Gleet*; its cause, ii. 219. Its cure, ii. 221. Balsams, their use in, ii. 222. Injections to be used in, *ib.* The use of blisters in, ii. 224. The use of electricity in, ii. 225. Its treatment in women, *ib.* Attends upon stricture, ii. 229, 257. In consequence of a stricture, its cure, ii. 248. Cured by a chancre, an instance of, ii. 320.
- Globules, blood*, iii. 57. Teach nothing concerning the use of this fluid, i. 230. Their proportion to the serum, iii. 45, note. Uses of, *ib.* Size and shape of, iii. 62, note. Motion of, i. 242; iii. 63, 131, notes. Origin of, iii. 64, 67, notes. Probably the least important part of the blood, iii. 68. Whether the ultimate molecules of the solid textures, iii. 103, note. Become heavier in inflammation, iii. 356.

Globules, lymph, iii. 63, note.

——, *pus*, i. 317, note; iii. 449, 456, note. (See *Pus*.)

Gonorrhœa; may produce a lues venerea, ii. 146. Does not arise from ulcers in the urethra, ii. 159. Appears sometimes the day after receiving the infection, ii. 160. May be cured without mercury, ii. 159, 196. Virulent and simple; difficult to distinguish them, ii. 161. Frequently cures itself, ii. 163, 194, 199. Cannot be increased by the application of fresh matter, ii. 165. This opinion questioned, ii. 208, note. The first the severest; the succeeding ones generally milder; facts seeming to prove this, *ib.* Frequently continues a long time without losing its virulence, ii. 166, 215. Its seat in both sexes, ii. 168. Often confined to the glans, ii. 169. Its symptoms, ii. 171. Affects Cowper's glands, ii. 175. Of the discharge in, ii. 173. A variety of symptoms produced by sympathy in, ii. 177. Uncommon symptoms in, ii. 179. Its effects on the constitution in both sexes, ii. 191. Its cure, ii. 192. No specific medicine for, ii. 193. Different modes of practice in, ii. 195. As soon cured without mercury as with, ii. 196. May be contracted by a person under a course of mercury, ii. 197. How affected by fever, ii. 205. Treatment of occasional symptoms of, ii. 208. And gleet; the distinction between them not yet ascertained, ii. 215. Symptoms of, remaining after the disease is subdued, ii. 216. Supposed consequences of, ii. 227. Does not in general occasion stricture, ii. 232. Sometimes relieves a stricture, ii. 249. May be produced by a chance sympathetically, ii. 320.

—— in women, ii. 186. Not easily distinguished from fluor albus, *ib.* The parts affected, ii. 187. Uncommon symptoms in, *ib.* Wears itself out in women as well as men, *ib.* Proofs of its existence in women, ii. 190. Its continuance, ii. 191. May exist without the patient knowing it, *ib.* Its cure, ii. 203.

Goods, Hunter's sale of, i. 138.

Gout, peculiar effect of, i. 244. Relieved by local action, i. 306. Ill formed, i. 307. Its connection with the secretion of uric acid, i. 353, note. Not hereditary, i. 358. Often produced by anxiety of mind, iii. 276.

Gouty Inflammation, iii. 311. More violent than common inflammation, *ib.* Has neither the adhesive or suppurative disposition, iii. 302. Cases where it should be repelled, iii. 371.

Grant, Dr., iii. 58, note.

Granulations, iii. 488. The second mode of union, i. 368. May take place independently of suppuration, iii. 490. Nature and properties of, i. 426; iii. 491. Formation and union of, i. 428; iii. 493. Longevity of, iii. 495. Contraction of, iii. 496. Of bones, i. 427, 504. Scrofulous, i. 594.

Gregorie, Abbé, i. 146.

Gregory, Dr., iii. 306, note.

Grinders; particularly described, ii. 25. Difference between those of the upper and lower jaw, ii. 26. The removal of the first, when decaying at an early age, recommended, ii. 92.

Growth of bones, illustrated, i. 253. Preternatural, of parts, i. 563.

Guaiacum; its uses in the lues venerea, ii. 460, 463.

Gum Guaiacum; its effects in the lues venerea, ii. 456.

Gums, the nature and use of, explained, ii. 29. How affected by dentition, ii. 34. Excrescences from, how to be treated, ii. 75, 76, notes. Effect of the scurvy on, ii. 80. Treatment of in this case, *ib.* Symptoms of the disorder vulgarly called the scurvy of, ii. 82. The cause of investigated, *ib.* Proper treatment of in this case, ii. 83. Callous thickenings of, *ib.* When of a cancerous nature require chirurgical treatment, ii. 84. Remarks on the common treatment of, in drawing teeth, ii. 95. Method of checking the extraordinary bleeding of, when a tooth is drawn, ii. 96. An attentive examination into the state of, necessary, when teeth are to be transplanted, ii. 97. When they ought to be cut, to facilitate dentition, ii. 108, 110, 111.

Gum-boils, the causes of, explained, ii. 72. Extraction of the affected tooth the only cure of, in the last resort, ii. 75, notes. How to open and dress them, *ib.* Treatment of, in the back part of the mouth, *ib.* (See *Abscess* and *Scurvy*.)

Gunning, Mr.; applies for an assistant, i. 107. His character, i. 127. Opposes Hunter, i. 128.

Guthrie, Mr., i. 549; iii. 576, notes.

Guy, Mr., i. 35.

II.

Habit; as applied to the body, i. 274, 276. The importance of, in respect of the mind, i. 277.

Hæmatemesis, case of, i. 483. Cured by oil of turpentine, i. 539.

Hæmatocele, i. 463, 631.

Hæmatosine, iii. 58, 66, notes.

Hæmoptysis; a precursor of phthisis, i. 597.

Hæmorrhage; capillary, i. 435. Cases of, i. 534, 543. Causes and kinds of, i. 536. Suppression of, i. 538, 541. Secondary, i. 542. From chancre; the use of oil of turpentine in, ii. 335. After gun-shot wounds not great in general, iii. 546.

Hereditary; how far diseases may be said to be so, i. 353. This property may be acquired, i. 357. Nature of gout and scrofula, i. 358. Of madness, i. 359. Of cancer, i. 623.

Hall, Dr. Marshall, i. 266, 293, 537; iii. 33, 87, notes.

Haller, Baron; his abstinence from wine, i. 10. He discovers the tubuli testis, i. 18. Describes the hernia congenita, *ib.*

Harmony, of the machine, i. 264; iii. 10, 125, note.

Harvey, Dr., on the life of the blood, iii. 104, note.

Hastings, Dr. C., on the state of the vessels in inflammation, iii. 326, note.

Hatchet, Mr., on the composition of shells, &c., i. 159.

Hawkins, Sir C., i. 25.

——, *Charles*, i. 127.

Head, pains of, relieved by amputation of the leg, i. 401. Injuries of, i. 486. (See *Cranium*.)

Health, the feeling of, often a precursor of disease, i. 311. Consists in the harmonious action of all the functions, i. 264; iii. 10, 125. Full, is not favourable for operations, iii. 281.

Heat; the antagonizing principle to attraction, i. 213, 278. The nature of, i. 279. Latent and absolute, the difference between, *ib.* Its effects on the body, i. 280, 315, 344, 482. Some effects of, similar to those of cold, i. 281, note. On its employment in mortification, iii. 8.

——, *vital*, Hunter's papers on, i. 57, 68. Experiments on, i. 59, 65; iii. 338. A certain standard of, necessary for the performance of the animal functions, i. 281, 285, 289. Which differs in different animals, i. 281, 288. And in different climates and seasons, i. 293; iii. 335, note. The causes of, i. 281, 288, 384; iii. 343. The author professes his ignorance on this subject, iii. 16, 335. Does not depend on respiration, i. 283. This opinion questioned, iii. 343, note. Is the effect of life, i. 283. Differs in different parts, i. 288, 289. How the standard of, is preserved, i. 291, 292. Of inflamed parts, i. 384, 397; iii. 335, 338. In fever, iii. 337. Referred to the stomach, i. 384; iii. 336. Of the vital parts, not affected by local inflammation, i. 385. How far dependent on the nervous system, iii. 343, note.

Heart; Hunter's affection of, i. 44, 94, 131, 244; iii. 193. Adhesions of to the pericardium, i. 444; iii. 348. Its action, cause of, iii. 188. How far dependent on respiration, iii. 78, note, 193. And on the nervous system, iii. 190, note. Immediate cause of, iii. 192, note. Diseases of the valves of; cases of, iii. 80, 193. Case of, in which the ventricles communicated, iii. 82. Case of, in which the coronary arteries were ossified, iii. 193. The influence of on the circulation, iii. 173. Varieties in the structure of in different animals, iii. 174, 183. Use of, iii. 176. Structure of, *ib.* Formation of, iii. 177. Size of, iii. 181. Contraction of, iii. 184. Cause of its impulse on the chest, iii. 185. Sounds of, iii. 186, note.

Hectic fever. (See *Fever*.)

Hellebore, a cure for scabies, i. 618.

Hemlock; successfully used in nervous pains of the jaws, ii. 85. In scrofula, i. 599; iii. 370. In swellings of the prostate gland, ii. 283. In what is called seminal weakness, ii. 304. In spreading ulcers of the prepuce, ii. 346. An instance of its having been taken in very large quantities, ii. 379. Its use in buboes, *ib.* In lues venerea, ii. 460, 463.

Hemiplegia; proceeds from the same cause as apoplexy, iii. 261.

Hérissou, M.; his sphygmometer, iii. 217, note.

Hernia, i. 448.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

656

INDEX.

Hernia cerebri, arises from the support of the dura mater being removed, i. 495.——— *congenita*; disputes respecting, i. 18.——— *humoralis*; symptoms of, ii. 180.*Hewson, Mr.*; succeeds Hunter, i. 23.*Hiccup*, iii. 436.*Hip*; diseases of, i. 595. The lengthening and shortening of the limb explained, *ib.**Hoffman, Mr.*, on the arterialization of the blood, iii. 96, note.*Hollow Teeth*; methods of stopping, ii. 68.*Home, Sir E.*, becomes Hunter's pupil, i. 44. Appointed to Plymouth Hospital, i. 72.

Returns from Jamaica, i. 92. Becomes Hunter's assistant, i. 96. His paper on the

Terebella, *ib.* Elected assistant surgeon to St. George's Hospital, i. 108. PublishesHunter's work on inflammation, i. 123. Succeeds Hunter as lecturer on surgery, *ib.*

Contests St. George's Hospital, i. 127. Present at Hunter's death, i. 131. Ap-

pointed Hunter's executor, i. 137. With Baillie, establishes the Hunterian oration,

i. 146. Destroys the Hunterian MSS., i. 152. His numerous papers in the Phil.

Trans., i. 153. On strictures, ii. 245, note. On the prostate gland, ii. 283, note.

Experiments of, on suppuration, iii. 445. On intussusception, iii. 593. Two papers

of, containing an account of Mr. Hunter's method of operating for popliteal aneurism,

i. 117; iii. 594, 613. Paper of, on loose cartilages, i. 118; iii. 625. On horny ex-

creescences, iii. 631.

———, *Miss*, i. 40.*Horny excrescences*; observations on, iii. 631.*Humours*; of the existence of, in the blood, i. 347, 352, note.*Hunter, James*; account of, i. 2.

———, *John*; his birth and parentage, i. 1. Proceeds to London, i. 6. His first essay in anatomy, i. 7. A pupil of Cheselden, *ib.* His youthful freaks, i. 10. His advantageous position, *ib.* A pupil at St. Bartholomew's, i. 12. Revisits Scotland, i. 13. Enters at Oxford, i. 14. Resolves on his future course, *ib.* Enters at St. George's Hospital, i. 15. Becomes house surgeon, *ib.* His anatomical skill, *ib.* His dissection of the placenta, *ib.* Enters into partnership with his brother, i. 16. His part in anatomical disputes, i. 18. His paper on the descent of the testis, i. 19. Falls into ill health, i. 20. Becomes an army surgeon, *ib.* Goes abroad, *ib.* His private life and Foote's calumnies, i. 21. Returns to London, i. 23. Settles in practice, i. 24. His slow progress to fortune, i. 26. His ardour for the advance of his profession, i. 28. His carelessness of money, *ib.* Lectures on surgery, &c. *ib.* Recommences comparative anatomy, i. 30. His extensive plan of research, i. 31. His originality, i. 32. Purchases Earl's Court, *ib.* His amusements, *ib.* His dangerous encounters, i. 33. Elected an F.R.S., *ib.* Ruptures his tendo Achillis, i. 34. Elected surgeon to St. George's, *ib.* Elected member of the Corporation of Surgeons, *ib.* Receives house pupils, *ib.* Moves to Jermyn-street, i. 35. His friendship with Jenner, i. 37. His correspondence with Jenner (See *Letters*), i. 38. Publishes on the teeth, i. 40. Marries Miss Home, *ib.* His taste for society, i. 41. Routs and soiree, *ib.* His family, *ib.* His papers in the Phil. Trans. (See *Phil. Trans.*) Suffers from affection of the heart, i. 44, 244; iii. 193. Dissects torpedo, i. 46. Lectures on surgery, i. 47. His opinion of lecturing, i. 48. His character as a lecturer, *ib.* His disciples, i. 49. His papers on anatomical subjects, i. 50. Engages Mr. Bell, i. 51. Addicted to fits of passion and to swearing, i. 52. His punctuality, *ib.* Allotment of his time, i. 53. And Cline, anecdote of, *ib.* And Blizard, i. 54. Took but little repose, *ib.* His amusements few, i. 55. Projects a school of natural history, *ib.* Made surgeon extraordinary to the King, i. 57. Appointed Croonian lecturer, i. 58. Engaged in experiments on vital heat, i. 59, 66. Attacked with cerebral affection, i. 62. Visits Bath, i. 64. Returns to London, i. 65. Publishes second part of work on the teeth, i. 71. His professional gains, i. 72. His estimation of the cost of his museum, *ib.* His greediness for rarities, i. 75. Claims the discovery of the anatomy of the placenta, i. 76. His quarrel with Dr. Hunter, i. 77. His reconciliation, i. 80. Gives evidence on the trial of Donellan, i. 81. Elected F.S.B.L.G., i. 83. Completes his Croonian lectures, *ib.* Elected member of S.R.M.P. and A.R.C.P., i. 84. Purchases house in Leicester-fields, i. 85. Builds museum, *ib.* Assists to establish the Lyceum Medicum, *ib.* Assists to form Society for the Improvement of Medical and Chirurgical Knowledge, i. 86. His consultation with Taylor, i. 87. His paper on inflammation of the veins, i. 91. As an operator, i. 93. His opinion of operations, *ib.* His heart again affected, i. 94. Visits Tun-

- bridge and Bath, i. 95. Returns to London, i. 96. Engages Home as his assistant, *ib.* Operates for aneurism, *ib.* Becomes deputy surgeon-general, i. 101. Publishes on syphilis, *ib.* Publishes on the animal œconomy, i. 102. Prints at home, *ib.* His expensive researches, i. 105. Obtains Byrne's body, i. 106. Receives the Copley medal, i. 107. Elected fellow of A.P.S., *ib.* Opens his museum, *ib.* Obtains assistant at St. George's, *ib.* Sits for his picture, i. 108. Patronizes Sharp, i. 109. And Mr. Thomas, anecdote of, i. 114. And Sir A. Carlisle, i. 115. And Mr. Lynn, i. 116. Loses his memory suddenly, i. 119. His love of life, *ib.* His residence at Earl's Court, i. 120. His toryism, &c., i. 121. Resigns his lectureship, i. 123. Preparing his work on inflammation, *ib.* Aids in establishing the Veterinary College, i. 125. Elected M.R.C.S.I. and M.C.P.S.E. *ib.* Disagrees with his colleagues, i. 127. Supports Home, versus Keate, *ib.* Resolves to appropriate pupils' fees, *ib.* His letter to his colleagues, i. 128. His letter to the governors of St. George's, *ib.* Undertakes the cause of two students, i. 131. Attends at St. George's, *ib.* His death, *ib.* Post mortem examination of, i. 132. His interment, i. 133. His personal appearance, *ib.* His character as a man, i. 134. As a surgeon, i. 135. As a naturalist, *ib.* His will, i. 137. His goods sold, i. 138. His library, *ib.* His crystallizations, *ib.* Epitaph on, Mrs. H.'s, i. 139. His anxiety about his museum, i. 149. His intended works, i. 150. His leaning to the Stahlian hypothesis, i. 255. His love of truth exemplified, ii. 19, note; iii. 121, notes.
- Hunter, Dr. W.*; a pupil of Cullen, i. 3. Settles in London, i. 4. Engages with Douglas, *ib.* Commences lecturing, *ib.* His narrow circumstances, i. 5. His anatomical disputes, i. 18. Offers to found a school of anatomy, i. 35. Builds a theatre in Windmill-street, *ib.* His quarrel with John, i. 76. His letter to the Loyal Society, i. 77. His will, i. 80. His satisfaction in dying, i. 119.
- , *Mrs.*; her character and tastes, i. 40. Her parties, i. 41. Her letter to Jenner, i. 96. Desires to erect a monument to Hunter, i. 133. Her reduced circumstances, i. 137. Her pension, *ib.* Obtains a situation, i. 139. Her epitaph on Hunter, *ib.*
- Hutchison, Mr. C.*, iii. 388.
- Hybernation*; the animal and organic functions suspended during, i. 244, note. Compared with ordinary sleep and torpor, i. 285, note.
- Hydatids*, i. 456, note, 572. Of the uterus, i. 573. Of the kidney, i. 574. Of the liver, *ib.* Of the lungs, *ib.* Of the brain, *ib.* Cancerous, i. 619.
- Hydrargyri ozymurias*; a delicate test of the presence of albumen, iii. 49, note. Use of in lues venerea, ii. 408, 442, note.
- Hydrargyrum*. (See *Mercury*.)
- Hydrocele*, i. 454. Causes of, i. 457. Spontaneous cure of, *ib.* Congenital, *ib.* Diagnosis of, i. 458. Varieties of, i. 461, note. Palliative cure of, i. 462. Different modes of radical cure of, i. 464. Causes of their failure, i. 470. Method by injection, i. 476, note.
- , *encysted*, i. 456.
- Hydrocephalus*, i. 488.
- Hydrophobia*; does not arise spontaneously, i. 615. Affects animals of different species, *ib.* Observations on, ii. 152, 383.
- Hydrops pectoris*; symptoms of, i. 442.
- Hypertrophy*; from chronic inflammation, i. 558, 563; iii. 533. Of the heart, cause of, iii. 82.
- Hyopium*, i. 450.

I.

- Ice*; of the application of in hæmorrhage of the urethra, ii. 210, note.
- Identity, personal*; the idea of, sometimes lost in dreams, i. 335, note. Curious case of, i. 336.
- Idiosyncrasies*, i. 611.
- Imagination*; the only active principle of the mind in sleep, i. 335, note. The influence of, i. 337, 359, 360; ii. 479; iii. 276.
- Impotence*; its causes, ii. 304. Depending on the mind, the cause of, ii. 305. From a want of proper correspondence between the actions of the different organs, ii. 308.
- Impressions*, i. 267. Insensibility to, acquired by custom, i. 274.
- Incisores*; the class of teeth so called, particularly described, ii. 22.
- Incoagulability*, of the blood, occurs under various circumstances, iii. 42, note.

- Incrustations*; on the teeth, the nature of explained, ii. 85. Mechanical, methods of removing, ii. 87. Chemical applications, *ib.* (See *Scaling*.)
- Incubation*; the yolk and albumen do not putrefy during, iii. 106.
- Indians*, East and West; their power of generating heat diminished, i. 293, note.
- Induration*; one of the effects of inflammation, i. 558, 563; iii. 532, note. Passing into ulceration, the constant and distinctive mark of the venereal irritation, ii. 321, note.
- Infection*; mode of preventing, i. 296, 314; ii. 140. May be received through the blood, i. 352, note. Venereal, the modes of, ii. 152. The opinion that it is received by matter only, and the practice founded on this dogma, questioned, ii. 141, note. May take place from simple chancreous induration, without breach of surface, ii. 142, note.
- Inflammation*; Mr. Hunter's treatise on, i. 123. Definition of, i. 393; iii. 297. Fundamental principles of, i. 365; iii. 268. The knowledge of a first principle in surgery, iii. 297. Division of, into adhesive, suppurative, and ulcerative, i. 366; ii. 135; iii. 282, 298. Into healthy and unhealthy, simple and specific, single and compound, iii. 298. Into such as affects the cellular membrane and body generally, and such as affects the outlets, iii. 298. The different degrees and kinds of, iii. 301. Consists in an increase of action and power, i. 365, 379, 381; iii. 7, 357, 372. Being a restorative action, is not to be considered as a disease, i. 365, 393; iii. 295, 305, 368, 406. Is allied to fever, iii. 275. Of the different causes which increase or diminish the susceptibility to, iii. 276. Of the parts most susceptible of, iii. 282. Of different organs and structures; produces very different effects on the constitution, iii. 277, 362. Causes of, i. 369, 371; iii. 304. How far the nervous system is concerned in the production of, iii. 328, note. Proximate cause of, i. 371; iii. 325, note. Is modified by the constitution, iii. 278, 307. By structure, i. 366, 373, 374; iii. 271, 274, 307, 310, note, 313, 370. By situation and position, iii. 272. By strength and weakness, i. 374; iii. 276, 278. Of the different degrees and kinds of inflammation, iii. 301. Spontaneous inflammation the most violent, *ib.* That from the death of a part the least so, iii. 302. Carbunculous, iii. 317. Chronic, i. 557. Critical, i. 370; iii. 303. Erysipelatous, i. 398, 556; iii. 290, 314, 401. Gouty, i. 369; iii. 302, 311. Irritable, i. 556; ii. 193; iii. 374, 378. Attended with mortification, iii. 318. Œdematous, iii. 314. Scrofulous, i. 590, 593; iii. 307, 419. Venereal, ii. 177. Inflammation of the bladder, i. 448. Of the bones, i. 505; iii. 277, 278, 530. Of the bursæ, i. 449. Of cartilages, iii. 530. Of the cellular membrane, iii. 316, 347, 528. Of the eye, i. 449. Of fibrous membranes, iii. 530. Of the joints, i. 449, 519. Of the lungs, i. 398; iii. 400. Of the lymphatics and veins, i. 451; iii. 519, 531, 581. Of mucous and serous membranes, i. 441; iii. 288, 529. Of muscles, iii. 531. Of the nerves and brain, i. 451; iii. 531. Of the pericardium, i. 444. Of the perinaeum, and parts surrounding the urethra, ii. 262, 264, 266. Of the peritoneum, i. 445. Of the skin, iii. 528. Of the teeth, ii. 63, 67. Of the urethra, ii. 176. Effects of, on structure, 532, note. Primary, *ib.* Secondary, iii. 533, note. Effects of, on the constitution, i. 375; iii. 278. Where the part is equal to the act, the constitution does not sympathize, iii. 321, 330. Effects of, on the vascular system, i. 376.
- _____, *Adhesive*; i. 393, 398; iii. 321. Action of the vessels in, iii. 321. Compared to a blush, iii. 322. From which, however, it is to be distinguished, iii. 324. The circulation in, accelerated, iii. 318, 323, 325. This opinion questioned, iii. 325, note. Colour of, i. 383; iii. 323, 326. Swelling of, i. 383; iii. 327. Pain of, i. 385; iii. 331. Heat of, i. 383, 397; iii. 335. Involves all the functions of a part, iii. 328, note. Effusions in, *ib.* Of the time that is required for its development, iii. 346. Of the uniting medium in, iii. 349. New vessels are formed in this medium, iii. 325, 351. (See *Blood, Fibrin, Vascularity*.) Of the state of the blood and pulse in, i. 381; iii. 354. Scabbing, iii. 362. General reflections on the resolution of inflammation, i. 386, 401; iii. 365. In what cases this should be attempted, iii. 369. Resolution, by constitutional means, i. 401; iii. 372. Evacuations less necessary now than formerly, iii. 276. By venesection, i. 402; iii. 373, 387, note. By purging, i. 405; iii. 383, 387, note. By emetics, iii. 383, 417. By local means, i. 402, 406; iii. 384, 396. By cold and lead, iii. 385. By warmth, as poultices and fomentations, i. 408; iii. 386, 396, 397, 413, 418. By mercury, digitalis, prussic acid, antimonial medicines and incisions, iii. 387, note. By colchicum, i. 401. By sympathy, derivation, and translation, i. 407; iii. 388. Uses of the adhesive inflammation, i. 398, note; iii. 399. Causes which limit the extension of, i. 394, 400; iii. 291, 268. In

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

659

- what cases and parts it is imperfect in its consequences, i. 399; iii. 346. Constitutional effects of, i. 400; iii. 362.
- Inflammation, Suppurative*, i. 409; iii. 403. Difficult to trace the chain of causes leading to, i. 410; iii. 404. Does not arise from the access of air, i. 409; iii. 405. Nor from the violence of action simply, iii. 406. Occurs most readily in canals, i. 411; iii. 408. Symptoms of, i. 411; iii. 408. Treatment of, where suppuration must take place, i. 412; iii. 411. Also where it has taken place, iii. 416. Of collections of matter without suppuration, i. 413; iii. 419. Of the effects of such collections of matter on the constitution, iii. 422. Of the effects of the suppurative inflammation on the constitution, iii. 424, 506. Divided into, first, the symptomatic fever; second, nervous affections; and third, hectic, iii. 433. Rigors, i. 411; iii. 427. Exacerbations, iii. 431. (See *Pus* and *Abscess*.)
- _____, *Ulcerative*, i. 423; iii. 459. Of the function of the absorbents, *ib.* Of the uses of this inflammation, iii. 463. Of the remote causes of absorption, iii. 564. Those of five kinds, iii. 565. Of the disposition of living parts to absorb, and be absorbed, iii. 565. Of interstitial absorption, iii. 469. Of progressive absorption, iii. 471. Of absorption attended with suppuration, called ulceration, i. 424; iii. 473. Is accompanied by a peculiar pain, i. 411; iii. 476. Of the relaxing process, which attends the approach of abscesses to the surface, i. 422; iii. 477. The approach of abscesses to the surface explained on another principle, iii. 479, note. Of the intention of the absorption of the body in disease, iii. 481. Modes of promoting absorption, iii. 482. Illustrations of ulceration, iii. 483. Granulations, i. 426; iii. 488. Nature and properties of, i. 427; iii. 491. Are disposed to unite with one another, i. 428; iii. 493. Longevity of granulations, iii. 495. Contraction of granulations, i. 429; iii. 497. Cicatrization, i. 430; iii. 500. The new cutis, i. 430; iii. 502. The new cuticle, i. 431; iii. 503. The new rete mucosum, *ib.*
- Injections*; different kinds of, used in gonorrhœa, ii. 198, 209, note. To be used frequently, ii. 199. Their effects, ii. 200. In what cases they are improper, *ib.* In gleet, ii. 223.
- Injuries*, which have no external communication, iii. 240. Those which have, iii. 251.
- Inoculation*; queries relative to that operation, ii. 133. Case of a child under inoculation attacked with measles, *ib.*
- Inosculation*, iii. 242.
- Insanity*; in what it differs from delirium and dreams, i. 335, note. Infrequent in India, i. 359. Hereditary, *ib.*
- Insects*; transformation of, i. 253, note. May be frozen and boiled, and yet recover, i. 284, 293, notes.
- Instrument*; description of one for conveying caustic to strictures, ii. 244.
- Introsusception*; paper on, iii. 587.
- Iodine*; in the blood, i. 355. In phagadenic ulcerations, ii. 349, note.
- Iris*; muscularity of, iii. 146, note.
- Iritis*; venereal, ii. 419, note.
- Iron*; in the blood, iii. 18, 54, notes. Sulpho-cyanate of, supposed by some to be the cause of the red colour of the blood, iii. 59, note.
- Irritability*; i. 315, 556. Restored by sleep, i. 266. Arises from weakness, i. 312. Consists in too great action compared with the powers, iii. 374, 378.
- Irritants*, i. 312, 314.
- Irritation*; specific, produced by the venereal poison, ii. 151. Venereal, can be kept up but a certain time in gonorrhœa, ii. 163, 193. Venereal, parts become so habituated to, as hardly to be affected by, ii. 166. Venereal, takes place more readily in those parts exposed to cold, ii. 398. Constitutional, often disproportionate to the apparent cause, iii. 425.
- Itch*, i. 617. Cure of, i. 618.
- Itching*; a peculiar mode of sensation, i. 262. The use of, i. 264.

J.

- Jalap*; its effects on the stomach when thrown into the veins, ii. 332.
- James, Mr.*, iii. 321, note.
- Jardin des Plantes*, i. 147.
- Jaundice*; affects the teeth, ii. 19, note.
- Jaw*; the upper, its form, and the bones of which it is composed, ii. 1. Lower de-

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

660

INDEX.

- scribed, ii. 2. The articulation of the lower, explained, ii. 6. The several motions of which it is capable, *ib.* The muscles subservient to these motions, ii. 7. Critical remarks on these motions, ii. 12. The full usual number of teeth in each, ii. 21. Difference between the grinders in the upper and lower, ii. 26. The motion of in young and old persons, compared, ii. 31. The growth of, explained, ii. 44. Abscesses in, how to be treated, ii. 76. Caution relative to nervous pains in, ii. 84. Irregularities between, and the teeth, ii. 92. Method of rectifying the projection of the lower one, ii. 93. (See *Alveolar process*.)
- Jelly*. (See *Gelatine*.)
- Jenner, Dr.*; becomes Hunter's pupil, i. 36. His intimacy with Hunter, i. 37. His correspondence with Hunter (see *Letters*.) Settles at Berkeley, i. 38. Discovers vaccination, *ib.* Visits Hunter at Bath, i. 64. His disappointment, i. 69. His experiments on the tartar emetic, i. 86, 92. His observations on the migration of swallows, i. 91. His paper on the cuckoo, i. 104. Elected F.R.S., i. 117.
- Johnson, Dr.*; his Irish friend, i. 5. His fear of death, i. 119. His definition of genius, i. 134.
- Joints*; injuries of, i. 449, 510. False, i. 504, 519. Inflammation of, i. 519. Suppuration of, i. 522. Contracted, i. 516, 525, 582.
- Juniors*, Hunter's behaviour to his, i. 114.
- Justamond, Mr.*, i. 28.

K.

- Kay, Dr.*, his experiments adverted to in opposition to those of Bichat, iii. 78, 87, notes.
- Keate, Mr.*; his election to St. George's Hospital, i. 127.
- Kidney*; preparations of, i. 170. Hydatids of, i. 574.
- Kingston, Mr.*, i. 35.
- Knight, Mr.*; his experiments on the direction of the germens and radicles of growing plants, iii. 287, note.

L.

- Lacteals*; discovery of, i. 250.
- Lancet*; the proper form of, for cutting the gums, ii. 109.
- Lawrence, Mr.*; his Hunterian oration, i. 146. On incisions in inflammation, iii. 388, note.
- Lead*; diminishes the powers of restoration, i. 557. Its use in gonorrhœa, ii. 202. In gleet, ii. 222. Pieces of, in the bladder, how removed, ii. 233. Its influence on the muscles, iii. 137, note. In inflammation, iii. 384, 385.
- Le Canu, M.*; his analysis of the blood, iii. 18, note. On the relative proportion of the different elements of the blood, iii. 43, note.
- Lectures*; early anatomical, i. 4. Dr. Hunter's, i. 6. Of W. and J. Hunter, i. 16. Of J. Hunter, i. 28, 47. Croonian, Hunter's, i. 58. Surgical, MS. of, lost, i. 123. On surgery, i. 207. Method and intention of, i. 219.
- Lee, Dr. R.*, iii. 269, note.
- Leeches*; death of, from human blood, i. 354, note. An instance of, in which the blood remained fluid for ten weeks, iii. 33.
- Leicester Fields*; Hunter builds a house in, i. 85.
- Leopards*; Hunter's encounter with, i. 33.
- Lepra*; venereal, ii. 411, note.
- Letters*; of Lord Auckland to Sir J. Banks, i. 138. Of Sir J. Banks to Lord A., i. 141. Of J. Hunter to Sir J. Banks, i. 83, 84, 105, 122. Of J. H. to the Royal Society, i. 78. To his colleagues, i. 128. To Dr. Jenner, i. 37, 46, 55–76, 86–94, 103, 110, 116–118. Of Mrs. Hunter to Dr. Jenner, i. 96. Of Wm. Hunter to the Royal Society, i. 77.
- Leucorrhœa*. (See *Fluor albus*.)
- Leverian Museum*, i. 147.
- Library*; Hunter's, i. 138.
- Lice*; body, live after being boiled, i. 294, note.
- Lichen*; venereal, description of, ii. 411, note.
- Life*; a power superadded to common matter, i. 214, 221; iii. 120, note. Definition of, i. 223; iii. 2, 120, 126, notes. The cause of all actions, i. 217, 219. A simple property, i. 221, 223; iii. 120, note. Is not the result of organization, i. 221, 242; iii.

- 121, note. Or of action, i. 224; iii. 124, note. Possibly may arise from the arrangement of the ultimate molecules, i. 221; iii. 121, note. This idea illustrated by magnetism, i. 221; iii. 122, note. Is also ascribed to the *materia vitæ diffusa*, iii. 122, note. Is modified in its phenomena by organization, i. 223; iii. 124, note. Has been identified, but improperly, with galvanism, iii. 123, note. The propagation and preservation of the species, the end of, i. 225, 273, 293.
- Life*; of the blood, i. 231; iii. 103, 127, note. The argument for, a cumulative one, iii. 133, note.
- of the teeth, ii. 19, note.
- Ligatures*; caution respecting their use, iii. 302, note.
- Lightning*; destroys the coagulability of the blood and the contractility of muscles, iii. 114.
- Lint*; use of, in dressing wounds, iii. 414.
- Lip*; cancer of, i. 629.
- Liquor sanguinis*; iii. 21, 24, notes.
- Liver*; the reason why diseases of are more frequent in hot climates, i. 295, note. Hydatids of, i. 574.
- Living*; above par, the pernicious effect of, iii. 276; mode of, under a course of mercury, ii. 440, 445.
- Lixivium Saponarium*; its use in ulcerations resembling chancres, ii. 350.
- Lizards*; Hunter's experiments on, i. 21.
- Locked jaw*; iii. 379. (See *Tetanus*.)
- Locomotion*; organs of, i. 158.
- Lotions*; of the use of, in inflammation, iii. 396.
- Lower and King*; the first who practised transfusion on the human subject, in this country, iii. 13, note.
- Lues Venerea*; never combined with the itch or scurvy, ii. 132. And smallpox may appear at the same time, but not in the same parts, *ib.* Produced by a gonorrhœa, ii. 145. The cause of other diseases, ii. 155. The different ways in which it is communicated, ii. 381. Of the nature of the sores or ulcers proceeding from the, ii. 382. Does not contaminate the different secretions, ii. 383. This opinion questioned, ii. 477, note. Sores in the; the matter from, compared with that from chancres and buboes, ii. 385. Sores in the; the matter of, not venereal, *ib.* A person having the, may be affected locally by the application of matter from a gonorrhœa or chancre, ii. 386. Of the local effects arising from the, considered as critical, ii. 391. Of the symptomatic fever in the, ii. 393. Of the local and constitutional forms of the disease never interfering with each other, ii. 393. Of its supposed termination in other diseases, ii. 394. Of the specific distance of the venereal inflammation in the, ii. 395. Of the parts most susceptible of the, ii. 396. Of the time and manner in which the parts are affected in the, *ib.* Summary of the doctrine on the, *ib.* Parts affected in the, are divided into two orders, namely, first in order of parts, and second in order of parts, ii. 398, 425. Takes place more readily in those parts which are exposed to cold, ii. 398. Is brought into action by fever, ii. 400. Symptoms of the, ii. 405. Of the time necessary for its appearance, *ib.* Of the symptoms of the first stage of, ii. 407. Of the symptoms of the second stage of, ii. 420. Of the effects of the poison, on the constitution in the, ii. 422. General observations on the cure of the, ii. 423. The poison in the, circulates with the blood; but its effects are local and may be cured locally, ii. 425. The parts first in order are easier of cure than those second in order, ii. 426. Of continuing mercury while the swelling of the parts second in order still continues, *ib.* Of the use of mercury in the cure of, ii. 426, 468, note. Preparation of mercury and mode of applying it in the, ii. 427. Of the quantity of mercury necessary to be given in the cure of the, ii. 433. Of the length of time mercury should be continued for the cure of the, ii. 343. Of the cure of the, in the second or third stage, ii. 344. Of the local treatment in the, ii. 346. Of the effects remaining after its cure, and of the diseases sometimes produced by the cure, ii. 457. General observations on the medicines usually given for the cure of, ii. 460. Of the continuance of the spitting in, 464. Of diseases resembling the, which have been mistaken for it, ii. 466. Error on this subject, ii. 467, note, particularly as to the grounds of distinction between syphilitic and pseudo-syphilitic diseases, *ib.* Supposed to be communicated by transplanting of a tooth, *ib.*
- Lumbar abscess*. (See *Abscess*.)
- Lungs*; inflammation of, i. 398; iii. 400.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

662

INDEX.

Lyceum Medicum, i. 85.*Lymph*, *coagulable*, of a scirrhus tumour will contaminate the glands, i. 620. Objection to the term, iii. 17. (See *Fibrin*.)*Lymphatics*; their functions discovered, i. 18, 251. Hunter's intended work on, i. 20. Preparations of, i. 160. Diseases of in gonorrhœa, ii. 184. Inflammation of, iii. 319, 531, notes. (See *Absorption*.)

M.

Macaire and Marcet; their ultimate analysis of the blood, iii. 20, note.*Machine*; the animal body contrasted with a, i. 242.*Madder*; the effects of, on the teeth of a young pig, ii. 17. (See *Ossification*.)*Majendie*, M. and his dogs, i. 76. His experiments of injecting air into the veins, iii. 28, note. On the formation of the red globules, iii. 64, note.*Magnetism, Animal*, i. 337*Man*; distinguished by his reason, i. 260. Standard heat of, i. 289. Whether to be ranked in the class of carnivorous animals, from his teeth, ii. 52, note.*Marcet, Dr.*; his analysis of the serum, iii. 18, note.*Marriage*; Hunter's, i. 40.*Martin's, St., in the Fields*; Hunter interred there, i. 133.*Masseter muscle*; its description and uses, ii. 7.*Mastication*; the several motions of the under-jaw in, ii. 6. Action of the teeth in, ii. 30.*Materia vitæ diffusa*; what meant by, iii. 115, note, 333, 334, 335, 429, 436.*Matter*; the existence of, known only by our senses, i. 210. An abstract idea of, i. 212. Difference between common and organic, i. 214. How one passes into the other, unknown, i. 219.*Matter*; of a sore, not pernicious to that sore, ii. 164. This opinion questioned, ii. 208, note. Venereal, may be taken into the stomach without producing any bad consequences, ii. 384.*Mayo, Mr.*; iii. 42, 62, note.*Measles*; case of, in which it took the lead of smallpox, i. 513; iii. 5.*Mechanics*; in what respect the power in, differs from that in an animal body, i. 242, 267.*Medical and Chirurgical Society*, i. 86. Hunter's contributions to, on inflammation of the veins, i. 91. On paralysis of the œsophagus, i. 110. On intussusception, i. 117. On aneurism, *ib.* Jenner's paper to, on emetic tartar, i. 92.*Medicines*; the action of, i. 476. Our ignorance on this subject, iii. 366. Is only learnt from experience, iii. 278, note.*Membranes, mucous*; inflammation of, i. 411; iii. 475, 529, note. Do not bear or require much depletion, ii. 208; iii. 529, note.—, *serous*; inflammation of, i. 441, 529, note. Rarely affected primarily with ulceration, iii. 466.—, *inorganized*; produced by the coagulation and organization of fibrin, iii. 36.—, *cellular*; very susceptible of the adhesive and suppurative inflammations, iii. 282. And also of the ulcerative, iii. 466. Further observations on inflammation of this tissue, iii. 528, note.—, *fibrous*; inflammation of, iii. 530, note.*Memory*; Hunter's loss of, i. 119. As applied to the body, compared with the same faculty of the mind, i. 274.*Menses*; the blood in, is not globular, and does not coagulate, iii. 35, 85, 115.*Mercury*; assists the absorbents in removing callous parts, i. 430. In diseases of the bones, i. 507. The taking of, destructive to the transplantation of teeth, ii. 98. Unnecessary in the cure of a gonorrhœa, ii. 196. In inflammation of the testicle, ii. 212. Combined with mucilage, preferable to oily substances when used externally, ii. 333. Sometimes produces ulcers on the tonsils, which are taken for venereal, ii. 342. When rubbed into the thigh for the cure of a chancre, sometimes occasions swelling of the glands of the groin, ii. 343. Cautions respecting its use in phagadenic ulcerations, ii. 349, note. And pseudo-syphilitic disorders, ii. 468, note. How to be used in the resolution of buboes, ii. 368, 371. Of the quantity necessary for the resolution of buboes, ii. 373. To be used during the suppuration of buboes, ii. 374. Appears sometimes to lose its power on the body, ii. 376. Of the use of, in the cure of lues venerea, ii. 426. Preparation of, and mode of applying it in the

- lues venerea*, ii. 427. The most convenient way of introducing it into the constitution, ii. 429. Its action, ii. 430, 436. Its effects on the constitution, and parts capable of secretion, ii. 430, 455. Its effects as a poison, ii. 432, note. Never gets into the bones in the form of a metal, ii. 432. Of the quantity necessary to be given for the cure of the *lues venerea*, ii. 433, 438, 444. Its effects on the mouth, ii. 434. Of its sensible effects upon parts, *ib.* Does not act by evacuation, ii. 435, 454. Of the different methods of giving mercury externally and internally, ii. 438, 440. When mixed with the saliva may act as a gargle upon ulcers in the throat, ii. 439. Mode of living under a course of, ii. 440, 445. Of the different preparations of, and their combination with other medicines, ii. 440, 443. Of the length of time it should be continued for the cure of the *lues venerea*, ii. 443. Of correcting some of the effects of, ii. 448. Of the form of the different preparations of, when in the circulation, ii. 452. Is dissolved in the animal juices, ii. 453. Of the operation of, on the venereal poison, ii. 454. Increases the efficacy of electricity in the cure of diseases, ii. 455. The effect of on inflammation, i. 401; iii. 387, notes.
- Mercury*, perchloride of. (See *Corrosive sublimate*.)
- , protochloride of. (See *Calomel*.)
- Mercurius calcinatus*; its use in preventing a *lues venerea* from a gonorrhœa, ii. 207. In the *lues venerea*, ii. 441.
- Metastasis*; the laws which govern, iii. 389, note.
- Mexereon*; the uses of, in diseases of the bones, i. 509. In scrofula, i. 599. In *lues venerea*, ii. 460.
- Miasmata*; infectious, effects of, i. 296. How destroyed, *ib.*
- Microscope*; the indications of, to be received with much caution, iii. 60, note.
- Middleton, Mr.*, i. 101.
- Migratory animals*, i. 91, 294.
- Milk teeth*; progress of the formation of, in the fœtus, ii. 33. (See *Dentition*.)
- Mimosa*; actions of the, i. 328.
- Mind*; influence of, on the body, iii. 276.
- Molares*; origin of the formation of, in the fœtus, ii. 34.
- Mollities ossium*, differs from rickets principally in regard to age, i. 532.
- Moon*; the influence of, on diseases, i. 346.
- Morgan, Dr.*, iii. 410, note.
- , *Mr.*, on inflammation, iii. 427, note.
- Mortification*, i. 602; iii. 7, 318. Arises from the action being greater than the power, i. 603; iii. 8. Of the teeth, symptoms of, ii. 59. And Death. not the same, ii. 60, note. Inquiry into the cause of, ii. 62. Prevention and cure of, ii. 65. Takes place in the extremities of tall people, and why, ii. 134. Of two kinds, ii. 136. Its cause, *ib.* Its treatment hitherto in part improper, ii. 137. Its cure, i. 604; ii. 137; iii. 8. The use of bark in, *ib.* The use of opium in, *ib.* In consequence of diffusion of urine into the cellular membrane of the scrotum; its treatment, ii. 260. Occasions the blood to coagulate in the vessels, iii. 31, 42, note. From deficient innervation, iii. 329, note.
- Munro, Dr.*; his disputes with the Hunters, i. 18.
- Muscles*; loss of power of, consequent on injuries, i. 264, 439, 513, 517, 524. Contraction of, in diseases of the joints, i. 516. Wasting of, i. 524. Colour of, iii. 69, 199. Experiments on, iii. 109. General observations on their action, iii. 145. The involuntary, the strongest, iii. 148. Of the elongation of, iii. 150. Inflammation of, iii. 531, note.
- Museum*; Hunter's, cost of, i. 72. His wishes respecting, i. 137. Pitt refuses to purchase, *ib.* Letter from Lord Auckland to Sir J. Banks respecting, *ib.* Reply of Sir J. Banks to Lord Auckland, i. 139. Parliamentary committee, i. 141. Purchased by Parliament, *ib.* Offered to the College of Physicians, i. 142. Accepted by the Corporation of Surgeons, *ib.* Curators of, appointed, i. 145. New building planned, *ib.* Parliamentary grants for, *ib.* Visited by eminent foreigners, i. 146. New building completed, *ib.* Lectures established at, *ib.* Hunterian orations, *ib.* Contents of, i. 148. MS. catalogue of, i. 151. Physiological department, i. 156. Dry preparations, i. 179. Osteology, *ib.* Monsters, i. 181. Natural history, i. 183. Pathology, i. 184.
- , *Catalogue of*; Hunter's anxiety to complete, i. 149. Sir E. Home engages to form, i. 152. Supineness of Council respecting, i. 153. In course of publication, i. 154.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

N.

Nails; the separation of, a symptom of the lues venerea, ii. 409.*Napoleon*; his retreat from Moscow, disastrous consequences of, i. 287, note.*Nash, Mr.*; his claims to the discovery of vaccination, i. 39.*Natural History*; a project for a school of, by Mr. Hunter, i. 55. Department, in the Museum, i. 183.*Naturalist*; Hunter, as a, i. 135.*Necrosis*; i. 515, 529. Of the mode of operating for, i. 530.*Nerves*; i. 259. Olfactory, i. 19. Preparations of, i. 170. Do not cause or support life, i. 232, 264. Of the modes of impression which they are capable of, i. 261, 353. May exist without the brain, i. 264, note. Are sometimes included in ligatures without bad consequences, i. 541. Of the teeth, if exposed, the seat of tooth-ache, ii. 50, 53. Method of protecting them, ii. 54. Method of burning them, ii. 66. Reproduction of, iii. 120.*Nervous system*; probably exists in all animals, i. 260, note. Influence of, on the blood, i. 354. Influence of, on inflammation, i. 378; iii. 328, 531, notes.*Nitric acid*; its use in ptyalism, ii. 451, note.*Nodes, Venereal*; description of, ii. 420. Treatment of, ii. 446. Use of blisters in, ii. 447. Of abscesses in, consequence of, *ib.* Of exfoliation in, consequence of, ii. 448. On tendons, ligaments, and fasciæ, their treatment, *ib.**Nurses*; who suckle children, supposed to have the lues venerea, how affected, ii. 387.*Nutrition*; the function of, i. 247. Impaired when the nerves are destroyed, iii. 329, note. Is perverted or modified by inflammation, iii. 522, note.

O.

Œconomy, animal; Hunter publishes his work on, i. 102. The final purposes of accomplished by a succession of actions, arising out of one another, i. 273.*Edema*; consequent on cancer, i. 629.*Ointment*; mercurial, a cure for the itch, i. 618.*Olecranon*; fracture of, i. 511. Treatment of, i. 513.*Onanism*; how far pernicious to the constitution, ii. 304, 305, note.*Operations*; Hunter's opinion of, i. 93. Difficult to judge of their expediency, i. 210.The cause of their failure often obscure, *ib.* Should not be rashly undertaken, i. 465. The circumstances which should determine the propriety of in cancer, i. 627. Do not succeed in persons of full health, iii. 281.*Operator*; Hunter as a, i. 93.*Ophthalmia*, i. 449.*Opium*; in irritable persons, i. 556. In mortification, i. 604; ii. 237. In priapism, ii. 173. In gonorrhœa, ii. 201. In chordee, ii. 210. In stricture, ii. 235. In spasmodic affections of the urethra, ii. 301. In seminal weakness, ii. 309. In phimosis, ii. 338. In the lues venerea, ii. 441, 460. In soreness of the mouth from mercury, ii. 451. An instance where it was given in very large quantities, ii. 462. In inflammation, iii. 412.*Organization*; the proper notion of, i. 222, 241. Not the cause of life, i. 242. Of effused blood. (See *Blood, Vascularity*.) Gradual development of in the animal scale, i. 264; iii. 184, notes.*Organs*; vital, unmanageable in inflammation, i. 374.*O'Shaughnessy, Dr.*; his analysis of the blood, iii. 20, note.*Ossification*; the general progress of, different from the formation of the teeth, ii. 18. Of a tooth upon the pulp explained, ii. 39.*Osteological* department of the Museum, i. 179.*Ovum*; development of, i. 176, 178.*Owen, Mr. R.*; on the placenta, i. 16. Appointed assistant curator, i. 154. Forms the catalogue of the physiological series, i. 155.*Oxford*; Hunter enters at, i. 14.*Oxygen*; its effects on respiration, iii. 20, note.

P.

Pain; the nature of, i. 262, 361, 385, note. Why it is not felt by a part when it is struck by a musket-ball, i. 263. Dark people less susceptible of, than fair, i. 308,

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

665

- Inflammation of different parts and in different stages of its progress is characterized by peculiarities of, i. 397; iii. 331, 476, 562.
- Paracentesis Thoracis*, i. 443.
- *abdominis*; cases of, in which the wound did not close, iii. 280.
- Parotid gland*; fistula of, i. 579.
- Partnership*; of W. and J. Hunter, i. 15. Of W. Hunter and Hewson, i. 23.
- Paralysis*; of the urethra, ii. 276. Its cure, *ib.* Of the bladder from obstruction to the passage of the urine, ii. 287. Of the bladder, its cure when it arises from obstruction owing to pressure or spasm, ii. 289. Of the *acceleratores* muscles; its cure, ii. 301.
- Paraphimosis*; its cause, ii. 322. Natural, description of, ii. 325. From disease, description of, *ib.* From chancres, the treatment of, ii. 339. Operation for, ii. 340.
- Parasitical animals*; an enumeration of several species, iii. 256, note.
- Patella*; fracture of, i. 511.
- Pathology*; humoral, considered, i. 347, 352. The foundation of, is laid in experience, iii. 277, note.
- Pearls*; Hunter's, i. 105.
- Pearson, John*, ii. 457, note.
- Peculiarities* of animals, i. 173.
- Penis*; the structure of, i. 251. Sensation of, i. 262. Cancer of, i. 330.
- Pericardium*; inflammation of, i. 444; iii. 348. Use of, iii. 180.
- Perineum*; fistula of, i. 580. Operations on, in cases of retention of urine, from strictures, ii. 296, note.
- Period, latent*; of diseases, what meant by, i. 309, 312.
- Periosteum*; of the teeth, described, ii. 2.
- Peritoneum*; inflammation of, i. 445. In puerperal women, i. 446. After tapping, i. 447.
- Personal appearance*; Hunter's, i. 133.
- Philosophical Transactions*; Hunter's contributions to, on the Proteus of Ellis, i. 33. On the digestion of the stomach after death, i. 43. On the torpedo, i. 47. On the gizzard trout, i. 50. On the air-receptacles of birds, *ib.* On the recovery of drowned persons, i. 57. On vital heat, i. 57, 68. On the free-martin, i. 73. On smallpox during pregnancy, i. 80. On the change of plumage in birds, *ib.* On the ear in fishes, i. 84. On the wolf, jackal, and dog, i. 105, 117. On whales, i. 105. On bees, i. 122. Home's papers in, i. 153. Dr. Jenner's, on the cuckoo, i. 104.
- Phimosis*; its cause, ii. 322. Natural, description of, ii. 325. From disease, description of, *ib.* Its treatment when produced by or attended with chancre, ii. 334, 339, note. Produced by chancres, the common operation for, ii. 336. Of the constitutional treatment of, ii. 333, 339, note.
- Phlebitis*; i. 451; iii. 319, 581. Causes and treatment of, i. 452; iii. 582, 585. Frequency of, in the horse, i. 452; iii. 583.
- Phthisis Pulmonalis*, i. 596. The blood often buffy in the latter stages of, iii. 40, note.
- Physician-Anatomists*, i. 5.
- Physiology*; study of, much aided by comparative anatomy, disease, and monstrosities, i. 220. A complex science, embracing many different branches of knowledge, iii. 125, note.
- Picture*; Hunter's, by Sir J. Reynolds, i. 108.
- Pictures*; Hunter's love of, i. 38.
- Pins and needles*; traverse the body without exciting pain or inflammation, iii. 287. The stomachs of animals which feed in bleaching-fields often stuck full of, without inconvenience, *ib.*
- Piracy*; literary, complained of by Hunter, i. 84; iii. 2.
- Pitcairn, Dr. D.*; in consultation with Hunter, i. 610.
- Placenta*; anatomy of, i. 15, 76.
- Plague*; the poison of, affects the constitution in a specific manner, iii. 307.
- Plant Sensitive*; motions of the, i. 328.
- Plaster*; stimulant, to promote suppuration, iii. 418.
- Pleura*; very susceptible of inflammation, i. 442.
- Plunkett*; the cancer-curer, anecdote of, i. 625.
- Poison*; venereal, its origin doubtful, ii. 138. Began in the human race, and in the parts of generation, ii. 139. Its nature, *ib.* Its effects, ii. 140. Propagated by matter, ii. 140, 192. Its action, ii. 142. Its greater or less acrimony, *ib.* It affects

- very differently different people, *ib.* The same in gonorrhœa as in chancre, ii. 143. This opinion questioned, ii. 146, note. How communicated to the inhabitants of the South Sea Islands, ii. 145. Produces different forms of the disease; how this happens, ii. 145. The cause of its poisonous quality, ii. 147. Does not arise from fermentation, ii. 149. Its effects arise from a specific irritation, ii. 151. Affects the body in two different ways, locally and constitutionally, ii. 153. Of the time between the application and effect, ii. 160. Applied to a sore will often produce the venereal irritation, ii. 165. May be absorbed in three different ways, ii. 356. When absorbed may affect the lymphatics themselves, or the lymphatic glands, forming buboes in each, ii. 357, 358. Of the time between its application and the formation of a bubo, ii. 360. Affects but one gland at a time, *ib.* Never affects the glands which are second in order; the reason of this, ii. 361. Sometimes only irritates the glands to disease, producing in them scrofula, ii. 366. Experiments made to ascertain the progress and effects of the, ii. 417. Of its effects on the constitution in the lues venerea, ii. 422. Circulates with the blood in the lues venerea; but its effects are local, and may be cured locally, ii. 425. Of the operation of mercury on the, ii. 454.
- Poisons**; the effects of, i. 355, note. General considerations on, i. 611. Of the different ways in which they affect the body, i. 612, 616; iii. 427, note. Mineral, i. 613. Vegetable, i. 614. Animal, *ib.* Morbid, i. 615; ii. 138. Modes of receiving, i. 616. New, are rising up every day, ii. 477. Particular, affect particular structures, iii. 6. Do not essentially alter the inflammatory action, iii. 300.
- Polypi**, i. 568. Of the uterus, *ib.*
- Position**; the effect of, on the progress and cure of disease, iii. 272.
- Potash**; hydriodate of, its use in phagadenic ulcerations, ii. 349, note.
- ; ferro-cyanate of, a delicate test of the presence of albumen, iii. 49, note.
- Potassa Fusa**; when and how it should be used, i. 603.
- Pott, Mr.**; his improvements in surgery, i. 13. His disputes with Hunter, i. 18. His life and character, i. 111. His strictures on Mr. Hunter's operation for aneurism, i. 547.
- Poultices**; in inflammation, i. 412; iii. 397, 413. Of sea-water, in scrofula, i. 600. Stimulant, so as to promote suppuration, iii. 418.
- Practice**; Hunter's dislike of, i. 28. Amount of, i. 40, 72. Slow progress in, i. 26.
- Predispositions**; require an exciting cause for their development, i. 306.
- Pregnancy**; state of the blood in, iii. 357.
- Pressure**; a cause of absorption and thickening, i. 256, 421, 464; iii. 466. A stimulus, i. 481.
- Prevost and Dumas**; on the blood-globules, iii. 64, note.
- Principle**, aromatic; of the blood, iii. 54, note.
- , of conservation and repair; inherent in an animal body, iii. 269.
- , vital; unlike any power or property in physics, i. 223. Used synonymously with simple animal life, i. 217, 318. Reasons for retaining the term, iii. 125, note. The presence of, prevents substances from acting as foreign bodies, iii. 256.
- Principles**; the value of in surgery, i. 208, 365; iii. 297. Secondary, i. 275. Connexion between, in the higher animals, i. 264, 318. Mechanical and chemical, often introduced into the animal œconomy, i. 217; iii. 125, note.
- proximate; of organized bodies, i. 215, 216, 218, notes. Easily convertible into one another, iii. 37, 41, 45, 55, notes.
- Printing**; carried on in Hunter's house, i. 102.
- Processions**; Hunter's dislike of, i. 121.
- Professional men**; their slow progress, i. 25.
- Projection**; of the under jaw, method of rectifying, ii. 94.
- Propagation and Preservation** of the species, the ultimate end of life, i. 225, 273, 293.
- Prostate Gland.** (See *Gland.*)
- Prout, Dr.**; on the salts of the blood, iii. 47, note. On animal chemistry, iii. 67, note.
- Prussic acid**; in inflammation, iii. 387, note.
- Psoriasis venereal**; description of, ii. 412, note.
- Pterygoidæi muscles**; their description and use, ii. 10.
- Ptyalism**, ii. 434, 464. Of the use of nitric acid in, ii. 451, note.
- Pulse**; the state of, in disease, i. 362. In inflammation, i. 376, 382; iii. 354, 358. In inflammation of different textures and organs, iii. 362. How far an indication for bleeding can be derived from, i. 404; iii. 360, 379. In different animals, iii. 194.

- Cause of, iii. 216. Is the result of the combined action of the heart and arteries and the part affected, iii. 359, 362. Rises after bleeding, iii. 362. Sometimes even becomes harder, iii. 361.
- Punctuality*; Hunter's, i. 52. Baillie's, i. 53.
- Pupils*; Hunter's, i. 28, 34, 49. Fees of, disputes respecting, i. 127.
- Purging*; in inflammation, i. 406; iii. 382.
- Pus*, i. 414; iii. 438. General opinion of the formation of, iii. 440, 457, note. Experiments to ascertain the progress of suppuration, iii. 444. To be regarded as the result of secretion, iii. 410, 422, 440, 457, note. Production of, independently of inflammation, i. 413; iii. 419. This opinion questioned, iii. 421, note. Properties of, i. 414; iii. 449. Of the distinction between pus and mucus, i. 417. Has all the specific qualities of the part which produces it, iii. 452. And is not injurious to the parts which secrete it, ii. 165, 453; iii. 452. This opinion questioned, ii. 228, note. Corrosive, i. 418; iii. 452. Uses of, i. 419; iii. 455. From diseased bones, i. 516; iii. 455. Scrofulous, i. 594; iii. 417. Composition of, iii. 456, note. Progress of, towards the surface, iii. 479, note, 520. Is found in unorganized coagula, iii. 457, note.
- Putrefaction*; peculiar kind of, attended with emphysema, i. 226. Is slower in taking place in young and inflammatory than in old and healthy blood, iii. 124, 128, 132, notes.

Q.

- Queensbury*, case of the Duke of, who broke his tendo Achillis, i. 264, 439.

R.

- Rabbit-mouth*; means of rectifying, ii. 91.
- Rabbits*; experiments on, of freezing their ears, iii. 108, 323.
- Ramollissement*, iii. 532, note.
- Raspail, M.*; on the formation of the red globules, iii. 64, note.
- Reading and Reflection*; their advantages compared, i. 210.
- Reason*; the result of sensation, i. 259. The distinguishing attribute of man, i. 260. Sometimes active during sleep, i. 335.
- Redness*; in inflammation, accounted for, i. 383. Sometimes deficient, i. 397, note.
- Relaxation*; of the skin, precedes the approach of an abscess to the surface, iii. 477.
- Replacing* of a tooth drawn by mistake, instruction for, ii. 100.
- Reproduction*; organs of, i. 174.
- Repulsion*, i. 210; iii. 388, 391.
- Resistance*; of heat and cold, in animals, i. 289.
- Respiration*; organs of, i. 169. Artificial, mode of producing, iii. 76. Connection of, with the circulation, iii. 78, note. Importance of, iii. 86. Changes effected by, on the blood, iii. 90, 92, notes.
- Resolution*; of inflammation, i. 387, 400.
- Rest*; effect of, on coagulation, iii. 28, 30, 33, notes.
- Restoration*; the powers of, in inflammation, i. 309, 501, 555. Greater in youth than in age, i. 484. Of joints, extremely limited, i. 519. Different from resistance to disease, iii. 3, note.
- Resurrection-men*; Hunter a favourite with, i. 10.
- Rete-mucosum*, i. 431; iii. 505.
- Revulsion*, i. 321, 407; iii. 388, 395.
- Reynolds, Sir J.*; his picture of Hunter, i. 108. His death and funeral, i. 121.
- Rickets*, i. 531; ii. 18.
- Rigors*; depend on the novelty of an unaccustomed action or impression, i. 379; iii. 358. How far the stomach is concerned in their production, iii. 346, 429. To be regarded as a proof of debility, iii. 358, 430.
- Roche, M. de la*, i. 289, 290.
- Roget, Dr.*, iii. 79, note.
- Roof*, of the mouth; osteological description of, ii. 1.
- Rot*, the; in sheep, i. 572.
- Rotting*, of the teeth; symptoms and consequences of, ii. 59. Inquiry into the cause

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

- of, ii. 62. Whether a rotten tooth has any contaminating power, *ib.* Symptoms of inflammation, ii. 63. Is cured only by extraction, ii. 65. The breath rendered foul by, *ib.* Prevention a cure of, ii. 66.
- Royal Society*; Hunter elected a fellow of, i. 33. (See *Phil. Trans.*)
- Running hard*; destroys the coagulability of the blood and the contractility of muscles, iii. 114.
- Rupia venereal*; description of, ii. 412, note.
- Russian savans*; their opinion of Hunter's museum, i. 147.

S.

- Sacculi mucosi*, inflammation of and cure, i. 449.
- Sacs*; adventitious, formed for the lodgement of bullets, glass, &c., iii. 289.
- Salivation*; occasioned by a sore being dressed with red precipitate, ii. 428.
- Salts*, of the blood; their relative quantity in health and disease, iii. 46, note. Their supposed uses, *ib.*
- Sarsaparilla*; its use in spreading ulcers of the prepuce, ii. 346. In buboes, ii. 380. In the lues venerea, ii. 456, 460, 463.
- Scabbing*, i. 429; iii. 262, 264.
- Scabies*, i. 617.
- Scalds*, iii. 265.
- Scaling* of teeth; the utility of this operation, ii. 54. Caution in, ii. 87.
- Scarifications*; the danger of, in anasarca, i. 603. In mortification, i. 604. In carbuncle, i. 610.
- Schultz, M.*, iii. 63, 197, notes.
- Schwilgue*; on the composition of pus, iii. 457, note.
- Scion* tooth; instructions for the choice of, ii. 99.
- Scorpions*; may poison and destroy one another, i. 614.
- Scrofula*; observations on, i. 590; ii. 155, 156, 216, 219, 432, note; iii. 307, 417, 419. Brutes subject to, i. 590. Predisposing causes of, i. 308, 592. Not hereditary, i. 358, 591. Parts most subject to, i. 591. Of climates and seasons, in reference to this disease, i. 592. Susceptibility to, may be acquired, *ib.* Progress of, i. 593. Appearances of, i. 594. Of the testicle, i. 597. Of the breast, *ib.* Medical treatment of, i. 598. Surgical treatment of, i. 600.
- Scrotum*; relaxation of the, the cause of, ii. 305.
- Scurvy*; effects of that disorder on the gums and alveolar processes, ii. 80. Is the first object of cure, ii. 81. Of the gums, ii. 82.
- Seasons*; influence of, on disease, i. 345, 592.
- Secretion*, i. 250. Rapidity of, iii. 38, note. Influence of the nervous system on, iii. 329, note.
- Secretions*; uses of, i. 250. Of the skin, acid in rheumatism, i. 353, note.
- Sedatives*; effects of, i. 314.
- Seeing*; the sense of, compared with that of feeling, i. 212.
- Sensation*; cannot exist without the brain and nerves, i. 259. Delusive, from sympathy and when the nerves are injured, explained, i. 261, 326. Is only to be perceived within certain limits of time and space, i. 263. In healthy persons is in proportion to the nerves and vascularity of the part, i. 263; iii. 200. But not in disease, iii. 334. Does not exist in the unborn foetus, i. 264. May be produced in any part by fixing the attention to that part, i. 337. Continued, exhausts life, i. 266. Some actions, independent of, i. 264, 318. Suspended during sleep, i. 335. Of inflamed parts, i. 378.
- Senses*; organs of, preparations of, i. 171. How to be considered, i. 261.
- Sensibility and Contractility*; the distinguishing properties of an animal body, i. 242, note.
- of the teeth; accounted for, ii. 50, note. Of diseased parts, not in proportion to the quantity of nerves, iii. 334.
- Serosity*; account of, iii. 50.
- Serum*, iii. 39. Analysis of, iii. 18, note. Proportion of, to crassamentum, iii. 25, 47, notes. Specific gravity of, iii. 47, note. Becomes lighter in inflammation, iii. 356. Proportion of albumen in, in health and disease, iii. 45, note. Sometimes separates before coagulation, iii. 46. Colour of, iii. 47. Coagulation of, iii. 49. Milky, iii. 55.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

669

- Sharp, Samuel*, i. 25.
 ———, *William*, i. 4.
 ———, the engraver, i. 109.
- Shedding of teeth*; the process of, explained, ii. 43. The necessity of a new set, pointed out, ii. 46.
- Sickness*; produced by a bougie, i. 311, 320. By an enema, i. 311.
- Silica*; its solution compared to that of the albumen in the serum, iii. 49, note.
- Simpson, Dr.*, iii. 410, note.
- Skin*; sympathy of, with the stomach, i. 325. Seems to be the cause of the susceptibility of the absorbents to receive venereal irritation, ii. 361. Inflammation of, iii. 528, note.
- Skinning*. (See *Cicatrizacion*.)
- Sleep*; small portion of, required by Hunter, i. 54. The nature of, i. 265.
- Sloughing*; the causes of, i. 602. Mode in which the dead parts are detached, i. 606. Sores, from contusion, treatment of, iii. 266. (See *Mortification*.)
- Smallpox*; case of, which was checked by the occurrence of measles, i. 313; iii. 5. The pits left by, caused by a sloughing of the cutis, i. 426. May be received in utero, i. 354, note. Effects its own cure, i. 616. Matter, immaterial from what subject taken, ii. 143. The reason why a person cannot be infected twice with, ii. 392. And cowpox, are sometimes combined, iii. 5, note.
- Snakes*; instances of, where they have remained fat for several months, without taking food, iii. 12, note.
- Society*; Hunter's early position in, i. 10. His taste for, i. 41.
- Soda*; the use of, in carbuncle, i. 610.
- Soemmerring, A. Von*; his letter, on being elected F.R.S., i. 73.
- Softening*, of the tissues, in inflammation, iii. 532, note.
- Soirée*; Hunter's conduct at, i. 41.
- Solander, Dr.*, how affected by cold, i. 286.
- Somnambulism*, i. 335.
- Sores*, fungated, i. 629. (See *Ulcer, Chancre*.)
- South Sea Islands*; inhabitants of, how affected with lues venerea, ii. 143.
- Species*; the meaning of this term, as applied to disease, iii. 1.
- Sphacelus*, i. 226. (See *Mortification*.)
- Sponge, burnt*; its efficacy in scrofula, i. 599.
- Specific gravity*; of the blood, iii. 22, note. Of milky serum, iii. 46, note. Of serum and serous effusions, iii. 47, note.
- Speech*, depends on the respiration being partially under the will, iii. 194.
- Spleen*; the red globules not formed in, iii. 68, note.
- Spots of blood*; tests for distinguishing them from other stains, iii. 54, note.
- Sprains*, i. 517.
- Stevens, Dr.*; on the salts of the blood, iii. 46, note. His theory of arterialization examined, iii. 94, note.
- Stimuli*; the nature of, explained, i. 269. Carried to their utmost extent, act as sedatives, i. 269, 477, 479. This exemplified by cold, i. 9. Effects of, i. 314, 479. In mortification, iii. 8.
- Stimulus*; of necessity, the sense in which this term is employed, i. 236, 308, 316, 361, 509, 560; iii. 32, 34. Called also a sympathetic stimulus, iii. 146, note. Of death, i. 227, 239, 269, 446; iii. 114, note. Of imperfection, called also the irritation or consciousness of imperfection, i. 232, 255, 387, 398; iii. 239. Of nature, i. 238. Of want, or hunger, i. 270, 311. Of weakness, i. 529.
- Stoker, Dr.*, iii. 39.
- Stoll, Dr.*, i. 146.
- Stomach*; sympathy of, with other parts, i. 245, 248, 325, 378; iii. 346, 429. With the mind, i. 249. With the skin, i. 325. The principal part in the lower animals, i. 247. The powers of, *ib.* The effects of inflammation on, i. 278; iii. 362. The seat of simple animal life, i. 378, 379; iii. 429. The source of heat and cold, i. 384; iii. 336, 345. Is often multiplied in the lower animals, iii. 116.
- Stone in the bladder*; indicated by pain in the left arm, i. 322.
- Stopping of hollow teeth*; method of performing, ii. 68, 69, note.
- Strangury*; the use of blisters in, ii. 218. Its cause, ii. 273.
- Strawberries*; sometimes act as a poison, i. 611.
- Strength*; in what sense this term is used, iii. 277.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

Strength and weakness; how they modify the phenomena of inflammation, i. 374; iii. 276, 278.

— *and action*. (See *Action*.)

Stricture; different kinds of, ii. 229. Permanent, description of, ii. 230. Affected by cold, ii. 231. Its cause, *ib*. Common to most passages in the body, *ib*. In general not the effect of the venereal complaint, ii. 232. May arise in consequence of any long-continued irritation of the urinary organs, ii. 233, note. Its cure by dilatation, ii. 234. Use of bougies in, ii. 235. Frequently attended with spasms, *ib*. Its cure by ulceration, ii. 238. Occasions an increase in the strength of the bladder, ii. 241. Use and application of caustic to, ii. 242, 245, note, 267. In women, observations on, ii. 246. In women, its cure, ii. 248. Attended with spasmodic affection, ii. 249. Sometimes relieved by a gonorrhœa, *ib*. Spasmodic, its treatment, ii. 250. Permanent, diseases in consequence of, ii. 257. Bad effects of travelling in, ii. 274.

Striking the teeth; a mode of detecting those that are unsound, ii. 71, note.

Structure; the influence of, in disease, i. 343, 366, 373, 374, 484; iii. 271, 282, 527. Experiments to prove that there is considerable inequality in this respect, iii. 273. Is altered by inflammation, iii. 527, note. New formed, generally assumes the nature of the surrounding parts, iii. 115.

Stumps of teeth; the state in which they usually remain, ii. 60.

Styptics, i. 538.

Substances, foreign; their approach to the surface described and explained, i. 373, 423; iii. 479, note. In the blood, i. 352, note.

Sugar; one of the best restoratives of the kind we are acquainted with, ii. 445.

Sulphur; a cure for the itch, i. 618. Its use in correcting some of the effects of mercury, ii. 450.

Supernumerary teeth; the origin of, accounted for, ii. 51. Ought to be removed, ii. 93.

Suppression of urine; how relieved, ii. 287. Operations for the cure of, ii. 290.

Suppuration; i. 409; iii. 403. Symptoms of, i. 379, 411; iii. 408. What are the conditions of structure most favourable to, iii. 283, note. Principally occurs in the external parts, iii. 287; and mucous canals, i. 411; iii. 289. Sometimes takes the lead of the adhesive, constituting the diffuse suppurative inflammation, iii. 347. Causes of, i. 410; iii. 404. May take place without breach of surface, iii. 410, 422, 441; and without inflammation, iii. 419. This opinion questioned, iii. 421, note. Analogous to secretion, iii. 444. Treatment of, i. 412; iii. 408. Treatment of, when suppuration must take place, iii. 411; and also when it has taken place, iii. 416. Constitutional effects of, iii. 424. Of its not answering the common final intention in a gonorrhœa, ii. 159. (See *Pus*, *Abscess*, *Suppurative Inflammation*.)

Surfaces, secreting and nonsecreting; what they are, ii. 145. Of the best for absorption, ii. 427.

Surgeons; eminent, and their pupils, i. 35. College of. (See *Corporation*.)

—; French military, superior to the English, before the time of Hunter, iii. 541, note.

Surgery; state of, before Pott, i. 13. Pott's improvements in, *ib*. State of, before Hunter, i. 30.

Susceptibility; of impressions, i. 267; of disease, i. 301. Greater in some persons than in others, i. 304. Kinds of, i. 305. May often be known by concomitant circumstances, i. 308.

Sutures; remarks on, iii. 265.

Swallows; migration of, i. 91.

Swearing; Hunter addicted to, i. 28, 52.

Swelling; in inflammation, i. 383, 397; iii. 327. White, i. 596.

Sympathy; i. 371; iii. 6. May be regarded as a secondary principle, introduced into the œconomy of the higher order of animals, i. 371. Of the stomach, as universal as that of the brain, i. 248. Of the stomach with other organs, i. 245, 248, 325; iii. 346, 429. With the mind, i. 249. Of the vital principle, i. 226, 264. Connection of principles of action, in the living body, i. 318. Between different individuals, i. 320. Of natural and diseased, and their classification, i. 320; ii. 131. Constitutional, i. 322; iii. 6, 433. Certain parts sympathize more strongly than others, i. 324. Of similar and dissimilar, i. 325. Between the body and mind, i. 329. Of the mind with the living principle, *ib*. Uses of sympathy in the animal œconomy, i. 330. Of delusion, i. 331. The cause of the disorders incident to dentition, ii. 106. The symptoms of, in children, often more violent than the parts immedi-

INDEX.

671

ately affected, ii. 107. How adults are affected by it, *ib.* To be cured by local applications, ii. 108. Partial, divided into remote, contiguous, and continuous, ii. 132; iii. 7. Between the urethra and the cutting of a tooth, an instance of, ii. 33, 161. Occasions a variety of symptoms in gonorrhœa, ii. 51, 177. In gonorrhœa, occasions swellings in the testicles, ii. 177, 213. And in the absorbent glands, ii. 182. Sometimes cures a gleet, ii. 224. Occasions affections of many parts during the use of bougies, ii. 251, 256. Between the skin and deeper-seated parts, when cold is applied to the former, ii. 399. In inflammation, i. 376; iii. 291, 388, 393, 427, 433. Of repulsion, revulsion, translation, and derivation, iii. 393.

Symptoms; what so called, i. 310, 311, 361. Premonitory, i. 268, 311. The knowledge of, important, i. 320. Delusive, i. 353.

Syncope, i. 266.

Syphilis. (See *Lues Venerea*.)

Syphilitic and pseudo-syphilitic diseases; the distinction between, ii. 467, note.

System, absorbent; affected in two ways, by irritation and the absorption of matter, ii. 182. (See *Absorbent*.)

——, *vascular*; general considerations on, iii. 145. (See *Heart, Arteries, Veins*.)

T.

Tænia; found alive in carp that have been boiled, i. 293, note. Each joint of, the seat of a separate ovary, iii. 116, note.

Taliacotian operation; cases in which the principle of, is applicable, iii. 256, note.

Taylor, a quack, and Hunter, i. 87.

Teething, i. 324.

Teeth; Hunter's work on, i. 40, 71. The sockets for, how formed, ii. 3. The alveolar processes belong rather to them than to the jaws, ii. 4. Description and use of the enamel of, ii. 15. The interior substance of, ii. 16. Whether vascular or not, ii. 17, 18, note. The growth of, different from that of bones, ii. 18. The growth of not affected by rickets, *ib.* The cavity in, ii. 19. The periosteum of, ii. 20. The natural situation of, *ib.* The full number of, ii. 21. The several classes of, *ib.* The incisores, ii. 22. The cuspidati, ii. 23. The bicuspidæ, ii. 24. The grinders, ii. 25. Their fangs, ii. 27. Articulation of, ii. 28. Action of, from the motion of the lower jaw, ii. 29. The cells for, how formed, ii. 32. Formation of, in the fœtus, ii. 33. Cause of the pain in dentition explained, ii. 34. Adult, progress of their formation, ii. 82. A third set sometimes formed in old age, ii. 35. Manner of formation, ii. 37, note. Process of shedding described, ii. 43. First and second sets connected by a communicating chord, ii. 44, note. Reason of the shedding of, ii. 46. How the cavity fills up with new matter as they wear down, ii. 47. Whether they continued to grow after being completely formed, ii. 48. The sensibility of, accounted for, ii. 50. Supernumerary, how they originate, ii. 51. How they affect the voice, *ib.* Whether man is proved to be a carnivorous animal by his teeth, ii. 52. The diseases they are subject to, ii. 53. On the extraction of, ii. 54, note. Of cleaning them, ii. 54. Transplantation of, ii. 55. The practice of, reprobated, ii. 56, note. Of venereal diseases supposed to be produced by transplantation, ii. 466, 483. Transplantation produces a disease which is sometimes more difficult of cure than the venereal, ii. 488. Decay of, by rotting, ii. 59. Inquiry into the cause of their rotting, ii. 62. Whether a rotten tooth has any contaminating power, *ib.* Symptoms of inflammation, ii. 63. The pain of, brought on by circumstances unconnected with the disease, ii. 65. Prevention and cure of rottenness in, *ib.* Methods of burning the nerve, ii. 66. Methods of stopping them where hollow, ii. 68. Decay of, by denudation, ii. 70. Swelling of the fangs described, ii. 71. The nature and causes of gum-boils, ii. 72. Treatment of, ii. 75, and note. Incrustation of extraneous matter upon, ii. 85. Mechanical methods of removing, ii. 87. Chemical applications to, *ib.* Irregularity in the position of, to what owing, ii. 88. The operation of moving them described, ii. 90. Cautions as to the extraction of those that are irregular, ii. 91. Method of rectifying what is called the rabbit-mouth, *ib.* The proper indications for drawing them, ii. 95. Consequence of deferring the operation too long, *ib.* Directions for the performance, *ib.* Instructions for the transplantation of, ii. 97.

Temperament, i. 307. (See *Susceptibility*.)

Temperature. (See *Animal Heat*. *Climate*.)

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

- Temporal muscle*; description and use of, ii. 9.
- Tendo Achillis*; rupture of, i. 34, 264, 436, 438.
- Tendons*; injuries of, i. 439.
- Testis*; descent of, i. 18. Anatomy of, *ib.* Pulp; the diagnosis between and hydrocele, i. 459, 468. Scrofulous, i. 469, 594, 597. Cancerous, i. 629. Seldom associated with hydrocele, i. 469. Swelling of, arises from sympathy in gonorrhœa, ii. 179, 213, 320. Swelled, symptoms of, ii. 179. Its treatment, ii. 212. Swelling of, is not venereal, ii. 179, 212. This opinion questioned, ii. 182, note. Sometimes produced by the gout, ii. 182. Affected sympathetically from the use of bougies, ii. 251, 256. Of the decay of, ii. 311, 315; iii. 533.
- Tetanus*, i. 324, 583; iii. 437. In animals, i. 584. Causes of, i. 585; iii. 431. Treatment of, i. 587.
- Thackrah, Mr.*; his explanation of the milky appearance of the blood, iii. 55, note.
- Thomas, Mr.*; his anecdotes of Hunter, i. 114.
- Thomson, Dr. J.*, iii. 410.
- Thought*; the importance of established habits of, i. 277.
- Throats*; venereal sore, described, ii. 415, note.
- Tic Douloureux*; the periodic character of, distinguishes those cases which arise from constitutional causes from those which arise from the teeth, ii. 85, note.
- Tickling*; a peculiar mode of sensation, i. 262.
- Tiedemann and Gmelin*, i. 295.
- Tiger*; Mr. Hunter's purchase of, i. 29.
- Time*; Hunter's distribution of, i. 53. His great economy of, *ib.*
- Tissue* erectile; structure of, i. 251.
- Tissues* elementary; endowed with life and the powers of reproduction and reparation in very different degrees, iii. 271, 527, notes. (See *Structure*.)
- Tommasini, Sig.*, iii. 388, note.
- Tongue*; state of, in disease, i. 363. Ulcers of, are seldom venereal, ii. 398.
- Tonsils*; venereal ulcers of, description of, ii. 413, 415, note. Tumefaction of, *ib.* Excoriation of, ii. 414, 458.
- Toothache*; is caused by the exposure of the nerve of the tooth to the air, ii. 50, 53. How to stop a hollow tooth, ii. 54. Method of burning the nerve, ii. 66. Other modes of treatment, *ib.* Cautions in relation to nervous pains in the jaws, ii. 84. Instructions for the drawing of teeth, ii. 95.
- Torpedo*; anatomy of the, i. 40.
- Torpor and Sleep*; the difference between, i. 286. Digestion suspended during the former, *ib.*
- Torsion*; of arteries, is an unsafe substitute for the ligature, i. 540, note.
- Toryism*; Hunter's, i. 121.
- Touch*; the sense of, common to all the organs of the senses, i. 261.
- Trail, Dr.*, iii. 55, note.
- Trances*, iii. 32, note. (See *Swoons*.)
- Transformations*; of structure, are supposed by some to be referrible to inflammation, iii. 533, note.
- Transfusion*, i. 541. History of, iii. 13, note.
- Translation*; of disease, iii. 388, 395.
- Transplantation of teeth*; facility of this operation, ii. 55. Successful performance of, ii. 80. General remarks on, ii. 97. Necessary attentions to the state of the gums and sockets, *ib.* In what cases dead teeth are preferable to living ones, ii. 98. In what cases it ought not to be attempted, *ib.* Ought not to be attempted on persons while taking of mercury, *ib.* The proper age for the performance of, ii. 99. Directions for the choice of scion teeth, *ib.* Of replacing a sound tooth when drawn by mistake, ii. 100. Successful instance of replaced teeth, ii. 101. Of dead teeth, *ib.* How teeth are to be fixed and tied, ii. 102. How the patient is to conduct himself, ii. 103. Accidents to which transplanted teeth are liable, ii. 103, 466, 483, 488. Evidences of a living union between transplanted teeth and their sockets, *ib.* The practice of, reprobated, ii. 56, 104, notes.
- Trephine*; the operation of, when required, i. 492, 494, 496, notes. Dangers of, i. 495, note.
- Trout Gillaroo*, i. 50.
- Truncated teeth*; a peculiar appearance of, ii. 71, note.
- Tubercles*; i. 567. Venereal, description of, ii. 410, note. Ulcerating, resemble rupia, ii. 415, note.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

673

Tumours; general observations on, i. 314, 366. Origin of, i. 367, 559, 567, notes. Removal of, i. 567, 569. Encysted, i. 567, note, 571, 574. Bony, i. 570. Cuticular, i. 575. Of the gums, require the extraction of stumps or diseased teeth, ii. 76, note. Horny, iii. 632.

Turner, Dr.; on the coagulation of albumen, iii. 49, note. On the arterialization of the blood, iii. 96, note.

Turpentine; the styptic powers of, i. 483, 539; ii. 335.

U.

Ulceration, i. 380, 428; iii. 450, 473, 483. (See *Ulcerative Inflammation, Absorption.*)

Ulcers; fungated, i. 630. Irritable, i. 553. Indolent, i. 557. The causes which retard their cure, i. 552. Venereal, of the nature of, ii. 382. Phagadenic, ii. 324, note. Phagadenic, description of, ii. 347, note. The secondary symptoms from this kind peculiarly severe and intractable, ii. 348, note. Of the tonsils, description of, ii. 413.

Union by the first intention, i. 367; iii. 34, 118, 238. The uses of, i. 368. Is not attended with sympathetic fever, iii. 249. Of the period after which it would be improper to attempt this union, iii. 253. Of the coagulating lymph or bond of union, iii. 254, note; 349. Of the time required for this process, iii. 255, 346. Practical observations respecting, iii. 257. Is probably not effected, as Mr. Hunter supposed, through the medium of the blood, but by coagulable lymph, iii. 43, 132, 267, notes. Of strength and weakness, in facilitating or retarding this process, iii. 280. Does not take place sometimes in dropsical people, *ib.* Is sometimes destroyed in consequence of constitutional diseases, as scurvy and mercury, ii. 432, note; iii. 487.

Ure, Dr.; on the red colour of the blood, iii. 59, note.

Urea; in the blood, i. 352, note.

Uredo Nivalis; grows and flowers under the snow, i. 293, note.

Ureter and Kidney; affected in a gonorrhœa, ii. 179. Of the distension of the ureters, ii. 299.

Urethra; case where a disorder of, was produced by dentition, ii. 110. Ulcers in the, not produced in a gonorrhœa, ii. 158, 232. A short history relative to that subject, ii. 158. An instance of its sympathising with the cutting of a tooth, ii. 161. Is sometimes the seat of the gout and rheumatism, ii. 162. Its action, ii. 173. What parts of the, furnish the matter in a gonorrhœa, ii. 174. Bleeding of, ii. 145. How affected by inflammation, ii. 176. Bleedings from, their treatment, ii. 209. Suppuration of its glands, how treated, ii. 211. Observations on its uses, ii. 228. Obstructions of, the different kinds of, *ib.* Parts of the, most subject to stricture, ii. 230. Lacunæ of, a bougie frequently stops in them, ii. 237. Different kinds of obstructions which take place in that canal, ii. 242. Sometimes a new passage is made along the side of the urethra by bougies; the treatment and cure of that accident, ii. 258. Enlargement of, ii. 257. Inflammation of the parts surrounding the, treatment of, ii. 264, 266. Abscesses near the, their treatment, ii. 264, 265. Spasmodic affections of the, ii. 273. Their cause, *ib.* Their cure, ii. 274. Paralysis of, ii. 276; its cure, *ib.*; the use of cantharides in, *ib.* And bladder contract and relax alternately, ii. 284. Inconveniences which arise when these actions do not take place regularly, ii. 285. Their treatment, ii. 286. Mucus of, the discharge of, ii. 302.

Urine; state of, in disease, i. 362. Albuminous, i. 552, note. Affords an indication for bleeding, i. 405. Coagulation of, by Goulard's extract, iii. 52, note. Rendered alkaline by mercury, ii. 207, note; or reduction of the general strength, ii. 208, note. Of a new passage formed for the, ii. 258. The mischief it occasions by being diffused into the cellular membrane of the scrotum and neighbouring parts, ii. 259. Description of an operation to prevent it, ii. 260. To be drawn off frequently in suppressions of, ii. 260, 290. Suppression of, how relieved, ii. 287. Retention of, operations for the cure of, ii. 290, 296, note. Suppression of, the use of calomel and opium in, ii. 294. Should never be retained a length of time in the bladder, ii. 301.

Uterus; tubercles of, i. 568. Hydatids of, i. 573.

V.

Valves; of arteries, iii. 202. Of the heart, construction of, iii. 179. (See *Heart.*)

Variola. (See *Smallpox.*)

2 x 2

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

674

INDEX.

Vascular system. (See *System*.)*Vascularity*; of coagulated blood, i. 236, 238, 368, 439; iii. 34, 115, 119, 243, 268, note, 350. Of granulations, i. 427; iii. 492. Of parts, is in proportion to the duty they have to perform, i. 383; iii. 99, 199. Of the teeth, ii. 18, note. Is greater in proportion in the fœtus than in the adult, iii. 213.*Vegetable food*; its tendency to keep the teeth clean, ii. 51.*Vegetables*; nutrition of, i. 215. Composition of, i. 216. Exist under great ranges of temperature, i. 293. Compared with animals, i. 329. The reason why the sap of, does not freeze at low temperatures, iii. 107. Their tendency to the surface explained, iii. 285.*Vegetations, fibrinous*, iii. 30, note.*Veins*; described, i. 250; iii. 221. Inflammation of, Hunter's paper on, i. 91; iii. 319, 581, notes. Varicose, i. 560. Valves of, iii. 223. Anastomosis of, iii. 225. Cause of the unintermittent current in, iii. 227. Pulsation of, iii. 228. How far they assist the general circulation, iii. 229, note.*Vena portæ*; instances in which it did not terminate in the liver, iii. 86, note.*Venereal disease*; Hunter's work on, i. 101. Contains many theoretical doctrines, ii. 125; and hasty generalizations, ii. 129. Is full, however, of practical observations of the highest value, *ib.* (See *Disease*.)——— *matter*, is changed by absorption, i. 257. }*Venesection*; the use of, i. 402. Effects of, i. 537. In phthisis, *ib.* In gonorrhœa, ii. 205. In chordee, ii. 210. Seldom proper in specific inflammations, i. 609. The first blood which flows is the darkest, iii. 91. Rules for its employment, i. 404; iii. 374, 376. Sometimes followed by increased quickness and hardness of the pulse, iii. 362.*Ventricles*; case of communication between the, iii. 83. Contract together, iii. 194.*Vesiculæ seminales*; their use, ii. 175. Are seldom diseased, ii. 283. Of the discharge of the secretion of, ii. 302. Mucus of, the distinction between it and the semen, ii. 164.*Vessels, blood*; general observations on, iii. 195. Actively dilate in inflammation, iii. 321. This opinion questioned, iii. 327, note. Of the formation of new, in coagulable lymph, iii. 350. State of in inflammation, iii. 268, note. (See *Vascular system, Vascularity, Arteries, Veins, &c.*)*Veterinary College*, established, i. 125.*Vipers*; the bite of, i. 615. An observation on its poison, ii. 164.*Vines, Mr.*, iii. 40, note.*Vita propria*, of Blumenbach, iii. 123, note.*Vivification*, i. 215, 230, 231.*Voice*, how affected by the teeth, ii. 51.*Polition*, i. 260. Is lost during sleep, i. 334.*Vomits*; their use in swelled testicle, ii. 164. In resolving buboes, ii. 370; iii. 417.*Voyages*; recommended in phthisis, i. 597. In scrofula, i. 598.

W.

Wadd, Mr. W., i. 29.*Wardrop, Mr.*; case by, in which a very extensive surface was healed by scabbing, lii. 263, note.*Warner, Mr.*, i. 25.*Warts*, i. 568. Venereal, their treatment, ii. 351.*Watson, Mr. H.*, anecdote of William Hunter, i. 5. Discovers the tubuli testis, i. 18. On the Gillaroo trout, i. 50.*Weakness.* (See *Strength*.)——— *seminal*; its cause, ii. 309. The use of opium in, ii. 310. Its cure, ii. 311.*Weather*; the state of, affects the spirits, i. 611.*Wens*, i. 567.*Westminster Abbey*; Mrs. Hunter's wish to erect a monument in, to Hunter, i. 133.*White swelling*, i. 596.*White's New South Wales*, i. 118.*Whitloes*, i. 425; iii. 486. Much more painful than other inflammations, *ib.**Will, Hunter's*; i. 137.*Willan, Dr.*, iii. 5, note.*Williams, Dr. C. J. B.*, on the arterialization of the blood, iii. 96, note.

Cambridge University Press

978-1-108-07959-4 - The Works of John Hunter, F.R.S.: Volume 3

Edited by James F. Palmer

Index

[More information](#)

INDEX.

675

Willis; circle of, use of, lii. 208.*Wind*; the Sirocco, i. 291, note. The Harmettan, i. 297.*Wine*; of its use in mortification, lii. 8.*Women* more affected by the imagination than men, i. 360.*Woodville, Dr.*, iii. 5, note.*Wounds*; division of, i. 388; iii. 240. Which communicate externally, i. 390; lii. 251.

Which do not communicate externally, i. 388; iii. 240. Of the different modes of treating, iii. 251, 257. Of the brain, i. 487, 492, note. State of, affected by the atmosphere, i. 297. And by the constitution, iii. 239.

—, *gunshot*, iii. 541. Difference between and common wounds, iii. 542. Kinds of, iii. 547. Treatment of, iii. 548, 576. The impropriety of enlarging, iii. 548. Penetrating, of the abdomen, iii. 559. Penetrating, of the chest, iii. 566.

Y.

Yawning, an effect of sympathy, i. 321.*Yaws*; case of a gentleman infected with, li. 382. Description of, li. 472.

END OF THE THIRD VOLUME.

PRINTED BY RICHARD AND JOHN E. TAYLOR,
RED LION COURT, FLEET STREET.