

Index

- abandonment, 15, 348–360, 406
 - abandonment rate, 350, 357
- arrival process, 3
- arrival theorem, 133
- backwards recurrence time, 27
- balance equations, 127, 132, 173, 237, 262, 270, 355
 - detailed balance equations, 8, 128
 - global balance equations, 35, 38, 128
 - partial balance equations, 129, 137, 138, 390, 401, 412
- bandit processes, 53–55
- birth and death processes, 7–12, 105–107, 141, 336, 353, 360
- birth and death queues, 7–12
- bottleneck workload process, 303
- Bramson's FCFS network, 165
- Brownian bridge, 326, 329, 331
- Brownian control problem, 275–278, 280, 285, 291, 298, 302–303, 309, 312, 319
- Brownian motion, 102–104, 112–115
 - distribution of maximum, 113
 - multivariate, 111
- Burke's theorem, 128
- busy period, 33–34
 - exceptional first service bp, 34
- busy time, 84
- coefficient of variation, 16, 32, 68, 79, 265, 338
- compatibility graph, 387, 412
- compensation method, 224, 262–264
- complete resource pooling, 283, 302, 394, 396, 407
- complexity
 - #P-hard, 391, 396
 - NP-hard, 46, 146, 240
- continuous mapping theorem, 72, 152, 338
- convergence, 76–77
 - almost sure, 72
 - in distribution, 72
 - in probability, 76, 81
 - law of the iterated logarithm, 76
 - weak, 72
- convex majorization, 364, 385
- correlation, 96, 100, 237
- covariance calculations, 153
- Cox Process, *see* doubly stochastic Poisson process
- criss-cross network, 278–283, 308
- customer average, 17
- density dependent Markov chains, 366–369
- departure process, 5, 33, 49, 84, 96, 128, 237
- diffusion limits, 90–95, 150
- diffusion process
 - Brownian bridge, 326
 - Ito calculus representation, 102
 - Kiefer process, 326, 329, 342
 - multivariate reflected Brownian motion, 111, 152
 - Ornstein–Uhlenbeck process, 99, 105, 337, 354
 - reflected Brownian motion, 104, 115
- diffusion scaling, 86
- distributional form of Little's law, 36, 391, 412
- Donsker's theorem, 75, 77
- doubly exponential rate, 370
- doubly stochastic Poisson process, 367
- efficiency driven service, 352
- elementary renewal theorem, 23, 183
- embedded Markov chains, 35–39

- equilibrium distribution, 27, 52, 67, 100, 139, 344, 356
- ergodicity, 18, 19, 27, 128, 131, 170–175, 183
- Erlang loss system, 4, 11, 21, 142
- extreme allocation available, 204
- FCFS-ALIS policy, 388–392
- FCLT
 - Donsker's theorem, 75, 77
 - for random walks, 75
 - for renewal processes, 80
- flowtime, 43
- fluid limit, 88, 148, 178
- fluid limit model, 180
- fluid model equations, 180, 349
- fluid model solutions, 180
- fluid scaling, 86
- fluid stability, 183
 - weak, 186
- forward recurrence time, 27
- Foster criterion, 174
- free time, 273
- FSLN
 - for random walks, 74
 - for renewal processes, 80
- general state space Markov processes, 170–175
- generalized cut constraints, 318
- Gittins index, 53–55
- global FCFS, *see* time stamp policy
- global stability region, 192–195
- Halfin–Whitt regime, 333–347, 352–354, 358
- Harris Markov process, 171
- Harris positive recurrent, 171, 183
- Harris recurrent, 171
- hazard rate, 264, 349
- head of the line policy, 84
- head of the line proportional processor sharing, 192, 199
- idle time, 84, 274
- infinite bipartite matching, 392–403
 - directed matching, 403–406
 - link lengths, 397
 - matching rates, 397
 - stationary distribution, 395, 401
 - time-reversal theorem, 395, 400
 - uniqueness theorem, 394, 397
- infinite sum of product forms, 224, 262
- infinite virtual queues, 221–223, 249–252
- input queued switch, 212–214
- input-output matrix, 147, 162, 203, 216, 230, 242
- insensitivity, 52, 100, 139
- instability examples, 163–167
- Israeli queue, 15
- Ito integral, 116
- Ito process, 116
- Jackson networks, 125, 131
- join shortest of d policy, 363–375
- join the shortest queue, 261–264, 375–383
 - with jockeying, 270
- K machine M repairmen model, 14
- Kelly's lemma, 131, 141, 401
- Kelly-type networks, 140, 192, 198, 306
- Kendall's three field notation, 4
- Kiefer process, 326, 329, 342
- Kigman's bound, 67
- Kumar–Seidman Rybko–Stolyar network, 166, 176, 197, 226
- Kurtz theorem, 368
- length biasing, 25–27
 - backwards recurrence time, 27
 - forward recurrence time, 27
 - length of the current interval, 27
- likelihood ratio, *see* Radon–Nikodym derivative
- Lindley's equation, 5, 13, 62, 67, 69
- Lindley's integral equation, 66
- linear complementarity problem, 146, 156
- link lengths, 397
- Little's law, 16–21
 - applications, 20
 - distributional form, 36, 391, 412
- Loynes construction, 61–64, 69, 154, 398
- Lu–Kumar network, 163–164, 192–195
- Lyapunov functions, 168, 173, 187, 207
- piecewise linear, 192–195
- manufacturing system, 109–111, 239–240
- matching rates, 397
- maximum pressure policy, 203–205
 - application to MCQN, 211
 - fluid stability, 209
 - for input queued switch, 214
 - for network of switches, 216
 - non-preemptive, 210
 - non-splitting, 210

- parametrization, 208
- rate stability, 206, 209, 210
- maximum throughput, 199, 226, 275, 285, 305, 406
- mean field representation, 364
- multi-class queueing networks, 161–163
 - diffusion limits, 268
 - divergent, 186
 - fluid stability proofs, 187–192
 - global stability, 192
 - in balanced heavy traffic, 272–274
 - positive Harris recurrent, 183
 - rate stable, 186
 - stable under maximum pressure, 211
 - state space collapse, 268
 - unstable, 163
- nominal allocation, 205, 273
- NP-hard, 46, 146, 240
- order statistics, 46
- Ornstein–Uhlenbeck process, 99, 105, 337, 354
- Palm measure, 27, 400
- parallel skilled service system, 387
- PASTA, 28–31, 36, 50, 67, 133, 135, 392
- patience distribution, 348
- Perron–Frobenius theorem, 126
- petite set, 171
- phase-type distributions, 35
- piecewise deterministic Markov process, 26, 154, 170
- piecewise linear Lyapunov functions, 192–195
- policy
 - $c\mu$, 53
 - earliest due date, 192, 198, 199
 - first come first served, 4, 32, 49, 165, 169, 176, 181, 196, 198, 304, 321, 388
 - head of the line processor sharing, 198
 - last come first served, 4, 49, 52, 169
 - non-preemptive, 20
 - processor sharing, 4, 52
 - queue and idleness ratio, 408–411
 - shortest expected processing time first, 45
 - shortest processing time first, 43, 56
 - shortest remaining processing time first, 47–49, 57
 - Smith rule, 53
 - time stamp, 192, 199
 - work conserving, 20
- Pollaczek–Khinchine formula, 32, 36
- positive matrices, 126
- priority scheduling, 50–52
- processing network, 200–203
- product-form solution, 130, 131, 135, 137, 143, 390, 395, 405
- push-pull network, 226–228, 232–235
- quality and efficiency driven service, 352, 358–360
- quality driven service, 352
- quality of service, 407
- quasi birth and death queues, 35
- queue and idleness ratio policy, 408–411
- queue dynamics, 84, 145, 161, 201, 390
- queue with balking, 15
- queue with vacations, 15
- queueing system
 - $\cdot/G/\infty$ queue, 325–331
 - $\cdot/G/s$ queue, 338–347
 - $G/D/\infty$ queue, 98
 - $G/G/\infty$ queue, 98–100
 - $G/G/n+G$ queue, 348–352
 - $G/G/s$ queue, 344, 346
 - $G/G/1$ queue, 61–68, 70, 83–97, 107
 - $G/M/\infty$ queue, 99
 - $G/M/s$ queue, 338
 - $G/M/1$ queue, 37–39
 - $M/G/\infty$ queue, 100
 - $M/G/1$ queue, 16, 31–33, 35–37
 - $M/M/\infty$ queue, 10, 99
 - $M/M/n+G$ queue, 354–360
 - $M/M/n+M$ queue, 352–354
 - $M/M/s$ queue, 11, 333–337
 - $M/M/1$ queue, 9, 52, 130
- Radon–Nikodym derivative, 114
- random walk, 64–67, 73–78
- re-entrant line, 163, 190–192, 196, 225, 236, 239, 244, 254
- reflected Brownian motion, 104, 115
 - multivariate, 111, 152
- reflection principle, 112
- regeneration times, 34
- reneging, 15, *see* abandonment
- renewal function, 23, 40
- renewal process, 23, 79–81
 - delayed, 28
- renewal reward theorem, 25–27, 33, 40, 109, 118
- renewal theory, 23–25

430

Index

- resource pooling, 10, 41, 264–265, 283, 302, 394, 396, 406
- reverse Leontief network, 210
- ride-sharing, 403
- routing matrix, 125, 218
- #P-hard, 391, 396
- scheduling, 42–47
 - batch scheduling, 43
 - stream scheduling, 46
- service regime
 - efficiency driven, 352
 - quality and efficiency driven, 352, 358–360
 - quality driven, 352
- simulation, 6–7, 12, 258, 412
- Skorohod embedding, 77, 121
- Skorohod reflection, 86–88, 281, 310, 381
 - oblique, 111–112, 147–148, 188
 - two-sided, 107–109, 288
- small set, 171
- snapshot principle, 34
- sojourn time, 6, 9, 18, 31, 33, 37, 50, 52, 133–134, 264, 321, 360, 371, 383
- square root staffing, 335, 352, 376
- stability, 19, 61, 130, 155, 170–175, 183, 187, 389
 - rate stability, 18, 126, 146, 174, 186, 206
- standby customer, 41
- state space collapse, 266–268, 283, 302, 411
- static planning problem, 205, 209, 230, 409
 - dual, 303
- stationary probabilities, 8, 130, 131, 135, 137, 224, 264, 352, 363, 390, 395, 405
- stationary process, 18
- stochastic integral, *see* Ito process
- Stone's theorem, 106, 336, 354
- stopping time, 24, 55, 78, 103, 118, 170
- strict Leontief network, 204
- strong approximation, 78–79, 97–98
- strong Markov property, 103, 113
- taxi stand model, 13
- threshold policy, 268, 282, 310
- tightness, 72
- time average, 17
- time change lemma, 72, 80, 152, 154, 338, 379, 382
- time reversibility, 8, 27, 127–129
- time-reversal, 104, 131, 395, 400
- traffic equations, 126
- two sided regulator, 107–109, 117–119
- uniform integrability, 24, 40, 183, 185
- uniformly small set, 171
- utilization, 21, 205, 221, 255
- virtual machine, 167
- waiting time, 5, 6, 32, 51, 62, 67, 350, 356–358, 363
- Wald's equation, 24, 40, 52, 133
- Wiener process, *see* Brownian motion
- Wiener–Hopf decomposition, 66
- work conservation, 21–23, 32, 84, 147, 162, 189
- workload formulation, 275, 280, 287, 291, 297