

Symbol index

- F_k , 24
 L^* , 12
 $\mathbf{A}_i$, 70
 $\mathbf{C}$, 30
 $\mathbf{F}$, 30
 $\mathbf{L}^*$, 30
 $\mathbf{N}$, 30
 $\mathbf{N}_0$, 171
 $\mathbf{N}_{k\text{-ary}}$, 30
 $\mathbf{N}_\varepsilon$, 24, 30
 $\mathbf{N}_b$, 30
 $\mathbf{N}_d$, 159
 $\mathbf{N}_u$, 30
 $\mathbf{N}_{\text{Pres}}$, 44
 $\mathbf{N}_{\text{Pd}}$, 97
 $\mathbf{R}$, 30
 $\mathbb{B}$, 9
 $|X|$, 9
 $\mathbf{cde}$, 8, 192
 $\lfloor x \rfloor$, 7
 $\mathbb{C}$, 7
 $\mathcal{T}$, 12, 13
 $\mathcal{T}'$, 13
 $\mathcal{T}_u$, 13
 I , 9
 $\equiv$, 12
 $\lfloor x \rfloor$, 7
 $\Vdash^{\mathbf{A}}$, 141
 $\Vdash_c^{\mathbf{A}}$, 141
 $\varphi, \hat{\varphi}$, 27
 $\mathbb{Z}$, 7
 $\models_c$, 133
 $\mathbb{N}$, 7
 nil , 12
 $\overline{M}$, 103
 $\mathbf{Lin}_d$, 159
 $\mathbb{K}$, 218
 $\mathbb{Q}$, 7
 $\mathbb{R}$, 7
 $\gg$, 15
 $L^{<\omega}$, 12
 $\sim_\infty$, 8
 $\mathbf{N}_{\text{st}}$, 25
 $\overline{\text{where}}$, 17
 where , 49
 $(\mathbf{U}, \vec{x})$, 34
 $B_m(\vec{a})$, 160
 $D(M)$, 104
 $E(\vec{v})$, 38
 $F[\vec{u}], F(\vec{u})$, 209
 $F^p(M)$, 121
 $G_m[X]$, 33
 $K[T]$, 191
 $S(n)$, 7
 $X : h$, 193
 $[0, 2^N)$, 203
 $\text{em}_2(x)$, 30
 $\mathbf{Expl}(\mathbf{A})$, 39
 $\mathbf{G}_m(\vec{x}), \mathbf{G}_\infty(\vec{x})$, 34
 $L^p(M)$, 108
 $L^s(M)$, 107
 $\text{om}_2(x)$, 30
 $\mathbf{Rec}(\mathbf{A})$, 52
 $\mathbf{Rec}^0(\mathbf{A})$, 52
 $\mathbf{Rec}_{\text{nd}}(\mathbf{A})$, 83
 $\mathbf{Rec}_{\text{nd}}^0(\mathbf{A})$, 83
 $\mathbf{Tailrec}(\mathbf{A})$, 64
 $\mathbf{Tailrec}^0(\mathbf{A})$, 61
 $\text{arity}(\phi)$, 30
 $\chi_R(\vec{x})$, 9
 $\text{Time}_i(x)$, 70
 $\text{eqdiag}(\mathbf{A})$, 32
 $\text{first}(z)$, 80
 $\text{head}(u)$, 12
 $\text{Comp}_i(x)$, 70
 $\mathbb{Z}[T]$, 191
 $\text{iq}_m(x)$, 8
 μy , 57
 $\text{Pd}(n)$, 7

$\mathbf{Lin}_0[\div]$, 171
 $\mathbf{N}_0[\div]$, 171
 $\text{rem}_m(x)$, 8
 $\text{second}(z)$, 80
 $\text{sort}(E)$, 37
 $\text{sort}(u)$, 21
 $\text{tail}(u)$, 12
 $\text{depth}(E)$, 37
 $\mathfrak{tt}$, $\mathfrak{ff}$, 9
 $d_E(\vec{x})$, 104
 $v(M)$, 119

$C(\vec{a}; h)$, 171
 $O(g(n))$, 8
 $Q(T; h)$, 193
 $Q_n(T; h)$, 193
 $Q_n(a; h)$, 196
 $\mathbf{A} \subseteq_p \mathbf{B}$, 32
 $\text{Conv}(\mathbf{A}, E)$, 103
 $C^p(\Phi_0)(M)$, 111
 $C^s(\Phi_0)(M)$, 110
 $\text{den}_{E(\vec{x})}^{\mathbf{A}}(\vec{x}, \vec{r})$, 52
 $\text{Graph}_f(x, w)$, 9
 $\Omega(g(n))$, 8
 $\Theta(g(n))$, 8
 $\text{arity}(E(\vec{x}))$, 50
 $\text{cons}(u, v)$, 12
 $\text{den}(\mathbf{A}, M)$, 38
 $\text{gcd}(x, y)$, 8
 $\text{iq}(x, y)$, 8
 $\mu(\alpha, \vec{x})$, 136
 $\text{pair}(x, y)$, 80
 $c^p(\Phi_0)(\vec{x})$, 111
 $\mathbf{Lin}_0[\div, \cdot]$, 191
 $\mathbf{N}_0[\div, \cdot]$, 196
 $\text{rem}(x, y)$, 8
 $\text{rem}_m(x, y)$, 8
 $c^s(\Phi_0)(\vec{x})$, 110
 $\text{calls}_R(\mathbf{A}, 2^N)$, 203
 $\text{depth}(\mathbf{U}, \vec{x})$, 34, 136
 $\text{depth}_R(\mathbf{A}, 2^N)$, 203
 $\text{values}(\mathbf{U}, \vec{x})$, 136
 $\text{values}_R(\mathbf{A}, 2^N)$, 203
 $f(x) \downarrow, f(x) \uparrow$, 9

$f(x, \vec{p})$, 10
 $f \sqsubseteq g$, 9
 $f_x(y, \vec{p})$, 11
 $m \dot{-} n$, 7
 $o(g(n))$, 8
 $s \rightarrow_i^* s'$, 70
 $u * v$, 12
 $u \sqsubseteq v$, 12
 $x \perp y$, 8
 $y \mid x$, 8

$\mu(\mathbf{A}, f, \vec{x})$, 144
 $\mathcal{T}(\mathbf{A}, E, M)$, 105
 $\text{den}(\mathbf{A}, E(\vec{x}))$, 51
 $\text{den}(\mathbf{A}, E, M)$, 103
 $i(\mathbf{A}, E(\vec{x}))$, 74
 $\text{calls}(\Phi_0)(\mathbf{U}, \vec{x})$, 136
 $\text{depth}(\Phi_0)(\mathbf{U}, \vec{x})$, 139
 $\text{depth}(w; \mathbf{A}, \vec{x})$, 34
 $f : A^n \rightarrow A_s$, 31
 $f : X \rightarrow W$, 9
 $l^p(\mathbf{A}, E(\vec{x}))$, 108
 $l^s(\mathbf{A}, E(\vec{x}))$, 107
 $\mathbf{A} \upharpoonright \Phi_0 \upharpoonright U$, 32
 $\text{Top}(z, \mathcal{T}_1, \dots, \mathcal{T}_k)$, 14
 $\text{ap}_n(x_1, \dots, x_n, p)$, 10
 $c^s(\Phi_0)(\mathbf{A}, E(\vec{x}))$, 83, 89, 114, 138
 $\mathbf{A} \models E = M$, 38
 $f(x) = g(y)$, 10

$(\lambda x)f(x, y, \vec{p})(x)$, 11
 $\mathbf{A} \models E(\vec{x}) = w$, 51

$\mu y[g(y, \vec{x}) = 0]$, 57

General index

- A-recursive functionals, 52
- A-terms, 36
- abstract model theory, 130
- Ackermann-Péter function, 57
- adding points to a structure, 64
- $(\mathbf{A}, E)$ -term, 74
- algebraic term, 37
 - depth, 37
- algebraically independent (generic), 209
- algorithms
 - Bezout representation, 28
 - binary (Stein), 24
 - Euclidean, 23, 142
 - lookup, 205
 - nondeterministic, 129
 - Pratt's nuclid, 85
 - proofs of correctness, 101
 - sorting
 - binary-insert-sort, 27
 - insert-sort, 26
 - lower bound, 153
 - merge-sort, 21
 - nondeterministic, 157
 - what are they?, 99
- algorithms from specified primitives, 21, 49, 99, 117
- axioms, 129–133
 - I. Locality, 130
 - II. Homomorphism, 131
 - III. Finiteness, 131
- nondeterministic, 129
- anthypharesis, 23
- arithmetic subtraction, $x \dot{-} y$, 7
- arity
 - of a function symbol, 30
 - of an extended program, 50
 - of an extended term, 38
 - total, 108
- Bertrand's Postulate, 204, 206
- best uniform process, 149
- Bezout's Lemma, 28, 51
- bounded stacks condition, 94
- cardinality, $|X|$, 9
- ceiling, $\lceil x \rceil$, 7
- certification, $\Vdash_c^{\mathbf{A}}$, 141
- certificate, 34, 141
 - Pratt, for primality, 143
- characteristic function, $\chi_R(\vec{x})$, 9
- closed term, 37
- co-arity, 39, *see also* arity
- Colson's Corollary, 125
- complexity
 - bounded vs. explicit, 115
 - depth-of-calls, $c^p(\Phi_0)(\vec{x})$, 111
 - intrinsic, 144
 - non-uniform (bit), 203
 - number-of-calls, $c^s(\Phi_0)(\vec{x})$, 110
 - of a uniform process, $\mu(\alpha, \vec{x})$, 136
 - output, 146
 - parallel logical, $l^p(\mathbf{A}, E(\vec{x}))$, 108
 - parallel splitting, $F^p(M)$, 121
 - sequential logical, $l^s(\mathbf{A}, E(\vec{x}))$, 107
 - sequential splitting, $F^s(M)$, 119
 - tree-depth, $D(M)$, 104
- complexity inequalities, 115
 - for uniform processes, 137
- intrinsic vs. uniform process, 144
 - Tserunyan, 124
 - Tserunyan 1, 121
 - Tserunyan 2, 123
- computation model, *see* iterator
- computation models, 90–93
- computation sequences, 91
- computation tree, $\mathcal{T}(\mathbf{A}, E, M)$, 105
- continuous, *see* functional
- coprime, $x \perp\!\!\!\perp y$, 8
- correct division equation, **cde**, 8

- correctness of algorithms, 101
- decision trees, 91
 - primitive, 91
- defaults
 - program
 - deterministic over nd, 82
 - extended over plain, 50
 - term
 - extended over plain, 39
- $\text{den}(\mathbf{A}, E(\vec{x}))$, 51
- depth-of-calls complexity,
 - $c^P(\Phi_0)(\vec{x})$, 111
- diagram, *see* structure
- difficult pairs, 181, 182, 189
- disjoint union, 31, 70
- divides, $y \mid x$, 8
- Division Theorem
 - for $\mathbb{N}$, 8
 - for $\mathbb{Q}[T]$, with height bounds, 194
 - for $K[T]$, 192
- double recursion, 57
- Embedding Test
 - for logical extensions, 154
 - for substructure norms, 156
- equational logic of partial terms
 - with conditionals, 36
- semantics, 38
- syntax, 36–37
- explicit definability, 39
- explicit iteration, 60
- explicit reduction and equivalence, 146
- extended term, 38
- Fibonacci numbers, F_k , 24
 - properties, 27, 89, 182, 188
- finite register machines (programs), 90
 - primitive, 91
- finiteness property
 - for nd programs, 87
 - for processes, 131
- First Recursion Theorem, 52
- Fixed Point Lemma, 15
- floor, $\lfloor x \rfloor$, 7
- forcing, $\Vdash^A$, 141
- fresh object, 39
- functional, 10
 - A-recursive, 52
 - continuous, 10
 - explicit in $\mathbf{A}$, 39
 - monotone, 10
 - multiple valued (pmv), 84
 - operations, 11
 - immediate, 41
 - branching, 11
 - composition, 12
 - λ -substitution, 11
 - mangling, 11
 - substitution, 11
 - simple fixed point, 63
 - tail recursive, 63
- generic, same as algebraically independent, 209
- golden mean, φ , 27, 182
- good approximation, 178
- height
 - of $X \in C(\vec{a}; h)$, 171
 - of a polynomial in $\mathbb{Q}[T]$, 193
- hidden primitives, 131
- homomorphism property
 - for explicit terms, 42
 - for nd programs, 87
 - for processes, 131
- Homomorphism Test, 145
- homomorphisms, embeddings, 33
- Horner's rule, 25, 148
 - optimality
 - for $\{\cdot, \div\}$, 211
 - for $\{\cdot, \div, =\}$, 216
 - for $\{+, -\}$, 218
 - for $\{+, -, =\}$, 225
- imperative vs. functional programming, 101

- implementations, 73, 100
- input, output sets, 9
- intrinsic complexities, 144
- iterator, 69–70
 - explicit representation, 71
 - nondeterministic, 82
- Kleene strong equality, $\simeq$, 10
- λ -abstraction, 11
- Lamé's Lemma, 27
- Liouville's Theorem, 180
- logic of programs, 97
- logical extension, 152
- lookup algorithm, 205
- Main Conjecture, 2, 151
- mangling, *see* functional
- many-sorted structure, *see* structure
- minimalization, μy , 57
- monotone, *see* functional
- Morris example, 20
- mutual tail recursion, 61
- N -bit numbers, 203
- natural numbers, $\mathbb{N}$, 7
- nd, *same as* nondeterministic
- nested recursion, 57
- non-uniform (bit) complexity, 203
- nondeterministic iterator, *see* iterator
- nondeterministic programs, *see* recursive programs
- nondeterministic recursive machine, *see* recursive machine
- Normal Form Theorem, 63
- nullity, 0-testing, 25, 209
- number-of-calls complexity, $c^s(\Phi_0)(\vec{x})$, 110
- obstruction to calls $(\mathbf{A}, R, \vec{x}) = 0$, 147
- obstruction to depth $(\mathbf{A}, R, \vec{x}) = 0$, 148
- open problem, 65, 98, 99, 114, 125, 126, 202, 208
- operations on functionals, *see* functional
- optimality and weak optimality, 150–151
- output complexity, 146
- pairing scheme, 80
- parallel calls complexity, *see* depth-of-calls complexity 111
- parallel logical complexity, 108
- partial function, $f : X \rightarrow W$, 9, *see also* functional
 - finite, 9
 - RAM computable, 91
 - register computable, 90
 - strict composition, 10
- partial multiple valued (pmv) function, 84, *see also* functional
- partial ring homomorphism, 210
- partial structure, *see* structure
- Pell pairs, 177, 181
- Pell's equation, 177
- Φ -structure, same as structure, 30
- Φ -terms, 36
- pointed structure, 59
 - minimal pointed extension, 60
- polynomial evaluation, 25, 209
- Pratt certificate, *see* certificate
- Pratt's nuclid algorithm, 85, 188
- predecessor arithmetic, 97
- predecessor, $\text{Pd}(x)$, 7
- Presburger structure $\mathbf{N}_{\text{Pres}}$, 44
- primitive recursion, 56, 68, 125
- process, 130, *see also* uniform process
 - induced by a program, 130
 - example of non-uniform, 133
- products, 9
- programs, *see* recursive programs
- pure term, 37
- random access machines, 91

- time complexity, 138, 158
- recursion
 - continuous, 15
 - double, 57
 - fixed point property, 16
 - minimality property, 16
 - monotone, 19
 - nested, 57
 - primitive, 56
 - recursive equation, 15
 - canonical solution, 15
 - system, 15
 - to solve*, 19
- recursion rules, 17
- recursive machine, 74–75
 - nondeterministic, 83
 - symbolic, 78
- recursive programs, 49–51
 - nondeterministic, 82
 - semantics, 84
 - optimal, weakly optimal, 150
 - semantics, 51
 - syntax, 49
 - extended, 50
- reduction
 - explicit, of one structure to another, 146
 - of iteration to tail recursion, 70
 - of recursion to iteration, 78
- relabelling isomorphism, 210
- relatively prime, 8
- relativization, 63
- schematology, 58
- Scott domain, 14
- section (of a functional), 11
- sequential calls complexity, *see* number-of-calls complexity
- sequential logical complexity (time), 107
- sequential machine, *see* iterator
- sequential splitting complexity, 119
- simple fixed points, 58
- sort
 - of an explicit term, 37
- splitting, *see* trees
- splitting term, 119
- Stirling's formula, 9
- straight line programs, 91
- strings, 12
- structure, 30
 - diagram, 32
 - disjoint union, 31
 - expansions and reducts, 31
 - explicitly equivalent with another, 146
 - explicitly reducible to another, 146
 - many-sorted, 30
 - as one-sorted, 31
 - pointed, 59
 - restrictions, 31
 - substructure, $\mathbf{A} \subseteq_p \mathbf{B}$, 32
 - certificate, 34
 - generated, $\mathbf{G}_m[X]$, $\mathbf{G}_m(\vec{x})$, 33
 - strong (induced), 32
 - total, 30
- substructure norm, 136
 - bounded by K calls, 140
- symbolic computation, 78, 88
- syntactic (word) equality, $\equiv$, 12
- Tailrec(A)**, 64
 - closure properties, 69
- Tailrec⁰(A)**, 61
- tail recursion, 60
 - mutual, 61
 - vs. full recursion, 94, 97–99, 124, 126
 - vs. nd tail recursion, 98
- tail recursive
 - equation, 61
 - function, 61
 - bounded stacks characterization, 94
 - functional, 63
 - program, 61

- extended, 61
- terms, 36
- the binary (Stein) algorithm, 24
- the binary-insert-sort algorithm, 27
- the Euclidean algorithm, 23
 - coprimeness by the Euclidean, 24
- the insert-sort algorithm, 26
- the merge-sort algorithm, 21
- tree-depth complexity, $D(M)$, 104
- trees, 12
 - v below u , $u \sqsubseteq v$, 13
 - children, 13
 - degree, 13
 - depth, 13
 - splitting depth, 13
 - leaf, 13
 - nodes, 12
 - root, 12
 - size, 13
 - splitting, 13
 - subtree, 13
- Tserunyan's first theorem, 121
- Tserunyan's second theorem, 123
- unified notation for functions and relations, $f : A^n \rightarrow A_s$, 31
- uniform process, 132
 - best, 149
 - complexity, 136
 - deterministic, 158
 - induced by an nd program, 133
 - optimal, weakly optimal, 150–151
- Uniformity Thesis, 132
- vocabulary, 29
 - infinite, 31
- weakly optimal, *see* optimality