

## Index

- A-conjugacy, 210
- A-invariance, 515
- A-orthogonality, 210
- AB divergence, 362
- absolute minimum point, 184
- AC–DC algorithm, 501
  - alternating columns (AC) phase, 501
  - diagonal centers (DC) phase, 501
- active constraint, 403
- active set, 403
- adaptive convexity parameter, 222
- additivity, 364
- adjoint, 95
- affine, 202
  - combination, 202
  - function, 201
  - image, 201
- algebraic multiplicity, 416
- algebraic vector, 5
- alpha-divergence ( $\alpha$  divergence), 362
- alternating
  - constrained least squares (ACLS) method, 375
  - direction multiplier method (ADMM), 248
    - scaled ADMM, 251
  - least squares (ALS) method, 324
  - nonnegative least square (ANLS) algorithm, 374
  - regularization nonnegative least squares (ARNLS), 375
- annihilation polynomial, 447
- anti-regularized method, 322
- anti-Tikhonov regularization method, 322
- APG stopping criterion (APGstop), 394
- approximate joint diagonalization, 294
- approximation, 184
- approximation solution sequence, 221
- Armijo condition, 253
- Aronszajn synthetic formula, 571
- array, 590
  - two-way, 590
  - multi-way, 590
  - one-way, 590
- associative law of addition, 23
- associative law of scalar multiplication, 23
- atoms, 84
- augmented
  - Lagrange multiplier method, 241
  - Lagrangian function, 241
  - matrix, 13
- auxiliary optimization problem, 238
- axiom
  - on addition, 23
  - on scalar multiplication, 23
- backtracking line search, 253
- backward
  - identity matrix, 100
  - iteration, 234
  - prediction error vector, 565
  - prediction value vector, 566
- balanced matrix, 436
  - reflexivity, 436
  - symmetry, 436
  - transitivity, 436
- balanced reduction, 436
- Banach space, 35
- band matrix, 107
- barrier function, 239
  - exponential, 239
  - Fiacco–McCormick logarithmic, 239
  - inverse, 239
  - logarithmic, 239
  - power-function, 239
- barrier method, 240
- barrier parameter, 239

- Barzilai–Borwein gradient projection (BBGP) method, 396
- basis, 519
- basis pursuit (BP), 383
- basis pursuit de-noising, 224, 384, 404
- basis vector, 6
- best linear mean square estimate, 554
- beta-divergence, 363
- between-class scatter matrix, 295
- biconjugate gradient algorithm, 211
- bi-Lanczos iteration, 546
- bilinear
  - analysis, 625
  - model, 625
- binary Kronecker product, 117
- bit-reversed index vector, 118
- black-box optimization, 205
- blind
  - matrix equation, 315
  - source separation (BSS) problem, 495
- block
  - inversion lemma, 63
  - matrix, 6
- Boltzmann–Gibbs entropy, 364
- bound-constrained quadratic program (BCQP) problem, 394
- bounded-variation
  - function, 404
  - norm, 404
- Bregman
  - distance, 363, 405
  - iteration, 405
  - iterative algorithm, 406
- Broyden–Fletcher–Goldfarb–Shanno (BFGS) method, 252
  
- canonical
  - form, 423
  - inner product, 27
- capacitance matrix, 60
- Cartesian product, 22
- Cauchy–Riemann
  - condition, 158
  - equation, 158
  - inequality, 29
- Cayley–Hamilton theorem, 447
- center path, 262
- centering, 660
  - condition, 262
  - matrix, 111
- centrality direction, 265
- chain rule, 134
  
- characteristic
  - equation, 52
  - matrix, 415
- characteristic polynomial, 416
  - root, 416
- circle phenomenon, 327
- ciphertext, 86
- class discrimination space, 481
- classical Fiacco–McCormick merit function, 267
- closed
  - ball, 201
  - neighborhood, 185
- closure
  - for addition, 23
  - for scalar multiplication, 23
- clustering, 32
- code
  - book, 357
  - vector, 357
- coding matrix, 86
- cofactor, 49
- cogradient
  - matrix, 133
  - operator, 133, 163
  - vector, 133, 163
- coherent, 43
- column
  - space, 517
  - span, 517
  - stacking, 79
- combinatorial
  - optimization problem, 224
  - optimization solution, 228
- commutative law of addition, 23
- companion form, 488
  - first, 488
  - second, 488
- companion matrix, 510
- complementary slackness, 262
- complete
  - orthogonal basis, 84
  - vector space, 35
- complex
  - analytic function, 158
  - chain rule, 161
  - cogradient operator, 164
  - conjugate cogradient operator, 164
  - conjugate gradient operator, 164
  - conjugate gradient vector, 164
  - conjugate partial derivative, 160
  - differential rule, 161
  - differentiable, 158
  - gradient, 157

710

gradient matrix, 167  
 gradient operator, 164  
 gradient vector, 164  
 Hessian matrix, 175  
   full, 176  
   identification, 177  
   main, 176  
   part, 176  
 matrix differential, 163  
 matrix equation solving, 19  
 partial derivative, 160  
 complexity, 215  
 composite system identification, 297  
 compression mapping, 386  
 compression ratio, 461  
 compression sampling matching pursuit,  
   392  
 condition number, 273  
 conic combination, 202  
 conjugacy, 210  
 conjugate  
   cogradient operator, 163  
   cogradient vector, 163  
   direction algorithm, 211  
   gradient, 157  
   gradient algorithm, 211  
   gradient matrix, 167  
     identification, 169  
   gradient vector, 164  
   Jacobian matrix, 167  
     identification, 169  
   symmetry, 27  
 consistent equation, 56  
 constant vector, 5  
 constrained  
   convex optimization problem, 237  
   minimization problem, 237  
   nonnegative matrix factorization  
     (CNMF), 374  
   TLS problem, 345  
 convergence rate, 215  
   cubical, 216  
   limit, 215  
   linear, 215  
   local, 216  
   logarithmical, 216  
    $Q$ , 215  
   quadratical, 215  
   quotient, 215  
   sublinear, 215  
   superlinear, 215  
    $\alpha$ -order  $Q$ , 215  
 convex  
   combination, 202

*Index*

cone, 201  
   hull, 201  
   function, 202  
     strictly, 202  
     strongly, 202  
   optimization, 200  
   relaxation, 383  
   set, 200  
 convexity parameter, 203  
 coordinate, 513  
 coordinate system, 513  
 correlation coefficient, 43  
 cost function, 183, 198  
 coupled optimization problems, 324  
 covariant operator, 133  
 critical point, 184, 325  
 cross-correlation matrix, 42  
 cross-covariance matrix, 42  
 CuBatch, 678  
 cubical tensor, 592  
 curvature, 197  
   curvature direction, 197  
     negative curvature, 197  
     positive curvature, 197  
     zero curvature, 197  
 CP decomposition, 615, 628  
   alternating least squares algorithm, 638  
   regularized, 641  
  
 data array compression algorithm, 663  
 data  
   centering, 660  
   compression, 461  
   fusion, 642  
   least squares (DLS) method, 320  
   least squares solution, 321  
   scaling, 660  
 data-driven approach, 643  
 Davidon–Fletcher–Powell (DFP) method,  
   252  
 Decell theorem, 447  
 decision variable, 198  
 decomposed tensor set, 613  
 definition domain, 199  
 deformed  
   exponential, 366  
   logarithm, 366  
 degenerate solutions, 501  
 derogatory matrix, 417  
 descent  
   direction, 206  
   method, 206  
   step, 206

- determinant, 49
- determinant divisor, 437
- determinant rank, 437
- diagonal
  - function, 498
  - matrix function, 499
  - vector function, 498
  - matrix, 5
    - main diagonal, 5
    - diagonal elements, 5
  - method, 49
- diagonalization theorem, 426
- diagonalizing matrix, 497
- dictionary matrix, 85
- differential, 141
- dimension of tensor mode, 519
- dimension reduction method, 296
- dimensionality reduction, 461
- direct sum, 71
  - decomposition, 572
  - of subspaces, 513
- direct product, 75
- discrete
  - cosine transform (DCT), 125
  - Fourier transform (DFT), 114
  - Kauhunen–Loeve (KL) expansion, 460
  - Kauhunen–Loeve transform, 458
- disjoint, 513
- dissimilarity, 33
- distributed encoding, 461
- distributed optimization problems, 248
- divergence, 361
- diversity, 642
- dual
  - ascent method, 237
  - feasibility, 249
  - gap, 244
  - normal matrix, 267
  - objective function, 243
  - problem, 242
  - residual, 250
  - variable, 242
  - vector, scaled, 250
- Duncan–Guttman inversion formula, 61
- dyadic decomposition, 275
- dynamic scene reconstruction, 303
  
- echelon matrix, 14
- effective rank, 281
- eigenanalysis, 413
- eigenpair, 415
- eigenpolynomial, 416
- eigenspace, 515
- eigensystem, 463
- eigenvalue, 52, 413
  - defective, 417
  - degenerated, 417
  - multiple, 416
  - semi-single, 417
  - single, 416
- eigenvalue decomposition, 414
- eigenvalue–eigenvector equation, 414
- eigenvalue inequality, 74
- eigenvalue multiplicity, 415
- eigenvector, 52, 413
  - left, 419
  - right, 419
  - properties, 420
- elementary
  - divisor, 445
  - operations, 13
  - row matrices, 435
  - row transformation, 13
- elementwise product, 73
- encoding
  - matrix, 86
  - region, 357
  - variable matrix, 360
- energy, 85
- entrywise norms, 39
- equality constraint, 198
- equivalent
  - matrix pencil, 466
  - spanning set, 512
  - subspaces, 533
  - systems of equations, 13
- ERPWAVELAB, 678
- ESPRIT, 468
  - basic algorithm 1, 470
  - basic algorithm 2, 473
  - TLS-ESPRIT, 470
- essentially equal matrices, 496
- Euclidean
  - ball, 209
  - distance, 35
  - length, 35
  - space, 35
- exchange matrix, 102
- exchangeable matrices, 128
- expectation-maximization (EM)
  - algorithm, 367
- explanatory variables, 85
- explicit constraint, 199
- extensive entropy, 364
- extracting vector, 566
- extremum, 186

712

*Index*

- extremum point, 186
  - first-order necessary condition, 187
- face recognition, 86, 297
- factor loading, 625
  - matrix, 626
  - vector, 626
- factor priors, 671
- factor score, 625
  - matrix, 626
  - vector, 626
- FAL stopping criterion FALstop, 394
- fast
  - approximate joint diagonalization algorithm, 502
  - Fourier transform (FFT) algorithm, 119
  - iterative soft-thresholding algorithm (FISTA), 236
  - subspace decomposition algorithm, 545
- feature extraction, 461
- feasible point, 199
- feasible point algorithm, 262
- feasible set, 199, 238
- feasibility direction, 265
- Fejer theorem, 73
- field, 22
  - complex number, 22
  - rational number, 22
  - real number, 22
- first-order
  - augmented Lagrangian (FAL) algorithm, 394
  - black-box optimization, 205
  - differential, 141
  - primal-dual interior point method, 262
- Fisher
  - inequality, 51
  - measure, 480
- forgetting factor, 540
- formal partial derivative, 159
- forward
  - iteration, 234
  - prediction error vector, 565
  - problem, 26
- Fourier matrix, 115
- Frobenius norm ratio, 282
- frontal slice, 594
- frontal slice matrix, 594
- full column rank matrix, 58
- full-rank
  - matrix, 58
  - decomposition, 69
  - polynomial matrix, 435
- full relaxation, 208
- full row rank matrix, 58
- full singular value decomposition, 276
- function vector, 5
- Gauss elimination method, 16
  - for matrix inversion, 19
- Gauss–Jordan elimination method, 16
- Gauss–Markov theorem, 317
- Gauss–Seidel (GS) method, 324
  - proximate point version, 327
- Gaussian random vector, 44
  - characteristic function, 44
  - complex, 44
  - joint probability density function, 44
  - properties, 45
- general solution, 17
- generalized
  - Bezout theorem, 487
  - characteristic equation, 464
  - characteristic polynomial, 464
  - complex partial derivative, 162
  - eigenpair, 464
  - eigenproblem adaptive power method, 657
  - eigensystem, 463
  - eigenvalue, 463
  - eigenvalue decomposition, 463
  - eigenvalue problem, 463
  - eigenvector, 463
    - left, 465
    - right, 465
  - inverse matrix, 65
    - normalized, 67
    - self-reflexive, 67
    - weak, 67
  - permutation matrix, 102
  - Rayleigh quotient, 478
  - Rayleigh–Ritz ratio, 478
  - singular value, 290
    - nontrivial pairs, 290
    - trivial pairs, 290
  - singular value decomposition, 289
    - GSVD algorithm 1, 293
    - GSVD algorithm 2, 293
  - singular vectors, 292
  - singular-vector matrix, 292
  - tensor eigenpair, 657
  - total least squares, 335
- geometric
  - multiplicity, 417
  - vector, 4

- global
  - approach, 671
  - maximum, 186
  - maximum point, 186
  - minimum, 184
  - minimum point, 184
  - positioning, 304
  - prior, 671
- Goldstein–Armijo rule, 208
- GPSR-BB algorithm, 397
- gradient
  - computation, 133
  - chain rule, 134
  - linear rule, 134
  - product rule, 134
  - quotient rule, 134
- descent algorithm, 197
- flow direction, 133
- matrix, 132
- matrix operator, 132
- projection method, 208
- vector, 132
- vector operator, 132
- grandmother cell coding, 357
- graphical modeling, 297
- Grassmann manifold, 534
- GS method, 324
  - proximal point versions, 327
  - PGS method, 327
- greedy algorithm, 391
- group Lasso problem, 398
- $g$  matrix, 102
- Hadamard
  - inequality, 51, 96
  - matrix, 121
  - product, 72
    - eigenvalue inequality, 74
    - Oppenheim inequality, 74
    - rank inequality, 74
  - product theorem, 73
- half-space, 209
- harmonic
  - function, 159
  - superresolution problem, 347
- heavy ball method, 220
- Hellinger distance, 362
- Hermite normalized form, 14
- Hermitian matrix, 8, 95
  - anti-, 95
  - centro-, 95
  - Toeplitz, 124
- Hessenberg matrix, lower, 107
- Hessian
  - matrix, 150
  - identification, 153
- hierarchical Tucker toolbox, 678
- higher-order
  - singular value decomposition, 616
  - orthogonal iteration (HOOI) algorithm, 624
  - SVD algorithm, 624
  - matrix analysis, 590
- Hilbert space, 36
- holomorphic
  - complex matrix functions, 161
  - function, 158
- homogeneity constraint, 532
- homogeneous linear equations, 518
- homotopy algorithm, 403
- horizontal
  - slice, 594
  - slice matrix, 594
  - unfolding, 597
    - Kiers method, 598
    - Kolda method, 600
    - LMV method, 599
    - matrix, 597
- Hotelling transformation, 458
- Householder matrix, 106
- hyperbolic symmetry, 106
- hyperdeterminants, 651
- hypermatrix,  $n$ -dimensional, 592
- hypernormal matrix, 106
- idempotent matrix, 96
- identifiable equation, 317
- identity transformation, 413
- ill-conditioned equation, 274
- inactive constraint, 403
- inconsistent equation, 56
- indefinite matrix, 48
- independence
  - assumption, 134
  - rule, 165
- independently identical distribution, 44
- index vector, 116
- indicator function, 231
- inequality constraint, 198
- inertia, 420
- inexact line search, 253
- infeasible points, 199
- infimum, 199, 243
- infinite-dimensional vector subspace, 513
- inner product, 27
  - conjugate symmetry, 27
  - linearity in the first argument, 27
  - nonnegativity, 27

714

inner product space, 36  
 input regeneration, 413  
 interior-point condition, 262  
 interlacing eigenvalue theorem, 422  
   for singular values, 277  
 interpretability, 357  
 invariant  
   factors, 438  
   subspace, 532  
 inverse  
   affine image, 201  
   discrete Fourier transform (IDFT), 116  
   matrix, 10  
   problem, 26  
     ill-conditioned, 349  
     singular, 349  
 involutory  
   matrix, 100  
   property, 100  
 irreducible matrix, 353  
 isolated local extremal point, 186  
 Itakura–Saito divergence, 363  
 iteration matrix, 210  
 iterative  
   soft thresholding method, 236  
   Tikhonov regularization, 322  
 Jacobian  
   determinant, 142  
   matrix, 142  
   matrix identification, 141  
   operator, 130  
 Jensen inequality, 202  
 joint diagonalization, 496  
   approximate, 497  
   exact, 497  
 joint diagonalizer, 497  
 joint-factor variation, 671  
 Jordan  
   blocks, 426  
   canonical form, 426  
   representation, 431  
 Jordan–Wielandt theorem, 421  
 J-orthogonal matrix, 106  
 Karhunen–Loeve  
   expansion, 460  
   transformation, 458  
 Karush–Kuhn–Tucker (KKT) conditions, 245  
 Khatri–Rao product, 78  
   associative law, 78  
   commutative law, 78  
   distributive law, 78

*Index*

KKT point, 245  
 Kronecker product, 75  
   columnwise, 78  
   generalized Kronecker product, 77  
   left, 75  
   right, 75  
   properties, 76–77  
 Krylov  
   matrix, 210  
   subspace, 210  
   subspace method, 210  
 Kruskal rank, 636  
*K*-sparse, 86  
*K*-sparse approximation, 382  
 Kullback–Leibler (KL) divergence, 363  
 Lagrange multiplier  
   method, 237  
   vector, 237  
 Lagrangian dual method, 244  
 Lanczos  
   algorithm, 544  
   basis, 544  
 Laplace equation, 159  
 LARS algorithm, 398  
   contraction function, 386  
   selection function, 386  
 latent  
   semantic index, 298  
   variables, 643  
 lateral slice, 594  
 lateral slice matrix, 594  
 leading entry, 14  
 leading-1 entry, 14  
 leading-1 polynomial, 447  
 learning  
   algorithm, 198  
   step, 198  
 least absolute shrinkage and selection  
   operator (Lasso) algorithm, 385  
   distributed Lasso, 387  
   generalized Lasso, 387  
   group Lasso, 387  
   MRM Lasso, 387  
 least squares (LS) method, 316  
 left  
   inverse matrix, 63  
   pseudo inverse matrix, 64  
   order recursion, 64  
   quadratic eigenvectors, 485  
   singular vector, 276  
   singular-vector matrix, 276  
   solvent, 487

- leverage
  - analysis, 663
  - vector, 663
- limit point, 325
- linear
  - combination, 11
  - dependence, 11
  - independence, 11
  - inverse transform, 10
  - inverse transform matrix, 10
  - manifold, 532
  - mapping, 25
  - programming problem, 261
  - regression, 385
  - search, 253
  - transformation, 25
  - transform matrix, 10
- linearized
  - Bregman iterative algorithm, 408
  - $\lambda$ -matrix, 488
- Lipschitz
  - constant, 217
  - continuous function, 217
- $L$ -Lipschitz continuous function, 217
- local
  - approach, 671
  - maximum, 186
  - maximum point, 186
  - minimum, 185
  - minimum point, 185
    - second-order necessary condition, 187
- longitudinal unfolding, 597
  - Keirs method, 601
  - Kolda method, 602
  - LMV method, 602
  - matrix, 597
- lossless compression, 288
- lossy compression, 288
- low-rank sparse matrix decomposition, 298
- low-rank TLS solution, 333
- lower unbounded, 199, 243
- LQ decomposition, 581
- $\ell_0$ -norm minimization, 382
- $\ell_1$ -norm ball, 209
- $\ell_1$ -norm minimization, 383
  
- Mahalanobis distance, 33
- manifold, 517
- mapping, 25
  - codomain, 25
  - domain, 25
  - final set, 25
  - image, 25
- initial set, 25
- injective, 25
- inverse, 25
- one-to-one, 25
- original image, 25
- range, 25, 517
- surjective, 25
- matching pursuit, 391
- MATLAB CMTF toolbox, 678
- matricizing
  - of column vector, 597
  - of row vector, 82
- matrix, 4
  - addition, 8
    - commutative law, 8
    - associative law, 8
  - autocorrelation, 7
  - block, 6
  - broad, 5
  - completion, 302
  - complex conjugate transpose, 8
  - complex, 4
  - conjugate, 8
  - cross-correlation, 7
  - differential, 305
  - equation, 4
  - function, 11
    - derivative, 12
    - exponential, 12
    - integral, 13
    - logarithm, 12
    - triangle, 12
- Hermitian transpose, 8
- ill-conditioned, 273
- inversion, 19
  - augmented lemma, 60
  - block lemma, 61
  - Gauss elimination method, 19
  - lemma, 60
  - Sherman–Morrison formula, 60
  - Woodbury formula, 60
- $\lambda$ -matrix, 439, 485
  - nonregular, 485
  - regular, 485
- norm, 39
  - absolute column sum, 38
  - absolute row sum, 38
  - entrywise form, 39
  - Frobenius, 39
  - induced, 37
  - Mahalanobis, 39
  - max, 39
  - Minkowski  $p$ -norm, 38
  - $\ell_p$ -norm, 38



nuclear, 40  
 Schatten p-norm, 40  
 spectral norm, see matrix norm,  
   nuclear, 38  
 triangle inequality, 28  
 pencil (matrix pair), 464  
 performance indexes, 58  
 positive definiteness criterion, 96  
 power, 431  
 product, 9  
   associative law, 9  
   left distributive law, 9  
   right distributive law, 9  
 real, 4  
 square, 5  
 submatrix, 6  
 subtraction, 8  
 symmetric, 8  
 transformation, 26  
 transpose, 8  
 unit, 5  
 well-conditioned, 273  
 zero, 5  
 maximization problem, 183  
 maximum  
   ascent rate, 133  
   descent rate, 133  
   Z-eigenvalue function, 653  
 maximum likelihood solution, 320  
 maximin problem, 243  
 measure, 32  
   nonnegativity and positiveness, 32  
   symmetry, 32  
   triangle inequality, 32  
 merit function, 267  
 MIMO radar, 303  
 minimal polynomial, 447  
 minimax problem, 242, 386  
 minimization problem, 183  
 minimum norm solution, 330  
    $\ell_0$  solution, 85  
    $\ell_1$  solution, 389  
    $\ell_2$  solution, 85  
 Minkowski inequality, 51  
 minor component, 463  
 minor component analysis, 463  
 mixture matrix, 102  
 modality, 642  
 mode- $n$   
   centering, 660  
   product, 611  
 mode- $N$  vectors, 593  
 model-driven approach, 643  
 monic polynomial, 447

monotone function, 203  
   strictly monotone function, 203  
   strongly monotone function, 203  
 Moore–Penrose conditions, 66  
 Moore–Penrose inverse, 66  
   recursive algorithms, 71  
   KL decomposition method, 69  
 Moreau decomposition, 229  
 multi-way array data, 589  
 multidimensional array data, 589  
 multi-label image classification, 305  
 multilinear principal component analysis,  
   647  
 multimodality, 642  
 multiple-input–multiple-output (MIMO),  
   494  
 multiple signal classification (MUSIC), 530  
 multiplicity, 415  
 mutual coherence, 387  
 $\mu$ -center, 262  
  
 $N$ -way toolbox, 676  
 nearest neighbour, 33  
 nearest neighbour classification, 33  
 negative curvature direction, 197  
 negative  
   definite matrix, 48  
   semi-definite matrix, 48  
 neighborhood, 189  
 Nesterov  
   first optimal gradient algorithm, 221  
   third optimal gradient algorithm 223  
 Newton method, 207  
   complex, 254  
   modified, 252  
   quasi-, 252  
   truncated, 252  
 Newton algorithm, 253  
   infeasible start, 256  
   feasible start, 255  
 Newton descent direction, 207  
 Newton search direction, 254  
 Newton step, 207  
   complex Newton step, 254  
 Newton–Raphson method, 207  
 Neyman  $\chi^2$  distance, 363  
 nilpotent matrix, 97  
 noise subspace, 526  
 noise subspace method, 528  
 nonactive constraint, 403  
 nonconvex set, 200  
 nonextensive entropy, 364  
 nonsmooth convex optimizations, 232

- nonnegative
  - blind matrix equation, 353
  - CP decomposition, 666
    - alternating least squares algorithm, 669
    - multiplication algorithm, 666
  - matrix, 353
  - matrix approximation, 360
  - matrix factorization, 360
    - multiplication algorithm, 366
    - Nesterov optimal gradient algorithm, 373
    - projected gradient algorithm, 372
  - orthant, 201
  - quadrant, 201
  - tensor, 652
  - Tucker decomposition, 665
    - alternating least squares algorithm, 669
    - multiplication updating algorithm, 666
  - vector, 353
- nonnegativity, 27
- nonnegativity constraint, 355
- nonnormal  $\lambda$ -matrix, 485
- nonsingular matrix, 11, 50
  - polynomial, 435
- nonstationary iterative methods, 210
- nontrivial solution, 59
- normal
  - complex partial derivative, 162
  - equation, 457
  - matrix, 105
  - vector, 338
- normalized
  - Euclidean distance, 34
  - singular values, 281
- normed vector space, 35
- null space, 518
- nullity, 518
- numerical stability, 272
  
- object–concept distance, 35
- objective function, 183
- oblique projector, 574
  - geometric interpretation, 576
  - physical meaning, 577
- observation data space, 526
- off function, 498
- off matrix, 498
- one-way array data, 589
- ordinary least squares (OLS) method, 316
- open
  - ball, 201
  - neighborhood, 185
- Oppenheim inequality, 96
- optimal
  - dual value, 244
  - least square approximate solution, 333
  - $K$ -sparse approximation, 383
  - primal value, 242
  - solution, 199
    - unbiased estimator, 317
- optimality direction, 265
- optimization
  - variable, 198
  - vector, 183
- ordered  $n$ -ples, 22
- ordered pair, 22
- ordering indetermination, 635
- original
  - cost function, 242
  - feasibility, 249
  - optimum point, 244
  - problem, 242
  - residual, 250
  - variable, 242
- original–dual interior-point method, 264
- orthogonal, 43
  - approximate joint diagonalization, 498
  - complement subspace, 514
  - decomposition, 551
  - equivalence, 105
  - geometric interpretation, 32
  - group, 535
  - matching pursuit, 391
  - matching pursuit algorithm, 392
  - matrix, 104
  - physical meaning, 32
  - projection, 552
    - projection matrix, 561
    - updating formulas, 563
  - projector, 557
  - random vector orthogonal, 31
  - set, 104
  - subspace, 513
  - system, 554
- orthogonality, 32
  - constraint, 532
  - geometric interpretation, 32
  - mathematical definition, 32
  - physical meaning, 32
  - random vector orthogonality, 31
- orthogonally decomposable tensor, 658
- orthonormal
  - input matrix, 385
  - set, 104
  - system, 554

- outer product, 7
- overcomplete atoms, 85
- over-determined
  - equation, 56
  - matrix equation, 315
- partial derivative vector, 130
- PAST via deflation (PASTd) algorithm, 541
- pattern
  - classification, 32
  - vector, 356
- Pearson  $\chi^2$  distance, 362
- penalty factors, 238
- penalty function, 238
  - exterior, 239
  - interior, 239
- penalty function method, 238
  - exterior, 240
  - interior, 240
- penalty parameter vector, 241
- permutation matrix, 98
- Perron–Frobenius theorem, 355
- perturbed complementarity condition, 262
- PGS method, 327
- physical vector, 4
- Pisarenko harmonic decomposition, 455
- pivot
  - column, 14
  - position, 14
- plaintext, 86
- point-spread function (PSF), 348
- pointwise maximal function, 226
- polarization identity, 28
- polynomial matrix, 434
  - inverse, 435
  - rank, 435
- positive definite matrix, 48
- positive matrix, 353
  - factorization, 360
- positive-part operator, 396
- positive semi-definite
  - cone, 201, 209
  - matrix, 48
- positive vector, 353
- power property, 424
- preconditioned conjugate gradient
  - algorithm, 213
  - iteration, 212
- predictor, 385
- preprocessor, 212
- primal cost function, 242
- primal–dual interior point method, 262
- primitive matrix, 353
- principal component, 462
- principal component analysis (PCA), 461
- principal minor, 49
- product singular value decomposition, 283
- projected gradient method, 208
- projection, 208, 552
  - approximation subspace tracking (PAST) algorithm, 540
  - matrix, 558
    - first-order partial derivative, 561
    - second-order partial derivative, 561
    - updating formula, 563
  - operator, 556
  - theorem, 553
- projector, 556
- prox-function, 223
- proximate
  - gradient method, 233
  - mapping, 228
- pseudo additivity, 364
- Pythagorean theorem, 32, 40
- $Q$ -convergence rate, 215
- $q$ -distribution, 365
- $q$ -exponential, 365
- $q$ -Gaussian distribution, 365
- $q$ -logarithm, 365
- QR decomposition, 274
- quadratic
  - characteristic equation, 485
  - characteristic polynomial, 485
  - eigentriple, 485
  - eigenvalue problem, 485
    - elliptic quadratic eigenvalue problem, 486
    - hyperbolic quadratic eigenvalue problem, 486
  - eigenvalue problem solving, 486
    - decomposition method, 487
    - linearized algorithm, 488
    - linearized method, 488
  - eigenvalues, 485
  - form, 47
  - matrix equation, 487
  - matrix polynomial, 487
  - programming (QP) problem, 384
  - variation (QV), 675
- quadratically constrained linear program (QCLP) problem, 383
- quantization coefficient
  - matrix, 357
  - vectors, 357

- quasi-convex function, 203, 326
  - strictly quasi-convex function, 203
  - strongly quasi-convex function, 203
- quotient, 450
- quotient singular value decomposition, 292
  
- radar imaging, 303
- random matrix, 342
- random matrix equation, 342
- random vector, real, 5
- range, 25, 517
- rank, 519
- rank deficient matrix, 58
- rank equality, 58
- rank inequality, 58, 74
- rank-1 updating algorithm, 252
- ranking and collaborative filtering, 304
- Rayleigh quotient, 474
  - boundedness, 474
  - homogeneity, 474
  - iteration, 475
  - minimum residual, 474
  - orthogonality, 474
  - problem solving, 476
    - conjugate gradient algorithm, 477
    - gradient algorithm, 476
  - shift invariance, 474
- Rayleigh sequence, 475
  - scale invariance, 475
  - shift invariance, 476
  - unitary similarity, 476
- Rayleigh–Ritz
  - approximation, 544
  - ratio, 474
  - (RR) value, 543
  - (RR) vector, 543
  - theorem, 474
- rectangular set, 209
- recursive least squares (RLS) algorithm, 540
- reduced row echelon form matrix, 14
- reducible matrix, 353
- reflection matrix, 100
- regular
  - matrix, 353
  - $\lambda$ -matrix, 485
  - tensor pair, 656
- regularization
  - method, 322
  - orthogonal matching pursuit, 392
  - parameter, 322
  - path, 323
- regularized
  - Gauss–Seidel method, 327
  - least squares, 321
  - method, 322
- relative interior
  - domain, 247
  - points, 247
- relatively feasible interior set, 238
- relaxation
  - method, 322
  - sequence, 183
- remainder, 450
- remote sensing, 304
- resolvent, 231
- response vector, 85
- restricted isometry
  - constant (RIC), 388
  - property (RIP), 388
- resultant, 651
- Richardson iteration, 210
- right
  - inverse matrix, 63
  - pseudo inverse matrix, 64
    - order recursion, 64
  - quadratic eigenvectors, 485
  - singular vector, 276
  - singular-vector matrix, 276
  - solvent, 487
- Ritz pairs, 543
- robust
  - linear regression, 386
  - principal component analysis, 300
- rotation operator, 468
- row
  - equivalent, 14
  - partial derivative operator, 130
  - space, 517
  - span, 517
  - vectorization, 79
- Rudin–Osher–Fatemi de-noising model, 405
  
- saddle point, 188
- sample density, 305
- scalar multiplication
  - association rule, 23
  - distribution rule, 23
  - unit rule, 23
- scale uncertainty, 635
- scaling, 660
- Schur inequality, 55
- Schur product, 72
- search direction, 206

- searching point sequence, 221  
 second-order  
   cone, 209  
   (matrix) differential rule, 153  
   primal-dual interior point method, 264  
 select matrix, 103  
 selection function, 386  
 self-adjoint matrix, 95  
 semi-orthogonal matrix, 104, 532  
 set, 20  
   difference, 21  
   intersection, 21  
   null, 21  
   proper subset, 21  
   relative complement, 21  
   subset, 21  
   sum, 21  
   superset, 21  
   union, 21  
 Shannon entropy, 364  
 Sherman–Morrison formula, 60  
 shift matrix, 101  
 short matrix, 533  
   semi-orthogonal, 534  
 shrinkage operator, 230  
 signal  
   decoding, 461  
   encoding, 461  
   subspace, 527  
   subspace method, 528  
 signature, 420  
 signum multifunction, 390  
 similar matrices, 423  
   reflexivity, 423  
   symmetry, 423  
   transitivity, 423  
 similarity, 32  
 similarity invariance, 54  
 similarity transformation, 423  
 simultaneous tensor decomposition and  
   completion (STDC), 671  
 single singular value, 275  
 singleton, 225  
 singular matrix, 11  
 singular tensor pair, 656  
 singular value, 275  
   decomposition, 275  
   shrinkage operator, 299  
   thresholding (SVT), 298  
   thresholding for matrix completion, 308  
 slack variable, 247  
 slack variable vector, 247  
 Slater condition, 247  
 Slater theorem, 247  
  
 slice matrices, 594  
   frontal slice, 594  
   horizontal slice, 594  
   lateral slice, 594  
 slope, 338  
 slope parameter, 338  
 Smith normal form, 436  
 smooth  
   function, 218  
   PARAFAC tensor completion, 674  
 smooth convex optimization problem, 205  
 soft threshold value, 229  
 soft thresholding, 298  
   operation, 298  
   operator, 229  
 spanning set, 511  
 spanning set theorem, 512  
 sparse  
   approximation problem, 85  
   coding problem, 382  
   decomposition, 85  
   matrix, 84  
   representation problem, 85  
   vector, 84  
 sparseness, 378  
 sparsest  
   representation, 85  
   solution, 382  
 sparsity, 382  
 sparsity constraint, 356  
 SPC algorithm, 676  
 spectrum, 420  
 spectral radius, 420  
 split Bregman iterative algorithm, 409  
 split optimization problem, 228  
 square root matrix, 109  
 squared Euclidean distance, 362  
 stagewise orthogonal matching pursuit,  
   392  
 standard  
   Euclidean structure, 35  
   incoherence condition, 306  
 standardized  
   Hadamard matrix, 121  
   orthonormal Hadamard matrix, 121  
 stationary  
   iterative methods, 210  
   point, 184  
 statistical  
   fidelity, 357  
   independence, 43  
   uncorrelation, 43  
 steepest descent  
   direction, 207

- method, 197, 206
- Stiefel manifold, 536
- strict
  - absolute minimum, 184
  - global maximum, 186
  - global maximum point, 186
  - global minimum, 185
  - global minimum point, 185
  - local minimum, 185
  - local minimum point, 185
- strictly convex function, 202
- strictly quasi-convex function, 326
- strictly square integrable function, 514
- strong duality, 244
- strongly convex function, 202
- strongly local minimum point, 186
- strongly monotone, 203
- Sturmian separation theorem, 509
- SVD-TLS algorithm, 333
- subdifferentiable, 225
- subdifferential, 225
- subgradient vector, 225
- suboptimal point, 244
  - $\varepsilon$ -suboptimal dual point, 244
  - $\varepsilon$ -suboptimal original point, 244
  - $\varepsilon$ -suboptimal solution, 205
- subspace
  - dimension, 513
  - generator, 511
  - nest, 515
  - pursuit algorithm, 392
  - whitening matrix, 532
- sum-of-norms regularization, 398
- summing vector, 110
- super plane, 209
- super plane fitting, 341
- superdiagonal line, 593
- supersymmetric tensor, 592
- supremum, 242
- swamp, 327
- symmetric tensor, 650, 592
  
- tall-skinny
  - matrix, 533
  - semi-orthogonal matrix, 534
- tangent
  - algorithm, 466
  - space, 466
- Tanimoto measure, 34
- target signal, 85
- Taylor series expansion, 187
- TDALAB, 676
  
- tensor, 590
  - characteristic polynomial, 652
  - core, 616
  - decomposed, 612
  - eigenvalue, 651
    - $\mathcal{B}$ -eigenvalue, 656
    - D-eigenvalue, 654
    - E-eigenvalue, 653
    - H-eigenvalue, 652
    - Z-eigenvalue, 653
    - U-eigenvalue, 654
    - US-eigenvalue, 655
  - eigenvector, 651
    - $\mathcal{B}$ -eigenvector, 656
    - D-eigenvector, 654
    - E-eigenvector, 653
    - H-eigenvector, 652
    - Z-eigenvector, 653
    - U-eigenvector, 654
    - US-eigenvector, 655
- epilepsy, 591
- face, 591
- fibers, 593
  - column, 593
  - depth, 593
  - horizontal, 593
  - row, 593
  - tube, 593
  - fiber, 593
- flattening, 597
- first-order, 590
- Frobenius norm, 606
- inner product, 606
- matricization, 597
- matricizing, 597, 598
- mode- $n$  rank, 613
- norm, 606
- $n$ th-order, 590
- outer product, 607
- pair, 656
- pencil, 656
- positive definite, 650
- positive semi-definite, 650
- product, 75
- rank, 614
- rank decomposition, 614
- reconstruction, 605
- reshaping, 605
- second-order, 590
- supersymmetric, 592
- tensorization, 605
- third-order, 592
- toolbox, 676
- toolbox in Python, 678

- train decomposition, 678
- unfolding, 597
- unit, 593
- unit third-order, 592
- zero-order, 590
- tensor analysis, 589
- tensor–vector products, 650
- tensor–vectorization, 597
- TensorBOX, 676
- Tensorlab toolbox, 676
- tensorization, 605
- TensorReg toolbox, 678
- term-document matrix, 295
- thin singular value decomposition, 276
- third-order SVD, 617
- Tikhonov
  - regularization, 322
  - regularizing solution, 322
    - limit characteristic, 323
    - linearity, 323
    - regularization, 323
- time-shifting operation, 564
- time-shifting operator, 564
- Toeplitz matrix, 123
  - Hermitian, 124
  - fast DCT algorithm, 125
  - skew Hermitian, 124
  - symmetric, 124
- Toeplitz system of linear equations, 124
- total
  - differential, 141
  - least squares, 328
  - least square (TLS) algorithm, 331
  - least squares fitting, 338
  - least squares solution, 329
  - maximum likelihood (TML) method, 342
  - variance, 675
- trace, 54
  - equality, 54
  - inequality, 55
- transformation matrix, 26
- triangular matrix, 107
  - lower, 108
  - strict lower, 108
  - strict upper, 108
  - unit, 108
  - unit upper, 108
  - upper, 108
- tridiagonal matrix, 107
- tri-Lanczos iteration, 545
- tripotent matrix, 98
- trivial
  - solution, 59
  - subspace, 512
- truncated nuclear norm, 308
- truncated nuclear norm minimization, 308
  - accelerated proximal gradient line (APGL) search algorithm, 310
  - ADMM algorithm, 311
- truncated singular value decomposition, 276
- Tsallis
  - entropy, 364
  - logarithm, 365
  - mathematical statistics, 365
- TT toolbox, 676
- Tucker decomposition, 615
  - alternating least squares algorithm, 623
  - multiplication algorithm, 666
  - Tucker1 decomposition, 621
  - Tucker2 decomposition, 621
  - Tucker3 decomposition, 621
- Tucker operator, 615
- Tucker product, 608
  - Tucker mode-1 product, 608
  - Tucker mode-2 product, 608
  - Tucker mode-3 product, 608
- Type-I elementary row matrix, 435
- Type-I elementary row operations, 13
- Type-II elementary row matrix, 435
- Type-II elementary row operations, 13
- Type-III elementary row matrix, 435
- Type-III elementary row operations, 13
- unconstrained minimization problem, 195
  - first-order necessary condition, 187
  - second-order necessary condition, 187
  - second-order sufficient condition, 188
- unbiased estimator, 317
- uncertainty set, 386
- under bandwidth, 107
- under-determined
  - equation, 56
  - sparse matrix equation, 315
- unidentifiable, 317
- unfixed iterative method, 210
- unfold principal component analysis, 646
- unipotent matrix, 97
- unique representation theorem, 513
- unit
  - ball, 200
  - lower triangular matrix, 108
  - third-order tensor, 593
  - upper triangular matrix, 108
- unitarily equivalent, 105
- unitary matrix, 104
  - para-unitary matrix, 104

- unitary transformation, 105
- unity law, 23
- untraceable, 382
- upper bandwidth, 107
- upper Hessenberg matrix, 107
- utility function, 183
  
- value function, 183
- Vandermonde
  - matrix, 112
    - factor matrices, 672
    - inverse matrix, 113
- vectors, 3
  - algebraic, 5
  - angle, 30
  - basis, 6
  - column, 3
  - constant, 5
  - dual residual, 250
  - Euclidean distance, 30
  - Euclidean length, 29
  - function, 5
  - inner product (dot product), 7, 30
  - geometric, 4
  - norm, 30
  - normalized, 30
  - outer product (cross product), 7, 607
  - physical, 4
  - random, 5
    - autocorrelation matrix, 41
    - autocovariance matrix, 41
    - inner product, 31
    - mean vector, 41
    - norm, 31
  - row, 4
  - scaled dual vector, 250
  - zero, 5
  - $\epsilon$ -neighborhood, 29
- vector addition, 6
  - associative law, 6
  - commutative law, 6
- vector multiplication, 6
- vector norm, 28
  - Cauchy–Schwartz inequality, 29
  - Euclidean norm, 29
  - Hölder norm, 29
  - homogeneity, 28
  - $\ell_0$ -norm, 29
  - $\ell_1$ -norm, 29
  - $\ell_p$ -norm, 29
  - $\ell_\infty$ -norm, 29
  - nonnegativity, 28
  - norm axioms, 28
  - parallelogram law, 28
  - positivity, 28
  - triangle inequality, 28
  - unitary invariant norm, 30
- vector quantization, 357
- vector quantization method, 357
- vector quantization problem, 357
- vector space, 23
  - complex, 24
  - real, 24
- vector subspaces, 24
- vectorization, 79
- video surveillance, 297
- violated constraint, 242, 403
  
- weak duality, 244
- weighted least squares solution, 410
- well-defined, 327
- well-determined equation, 56
- Weyl theorem, 422
- whitening matrix, 531
- winner-take-all, 357
- Wirtinger partial derivative, 159
- within-class scatter matrix, 295
- within-factor variation, 671
- Woodbury formula, 60
  
- zero-dimension array data, 589
- zero matrix, 5