

Contents

	<i>Preface</i>	<i>page ix</i>
1	Fundamental Mathematics of Nonlinear-Emission Photonic Glass Fiber and Waveguide Devices	1
	1.1 Introduction	1
	1.2 Newton Iteration Algorithm for Nonlinear Rate Equation Solution	1
	1.2.1 Single-Variable	1
	1.2.2 Multi-Variable	3
	1.3 Runge–Kutta Algorithm for Power-Propagation Equation Solution	4
	1.3.1 Single-Function	4
	1.3.2 Multi-Functions	6
	1.4 Two-Point Boundary Problem for Power-Propagation Equations in a Laser Cavity	7
	1.4.1 Principle	7
	1.4.2 Shooting Method and Relaxation Method	7
	References	9
2	Fundamental Spectral Theory of Photonic Glasses	10
	2.1 Introduction	10
	2.2 Judd–Ofelt Theory	10
	2.3 Transition Probability and Quantum Efficiency	12
	2.4 Fluorescence Branch Ratio	13
	2.5 Homogeneous and Inhomogeneous Broadening of Spectra	14
	References	15
3	Spectral Properties of Ytterbium-Doped Glasses	16
	3.1 Introduction	16
	3.2 Formation Region of Yb ₂ O ₃ -Containing Glasses	16
	3.3 Laser Performance Parameters of Ytterbium-Doped Glasses	17
	3.3.1 Minimum Fraction of Excited State Ions	17
	3.3.2 Saturation Pump Intensity	18
	3.3.3 Minimum Pump Intensity	18
	3.3.4 Storage-Energy and Gain Parameters	18
		v

3.4	Spectral Properties of Yb ³⁺ -Doped Borate Glasses	19
3.4.1	Compositional Dependence of Spectral Properties	19
3.4.2	Dependence of Spectral Properties on Active Ion Concentration	22
3.5	Spectral Properties of Yb ³⁺ -Doped Phosphate Glasses	23
3.5.1	Compositional Dependence of Spectral Properties	23
3.5.2	Dependence of Spectral Properties on Active Ion Concentration	26
3.6	Spectral Properties of Yb ³⁺ -Doped Silicate Glasses	28
3.6.1	Compositional Dependence of Spectral Properties	28
3.6.2	Dependence of Spectral Properties on Active Ion Concentration	32
3.7	Spectral Properties of Yb ³⁺ -Doped Germanate Glasses	34
3.7.1	Compositional Dependence of Spectral Properties	34
3.8	Spectral Properties of Yb ³⁺ -Doped Telluride Glasses	36
3.8.1	Compositional Dependence of Spectral Properties	36
3.8.2	Dependence of Spectral Properties on Active Ion Concentration	39
3.9	Dependence of Spectral Property and Laser Performance Parameters on Glass System	43
3.9.1	Dependence of Spectral Property on Glass Systems	43
3.9.2	Dependence of Laser Performance Parameters on Glass Systems	46
3.10	Dependence of Energy-Level Structure of Yb ³⁺ on Glass Systems	51
3.11	Cooperative Upconversion of Yb ³⁺ Ion Pairs	53
3.11.1	Cooperative Upconversion Luminescence	53
3.11.2	Concentration-Quenching Mechanics	57
3.11.3	Concentration Dependence of Luminescence Intensity	59
3.12	Fluorescence Trap Effect of Yb ³⁺ Ions in Glasses	60
	References	63
4	Compact Fiber Amplifiers	65
4.1	Introduction	65
4.2	Level Structure and Numerical Model	66
4.3	Dependence of Gain and Noise Figure on Concentrations	67
4.4	Doping Concentrations with Short-Length High Gain	72
	References	72
5	Photonic Glass Fiber Lasers	74
5.1	Introduction	74
5.2	Fundamental Physics of Fiber Laser	74
5.2.1	Lasing Conditions of Laser	74
5.2.2	Threshold Gain	75
5.2.3	Phase Condition and Laser Modes	76
5.2.4	Population Inversion Calculation	76
5.3	Numerical Models of Rare-Earth-Doped Fiber Lasers	80
5.3.1	Configuration and Power-Propagation Equations of Fiber Laser	80

5.3.2	Output Power of a Two-Level Fiber Laser	81
5.3.3	Output Power of a Three-Level Fiber Laser	83
5.3.4	Output Power of a Four-Level Fiber Laser	84
5.3.5	Output Power of Yb ³⁺ -Doped Fiber Laser	85
	References	90
6	Broadband Fiber Amplifiers and Sources	91
6.1	Introduction	91
6.2	Pr ³⁺ -Tm ³⁺ -Er ³⁺ -Co-Doped Fiber System	92
6.2.1	General Rate and Power-Propagation Equations with Two Wavelength Pumps	92
6.2.2	Gain Characteristics with 980nm Pump	96
6.2.3	Gain Characteristics with 793nm Pump	99
6.2.4	Gain Characteristics with Double Pumps	105
6.3	Gain Characteristics of Pr ³⁺ -Er ³⁺ -Co-Doped Fiber System	131
6.3.1	Rate and Power-Propagation Equations	131
6.3.2	Dependence of Gain on Fiber Parameters	134
6.4	WDM Transmission System Cascaded with Tm ³⁺ -Er ³⁺ -Co-Doped Fiber Amplifiers	139
6.4.1	WDM System with Single Pump	140
6.4.2	WDM System with Dual Pumps	141
	References	143
7	Photonic Glass Waveguides for Spectral Conversion	145
7.1	Introduction	145
7.2	Theoretical Model and Spectral Characterization	146
7.2.1	Theoretical Model	146
7.2.2	Spectral Characterization	148
7.3	Doubly-Doped System	148
7.3.1	Energy Transfer Model	149
7.3.2	Quantum Efficiency of Photonic Glass Waveguide	152
7.4	Triply-Doped System	159
7.4.1	Energy Transfer Model	159
7.4.2	Quantum Efficiency of Photonic Glass Waveguide	163
7.5	Performance Evaluation of sc-Si-Solar Cell with Photonic Glass Waveguides	171
	References	174
8	Photonic Glass Waveguide for White-Light Generation	177
8.1	Introduction	177
8.2	White-Light Glasses	178
8.2.1	Tm ³⁺ -Tb ³⁺ -Eu ³⁺ -Co-Doped System	178
8.2.2	Yb ³⁺ -Er ³⁺ -Tm ³⁺ -Co-Doped System	185

8.3	Emission-Tunable Glasses	194
8.3.1	Tb ³⁺ -Sm ³⁺ -Dy ³⁺ -Co-Doped System	194
8.3.2	Tm ³⁺ -Yb ³⁺ -Ho ³⁺ -Co-Doped System	205
	References	214
	<i>Appendix 1 Matlab Code for Solving Nonlinear Rate and Power-Propagation Equation Groups in Co-Doped Fiber Amplifiers or Fiber Sources</i>	219
	<i>Appendix 2 Matlab Code for Solving Power-Propagation Equations of a Laser Cavity with Four-Level System</i>	225
	<i>Index</i>	228