

## Index

---

- $\text{ADC}_m$ , 505  
 $A^{\text{en}}$ , 366  
 $A(\phi, i)$ , 511  
 $\text{badj}_{u,M,N}^R$ , 312  
 $B^i(M)$ , 73  
 $\mathbf{C}(A)$ , 79  
 $\mathbf{C}(A)_{\text{rig}/\mathbb{K}}$ , 369  
 $\mathbf{C}(A, M)$ , 90  
 $\mathbf{C}^*(A, M)$ , 92, 291  
 $\mathbf{C}(A, \text{gr})$ , 432  
 $\mathbf{C}(M)$ , 83  
 $\mathbf{C}^*(M)$ , 291  
 $\text{CInd}_u$ , 311  
 $\text{con}(M)$ , 290  
 $\mathbf{C}_{\text{str}}(A)$ , 77  
 $\mathbf{C}_{\text{str}}(A, M)$ , 91  
 $\mathbf{C}_{\text{str}}(A, \text{gr})$ , 433  
 $\mathbf{C}_{\text{str}}(M)$ , 82  
 $\mathbf{D}(A)$ , 174  
 $\mathbf{D}(A)_{\text{rig}/\mathbb{K}}$ , 362  
 $\mathbf{D}(A, M)$ , 174  
 $\mathbf{D}(A, M)^*$ , 177  
 $\mathbf{D}^*(A, M)$ , 177, 291  
 $\mathbf{D}(A, \text{gr})$ , 433  
 $\mathbf{D}(M)$ , 174  
 $\mathbf{D}(M)^*$ , 179  
 $\mathbf{D}^*(M)$ , 179, 291  
 $\mathbf{D}_N(M)$ , 180  
 $\mathbf{D}_N^*(M)$ , 180  
 $\text{DPic}_{\mathbb{K}}(A)$ , 406, 420, 551  
 $\mathbf{D}_{\text{cof}}(A, \text{gr})$ , 453  
 $\mathbf{D}_{\text{dwf}}(A, \text{gr})$ , 453  
 $\mathbf{D}_f(A, \text{gr})$ , 453  
 $\mathbf{D}_{\text{tor}}(A \otimes B^{\text{op}}, \text{gr})$ , 477  
 $\mathbf{D}_{(\text{tor}, \text{tor})}(A^{\text{en}}, \text{gr})$ , 491  
 $\text{ev}_{m,(-)}^{R,L}$ , 485  
 $\text{ev}_{M,N}^{R,R}$ , 509  
 $\text{Ext}_{A,M}^i(-, -)$ , 295  
 $\text{fadj}_{u,M,N}^L$ , 309, 310  
 $\text{Fun}(\mathbf{C}, \mathbf{D})$ , 189  
 $\text{Fun}_{\mathbb{S}}(\mathbf{C}, \mathbf{D})$ , 190  
 $\Gamma_m$ , 473  
 $H^i(M)$ , 73  
 $H_m^i$ , 478  
 $\text{hm}_{N,A}^R$ , 509  
 $\text{Ind}_u$ , 308  
 $\mathbf{K}(A, M)$ , 91, 134  
 $\mathbf{K}^*(A, M)$ , 176, 291  
 $\mathbf{K}(A, M)^{\text{flip}}$ , 143  
 $\mathbf{K}(A, M)^{\text{op}}$ , 143  
 $\mathbf{K}(A, \text{gr})$ , 433  
 $\mathbf{K}^*(M)$ , 291  
 $\mathbb{K}^{\text{op}}$ , 144  
 $\text{LInd}_u$ , 308  
 $(-\otimes_A^L -)$ , 296  
 $\text{lcu}$ , 450, 498  
 $\text{lu}$ , 449, 498

- $\mathbf{M}(A, \text{gr})$ , 426  
 $\mathbf{M}(\mathbb{K}, \text{gr})$ , 425  
 $M(i)$ , 427  
 $M[i]$ , 291  
 $\mathbf{M}_{\text{cof}}(A, \text{gr})$ , 443  
 $\mathbf{M}_{\text{dwf}}(A, \text{gr})$ , 440  
 $\mathbf{M}_f(A, \text{gr})$ , 430  
 $M^*$ , 440  
 $q_{u,M}^L$ , 309, 310  
 $\text{RCInd}_u$ , 311  
 $\text{R}\Gamma_m$ , 477, 490  
 $\text{RHom}_{A,M}$ , 293  
 $\text{Rest}_u$ , 308  
 $ru$ , 450, 498  
 $\sigma^R$ , 477  
 $\sigma_m^R$ , 490  
 $\text{smt}^{\geq i}(M)$ , 178  
 $\text{smt}^{\leq i}(M)$ , 177  
 $\text{Soc}(M)$ , 441  
 $\text{Sq}_A(M)$ , 554  
 $\text{Sq}_A(\phi)$ , 554  
 $\text{Sq}_{B/A}$ , 359  
 $\text{stt}^{\geq q}(N)$ , 248  
 $\text{stt}^{\leq q}(N)$ , 248  
 $T(M)$ , 102  
 $t_M$ , 102  
 $T^i(M)$ , 291  
 $\text{Tor}_i^A(-, -)$ , 297  
 $\text{TrFun}(K, L)$ , 203  
 $\text{TrFun}_S(K, L)$ , 204  
 $\text{tr}_f$ , 536  
 $\text{tr}_{u,M}^R$ , 311, 312  
 $Y^i(M)$ , 73  
 $Z^i(M)$ , 73
- Abelian category, 41
  - complex in, 82
  - DG  $A$ -module in, 90
  - full abelian subcategory of, 41
  - graded  $A$ -module in, 71
  - graded object in, 70
  - injective object in, 57
  - projective object in, 56
  - thick abelian subcategory of, 180
- Additive category, 38  
 Additive functor
  - copointed, 469, 471, 499, 501
  - finite dimensional, 465, 467, 479
  - idempotent, 469, 471, 472, 501
  - pointed, 472, 499, 501
  - quasi-compact, 466, 467, 479
  - stable, 468
  - weakly stable, 468, 471
- $A_\infty$  category, 93, 160, 175  
 Algebraically graded module, 424, 426
  - cofinite, 443
  - degree twist of, 427
  - degreewise finite, 440
  - finite, 432
  - graded  $\mathbb{K}$ -linear dual, 440
  - graded- $m$ -flasque, 482
  - graded-cofree, 436
  - graded-essential monomorphism of  $-s$ , 438
  - graded-essential submodule of, 437
  - graded-flat, 436
  - graded-free, 436
  - graded-injective, 436
  - graded-projective, 436
  - homomorphism of  $-s$ , 426
  - socle of, 441
  - strict homomorphism of  $-s$ , 425, 426
- Algebraically graded ring, 426
  - AS condition on, 457
  - AS Gorenstein, 457
  - AS regular, 457, 584
  - augmentation ideal of, 429

- $\chi$  condition on connected, 494, 497, 525, 540
- commutative, 428
- connected, 439
- connected — of finite local cohomological dimension, 490, 491, 497, 525, 540
- Gorenstein, 455
- graded global dimension of, 455
- graded-injective dimension of, 455
- homomorphism of —s, 426
- left noetherian, 432
- nonnegative, 429
- of Laurent type, 561
- regular, 455
- special  $\chi$  condition on connected, 494
- Backward adjunction
  - derived, 312
- Backward morphism
  - canonical, 311
  - in derived category, 311, 312
  - nondegenerate, 312
- Bifunctor
  - contravariant, 218, 222
  - derived, 226, 228
  - differential graded, 218
  - linear, 217
  - triangulated, 221, 222
- Boundedness
  - condition, 92, 176, 177, 179, 180, 290, 291
  - indicator, 290
  - type of DG module, 291
- Braiding isomorphism, 64
- Central  $\mathbb{K}$ -ring, 27
- Coboundaries
  - module of, 73
- Cocycles
  - module of, 73
- Cofiltration on a DG module, 252
  - semi-cofree, 283
  - semi-injective, 272
- Cohomological dimension
  - of functor, 298
  - of triangulated functor, 465
  - right — of functor, 463
- Cohomological displacement
  - of contravariant functor, 298
  - of covariant functor, 298
- Cohomological functor, 123
  - contravariant, 123
- Cohomologically graded module, 62
- Cohomologically graded ring, 64
  - commutative, 66
  - nonpositive, 66
  - strongly commutative, 66
  - weakly commutative, 65
- Cohomology
  - module, 73
- Coinduction functor, 311
  - derived, 311
- Completion
  - abstract derived — functor, 505
- Complex in abelian category
  - $\mathbb{K}$ -injective, 272
  - $\mathbb{K}$ -projective, 254
  - minimal injective, 345
  - pseudo-coherent, 322
  - semi-injective, 272
  - semi-projective, 254
- Complex of algebraically graded modules
  - derived graded-pseudo-finite, 451
  - graded-cofree, 444
  - graded-free, 444

- K-graded-m-flasque, 482
- K-graded-flat, 444
- K-graded-injective, 444
- K-graded-projective, 444
- minimal — graded-free —, 450
- minimal — graded-injective —, 480, 493
- pseudo-finite semi-graded-free, 451
- semi-graded-cofree, 444
- semi-graded-free, 444
- symmetry isomorphism of, 491
- with symmetric derived m-torsion, 491, 497
- with weakly symmetric derived m-torsion, 491
- Concentration
  - cohomological — of DG module, 291
  - of DG module, 291
  - of graded module, 290
- Cone
  - of morphism in triangulated category, 127
  - standard — of strict morphism in  $\mathbf{C}(A, M)$ , 105
- Connected component
  - decomposition, 342
- Connecting morphism, 87
- Decocycles
  - module of, 73
- Dedualizing complex, 485
- Degree interval, 245
- Denominator set, 152, 153
  - of cohomological origin, 166
- Derived category
  - of DG  $A$ -modules in  $M$ , 174
  - of DG bimodules, 397, 403
  - opposite, 185
- Derived functor
  - abstract left, 200
  - abstract right, 192
  - contravariant triangulated left, 212
  - contravariant triangulated right, 212
  - triangulated left, 208, 209, 238
  - triangulated right, 205, 207, 234
- Derived Morita property, 331
  - noncommutative, 407, 408, 510
- Derived Morita Theory, 393
- Derived Picard group, 406
- Differential graded bimodule, 387
  - pretilting, 408
  - quasi-inverse of tilting, 405
  - tilting, 408, 418
- Differential graded category, 78
  - homotopy category of, 79
  - of DG  $A$ -modules in  $M$ , 90
  - opposite category of, 95
  - pretriangulated, 142
  - strict morphism in, 78
  - strict subcategory of, 79
- Differential graded functor, 80, 141
  - contravariant, 94, 144
  - morphism of —s, 81
  - strict morphism of —s, 81, 141
- Differential graded module, 72, 76
  - acyclic, 230
  - algebraically perfect, 374
  - cofree, 282
  - compact, 375, 391, 408
  - derived pseudo-finite, 322
  - finite free, 374
  - finite semi-free, 374
  - free, 261
  - generator, 391, 408
  - geometrically perfect, 383
  - Hom between —s, 73, 77, 90

- K-flat, 238
- K-injective, 230, 232, 283
- K-projective, 236, 237, 263
- pseudo-coherent, 322
- pseudo-finite semi-free, 267, 269
- semi-cofree, 283, 284
- semi-free, 261, 263, 264
- tensor product of  $-s$ , 73, 77
- Differential graded ring, 74
  - cohomologically
    - pseudo-noetherian, 268, 269
  - commutative, 74
  - enveloping, 397
  - homomorphism of  $-s$ , 74
  - K-flat, 397
  - NC semi-free, 316
  - nonpositive, 74
  - opposite, 75
  - quasi-isomorphism of  $-s$ , 313
  - strongly commutative, 74
  - weakly commutative, 74
- Dimension function, 348
- Direct summand, 129, 130
- Direct sums
  - infinite — in  $\mathbf{D}(A, \mathbf{M})$ , 235
- Duality functor, 333, 510, 546
- Dualizing complex
  - balanced, 514, 520, 523, 525, 568, 576
  - balanced trace morphism of
    - balanced  $-es$ , 536
  - commutative, 332, 339
  - commutative rigid, 366
  - graded NC, 509
  - graded rigid NC, 568
  - noncommutative, 545, 548
  - noncommutative rigid, 555, 576
- Enveloping ring, 366
- Essential
  - monomorphism, 344
  - submodule, 344
- Essentially finite type, 338
- Exact functor, 51
- Exact sequence, 43
- Filtration on a DG module, 249
  - finite semi-free, 374
  - pseudo-finite semi-free, 267
  - semi-free, 261
  - semi-projective, 254
- Filtration on a ring
  - noetherian connected, 576
- Flat
  - concentration of DG module, 303
  - dimension of DG module, 303
- Flipped category, 98
- Forward adjunction
  - derived, 309
- Forward morphism
  - canonical, 309
  - in derived category, 309, 310
  - nondegenerate, 310
- Gauge of a graded functor, 107
- Generalized integer, 245
- Graded category, 69
- Graded functor, 69
  - morphism of  $-s$ , 70
- Graded Leibniz rule, 74
- Graded module, 68
- Graded polynomial ring
  - commutative, 67
  - noncommutative, 67
- Graded set, 67, 261
  - filtered, 262
- Hom-evaluation morphism

- NC derived, 509
- Homothety morphism
  - central, 555
  - derived, 331
  - noncommutative derived, 407, 509
- Homotopy category
  - flipped, 143
  - of DG  $A$ -modules in  $M$ , 91
  - opposite, 143
- Homotopy colimit, 376
- Induction functor, 50, 308
  - derived, 308
- Injective
  - concentration of DG module, 300
  - dimension of DG module, 300
- Injective hull, 344
- Integer interval, 245
  - length of, 290
  - reversed, 290
  - sum of  $-s$ , 290
- Invertible
  - bimodule, 414, 415
- Koszul complex, 75
- Koszul sign rule, 64, 67
- Linear category, 37
  - $\mathbb{K}$ -linear category, 37
- Linear functor, 49
  - $\mathbb{K}$ -linear functor, 49
- Little  $t$  operator, 102
- Local Duality Theorem, 489, 516
- Localization
  - of a category, 147
  - Ore — of a category, 148, 149, 153
  - Ore — of a linear category, 162
- Long exact sequence in cohomology, 87
- Matlis Duality Theorem
  - noncommutative graded, 443
- Mittag–Leffler property, 244
- Monoidal category, 498
  - copointed object in, 498
  - dedualizing copointed object of the —  $\mathbf{D}(A^{\text{en}}, \text{gr})$ , 503
  - idempotent copointed object in, 498, 501, 503
  - left co-unitor isomorphism, 450, 498
  - left unitor isomorphism, 449, 498
  - right unitor isomorphism, 450, 498
  - structure on  $\mathbf{D}(A^{\text{en}}, \text{gr})$ , 449
- Multiplicatively closed set of morphisms, 147
- Noncommutative MGM Equivalence, 506
- Octahedral axiom, 121
- Picard group
  - noncommutative, 416
  - noncommutative derived, 406, 551
- Projective
  - concentration of DG module, 300
  - dimension of DG module, 300
- Quasi-isomorphism, 174
- Regular central element
  - of a ring, 458
- Regular commutative ring, 332

606

*Index*

- Residue complex, 352  
 rigid, 369
- Resolution  
 K-flat, 239  
 K-injective, 231, 232, 279, 287  
 K-projective, 236, 237, 259, 267  
 minimal graded-free, 450  
 minimal graded-injective, 480  
 minimal injective, 345
- Restriction functor, 50, 308
- Retract, 129, 130
- Rigid complex, 362  
 morphism of —s, 362  
 noncommutative, 554  
 noncommutative — dualizing —, 555
- Rigidifying isomorphism, 362
- Ring  
 Calabi–Yau, 582  
 local NC, 415  
 Nakayama automorphism, 582  
 twisted Calabi–Yau, 582, 584
- Semi-basis  
 multiplicative — of DG ring, 316  
 of DG module, 262
- Sheaf tricks (in abelian categories), 46–48
- Spectral sequence, 211
- Squaring operation, 359  
 noncommutative, 554
- Stable category, 139, 140
- Strict category  
 of DG  $A$ -modules in  $M$ , 91  
 of graded modules, 63
- Strict homomorphism  
 of DG modules, 72, 77  
 of graded modules, 63
- Strict subcategory  
 of a DG category, 79
- of a graded category, 69
- T-additive  
 category, 117  
 functor, 118  
 morphism of — functors, 118
- t-structure, 131
- Tensor displacement, 323  
 bounded below, 323  
 derived bounded below, 323
- Tensor-evaluation morphism  
 derived, 323, 329  
 derived  $m$ -torsion, 485  
 derived graded, 452
- Tilting  
 complex of bimodules, 415  
 DG bimodule, 405  
 pre— DG bimodule, 390
- Tilting complex, 548
- Torsion  
 derived — functor, 477  
 element, 473  
 functor, 474  
 module, 474  
 representability of derived —, 485  
 weakly stable — functor, 482
- Totalization  
 direct sum, 246  
 product, 251
- Trace morphism  
 in derived category, 311
- Translation  
 of a DG module, 102  
 of a graded module, 101  
 of a graded morphism, 103  
 of DG module, 291
- Translation functor  
 of an additive category, 117  
 of the DG category  $\mathbf{C}(A, M)$ , 104

- Translation isomorphism  
 of a DG functor, 108  
 of an additive functor, 118
- Triangle  
 distinguished, 119, 127, 134  
 in a  $T$ -additive category, 118  
 morphism of  $-s$ , 119  
 standard — of a strict morphism  
 in  $\mathbf{C}(A, M)$ , 106
- Triangulated category, 119, 166  
 $\mathbf{K}(A, M)$  is a, 134  
 full triangulated subcategory of,  
 123  
 opposite, 145
- Triangulated functor, 122, 141, 166  
 contravariant, 144, 145, 185  
 contravariant left derived, 212  
 contravariant right derived, 212  
 left derived, 208, 209  
 morphism of  $-s$ , 122, 141  
 right derived, 205, 207
- Truncation of a complex  
 smart, 177  
 stupid, 248
- Twisted bimodule, 511
- 2-category, 187
- 2-diagram, 187
- Verdier quotient, 172