

# Index

- abrasive sliding wear, 163
- acceptors, 314–315, 326
  - deep, 315
  - shallow, 315
- acoustic limit, 269
- activation volume, 321–323
  - electrical conductivity, 322
- adhesion
  - Bowden–Tabor model, 164–165
    - forces, 60
    - parameter, 164
  - adhesive friction, 164
  - adhesive wear, 163
  - age-dating, 2, 5, 525, 532, 534
    - formula, 532
  - Amagat's law, 55
  - Amon–Coulomb law, 98
  - Amott index, 47
  - Ampere law, 376
  - Anderson–Grüneisen parameter, 481
    - thermal, 482
  - anelasticity, 155
  - Ångström method, 483, 485
  - angularity, 16, 17
  - anisotropy
    - axis, 275, 449
    - crystal, 125
    - degree, 281
    - dumbbell interstitial, 302
    - elastic waves, 275
    - electrical conductivity, 319
    - factor, 281
    - flowage, 276
    - hexagonal, 280
    - hexagonal symmetry, 284
    - layering, 219
    - magnetic, 439–443, 447
      - bulk, 440
      - constant, 439, 440
      - energy, 439, 442, 442, 447
      - field, 449, 450
    - uniaxial, 449
  - orthorhombic symmetry, 129, 276, 277, 279, 284–286
  - orthotropic, 136
  - parameters, 275
  - small-polaron mobility, 319
  - stress field, 275
    - transversal, 121
    - weak, 275
  - anodic oxidation, 389, 391
  - antibonding, 430, 435
  - antiferromagnetism, 433–437, 448
  - aperture, 68
  - aquiclude, 68
  - aquifers, 68, 211, 213, 496
  - aquitards, 68
  - Archie's exponent, 473–474, 475
  - Archie's law, 346–348
    - modified, 349
    - second, 351
  - Argand plots *Nyquist plot*
  - arithmetic mean, 28, 38, 68, 72, 137, 138, 196, 259, 334, 335, 345, 346, 398, 400, 449
  - Arrhenian temperature dependence, 297, 314
  - Arrhenius equation, 297, 300, 305, 314, 325, 386
  - aspect ratio, 16, 123, 124, 147, 186, 192, 233, 235–238, 260, 270, 276, 473, 474
  - asperity
    - basement area, 165
    - contacts, 164
    - curvature radius, 164
    - mean lifetime, 165
  - Aston isotopic rule, 508
  - asymmetric function, 383
  - asymmetrical super-exchange, 434, 435
  - autorun analysis, 73
  - averaging
    - scale, 183
    - volume, 142
  - Avogadro constant, 37, 51, 420, 462, 466, 508
  - band diagram MgO, 315
  - band gap, 300, 307–315
    - energy, 315
  - band parameter, 297
  - band structure, 309
  - band tailing, 300
  - band widening, 300
  - Barenblatt model, 105
  - Barkhausen jumps, 438
  - Barkhausen noise, 439
  - Bayes' theorem, 73
  - bed of nails* concept model, 189
  - BET (Brunauer, Emmett and Teller), 18, 49, 51, 54
    - theory, 51
  - Bethe lattice, 76–80
  - Bethe–Bloch equation, 529
  - Bethe–Weizsäcker equation, 507
  - binding
    - energy, 505–508
      - average, 506
      - isobaric, 507
      - nuclear, 507
      - per nucleon, 506, 507
      - small-polaron, 317
    - forces, 60, 93, 114
      - potential, 175
  - bioherms, 9
  - Biot coefficient, 214, 216, 228, 255
    - dynamic, 215
    - static, 215
  - Biot–Gassmann poroelastic theory
    - see also* Biot–Gassmann theory

- Biot–Gassmann theory, 255  
 Biot–Savart law, 376  
 Birch’s law, 252, 287  
*Bloch (Néel) walls* *see* Bloch walls  
 Bloch walls, 441–442  
 blocking electrodes, 393  
 blocking temperature, 446–447  
 Bode diagram, 330  
 body-centered cubic (*bcc*)  
     packing, 342  
 Bohr radius, 423  
 Boltzmann’s constant, 182, 297, 317,  
     420, 462  
 Boltzmann’s law, 305  
 Boltzmann statistics, 157  
 bonding  
     between Si and O, 386  
     Fe and O, 433  
     hydrogen, 60, 324  
      $\pi$ -, 429  
      $\sigma$ -, 429  
 Boolean model, 197  
 Boolean spheres, 198, 201  
 bound charges, 329, 361, 362  
 bounds  
     effective moduli, 141  
     permeability, 198, 201  
     upper and lower, 67, 68, 196–197,  
         335  
         dielectric constant, 401  
         permeability, 196, 197  
         transmissivity, 196  
     Wiener upper and lower, 142  
 Bragg’s additivity principle, 530  
 Bragg–Kleeman rule, 517  
 branching ratio, 534  
 Brazilian test, 101  
 bremsstrahlung, 526  
 Brewster angle, 398  
 brick model, 344–346  
 Bridgman equation, 466  
 Bridgman parameter, 467  
 bridgmanite, 494, 494  
 Brillouin function, 424–426  
 Brillouin zone, 307–311  
     boundary, 309–311  
     first, 307–311  
 Brinkman equation, 180, 195, 198  
 Brinkman permeability equation, 197  
 brittle behavior, 94  
 brittle–ductile transformation, 160  
 Brooks and Corey permeability–  
     saturation relationship, 183  
 Brooks–Corey empirical parameter,  
     183  
 Brouwer defect, 316  
 Brouwer isotherm, 322  
 Brouwer’s diagram, 316, 322  
      $Mg_2SiO_4$ , 317  
 Bruggeman generalized equation, 339  
 Bruggeman mixing model  
     asymmetrical (ABM), 401  
 Bruggeman scheme, 473  
 Bruggeman symmetric mixing model  
     (SBM), 402  
 bulk modulus, 121, 131–151, 202,  
     213–223, 235, 255,  
     260–269, 275, 457, 469,  
     481  
     adiabatic, 466  
     isothermal, 467  
     single pore space, 235  
 Burgers vector, 94–158  
 Burridge–Knopoff stick-slip model,  
     168, 169  
 Butler–Volmer equations, 391  
 $CaCl_2$ -type structure, 493  
 calcium-aluminum rich inclusions,  
     CAI, 2  
 capacitor  
     cation exchange, 350  
     parallel plate, 327, 328, 379, 380  
 capillary  
     bound water, 29  
     channel, 45, 59  
     filling, 46  
     flow porosimetry, 18, 54  
     forces, 29, 43, 45, 64  
     hysteresis loop, 186  
     meniscus, 45  
     pore space, 45  
     pressure, 45–47, 57–60  
     radius, 60, 353  
     saturation, 45  
     suction, 60  
     wetting liquid, 59  
 Cartesian coordinates, 85, 151,  
     198–199, 229, 373, 374,  
     458  
 Cartesian reference frame, 117  
 cataclase, 105, 169  
 cathodic reduction, 391  
 cell  
     body-centered cubic (*bcc*), 35, 38  
     cylindrical, 192  
     elementary, 30, 191, 307, 339, 344,  
         367  
     face-centered cubic (*fcc*), 38, 308  
     primitive cubic, 38  
     reciprocal lattice, 308  
     simple cubic (*sc*), 38, 308  
 cementation, 33, 60, 184, 189, 195,  
     258, 287, 346, 347, 398  
     exponent, 347  
     impact, 189  
 Chapman model, 381  
 charge  
     “magnetic,” 376  
     accumulation, 370, 406  
 density, 375  
 electric, 115, 292, 305, 310, 328,  
     350, 352, 363–372, 394,  
     418  
     transfer, 327, 388–393  
 ionic, 408  
 point, 375  
 point of zero (PZC), 387  
 polarization, 327, 407  
 probe, 362, 377  
 relaxation time, 370, 408  
 space, 367, 379, 380, 396, 405  
 surface, 379–383, 386–388  
 unit, 377  
 volume, 404  
 charge compensated reaction, 315  
 chargeability of rocks, 406, 408  
     apparent, 404, 405  
     Table, 406  
 charged particles  
     “friction force,” 371  
     bound nonfree, 329  
     displacement, 371  
     free electrically, 328, 329  
     gradient of concentration, 305  
     local concentrations, 60  
 chemical potential, 55–57, 307, 315,  
     319, 386, 387, 466  
     adsorbed particles, 55  
     surface, 55  
 Chephren’s Pyramid, 527  
 chondrules, 2, 3  
 Christoffel equations, 282  
 Christoffel matrix, 276–281, 285  
 Clapeyron slope, 491  
 Clausius virial theorem, 480  
 Clausius–Mossotti equation, 377  
     generalized, 339  
 Clausius–Mossotti relationship, 378,  
     379, 399  
 cleavage, 6, 96–98, 104–106,  
     116–117  
     plane, 94, 104–106, 116, 117  
 coarse-grained, 6  
 Coble creep, 159  
 coefficient  
     diffusion, 158, 224, 303–307, 391,  
         464, 528  
     effective pressure transfer, 202  
     electric resistance thermal, 358  
     emanation, 531  
     friction static, 163  
     heat exchange, 496  
     reflection, 255  
     thermal expansion, 12, 38, 144,  
         146, 203, 455, 457, 481,  
         482, 488, 495  
 coercive force, 439, 445–447, 450  
     Table, 440  
 coercivity, 443

## INDEX

543

- coherent potential (CP) formula, 402
- Cole–Cole equation, 363
- Cole–Cole relaxation model, 393, 405, 406
- compaction, 33, 60, 66, 184, 346, 347, 488
- coefficient, 33
- grain, 347
- mineral grain, 66
- pores, 346
- compressibility, 15, 30–33, 38, 125, 147, 186–188, 203, 212, 213, 224, 235–237, 242
- bulk, 30, 31
- pore, 238
- pore volume, 33
- rock bulk, 33
- rock matrix, 33
- compressive strength, 93, 95, 98
- unconfined, 93
- concentration gradient, 305, 391
- conduction
  - effective-medium cell, 340
  - heat, 455, 456, 461
  - lattice, 461
  - impurity, 297
  - intrinsic, 297
  - ionic, 373
  - pore paths, 407
  - prototypic, 323
- conduction band, 296–300, 312, 466 (LUMO), 298
- DC, 315, 317
- conductivity
  - hydraulic, 80, 178–179, 207, 210, 224
  - mechanism
    - ionic, 303
  - conductivity electric
    - limiting molar, 333–334
  - constant phase element (CPE), 330
  - contact angle, 44–47, 52, 57, 59, 62
  - continuity
    - conductive phase, 338
    - normal component (EM field), 397
    - tangential component (EM field), 397
    - thermal energy, 459
    - wetting phase, 57
  - continuity equation, 223, 224, 459
  - convex
    - hull, 16
    - index, 16
    - perimeter, 16
  - coordinate scale factors, 231
  - corner angle, 57
  - correlation length, 76, 79, 80, 343
  - cosmogenic source, 523
  - Coulomb attraction, 380
  - Coulomb interaction, 507, 526
  - Coulomb per kilogram, 520
  - Coulomb's field, 320, 432
    - strong, 432
    - weak, 432
  - Coulomb's force, 377, 529
  - Coulomb's friction concept, 163
  - Coulomb's law, 114, 368, 375
  - Coulomb's potential, 361
  - countersions, 350, 354, 382
    - concentration, 349, 351
  - creep, 154
    - aseismic, 169
    - diffusion, 157
    - dislocation climb, 157
    - dislocation glide, 156
    - logarithmic law, 156
    - pressure-solution, 159
    - primary, 154, 155
    - secondary, 155
    - steady-state, 154, 156
    - strain rate, 154
    - tertiary, 154
    - transient, 155, 156
  - critical tip opening displacement concept (CTOD), 107
  - crowdion, 302, 304
  - crystal field
    - splitting, 430–432
    - stabilization energy (CFSE), 432
  - crystallographic axes, 379, 439, 458
  - crystals
    - allotriomorphic, 6
    - anhedral, 6
    - antiferromagnetic, 449
    - cubic, 467
    - euhedral, 6
    - flowage, 275
    - idiomorphic, 6, 10
    - ionic, 297, 301, 317, 367
    - magnetic, 445
    - olivine, 276, 319
    - preferred orientation, 10
    - slip plane, 169
    - symmetry group, 122
    - xenomorphic, 6, 10
  - cumulative curve, 15
  - cumulative distribution function, 20
  - curie (Ci), 509
  - Curie constant, 422, 424, 448
  - Curie temperature
    - Table, 423, 437–440, 445–449, 470
  - Curie–Weiß law, 422
  - dalton, 506
  - Dalton's law, 55
  - Darcy equation, 178, 197
  - Darcy flow, 181, 189, 196, 198, 206
  - Darcy law, 178–181, 192, 202, 212, 223
  - Darcy velocity, 178–181, 193, 196, 460
  - daughter isotope, 525, 532, 534
  - daughter nuclides, 511
  - de Moivre's theorem, 251
  - Debye approximation, 479
  - Debye distribution model phonons, 462
  - Debye frequency, 477, 479
  - Debye length, 380, 382
  - Debye model, 366, 393, 405, 465, 479
    - truncated, 465, 466
  - Debye phonon density, 465
  - Debye relaxation law, 363, 364
  - Debye relaxation peak, 372
  - Debye temperature, 461, 462, 467, 469, 476, 477, 479, 482
  - decay branching, 515
  - decay law, 508–509, 532, 534, 535
  - defect
    - charged, 387
    - electrically active, 314
    - extrinsic Frenkel, 300
    - Frenkel pair (FP), 301
  - hydrogen, 326
  - hydrogen neutral, 325
  - intrinsic, 314
  - intrinsic Schottky, 300
  - lattice, 323, 461, 521
  - point, 151, 301, 302, 315
  - proton, 325
  - Schottky, 301, 316
  - structural, 98
  - deformation mechanism maps, 158
  - demagnetization factor, 443–446
  - density, 5, 9, 15, 17, 28–29, 180, 375
    - air, 223
    - atomic, 464
    - bulk, 28
    - bulk electron, 37
    - calculations, 42
    - carrier, 320
    - charge, 354, 368, 375, 381
      - electrons, 310
      - surface, 371, 380, 383, 386
      - volume, 383
    - charge carrier, 302
    - charge carriers, 300, 307, 362, 363
    - clay minerals, 60
    - crack parameter, 237
    - current, 292, 305, 306, 329, 332, 372, 390–392, 395
    - depth, 30
    - dislocation, 156
    - dislocations, 157
    - distribution normal, 20
    - dry, 400
    - effective, 66
    - electric current, 336, 376

- density (cont.)  
 electromagnetic field, 395  
 electron, 300, 429  
 states, 294–300  
 states effective, 300, 314, 315  
 energy, 250–252, 442  
 elastic, 320–322  
 electromagnetic waves, 394  
 polarization, 320–322  
 fissure tracks, 525  
 fluid, 213, 220  
 flux, 391  
 fracture filling, 28  
 fractures, 69  
 granite, 144  
 hydrostatic pressure, 45  
 ice, 277  
 intrinsic charge carriers, 300  
 magnetic flux, 414, 415  
 mean, 38, 42  
 mineral mixture, 257  
 minerals, 37, 39, 122, 143  
 momentum, 251  
 Monte-Carlo, 40  
 muographic, 528  
 olivine, 279  
 percolation, 404  
 phonon  
 states, 462–463  
 phonons, 461, 479  
 states, 252, 294–295, 300,  
 306–307, 310, 320, 465,  
 477–479  
 porous rocks, 28, 31, 257  
 pressure dependence, 31  
 probability, 20  
 probability function, 71  
 relativistic, 529  
 rocks, 37–38, 143, 256, 261, 271,  
 350, 351, 518, 532  
 constituent, 28  
 pressure and temperature, 39  
 Table, 40  
 true, 28  
 vs longitudinal velocity, 252–254  
 vs mean atomic weight, 255  
 vs saturation, 269  
 water, 218, 495  
 wet, 28  
 density distribution  
 pores, 53  
 detector efficiency, 509  
 deviatoric stress matrix, 88  
 diamagnetism, 416, 420  
 dielectric constant, 5, 115, 292, 327,  
 328, 363, 372, 378  
 brine saturation, 367  
 complex, 327, 329, 364, 372, 403,  
 405  
 dielectric contact, 370  
 effective, 401  
 effective medium, 401  
 electrolyte, 380  
 EMT, 401  
 frequency dependence, 363, 364,  
 367  
 grain boundary (GB), 331  
 harmonic mean, 401  
 induced polarization, 406  
 mapping, 404  
 minerals, 365  
 mixing models, 398–403  
 percolation, 403  
 polarization, 373  
 real part, 363  
 upper and lower bounds, 400–403  
 dielectric displacement field, 362  
 dielectrics, 297, 370, 378  
 heat transfer, 461  
 polarization, 361  
 Dietrich law, 165  
 Dietrich–Ruina friction law, 165, 167  
 differential capacitance, 383, 384  
 diffusion  
 creep, 156, 157, 158  
 diffusive layer capacitor (DLC), 380  
 dihedral angle, 47–51  
 dilatancy onset, 354  
 dipole moment, 5, 361, 362, 364, 367,  
 368  
 induced, 371  
 direct approach, 138  
 direct method of effective moduli  
 calculation, 139  
 dislocation, 94–98, 150–152,  
 154–157, 442, 463, 471,  
 472  
 climb, 152, 157  
 climb mechanism, 156  
 curvature, 97  
 density, 472  
 displacement, 155  
 edge, 94, 98, 152  
 glide mechanism, 156  
 line, 94, 96  
 screw, 94  
 slip, 152  
 disordered structure, 465  
 displacement field, 170, 292, 363, 370  
 distance relaxation constant, 165  
 distribution curve, 15, 16  
 domain magnetization, 437  
 domain structure, 438, 441  
 donors, 314, 315, 326  
 double exchange, 434, 435  
 drainage, 28, 46, 47, 58, 59, 213–217,  
 219  
 primary, 46  
 secondary, 46, 47  
 Drucker–Prager criterion (DP), 154  
 ductile behavior, 94  
 Dugdale model, 106  
 dumbbell, 302, 428  
 Dupuit–Theme formula, 210  
*Dvorkin model* unconsolidated  
 sediments, 269  
 dynamic equation, 282, 371, 478  
 Earth's shell structure, 2, 3  
 effective medium approximation  
 (EMA), 336  
 effective medium inclusion  
 compliances, 140  
 effective medium theory (EMT)  
 thermal conductivity, 473  
 Einstein frequency, 477, 479  
 Einstein model, 465, 466, 479, 480  
 Einstein notation, 135  
 Einstein phonon density, 465  
 Einstein temperature, 480  
 elastic compliance matrix, 125, 126,  
 135, 137  
 elastic density constant, 320  
 elastic modulus, 1, 113–116, 121, 123,  
 137–139, 143, 153, 161,  
 245–247, 250, 272, 274  
 elastic response, 92, 152, 155  
 elastic stiffness matrix, 125, 135, 138,  
 142  
 elastic wave  
 acoustic limit, 252  
 energy, 274  
 splitting, 12  
 velocities, 171, 245–262, 263,  
 275–276, 280, 398  
 elasticity  
 tensor, 280, 281  
 electric charge  
 relaxation time, 363, 367  
 electric conductivity  
 Drude type, 469  
 temperature dependence, 302  
 electric diffuse layer, 379  
*electric double layer* (EDL), 379  
 electric field strength, 306, 307, 332,  
 362, 383  
 electrical conductivity, 292  
 electrical double layer (EDL), 60  
 electrolyte  
 asymmetric factor, 334  
 hydration shell, 379  
 ionic atmosphere, 333  
 relaxation effect, 334  
 slipping (shear) plane, 379  
 electromagnetic waves, 252, 393–398  
 magnetic field, 398  
 polarization

## INDEX

545

- elliptic, 395
- propagation, 402
- reflectivity coefficient, 398
- TE polarization, 398
- time propagation (TP), 398
- TM polarization, 398
- transmittivity coefficient, 398
- transverse, 398
- electron
  - spin, 423
- electron model
  - free, 294, 309, 310, 311
  - nearly free, 309, 311
- electron positron pairs, 526
- electron shells, 426
- electronic semiconductors, 297
- electron-positron pair production, 526
- electrophoretic drag force, 334
- elliptic crack, 236
- elliptical coordinates, 229–233
- elongation ratio, 16
- empty lattice approximation, 309
- energy
  - free, 17, 42, 48, 157, 158, 219, 234, 301, 302, 480
  - potential, 107, 115, 116, 167, 168, 234, 250, 305, 310, 362, 365, 420, 421, 448, 478, 480–483
  - surface, 43
- energy band, 309–313, 314, 315
  - insulator, 311
  - structure, 312
- energy conservation principle, 258
- enthalpy, 55, 300, 302, 323, 326, 455, 459, 480, 482, 489
  - melting, 491
- entropy, 17, 55, 144, 147, 157, 301, 302, 307, 325, 456, 491, 497
  - equation of state, 42, 455, 480–483
- equivalent conductance, 350, 351
- Eshelby solution, 140
- Esin–Markov coefficient, 384
- Euler constant, 487
- Euler presentation, 251
- exponent
  - cementation, 346, 352
  - critical, 79–81, 343, 344, 403
  - oxygen fugacity, 322
  - porosity sensitivity, 184–187
  - power law, 150, 187, 274, 470, 527
  - saturation, 351, 352
- exponential law, 63, 190, 297
- extrinsic percolation threshold, 150
- fabrics, 5, 6, 8, 143, 172
  - cataclastic, 105
  - clay, 275
  - linear, 276
- failure
  - semi-brittle, 97, 98
- Faradaic current, 390–391
- Faradaic impedance, 393
- Faradaic reactions, 393
- Faraday constant, 332, 386, 387, 389
- Faraday’s law, 377
- Feret diameter, 17, 194
- Fermi blurring zone, 466
- Fermi boundary energy, 466
- Fermi–Dirac integral, 466
- Fermi energy, 293–300, 308, 309, 311, 319, 466
- Fermi gas model, 294
- Fermi level, 297, 298, 300, 308, 314, 315, 318, 355
- Fermi sphere, 466
- Fermi statistic distribution, 298
- ferrimagnetism, 433–436
- ferromagnetism, 416
- Fick’s law, 157, 305
  - field strength, 67, 360, 443
- fine-grained*, 24, 173, 348, 530
- fissure tracks, 5, 524–525, 529, 530
- flash diffusivity method, 486
- flatness, 8, 16, 17
- flow band, 7
- Forbes method, 475, 485
- Forchheimer equation, 180
- Forchheimer number, 180, 181
- formation factor, 346–348, 352, 354, 358
- Fourier coefficient, 310
- Fourier law, 457
- four-point bending, 102
- fractionation, 514, 515
- fractionation factor, 514
- fracture
  - aperture, 69, 190, 196, 206
  - branching model approach, 161
  - hydraulic, 225
  - ideal brittle, 234
  - opening parameter, 225
  - opening pressure, 228
  - penny-shaped, 193, 225
  - per unit volume, 69
  - permeability, 189–190
  - plane roughness, 189
  - porosity, 68, 351
  - slit, 193
  - slit flow, 193
  - surface, 103, 107, 169, 226
  - types, 103
- Frenkel defect, 301
- Frenkel pairs, 302
- Frenkel–Kontorova model (FK), 167, 168
- frequency effect
  - percent (PFE), 404
- friction, 163
  - angle, 98, 99, 163
  - Bowden–Tabor model, 165
  - coefficient, 59, 163–167, 169
    - high strain rate, 169
    - static, 169
  - coefficient anisotropic, 59
  - dynamic, 165
  - erosion, 163
  - force, 163, 164
  - internal, 151
  - Saint-Venant’s element, 161
  - sliding, 106, 161
  - slip, 167
  - static, 169
  - surface, 98, 170
- funicular distribution, 57, 58
- gamma-quantum, 515
- Gardner equations, 253
- garnet structure, 437
- gas
  - absorbate, 54
  - absorption, 18
  - bubbles, 8
  - constant, universal, 56, 223, 386, 389
  - droplet, 2
  - free electron, 469
  - giants, 2
  - ideal, 56, 222, 466, 481
  - mixture, 56
  - molecules, 49, 54
    - flow, 182
    - monolayer, 50
    - surface
      - absorbed, 49, 54, 57
      - holes, 56
  - permeation *see also* gas
    - permeability
  - phase pressure, 49
  - phonon, 461, 469
  - planets, 1
  - pockets, 261
  - porosimetry, 53
  - pycnometer, 18
  - radon, 527–531
  - sorption *see also* gas
    - porosimetry
  - Gassmann equation, 221–223, 262
  - gastropod shells, 9
  - Gauss formula, 374, 375
  - Gauss theorem, 383, 394
  - Gaussian curve, 20
  - Gaussian distribution, 16, 20
  - generalized effective medium
    - equation (GEM), 149
  - geotherm, 32, 39, 42, 280, 494
  - mantle, 493–494
  - prospecting, 404

- geothermal gradient*, 5, 42, 64, 169, 496  
 ghost conductivity, 339  
 ghost medium, 338, 339, 341, 345, 346  
 Gibbs adsorption isotherm equation, 55  
 Gibbs energy, 55, 57, 157, 158, 326  
 Gibbs free energy minimization, 42  
 Gouy–Chapman capacitor, 384  
 Gouy–Chapman equation, 382  
 Gouy–Chapman–Stern model, 380–384  
 Graham equation, 9, 383  
 grain binding, 9  
 grain boundaries (GB), 16, 94, 157, 470  
 grain size analysis, 15  
 Green formula, 373, 374, 375  
 Green integration, 373  
 Griffith's crack, 229  
 Griffith's failure criterion, 99, 234  
 Griffith's parabola, 99, 100  
 Grotthus mechanisms, 324  
 ground-penetrating radar (GPR), 399  
 groundwater borehole (GWB), 213  
 Grüneisen parameter, 480–483  
     anharmonic, 483  
     effective, 326  
     lattice, 482  
     thermal, 481  
 thermobaric, 481  
 thermodynamic, 467, 481, 482  
  
*habitus*, 6, 276  
 Hagen–Poiseuille's flow, 192, 193  
 Hagen–Poiseuille's law, 191, 192  
 half-life, 509–513, 522, 527, 534, 539  
 Hall–Petch dependence  
     GB strength, 98  
     grain size, 97, 98  
 Hall–Petch equation, 97  
 harmonic mean, 68, 137, 196, 221, 223, 259, 262, 335, 345, 346, 398, 400, 462  
 harnesses, 169, 170  
 Harper–Dorn creep, 157  
 Hashin–Shtrikman bounds, 257–261  
     dielectric constant, 401  
     electrical conductivity, 338–339  
     modified lower, 269  
     modified upper (MUHS), 259, 260, 263  
     upper and lower, 68, 141  
         thermal conductivity, 473–476  
 Havriliak–Negami function, 363  
 heat capacity, 5, 144, 460, 466, 490–491, 495  
 Einstein model, 480  
 electrons, 466, 469  
  
 high temperature, 479  
 lattice, 461  
 limestones, 490  
 melting, 491  
 minerals, 462  
 phase transition, 488  
 phonons, 462  
 pore water, 460  
 pressure dependence, 469  
 quartz, 488  
 rocks, 487–491  
 specific, 456–462  
  
*heat convection*, 460  
 heat flow, 457, 461, 472, 487, 494–496, 521  
 heat transfer equation, 458, 459  
 heat transport  
     by electrons, 461  
     by lattice, 461  
 heat transport equation, 458, 459, 483, 484  
 helicity  
     negative, 395  
     positive, 395, 396  
 Helmholtz capacitor, 380, 384  
 Helmholtz free energy, 55  
 Herring's equation, 48  
 Hertz contact theory, 188  
 Hertzian contact, 189  
 Hertzian pressure distribution, 265  
 Hertz–Mindlin model, 261, 269  
 Hertz–Mindlin relationships, 265  
 Hertz–Mindlin theory, 263  
 hexagonal close-packed (*hcp*)  
     lattice, 302  
     packing, 342  
 hexagonal symmetry  
     hexagonal, 488  
 highest occupied molecular orbital (HOMO), 293  
 Hill approximation, 142  
 Hoek and Brown failure criterion, 100  
 holes  
     heavy, 312  
     light, 312  
 homologous temperature, 159  
 Hooke's law, 113–115, 130–136, 137–139, 212, 245, 250, 272  
 hopping, 317  
     adiabatic, 317  
     antiadiabatic, 317  
     forward and reverse, 325  
     polaron, 317–319  
     proton, 326  
     site, 320  
 hornfels, 8  
 Hund's rules, 427–431, 432  
 hybridization, 312, 368, 426, 429–431, 433–434  
  
 hydraulic embrittlement, 97  
 hydraulic fracturing technique, 226  
 hydraulic radius, 192, 194, 352, 353  
  
 imbibition, 46, 47, 57, 59  
 immiscible fluids, 58  
 index of flatness, 16  
 index of roundness/angularity, 16  
 induced polarization (IP), 404  
 inner Helmholtz plane (IHP), 379  
 insulators, 297  
 intact length persistence, 73  
 interlamellar hydration, 60  
 internal energy, 55  
 internal friction, 151, 272–275  
 interstitials, 302  
*intrinsic percolation threshold*, 150  
 ionic radius, 379  
 ionization  
     energy, 293, 315, 325, 326, 529  
     losses, 526  
     potential, 529  
     trace, 529  
 isochrone, 532, 534  
 isochrones method, 532, 534, 539  
 isostrain case, 258  
 isostress case, 258  
 isotropy  
     transversal, 136, 219  
 ISRM standard test, 100  
  
 Jeffry's law, 156  
  
 Kapitza resistance, 471  
 K–Ar dating, 534  
*K–capture*, 507, 511, 514, 515, 534  
 Kelvin equation, 57  
 Kirchoff's laws, 340  
 Klinkenberg effect, 181, 182, 207  
 Klinkenberg slip factor, 182  
 Koenigsberger quotient, 443  
 Kohlrausch method, 484, 485, 486  
 Kohlrausch square root law, 333  
 Kohlrausch's law, 333  
 Kozeny–Carman equation, 184–185, 190–194  
 Kozeny–Carman form factor, 194  
 Kröger–Vink diagrams, 316  
 Kröger–Vink notation (KV), 300  
 Kronecker symbol, 134  
 kurtosis, 15, 16, 21, 22  
  
 Lambert radiator, 461  
 Lamé parameter, 132, 281  
     first, 134, 151, 212  
     second, 134, 151  
 Lamé stress ellipsoid, 89, 90  
 laminated structure, 335  
 Landau's diamagnetism, 416  
 Landé factor, 423

## INDEX

547

- Langevin diamagnetism, 416
- Langevin function, 420–433
- Laplace equation*, 43, 51, 58
- Larmor frequency, 419
- laser flash method, 485
- lattice
  - bcc*, 64, 304
  - reciprocal, 307, 312, 463
- lattice preferred orientation (LPO), 276
- lattice vibrations
  - longitudinal, 317
- Lennard–Jones potential, 481
- Lenz’s rule, 377, 416
- Lindseth’s equation, 254
- lithophile elements, 3
- lithostatic pressure, 42
- log-normal distribution function, 21
- Lomitz law, 156
- Lorentz
  - equation, 400
  - field, 377
  - solution, 337
  - force, 378, 414, 419
- Lorentz resonance peak, 372
- Lorenz number, 469
- lowest unoccupied molecular orbital (LUMO), 293
- MacBeth’s relationship, 270, 271
- macro-scale, 5, 66, 139
- maghemite, 365, 436, 437, 440, 452
- magic proton number, 507
- magmatic rocks, 1
- magnetic density
  - field lines, 414
- magnetic field, 5, 376–377, 393, 396, 414–426, 435, 438–447, 450, 452, 453
  - induction constant, 415
  - lines, 376, 414, 418, 443
  - strength, 414–416, 438
- magnetic moment, 294, 414, 417–433, 436, 437, 441, 445, 446, 515
- magnetic polarization, 415
- magnetic structure, 440
- magnetic susceptibility, 1, 397, 398, 415–433, 443–449
- magnetization, 5, 12, 414–433, 436–451
  - easy axis, 449
  - hysteresis, 447
  - single-domain particle, 450
- mass action law, 300
- Matthiessen’s rule, 463, 470
- Maxwell body, 175
- Maxwell model, 473
  - modified, 473, 474
- Maxwell visco-elastic solid *see* Maxwell body
- Maxwell’s equation first, 375, 376
- Maxwell’s equation fourth, 377
- Maxwell’s equation second, 376
- Maxwell’s equation third, 376
- Maxwell’s equations, 373
- Maxwell–Boltzmann statistics, 381, 424
- Maxwell–Eucken relations, 472
- Maxwell–Garnett formalism, 403
- Maxwell–Garnett mixing rule, 400
- Maxwell–Garnett model, 404
- Maxwell–Wagner effect, 366, 370
- median, 15, 16, 22, 34, 36, 267
- medium
  - isotropic, 281
- medium-grained, 143
- meso-scale, 66
- metal factor, 405
- metallic conductor, 297
- metamorphic rocks, 1, 534
- MgO<sub>6</sub> octahedra, 326
- microlites, 6, 8
- microporosity, 29
- micro-scale, 5, 45, 53, 54, 66
- micro-structure, 6, 121, 275, 287, 330, 331, 346, 472
- mineral
  - idioblastic, 6
  - xenoblastic, 6
- mixture law, 530
- mobility, 292, 302–305, 314, 317, 318, 320, 324, 325, 332, 333, 351, 354, 380, 391
- modulus
  - Biot–Gassmann–Wood, 262
- Mohr transformation, 336
- Mohr’s circle, 85–92, 98, 99
- Mohr–Coulomb
  - failure criterion, 99
- Mohr–Coulomb law, 170
- Mohr’s circle
  - radius, 84
- molecular weight, 37, 223
- Monte-Carlo simulation, 38
- Mori–Tanaka scheme, 236, 237
  - differential, 236
- Moscow puzzle matrix, *x*
- moving phase boundary, 490
- mylonitization, 66
- Nabarro–Herring creep, 158
- nano-scale*, 66, 67
- narrow band semiconductors, 323
- natural decay series, 509, 511
- natural nuclear reactor, 509, 534–536
- natural reactor
  - Oklo, 536
- Navier–Stokes equation, 178, 198
- Néel temperature, 436, 440, 441
- Néel walls, 441
- Neptunium series, 511
- Nernst equation, 386, 389–392
- Nernst–Einstein relationship, 305, 307
- network structure, 75
- Neumann solution, 491
- Newton’s law
  - cooling, 460
- Newtonian creep *see* Harper–Dorn creep
- Newtonian law, 151
- Newtonian viscous element, 151, 152
- non-Darcy parameter, 181
- non-Debye heat capacity, 461
- nonellipticity parameter *see also* anisotropy parameters
- normal processes, 464
- N-process, 464
- Nusselt number*, 460
- Nyquist diagram, 329
- Nyquist plot, 330–331, 388, 393, 404
- oceanic crust subducted, 13
- Ohm’s law, 292, 335, 340, 395
- olivine structure, 300, 313, 318, 320
- oncolites, 9
- orbitals, 3, 294, 296, 312, 314, 368, 418, 420–433
  - electron, 515
  - electron velocity, 419
  - energy change, 432
  - filling, 432
  - hybrid, 368
  - magnetic moment, 419, 420, 423
    - angular, 423
  - moment, 294
  - occupancy, 433
  - overlapping, 430
  - shapes, 428
- Orowan’s equation, 156
- orthorhombic structure, 319
- orthotropic material, 135
- osmotic pressure, 44, 45
- outer Helmholtz plane (OHP), 379
- packing
  - atomic, 17
  - close, 38, 187–189, 263, 269
    - cubic, 30, 189, 190, 197
    - hexagonal, 190–192
      - 2D, 188
      - 3D, 189
    - quadratic, 188, 191–192
    - spheres, 194, 346
    - square, 190
  - factor, 34
  - fcc*, 342, 435

- packing (cont.)
  - random isotropic, 268
  - simple cubic, 30
  - square 2D, 29
- paramagnetism, 420
  - after Weiss, 448
- parent isotope, 510, 532, 534
- parent nuclide, 511, 525
- partial molar volume, 55, 56
- partial pressure*, 51, 55, 56
  - oxygen, 303, 315
- partial slip conditions, 201
- Pauli exclusion principle, 294–296, 428, 466
- pelite, 11
- Pelton model, 406, 407
- pendular distribution, 57, 58
- percolation
  - bond, 75
  - cluster, 75, 77, 78, 80, 81
    - infinite, 75–81
  - correlated, 75, 80
  - explosive, 81
  - site, 75, 77, 150
  - strength, 78–79
  - theory, 75, 109, 123, 149, 403
  - threshold, 76, 77, 81, 147–150, 197, 346, 349, 403
    - conductance, 75–81
- percolation models, 75
- permeability, 352
  - coefficient, 178, 180
  - Darcy, 180
  - exponential decay, 187
  - gas, 182
  - hydraulic coefficient, 179
  - intrinsic, 180, 183
    - tensor, 180
  - magnetic, 415, 416
  - relative, 183, 204, 207, 411, 415
    - “stiff” pore, 187
- perovskite structure, 494
- peroxy bond, 385
- Perzyna body, 175
- phase velocity, 285–286
- phonons, 461, 476, 478
  - collisions, 462, 463
  - concept, 477
  - excited, 462
  - mean free path, 463
  - number, 461, 464
  - scattering, 461, 494
  - velocity, 461, 494
- photonuclear interaction, 526
- photonuclear interactions, 526
- physical medium, 12
- Planck’s constant, 423, 509
- planetesimals, 3
- plastic deformation, 66, 93, 152, 159, 170, 275, 347
- point defects, 357
- Poisson–Boltzmann equation, 381
- Poisson distribution, 72, 73
- Poisson medium, 274
- Poisson’s ratio, 117–147, 149, 171, 172, 174, 187, 202, 212, 220, 221, 225, 237, 238, 247, 255–257, 263, 264, 290
  - adiabatic, 146
  - areal, 122, 125–130
  - minerals, 143
  - quartz, 268
  - undrained, 218
- polarizability, 326, 366, 368, 370, 379
  - dipolar electric, 365
  - electric, 378
  - electron, 368
  - ionic, 367, 368
  - total, 367, 368
- polarization, 361
  - dielectric, 297, 404
  - electrodes, 329
  - electronic, 364, 366, 368
  - elliptic, 395
  - interfacial, 366, 368–371
  - ionic, 364, 366–369
  - mechanism, 373
  - molecular, 328
  - orientation, 364, 366, 367
  - resonance, 371
  - vector, 362
- polaron, 317–323
  - electrical conductivity, 321
- pores
  - closed, 29, 183, 184, 204
  - connected, 46
  - dead-end channels, 75
  - open, 46, 353
- poroelasticity, 211
  - linear theory, 211
- porosimetry, 51
  - mercury, 51, 52
    - intrusion, 18
- porosity
  - closed, 29, 64, 184, 204, 347, 475
  - connected, 460
  - crossover, 348
  - effective, 28, 29, 66
  - fracture, 28
  - total, 28
- porous space, 9, 16, 28, 33, 46, 51–54, 56, 59, 60, 123, 180, 184, 188, 203, 212, 222, 388, 496
- porphyroblasts, 6
- potential energy, 294–296
- power law, 29, 46, 81, 115, 149, 156–159, 163, 182–190, 202, 274, 326, 347, 352, 398, 464, 470, 527
- Poynting vector, 394–395
- Prandtl body*, 152, 153
- Prandtl elasto-plastic element, 152
- Prandtl–Tomlinson model (PT), 168
- preexponential factor, 297, 299, 302, 320, 322, 325, 326
- pressure
  - ambient, 157, 201, 212, 215, 217
  - confining, 33, 201, 202, 213–219, 228, 268
  - differential, 202, 213–219
  - effective, 202, 203, 213, 216, 217, 270–271, 288
    - coefficient, 213–215, 216
  - gradient, 45, 46, 178–181, 191, 192, 195, 198
  - hydrostatic, 45, 46, 169, 178, 214, 225, 235, 266
  - inner, 226, 227
  - lithostatic, 202
- pore principle, 32, 201–205, 211–222, 228
- IP measurements, 405
- linear elasticity, 211
- quantum number, 515
- superposition, 226
- Terzaghi effective stress, 227
- total spin maximization, 428
- probability
  - collision, 529
  - density, 20
  - density function, 20–22
- probability mass function (PMF), 72
- protonic conductivity, 323
- psammite, 11
- psephite, 11
- P-wave, 253, 255, 275, 276, 278, 284–286
- quasi, 284
- quality
  - rock
    - mass, 70
    - rocks, 29
  - quality factor, 274
  - quantum number  $n$ , 296, 426
- radiation
  - cosmic, 5, 524
  - cosmic primary, 505
  - cosmogenic part, 505
  - dose, 505
  - electromagnetic, 526
  - emitted, 5, 461
  - geogenic part, 505
  - heat, 460, 461
  - ionizing, 519
  - natural, 5, 505, 524
  - neutron, 535

## INDEX

549

- particle, 510, 517, 524
- power, 461
- pressure, 395
- terrestrial, 524
- $\alpha$ -, 510, 517
- $\beta$ -, 509
- $\beta^+$ -, 509
- $\gamma$ -, 509
- radiation energy spectrum, 527
- radioactive decay, 496, 510, 513, 517, 520, 525, 532, 533
- radioactive equilibrium, 511
- radioactive heat production, 532
- radium equivalent, 521, 527
- radon, 531 *see* gas radon
- radon emanation *see also* gas radon
- ray theory regime (RT), 399
- reactor criticality, 536
- redox electrolyte, 390
- redox potential, 388, 389, 390
- redox reaction, 388
- reduced zone scheme, 309
- reference volume, 66, 113, 142
- relative humidity (RH), 60
- relaxation time
  - diffusional, 392
- remanent magnetization, 439, 443–446, 451
  - chemical remanence (CRM), 445
  - isothermal remanence (IRM), 445
  - sedimentation remanence (SRM), 445
  - thermal remanence (TRM), 445, 446
- remnant magnetization *see* remanent magnetization
- renormalization group transformation, 343
- representative elementary volume (REV), 182, 183
- residual strength, 93, 160
- resistivity, 1, 292, 327, 339, 349, 404, 406, 407
  - finite, 341
  - specific, 345–348
  - vs permeability, 352–354
- resistor network model, 339–343, 360
- resolution, 5
  - spatial scale, 12, 183
- restoring evolution equation, 165
- retardation effect, 61
- Reuss averaging, 137
- Reuss lower bound, 68
- Reynolds equation, 195, 196
- Reynolds number, 180
- rock cycle, 9
- rock quality designation index (RQD), 69
- roughness, 181, 189–190, 195, 196, 203
  - crack surface, 94
  - fracture surfaces, 105
  - index, 16, 195, 196
  - micro, 163
  - surface, 163, 190
  - wavelength, 163
- roundness, 16, 17
- S-wave
  - quasi, 284
- Saint-Venant's compatibility condition
  - first, 120
  - second, 120
- Saint-Venant's element, 152, 153
- sand model (Dvorkin and Nur)
  - cemented, 261, 267
  - friable, 263
  - uncemented, 261, 268
- sandstone
  - blastoporphyritic, 6
  - blastopsammitic, 6
- sandstone models
  - Dvorkin and Nur, 263
- saturation, 28
  - cement, 268
  - critical water, 29
  - degree, 28, 33, 59, 183, 223, 261, 269, 353
  - fluid, 204, 255, 257, 261
  - initial, 354
  - irreducible water, 29
  - magnetization, 422, 439, 446, 447
  - pore, 201–205, 531
  - pore space, 46, 183
  - relative, 204
  - rest, 183
  - total, 46, 354
  - water, 29, 46–48, 59–61, 258, 351, 352, 358, 399, 400, 475, 528
- saturation pressure, 56
- Sauter mean diameter, 16
- sc packing *see* packing simple cubic scale
  - wellbore, interwell, fieldwide, 66
- Schottky defect, 301
- Schottky pair, 321
- Schrödinger's wave equation, 294
- Schroeder (Colora) method, 487
- sediments, 8, 10–13, 15–16, 261
- Seebeck's coefficient, 307, 317
- selection rule parameter, 80
- selenogradient, 42
- self-consistent approach (SCA), 67, 138, 338, 339, 346
  - grain deformation, 67, 137, 140
- approximation, 140, 197, 198
- condition, 337
- deformations, 137
- field, 466
- method of effective moduli calculations, 138
- scheme of permeability calculation, 197
- shape preferred orientation (SPO), 276
- shear modulus, 117, 121, 131, 134, 140, 141, 156, 159, 186, 212, 218, 221, 236, 247, 259–262, 264, 274, 281
- adiabatic, 146
- shear viscosity, 53, 151, 223
- SH-wave
  - quasi, 285
- siderophile elements, 3
- silanol plane, 379
- simple cubic lattice (sc), 302
- single-domain (SD), 446
- SiO<sub>4</sub> tetrahedra, 313, 326
- Si-OH silanol group, 387
- site
  - octahedral, 34, 320, 430–433, 435, 437
  - interstitial, 35, 36, 302
  - tetrahedral, 34, 432, 435, 437
- Skempton's coefficient, 203, 217–220
- skewness, 15, 21, 22
- Slack formula, 467
- slip plane, 97, 151, 156, 169
- Snellius law, 397, 398
- solenoidal field, 376
- solid-state ionic conductor, 297
- sound speed, 248
- specific ionization potential, 529
- specific weight, 28
- sphericity index, 16
- spinel structure, 437
- Stanton number, 460
- statistical continuum
  - approach, 142
- statistical sum, 424–426, 440, 476, 482
- statistical weight, 15
- Stefan numbers, 490
- Stefan problem, 492
- Stefan's solution, 490
- Stefan–Boltzmann law, 461
- Stefan–Boltzmann's constant, 461
- Sterling formula, 302
- Stern layer, 379, 381, 387
- stiffness
  - longitudinal, 101
  - tensor, 283
- stiffness constant per length, 167
- stiffness tensor, 282–284
- Stokes diameter, 15

- Stokes flow formula, 197  
 Stokes formula, 197, 198, 374–375, 377  
 Stoner–Wohlfarth model, 450–451  
 stopping energy, 529, 530  
 strain  
     longitudinal, 121, 122, 125, 126, 132  
     tensor, 119–121, 125, 131, 132, 151, 280–282  
     transverse, 132  
 strength  
     compressive, 100  
     frictional, 170  
     ratio of compressive to tensile, 100  
 stress  
     tensor, 74–90, 132, 154, 158, 217, 280, 282  
     invariant, 158  
 stress–director surface, 88, 89  
 stress-hardening, 93  
 stress-softening, 93  
 strike-slip, 167  
 stromatolites, 9  
 structures  
     amygdaloidal, 8  
     basaltic dome, 445  
     coarse-grained, 8  
     defect, 368  
     flaccid, 8  
     fluidal, 8  
     growth, 8  
     layered, 14, 121, 275, 336  
     oölitic, 8  
     porphyric, 10  
     pumiceous, 8  
     random, 8, 12, 14, 197  
         diffusion, 303–307  
         distribution, 473  
         fracture, 70  
         resistor network, 341  
         walk, 464  
     rocks, 7  
     schistose, 8  
     taxite, 7  
 supernova, 1  
 superplasticity, 156  
 surface  
     activity, 518  
     crust, 495  
     Earth's, 1, 496, 505, 516  
     energy, 43, 55, 56, 105, 107, 116, 117, 234–235, 381, 387–388, 442, 471, 507  
     tension, 43–44, 51–55, 266  
 SV-wave  
     quasi, 285  
 S-wave, 254, 262, 275–277, 284, 286, 289  
 swelling pressure, 60  
 symmetry  
     axis, 100, 121, 275, 276, 284–286  
     cubic, 122, 126, 281, 283, 284, 435  
     hexagonal, 127, 276–284  
     monoclinic, 130  
     orthorhombic, 129, 281  
     rotational, 121, 127, 431  
     tetragonal, 127  
     transversal, 276  
     trigonal, 128  
 taxite, 7  
 Taylor series, 78, 113, 115, 149, 165, 167, 230, 268, 298, 299, 343, 362, 382, 392, 417, 418, 424, 480, 482  
 Taylor's model, 137  
 tensile strength, 93, 99, 100, 164, 225, 226, 227, 235  
 crack initiation (CI), 235  
 Table, 95  
 uniaxial, 100  
 tensor, 280  
     deviatoric stress, 158  
     electric conductivity, 292  
     first invariant, 151  
     metric, 230  
     rank, 74, 180, 292, 335  
     second invariant, 88, 154  
     stiffness, 147, 275  
     strain, 134, 282  
     stress, 134  
     stress and strain, 158  
     symmetric, 119, 151, 219, 280, 365, 416  
     thermal conductivity, 458  
 tensors, 9, 151  
 Terzaghi effective stress, 217, 227  
 texture, 5–9, 66, 137, 142, 346  
     aphanitic, 6  
     equigranular, 6  
     fine-grained, 6  
     granoblastic, 6  
     graphic, 6  
     heteroblastic, 6  
     holocrystalline, 6  
     hyalopilitic, 6  
     hypidiomorphic-granular, 6  
     inequigranular, 6  
     lepidoblastic, 6  
     lepidogranoblastic, 6  
     medium-grained, 6  
     microlitic, 6  
     panidiomorphic-granular, 6  
     pegmatitic *see* texture graphic  
     phaneritic, 6  
 porphyroblastic, 6  
 primary, 6  
 very coarse-grained, 6  
 thermal conductivity, 9, 455–475, 488  
     anisotropy, 474  
     crystal size, 470  
     disordered materials, 464  
     Earth, 493  
     effective, 471  
     electrons, 466  
     ellipsoid, 459  
     grain boundaries, 472  
     high-pressure, 494  
     iron, 470  
     lattice, 466, 494  
     limestone, 490  
     methods, 475–485  
     MgO, 468  
     porous rocks, 475, 476  
     pressure dependence, 467  
     quartz, 488  
     rocks, 475  
     Stefan problem, 490  
     transition zone (TZ), 493  
     Wiener bounds, 472  
 thermal diffusivity, 459, 475–486  
 thermal fracturing, 105  
 thermoelectric effect, 307  
 Thomsen's anisotropy parameters.  
     *see also* anisotropy parameters  
 thorium series, 511  
 tight-binding model, 309  
 tilt angle, 471, 472  
     GB, 471  
 time domain reflectometry (TDR), 399  
 tortuosity, 192–194, 353–354, 406  
     electrical, 352–354  
     hydraulic, 353  
 track dating, 525  
 transmissivity, 194, 195  
 transverse and orthotropic isotropies, 135  
 transversely isotropic medium (TI), 275  
 Tresca yield criterion, 154  
 triple junction, 44–48  
 triple line, 47, 48  
 ulvöspinel, 436  
 umklapp phonon–phonon scattering, 468  
 umklapp processes, 463  
 uniform strain approach *see* Voigt averaging  
 uniform stress approach *see* Reuss averaging

## INDEX

## 551

- unit cell, 30–38, 143, 326, 344, 367, 368, 435, 436, 464  
U-process *see* umklapp processes  
uranium minerals, 516, 531, 537  
uranium series, 511  
uranium–actinium series, 511  
uranium–radium series, 511  
vacancies  
  oxygen, 315, 323, 324, 385, 386, 410  
valence  
  electrochemical, 332, 333  
valence band, 296–300  
  lower, 312  
  middle, 312  
van Genuchten equation, 204, 205  
vector  
  *curl*, 373  
  displacement, 275  
  gradient, 374  
  ray path, 285  
  spin momentum, 423  
units, 373  
wave propagation direction, 249, 250, 285, 395  
vectors, 9, 43, 74, 86–90, 280, 310, 374, 395, 415, 420  
electromagnetic waves, 394  
scalar product, 230  
vehicle mechanism, 324  
vertical transversely isotropic (VTI), 275  
Voigt averaging, 138  
Voigt notation, 125  
Voigt upper bound, 68  
Voigt–Reuss bounds, 257  
voltammogram, 390  
von Mises criterion, 154  
VR bounds *see* Voigt–Reuss bounds  
Walden’s rule, 333  
Warburg impedance, 388, 390, 391–393  
Washburn equation, 51  
water saturation, 46–47  
wave function, 294, 295, 307–310, 311  
wavenumber, 250, 271, 294–296, 309–312  
waves  
  group velocity, 286  
  harmonic plane, 250  
impedance, 394  
longitudinal, 247–250, 462, 478  
phase velocity, 250, 282, 475  
transverse, 122, 131, 135, 139, 248, 250, 274–275, 462  
Waxman–Smith equation, 351, 354  
Waxman–Smith model, 352, 354  
Weertman creep, 157  
Weiss domains, 437, 440–445  
wetting angle, 44, 45, 54, 57, 59  
White’s model, 261, 262  
Wiedemann–Franz law, 469  
Wiener bounds, 138, 257, 334, 335, 345, 346, 400, 475  
Wood’s formula, 262  
Wyllie time average, 257  
Wyllie’s equation, 257  
Wyllie’s model, 475  
yield stress, 92, 93, 96, 106, 152–154  
Young’s equation, 44, 45  
Young’s modulus, 113, 116, 133, 143, 146, 212, 218, 245, 270  
zero wavelength approximation, 257