INDEX

ablation, 242
Ablative Cooling, 185
ablative liners, 284
absolute, 410
adiabatic flame temperature, 134, 139
Advanced Rocket Propulsion, 1
aerospike, 100
alcohols, 353
altitude compensating, 100
amines, 353
ammonia, 353
ammonium dinatramine, 357
antioxidants, 251
Anti-vortex baffles, 302
Apogee Kick Motors (AKM), 32
arcjet, 16
arcjet thrusters, 540
aromatic compounds, 353
assumed, 144
augmented hydrazine thruster, 289
axial turbine, 402

balance piston, 422
ballistic coefficient, 108
ballistic trajectory, 34
Bearings, 404
bed loading, 287
beryllium, 350
bias layer cooling, 183
bipropellant, 283
bipropellant systems, 12
bi-propellants, 348
Bisector Method, 556
blowdown, 283
blowout loads, 240
boiling point, 355
boiling points, 349
boiloff, 300
bonding agent, 252
buckling loads, 300
burning rate catalysts, 251
burning rate coefficient, 230
burning rate exponent, 230
burning surface area, 231
burning time of each stage, 24
burnout acceleration, 24

calorically perfect, 135
casting, 250
catalysis, 363
catalyst, 287
catalyst bed, 287
catalyst heater, 288
catalytic, 362
cathode sheath, 536
chamber, 88
chamber pressure, 88
char layer, 242
characteristic chamber dimension, 304
characteristic velocity, 91
characteristics, 111
charge-to-mass ratio, 538
chemical equilibrium, 134
chemical equilibrium point, 144
chemical kinetics, 153
Child-Langmuir space charge limited current equation, 530
circularizes, 32
closed cycle, 291
coaxial injector, 319
collective behavior, 530
collector, 410
combined cycle, 20
combustion tap-off, 291
compatability conditions, 112
complete combustion, 134
composite propellant, 248
concentric, 299
conical nozzle, 98
contoured nozzles, 98
contraction ratio, 305
Convective Heat and Mass Transfer, 195
convergence angle, 98
coolant bleed, 291
coolant tap-off cycle, 291
crosslinking, 250
cryogenic, 283
cryogenic propellants, 353, 389
cryogens, 348, 353
curative, 250, 251
cure catalyst, 251
cycle balance, 327

D^2 law, 312
darkening agent, 251
decomposition process, 286
delivered, 236
density, 349, 354

© in this web service Cambridge University Press & Assessment

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42227-7 — Rocket Propulsion
Stephen D. Heister , William E. Anderson , Timothée L. Pourpoint , R. Joseph Cassady
Index
More Information

diffuser vanes, 410
direct drive, 406
discharge loss, 535
discharge side, 409
dissociation, 134
dissociation/recombination reactions, 144
dissociations, 152
divergence factor, 104
dome and post, 326
double base, 248
downcomer, 302
drag loss, 49
Dump Cooling, 182
dynamic seals, 432

effective exhaust velocity, 87
electromagnetic, 529
electron transfer, 351
electronegativity, 351
electrostatic, 17, 529
electrostatic acceleration, 530
electrothermal, 528
electrothermal thruster, 16
elliptic transfer orbit, 32
engine cycles, 290
engine power cycle, 13
equilibrium constant based on pressure, 147
Equilibrium Flow, 153
equivalence ratio, 137
erosion rate, 242
erosive burning, 230
escape velocity, 28
ethers, 353
Euler Momentum Equation, 415
exhaustive search, 556
expander cycle, 292
expansion-deflection, 100
explicit method, 560
explosives, 233
exposure guidelines, 356
exposure time, 242
extendible exit cones, 29

factor of safety, 239
feed system, 283
film coefficient, 180, 193
film conductance, 193
Film Cooling, 183
finning effects, 213
first order, 149, 560
flame temperature, 88
flight path angle, 36
flight weight, 243
Fluid Dynamic Drag, 108
fluid film, 429
fluorine, 350, 379
forward Euler scheme, 560
free-flight range angle, 35
free-flight range equation, 36
freezing point, 355
From the Earth to the Moon, 2
Frozen Flow, 153
Fuel, 351
fuels, 348
Fundamentals of Astrodynamics, 32

g-t loss, 49
gas generator, 13, 290
gas generator cycle, 290
gelled propellants, 348, 388
Geosynchronous Earth Orbit, 29
Geosynchronous Transfer Orbit (GTO), 31
Gibbs Free Energy, 146
Gibbs' Equation, 145
gimballing, 29
gravitational constant, 24
gravity, 49
grid convergence study, 562
gridded ion engine designs, 528
gun cotton, 248

Hall effect thruster, 528
head rise, 413
heat equation, 189
heat of combustion, 140
heat of formation, 142, 354
heat of vaporization, 355
heat shield, 288
Heat Sink Cooling, 187
heat transfer, 180
heat transfer coeffient, 193
heating value, 140
high trajectory solution, 36
Hohmann transfer, 32
hollow cathode, 536
housing, 402, 431
hydraulic diameter, 198
hydrazine, 348
hydrides, 353
hydrocarbons, 353
hydrogen, 353
hydrogen peroxide, 353, 357
hydrostatic, 429
hydroxylammonium nitrate, 357
hypergolic, 283
hypergolic propellants, 348

ideal, 40
igniter, 238
ignition delay, 387
Immediately Dangerous to Life and Health, 356
impeller, 402
impinging element, 313
implicit scheme, 560
impulse turbine, 424
inclination, 33

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42227-7 — Rocket Propulsion
Stephen D. Heister , William E. Anderson , Timothée L. Pourpoint , R. Joseph Cassady
Index
More Information

inducer, 405
Inert Components, 20
inhibitor, 231
injector, 284
injector elements, 310
inorganic, 353
Insulate, 187
interior ballistics, 230
internal insulation, 238
International Reference Guide to Launch Systems, 9
interpropellant seal, 404
ion production cost, 538
ion thrusters, 17
ionic liquids, 369
isogrid, 303

Jet Propellants, 375
Jet Propulsion, 195
jet thrust, 87

kerosene fuels, 375

law of diminishing returns, 63
leading truncation error, 560
less-toxic, 350
like doublet, 313
linear algebraic equation, 555
liquid hydrogen, 348
liquid methane, 348
liquid oxygen, 348
liquid processing aids, 252
liquid rocket propellants, 348
Lorentz force, 530
low trajectory solution, 36
LOX post, 320
lumped parameter, 201, 232

Magnetoplasmadynamic (MPD) thrusters, 542
Marxman, 457
mass flow, 505
mass ratio, 48
mass utilization efficiency, 535
maximum dynamic pressure, 24
maximum expected, 239
mean pitchline velocity, 426
melting, 349
meridional velocity, 411
mission requirements, 23
mixture ratio, 137, 284
modifiers, 251
molecular mixing, 310
molecular weights, 354
momentum, 54
monomethylhydrazine, 350
monopropellant, 282, 357
monopropellants, 12, 348
motor case, 11, 237
motor time constant, 235

Na Lune, 3
net positive suction head, 413
net positive suction pressure, 413
neutral burning, 231
Newton's Method, 556
Newton's universal gravitation constant, 24
nitric acid, 353
nitrogen tetroxide, 350
nonlinear algebraic equations, 555
non-toxic, 350
north-south stationkeeping, 547
nosecap, 100
nozzle assembly, 238
nozzle divergence losses, 102
nozzle expansion ratio, 90, 92
nozzles, 424
nuclear electric rocket, 14
nuclear thermal rocket, 14
numerically stiff, 562

open cycles, 291
operating pressure, 239
orbit raising maneuvers, 548
organic, 353
orthogrid, 303
outage, 286
over-expanded, 92
oxidization states, 351
Oxidizer, 351
oxidizer-rich staged combustion (ORSC), 319
oxidizers, 348
oxidizing agent, 352

pads, 258
Parallel burn, 24
Partial admission, 426
payload, 21
Payload Components, 21
payload insertion, 28
perfectly expanded, 92
Perigee Kick Motors (PKM), 32
Permissible Exposure Limits, 356
permittivity of free space, 532
phenolic, 244
pintle injector, 321
plasmas, 529
plasticizer, 251
polar boss, 237
post-boost vehicle, 34
preburner, 292
pressure fed, 13, 283
pressure stabilization, 302
pressure thrust, 87
pressure time lag, 504
progressive burning, 231

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42227-7 — Rocket Propulsion
Stephen D. Heister , William E. Anderson , Timothée L. Pourpoint , R. Joseph Cassady
Index
More Information

propellant, 21, 528
propellant estimation system, 303
propellant grain, 11, 238
propellant mass fraction, 10, 51
Property Relation, 145
Pulsed Plasma Thrusters, 541
pump fed, 13
pump-fed, 283
pyrogen igniters, 240
pyrolisis gases, 242
pyrotechnic igniters, 241

Quasi-neutral, 530
quasi-steady lumped parameter, 232

raceways, 429
radial turbine, 402
Radiation Cooling, 187
reaction control, 551
reaction turbine, 424
reboost, 540
recovery factor, 196
recovery temperature, 196
red fuming nitric acid, 379
reducing agent, 352
Regenerative Cooling, 182
regeneratively cooled, 284
regressive burning, 231
relative, 410
Resistojets, 539
restart, 283
restrictor, 231
rigimesh, 321
ring-type, 324
rocket, 47
Rocket Propulsion, 1
rocket trajectory, 47
rolling element, 429
rotor, 402
rotor blades, 402
rotors, 424

saturation temperature, 177
Sauter Mean Diameter, 312
Seals, 404
Secant Method, 557
secondary reactions, 144
sensible enthalpy differences, 140
sensible enthalpy of reactant, 142
series, 24
shims, 258
showerhead, 313
shrouded, 409
similar stage, 62
slag, 100
slosh baffles, 302
specific, 23
specific heat, 355
specific impulse, 10
sphere of influence (SOI), 549
spin stabilized, 28
splashplate, 316
spouting velocity, 426
sputtering, 552
stage mass ratio, 61
staged combustion cycle, 292
stages, 9
static seals, 432
stationkeeping, 289, 547
stationkeeping maneuver, 546
stators, 424
steering losses, 50
stiffness critical, 239
stoichiometric coefficients, 144
storable, 283, 350
storable propellant, 374
storable propellants, 348
strap-on boosters, 9
strength critical, 239
suction side, 409
swirl bipropellant injector, 317

tandem, 299
the ideal velocity gain, 49
The Rocket Equation, 47, 48
The Rocket into Planetary Space, 3
The Tsiolkovsky Equation, 47, 48
The War of the Worlds, 2
thermal conductivity, 179, 355
thermal diffusivity, 179, 180
thermal standoff, 288
thermodynamic potential, 146
thrust chamber, 284
thrust coefficient, 92
thrust per element, 323
thrust piston, 404
thrust skirt, 237
thrusters, 282
thrust-to-power ratio, 538
time step, 559
torroidal tanks, 299
total, 42
total efficiency, 536
total impulse, 22
toxicity, 349, 354
trajectory optimization, 47
Transpiration Cooling, 184
trapped, 300
triplet, 313
Tsiolkovsky, 47
turbine buckets, 402
turbine nozzles, 402
turbopump, 401
twin, 299

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE
Cambridge University Press & Assessment
978-1-108-42227-7 — Rocket Propulsion
Stephen D. Heister , William E. Anderson , Timothée L. Pourpoint , R. Joseph Cassady
Index
More Information

ullage, 300
under-expanded, 92
unlike doublet, 313
unshrouded, 409
useful payload, 21

vapor pressure, 349
velocity time lag, 504
volume flow ratio, 310
volume limited, 99
volumetric loading efficiency, 240
volute, 410
vorticity, 505

Ways to Spaceflight, 3
web distance, 231
web stiffeners, 460
Weber number, 311
Wege zur Raumschiffahrt, 3
white fuming nitric acid, 379

zeroth order, 149

© in this web service Cambridge University Press & Assessment www.cambridge.org