

Index

- α -relaxation. *See* alpha relaxation, out-of-cage diffusion
- β -relaxation. *See* in-cage diffusion
- $\delta\gamma$ method, 85
- Accelerated Stokesian Dynamics, 129
- adhesive hard spheres, 28, 197
 - moduli, 212
- aggregation
 - orthokinetic, 159
 - perikinetic, 159
- aging, 174, 184, 198, 205, 215, 250, 378
 - soft particles, 250, 262–267
 - microstructure, 265
- AHS. *See* adhesive hard spheres
- alpha relaxation, 247, 256
- Anand–Kwack–Masud model, 330
- anisotropic soft colloids, 236
- anisotropy, 33, 160
- anti-thixotropy, 372
- Apostolidis–Armstrong–Beris model, 331
- Apostolidis–Beris model, 325
- applications, 367
- Arbitrary Lagrangian–Eulerian, 132
- arrested phase separation, 191, 196, 198
- aspect ratio
 - from scattering, 158
- asphalt, 196, 375
- asphaltenes, 376
- Associative ABA triblock copolymers, 299
- associative polymers, 364, *See also* HASE polymers, HEUR polymers
- athermal, 4
- Batchelor equation, 240
- Baxter parameter, 23, 192, 195, 209
- Bénard cells, 362
- bending rigidity, 195
- beta relaxation, 247
- Bingham model, 37, 178
- Bingham number, 214
- biocolloids, 291
- biological fluids, 190
- biomaterials, 291
- bitumen, 375–380
 - colloidal structure, 377, 379
 - composition, 376
- block copolymer micelles, 237, 294–302
 - melts, 237
- block copolymers, 235
 - AB block copolymers, 294–299
 - ABA block copolymers, 294–299
 - crystallization, 300
 - melts, 237
- blood, 196, 303, 316
 - elastoviscoplastic, 322
 - LAOS, 329
 - microstructure, 322
 - steady-state shear models, 324–329
 - thixotropic models, 331
 - thixotropic–viscoelastic models, 334
 - thixotropy, 331
 - transient shear flow models, 329
 - viscoelastic models, 330, 338
 - viscoelasticity, 329
 - wall shear stress, 321
 - yield stress, 325–329
- bond lifetime, 211
- Boundary Element Method, 131
- Boundary Integral Method. *See* Boundary Element Method
- bovine serum albumin, 303
- Bragg’s law, 157
- bridging, 272
- Brownian dynamics, 125, 183, 198, 204
- Brownian force, 5, 155
- Brownian hard spheres, 10–21
 - linear viscoelasticity, 10
 - normal stress differences, 16
 - shear thickening, 17
 - viscosity curve, 13
 - zero shear viscosity, 10
- Brownian motion, 5, 184
 - free draining, 68
- Brownian particles, 5
- Brownian stress. *See* particle stress
- brushing, 360
- butterfly pattern, 158

- cage, 8, 173, 210
 - melting, 184
- cage model, 247
- capsules, 233
- carbon black, 196, 367–375
 - aging, 369
 - conductivity, 368
 - electrical properties, 373
 - rheology, 369
 - sample preparation, 369
 - structure, 367
- cardiovascular, 320
- Carnahan–Starling equation, 10
- casein, 292
- Casson model, 37, 319, 321, 325
- cement, 196, 380–389
 - hydration reaction, 386
 - plasticizer, 388
 - rheology
 - origin, 384
 - tuning, 388
- cement-based materials
 - rheology, 381
- cement-based products, 380
 - thixotropy, 383
 - yield stress effects, 382
- centrifugation, 390
- charged particles, 233
- clay, 158
- cluster
 - break-up, 203
- cluster structure, 193
- coarsening, 198
- coatings. *See* paints
- coffee-ring flow, 360
- colloidal crystals, 188
 - oscillatory shear-induced, 182
- colloidal gel. *See* gel
- colloidal glass, 177
 - attractive, 190
 - flow curves, 179
 - linear moduli, scaling, 180
 - linear viscoelasticity, 180–182
 - shear induced, 243
 - steady shear rheology, 177
 - step strain test, 187
 - stress relaxation, 186
- colloidal mixtures
 - soft–hard mixtures, 272
 - soft–soft mixtures, 271
 - solventless, 273
- colloid-polymer mixtures
 - soft particles, 268
- compressive yield stress, 393
- concrete, 380
- confocal fluorescence microscopy, 230
- confocal microscopy, 165, 176, 193, 203
- contact friction, 195
- Continuum Solvent Methods, 132
- coordination number, 197
- core-shell microgels, 180
- cosolvents, 366
- craters, 362
- creep, 185
 - colloidal gel, 206
- creep and recovery test, 186
- creeping flow, 44, 48
- critical gel, 177, 207
- Cross model, 37
- crossover frequency, 181
- crystal, 173
- crystallization
 - soft particles, 243
 - shear-induced, 243
- curtaining, 358
- dam failure, 392
- Darcy permeability, 85
- Deborah number, 214
- depletant, 241
- dewatering, 395
- diffusion, 6
 - cage, 92
 - collective, 62, 92
 - soft particles, 245
- diffusion-limited cluster aggregation, 175
- dilatancy, 20
- Dissipative Particle Dynamics, 130, 136–141, 204
- Distributed Lagrange Multiplier/Fictitious Domain
 - method, 133
- DLCA. *See* diffusion-limited cluster aggregation
- drug delivery, 292
- dry stacking slope, 391
- dynamic arrest, 181, 191, 209
 - delayed, 206
- dynamic heterogeneities, 174
- dynamic light scattering, 177
- dynamic structure factor, 265
- dynamically arrested state, 174, 191, 265, 272
- effective volume fraction, 180, 240
- Einstein relation, 3
- elastic collision method, 126
- elastic recoil, 185
- elasto-hydrodynamic deformation, 139
- elasto-hydrodynamic lubrication, 180, 249
- elasto-viscoplasticity, 31
- elastomer particles, 235
- elastoplastic models, 258
- electrochemical impedance spectroscopy, 374
- elongational flow. *See* extensional flow
- emulsion, 233, 252
- emulsion paints, 354
- ergodicity, 174, 181, 191

- Ermak–McCammon scheme, 71
 erythrocytes. *See* red blood cells
 excluded annulus model, 80, 84
 excluded volume. *See* particle interactions
 extensional flow, 36, 169
- Fåhræus, 318, 324
 Fåhræus–Lindqvist effect, 324
 Fast Lubrication Dynamics, 130
 fibrinogen, 316, 326, 333
 filtration, 390, 397
 Finger tensor, 106
 flocculants, 397
 flow advection, 105
 Fluid Particle Dynamics, 134
 Fluid Particle Model, 138
 fluidity models, 257
 fluorescent confocal microscopy, 175
 Force Coupling Method, 132
 fractal, 159, 175, 193, 211, 368
 free energy
 star polymers, 241
 friction, 20, 140
- gel, 174, 390
 anisotropic particles, 195
 depletion, 193, 198, 200
 equilibrium, 174–175, 195, 215
 formation, 197
 fractal, 175
 frustrated, 175
 heterogeneous, 175
 homogeneous, 175, 191, 196
 rheology, 209
 local microstructure, 197
 mechanisms of formation, 191
 micromechanics, 193, 195
 network, 196
 phase separation, 191
 rheology, 199
 thermoreversible, 177
 gel transition, 209, 250
 dynamic light scattering, 209
 block copolymers, 291
 SANS, 208
 thermoreversible, 250
 gel transition concentration, 390
 generalized Smoluchowski equation, 57, 96
 generalized Stokes–Einstein equation,
 182
 glass, 173, *See also* colloidal glass
 attractive, 174, 191
 rheology, 199
 attractive driven, 173
 entropic, 255
 jammed, 242, 250
 melting, 174
 repulsive, 173
 soft particles, 242, 246
 glass line, 191
 glass transition, 174
 soft particles, 251
 volume fraction, 178
 grafted colloidal particles, 235
 gravity, 175, 192
 gravity batch settling, 395
 Green–Kubo relation, 45, 82
 shear modulus, 88
 generalized, 106
 GTC. *See* gel transition concentration
- hairy colloids, 235
 hard spheres, 1, 4, 173
 HASE polymers, 364
 HAWB model, 334–337
 hematocrit, 316, 326, 333
 Herschel–Bulkley model, 37, 178, 251,
 392
 Hertzian potential, 238
 HEUR polymers, 364
 high pressure filtration, 393
 hindered settling function, 395
 Hippocrates, 317
 hopping, 174
 of electrons, 373
 thermally activated, 188
 hydroclusters
 microscopy, 167
 hydrodynamic drift term, 61
 hydrodynamic interactions, 155
 hysteresis loop, 30
- Immersed Boundary Method, 134
 immunoglobulin, 303
 in-cage diffusion, 174
 Integration through Transients, 105
 intermediate scattering function,
 265
 two-step decay, 180
 internal stress, 267
 interparticle potential, 21
 depletion forces, 25
 dispersion forces, 22
 electrostatic forces, 22
 soft particles, 238
 square well, 23
 star polymers, 239
 steric repulsion, 24
 Yukawa potential, 239
 inverse melting, 292
 irrecoverable strain, 183
 isostatic structure, 197
 isostaticity, 197
 It-convention, 197

- jamming
 - soft particles, 242
- kinetic hardening, 33
- Kramers–Kronig relations, 182
- Krieger–Dougherty equation, 304
- Langevin dynamics. *See* Brownian Dynamics
- Langevin equation, 45, 62
 - inertial, 64
 - positional, 61, 64
 - self-consistent generalized, 45, 96
- large amplitude oscillatory shear (LAOS), 44, 201, 253, 273, 306, *See also* blood
- large scale processing, 389
- Lattice Boltzmann method, 145
- leveling, 356
- linear rheology, 253
- linear viscoelasticity, 10
- liquid-crystal coexistence, 173, 175
- localization length, 182, 192, 199, 207
- log-rolling, 371
- long-time self-diffusion, 245
- long-time tail, 64, 90, 264
- lubrication, 17, 72, 122
- lysozyme, 303
- mAb solutions, 304
- maltene, 377
- Markov chain, 63
- Markovian process, 63, 71
- Mason number, 213
- Mason-Weitz dynamic modulus relation, 91, 100–104
- Maxwell model, 14, 257
- MCT. *See* mode coupling theory
- mean squared displacement, 6, 262
- micelles, 235, 291
- microchannel, 168
- microgel, 184, 232, 234, 251
 - wall slip, 260
- micromechanical models, 258
- micromechanics, 195
- microrheology, 165
- microscopy, 165, 169
- microstructure, 2, 75, 155, 233
 - depletion gel, 193
 - flow-induced, 156–163, 271
 - jammed microgel, 259
 - shear-ordered, 162
 - stresses calculated from, 163
- migration, 189
- milk, 292
- mineral colloidal suspensions, 196
- mobility functions, 54, 86
- mobility matrix, 70, 128
- mode coupling theory, 177, 248, 255, 273
 - homogeneous gels, 207
 - naïve, 199
 - PRISM, 200
- modulus
 - dynamic, 37
 - elastic, 37
 - high frequency, 90
 - loss, 37
 - Maxwell, *see* Maxwell model
 - plateau, 181
 - shear, 37
 - storage, 37
 - viscous, 37
- Molecular Dynamics, 62, 104, 187
- monoclonal antibodies, 305
- Mori-Zwanzig equations, 105
- mortar, 380
- mortar/concrete
 - origin of rheological behavior, 383
- Mountain-Zwanzig formula, 89, 101
- Multi-Particle Collision Dynamics, 130, 141
- multiarm star polymers, 235
- multilamellar vesicles, 237, 263
- multiplicative noise, 69
- nanoparticle organic hybrid materials, 238
- Navier–Stokes equations, 47–55, 72, 121
- non-Newtonian rheology, 13
- non-spherical particles, 11, 129
 - soft, 236
- nonergodic. *See* ergodicity
- nonergodicity parameter, 98
- normal stress differences, 38
- open time, 359
- orange peel, 362
- oscillatory flow, 37
- Oseen tensor, 48
- osmotic compression, 229, 234, 247, 269
- osmotic deswelling, 240
- osmotic pressure, 10, 24, 166, 240
- osmotic shrinkage, 240
- out-of-cage diffusion, 174
- overaging, 264
- paint, 196, 353–367
 - application, 360
 - desired rheology, 363
 - drying, 356
 - shear rates involved, 354
- pair correlation function, 184
- pairwise additivity approximation, 84
- particle alignment, 158
- particle dynamics, 177, 215
- particle elasticity, 236

- particle interaction potential. *See* interparticle potential, 239
- particle interactions, *See also* interparticle potential
 - athermal, 4
 - directional, 195
 - excluded volume, 4
 - hydrodynamic, 4
- particle localization, 181
- particle migration, 168
- particle solvent methods, 134
 - meshed solvent, 141
 - unmeshed solvent, 134
- particle stress, 75, 106
 - Brownian, 6
 - gravitational, 7
 - inertial, 7
- patchy interactions, 195
- Péclet number, 6
 - for gels, 213
 - gravitational, 192
- percolation
 - connectivity, 192
 - directed, 197
 - rigidity, 191, 198, 209
 - SANS, 211
- percolation point, 191
- percolation theory, 212
- pharmaceutical applications, 291
- phase diagram, 173
 - adhesive hard spheres, 210
 - attractive colloids, 178
 - attractive interactions, 174
 - dynamical arrest transition, 192
 - gas phase, 174
 - hard spheres, 8
- phase separation. *See* phase diagram
- phase transition. *See* transition
- Pickering emulsions, 235
- pin-holes, 362
- pipe flow
 - pipe blockage, 392
- pipeline flow, 391
 - segregation, 392
- plasma, 316
- PMMA particles, 175
- Poiseuille, 319
- Poiseuille flow, 169
- polydispersity, 26, 173, 175, 188
- polymer brush. *See* soft-particle rheology, interparticle potential: steric repulsion
- population balance modeling, 371
- preshear, 194, 199, 205, 216
- printing inks, 352
- process equipment
 - role of yield stress, 392
- projection-operator formalism, 97
- proteins, 302–307
 - aggregation, 306
 - food and biopharmaceutical applications, 292
 - globular, 303
 - interfacial effects, 303
- radial distribution function, 9, 166
- random close packing, 26
- rate-of-strain tensor, 35
- RBC. *See* red blood cells
- RCP. *See* random close packing
- reaction-limited cluster aggregation, 175
- red blood cells, 316, 337
- rejuvenation, 205, 215, 263
- relaxation time
 - Brownian, 6
 - shear stress, 84
 - particle momentum, 84
- repulsive entropic glasses, 255
- repulsive jammed glasses, 256
- residual stresses
 - glasses, 108, 186
 - soft particles, 255, 267
- Reynolds number
 - particle, 7
- rheo-dielectric, 375
- rheo-SANS, 156–169, 243, 254
 - geometry, 160
- rheo-SAXS, 158
- rheological modifiers, 364
- rheopexy. *See* anti-thixotropy
- rigidity percolation, 209
- rigidity transition, 212
- RLCA. *See* reaction-limited cluster aggregation
- Roscoe model, 378
- Ross–Minton equation, 304
 - modified, 305
- rouleaux, 316, 326
- sag control agents, 364
- sagging, 357
- Saito formula, 85
- SANS. *See* small angle neutron scattering
- SAXS. *See* small angle x-ray scattering
- scattering
 - wide angle X-ray diffraction, 302
- screened Coulomb potential, 46, 89
- second virial coefficient, 24, 209
- sedimentation, 389
 - coatings, 359
- self diffusion, 54, 91–100, 244
- shape, 131
- shear banding, 180, 189, 203, 369
 - glass, 189
 - soft particles, 261
- shear localization
 - glass, 189

- shear melting, 107, 111, 163
- shear thickening, 4, 180, 372
- shear thinning, 4
- shear wave, 50
- short-time moments, 68
- simulation methods
 - key factors, 122
- slow dynamics, 105, 215, 262
- sludges, 390
- slump test, 391
- slumping, 357
- small angle light scattering, 156
- small angle neutron scattering, 156
 - hard spheres, 161
- small angle x-ray scattering, 156
- Smoluchowski equation, 160
- Smoluchowski operator, 87, 97, 105
- Smoothed Dissipative Particle Dynamics, 135
- Smoothed Particle Hydrodynamics, 134
- Smoothed Profile Method, 134
- soft anisotropic colloids, 236
- Soft Glassy Rheology, 184, 256
- softness, 227
- soft-particle rheology
 - flow, 251–259
 - plateau modulus, 248
 - shear thinning, 254
 - viscoelasticity, 247
 - yielding, 251–254
 - zero-shear viscosity, 244
- solids diffusivity, 395
- solvent, 271
- solvent quality, 239
 - temperature effects, 249, 271
- solvent-permeable spheres, 85
- sound velocity, 52
- spherical harmonics, 161
- spinodal decomposition, 175, 193
- spraying, 361
- stabilization
 - electrostatic, 174
 - steric, 174
- star polymers, 89, 235
 - melt state, 237
 - multiarm, 237
- state diagram, *See also* phase diagram
 - soft colloid polymer mixtures, 270
 - soft colloids, 242
 - soft–soft colloidal mixtures, 273
- stochastic force, 46, 62, 155
- Stochastic Rotation Dynamics, 141
- Stokes' law, 6
- Stokes–Einstein–Sutherland diffusion coefficient, 6, 245
- Stokesian Dynamics, 128, 140
- Stokesian Dynamics simulation, 161, 168
- Stokesian particle methods, 128–131
- strain localization, 260
- strain recovery, 185
- Stratonovich convention, 69
- stress, 36
 - Brownian, 6, 75
 - hydrodynamic, 75
- stress overshoot, 183, 201
 - double, 201
- stress tensor, 47
 - hydrodynamic, 75, 164
 - microscopic, 46, 88
 - suspension, 46, 72
- stress-SANS rule, 164
- stresslet, 74, 156
- structural parameter, 31, 371
- structural relaxation, 95, 102, 105
- structure, *See also* microstructure
 - dynamics, 44
 - shear-induced, 204
- structure factor, 156
 - equilibrium, 157
 - static, 47, 96
- super-plasticizers, 388
- syneresis, 369
- Taylor dispersion, 67, 110
- telechelics, 365
- temperature
 - reduced, 192
- temperature effects, 177, 207–209, 215–216
- thermoreversible gelation, 250
- thickeners, 364
 - equipment, 392
- thickening, 389
- thixotropy, 28–33, 190, 251, 370
 - ideal, 31
 - modeling, 30
- time-temperature superposition, 377
- transients, 182–186
- transition
 - from in-cage to out-of-cage, 181
 - glass-gel, 174
 - liquid-crystal, 173
 - liquid-gel, 176
 - re-entrant, 174, 178
- Trouton ratio, 37
- UD-LAOS, 339
- van Hove function, 65
- vesicles, 233
- viscosity
 - complex, 38
 - elongational, 366
 - high frequency, 12

- reduced, 214
- zero frequency, 77, 90, 93, 244
- vitrification, 212
- waiting time, 263
- wall slip, 180, 203
 - glass, 189
 - soft particles, 260
- waterborne coatings, 364
- weak coupling limit, 46, 89
- Weissenberg number, 214
- Weissenberg–Zimm number, 254
- wet edge time, 359
- whey proteins, 292
- white blood cells, 316
- wide angle x-ray scattering, 159
- Williams Landel Ferry, 377
- yield strain
 - glass, 187
- yield stress, 4, 37, 212, 231, 251, 364, 390, *See also*
 - soft-particle rheology
 - compressive, 397
 - compressive versus shear, 394
 - dynamic, 179
 - glass, 187
 - static, 179, 183
 - strain rate dependence, 391
- yielding, 256
 - delayed, 206
 - repulsive glass, 256
 - soft particles, 251
 - two-step, 201–202, 253
- yogurt, 293
- Zwanzig–Mountain relation, 182