

# Index

- accidents and major spills
  - coal ash dam failure, TVA, 331
  - coal ash, TVA, 171
  - coal slurries, Kentucky, 170
  - cyanide and metals into Danube, 7
  - Deepwater Horizon blowout, 2010, 210
  - Exxon Valdez*, 210
    - cleanup using microbes, 308
    - impacts on wildlife, 210
  - Minamata Bay tragedy, 341
  - pesticides into Rhine, 7
  - Texas fertilizer explosion, 33
  - Tianjin China, cyanide explosion, 32
- acid deposition
  - Acid Deposition Monitoring Network, 128
  - high emission stacks, 123
  - history, 128
  - introduction, 119
  - Hubbard Brook Experimental Forest, 121
  - wet and dry aerosols, 123
- acid deposition, acid precursors and their
  - sources
    - ammonia, 125
    - carbon dioxide, 123
    - fertilizer and livestock, 125
    - fossil fuel power plants, 125
    - SO<sub>2</sub> and NO<sub>x</sub>, 122, 125
- acid deposition, ill effects
  - acid surface water, 124
  - Al solubilized, 122
  - aluminum toxicity, 121
  - basic soil protects from, 122
  - dying aquatic life, 124
  - dying forests, 123
  - Europe, 105, 125
  - fewer impacts in Asia, 126–127
  - haze affects visibility and health, 124
  - lost Ca and Mg, 121
  - material damage, 125
  - soil metal loss, 121
- acid deposition, recovery from, 126–127
  - slow, 126
  - using lime, 127
- acid deposition, reducing precursors
  - ammonia, 126
  - cap and trade, 125
  - NO<sub>x</sub>, 125, 126
  - SO<sub>2</sub>, 125
- acid deposition, transboundary transport
  - SO<sub>2</sub> and NO<sub>x</sub>, 123
- aerosol. *See* global warming: aerosol
- aerosols, 92
  - dust major component of, 109
  - sizes of, 92
- aflatoxin
  - carcinogen, natural, 55
- agriculture
  - adverse impacts, 268
- air pollutants
  - categories, 91
  - gas vs. particulates, 92
  - primary and secondary, 90
- air pollutants, criteria
  - black carbon, PM<sub>2.5</sub>, 92
  - carbon monoxide, 98–100
    - an introduction, 90, 98, 328
    - concerns, 99
    - reducing levels, 100
  - sources, 99
- ground-level ozone, 96–98
  - precursors of, 96
  - health impacts, no safe dose, 96, 98
  - ongoing problems, 98
  - reducing levels, 97
  - sources, 97
  - toxicity compared to particulates, 96
- introduction, 96
- lead, 102
  - an introduction, 102
  - reducing, 102
  - sources, 102
- nitrogen oxides, NO<sub>x</sub>, 101–102
  - impacts, 101
  - sources, 102
- ozone
  - an introduction, 91
  - damage to plants, 97
  - dangerous pollutant, 101
- particulate
  - an introduction, 113
  - atmospheric loading, 91
- black carbon, 91
- PM<sub>2.5</sub> poses special health issues, 92
- haze, 94
- haze, explained, 101
- health impacts of particulates, 93
- non-health damages, 93
- PM and disease
  - introduction, 100
- PM and international efforts, 95
- PM and workplaces, 93
- reducing PM quantities, 90
- sizes, coarse, fine, ultrafine, 92
- sources, 94
- sulfur dioxide (SO<sub>2</sub>), an introduction, 174
- SO<sub>2</sub> and acid particulates, concerns, 100
- SO<sub>2</sub> and its aerosols, 100
- SO<sub>2</sub> sources, 101
- SO<sub>2</sub>, reducing emissions, 101
- SO<sub>2</sub>, why important, 90
- air pollutants, criteria and others
  - long range transboundary air pollution, 106
- air pollutants, HAPs
  - comparison to criteria pollutants, 104
  - examples, 103
  - exposure to, 104
  - introduction, 103
  - metal HAPs, why of concern, 104
  - no individual standards for HAPs,
    - exception, 104
- PAHs
  - bioavailability, 105
  - in environment, 105
  - introduction, 105
  - sources, 104, 105
- exposure to, 105
- fate of, 105, 141
- reducing emissions, 105
- reducing mercury emissions, 104
- some HAPs indoor air pollutants, 104
- toxicity, 105
- why of concern, 104
- why so named, 103
- air pollutants, VOCs, 103
  - introduction, 102
  - relationship to ozone, 103
  - sources, 103
  - why regulated, 103
- air pollution, global
  - atmospheric brown clouds (ABCs), 107
    - described, 108
    - reducing, 108
    - sources of, 108
  - China building many coal plants, 107
  - India vs. China, 106
  - millions of children badly impacted, 106
  - ozone deaths up sharply, 106
  - PM<sub>2.5</sub> and ozone, 106
    - sand and dust storms (SDSs), an introduction, 108–111
    - SDS, composition of, 109
    - SDS, how to reduce, 110
    - SDS, one benefit, 109
    - SDS, human caused, 109
  - pathogenic microbes, 110
  - transboundary, 108
  - UN Convention to Combat desertification, 110
  - State of Global Air, an introduction, 106

- air pollution, transboundary
  - atmospheric brown clouds, 107–108
- ammonia, 94
- Anthropocene, 2
  - signal event, 20
- antidote, antagonistic action, 49
- Aral Sea, direly impacted, 110
- Arrhenius, Svante, 134
- arsenic
  - poisoning, 5
- asbestos
  - carcinogen, natural, 55
  - exposure, 5
- atmospheric deposition. *See* acid deposition
  - aerosol loading, 120
  - DDT and PCBs, 120
- automobiles, design for disassembly, 277
- bauxite ore, aluminum, 275
- bees
  - impacts on population, 358
  - wild bee pollinators, 359
- bioaccumulation, definition, 50
- biomagnification, definition, 50
- biodegradation, 339
  - when process overwhelmed, 9
- biosolids. *See* wastewater
  - treatment: sludge, how used
- bisphenol A, hard plastic, 53
- blue baby syndrome, 246
- BPTs and POPs
  - PCBs cycling in environment, 321
  - POPs and Stockholm Convention, 319–320
- calcium oxide (lime), 328
- cancer, 54–57
  - cancer villages, 56
  - causes of, PM<sub>2.5</sub> involved, 57
  - China, 55
  - complete carcinogen, 55
  - DNA copying errors, 55
  - genotoxic, mutate DNA, 55
  - initiating and promoting, 55
  - introduction, 54
  - liver cancer, 57
  - risk of, increasing, 56
- carbon isotope, 138
- carbon, black, 2
- Carson, Rachel
  - Silent Spring*, 356
- chemical exposure, 27
  - body burden of xenobiotics, 69
  - CDC study, 68
  - epidemiologic studies, 70
  - meaning of results, 70
- Percival Pott
  - safety, 68
- and scrotal cancer, 70
- chemical paradoxes, 43–44
- chemical pollution
  - environmental justice, 79
- chemical risk
  - BPA, 53
  - hazard × exposure, 68
  - high-risk chemicals, 27
  - multiple chemicals, 27, 49
    - possible impact, 49
  - risk vs. hazard, 27
  - tested one at a time, 49
  - tiny amounts, 4
  - whole effluent toxicity, 49
- chemical risk assessment
  - factors of 10, why, 74
  - four-step process, 73
  - most highly exposed population, 75
  - multiple chemicals, 75, 76
  - risk characterization, 75
  - no observed adverse level, 81
  - risk characterization, BPA, 75
  - safety factor, 73
  - why do, 73
  - worst-case assumptions, 75
- chemical risk reduction
  - actions taken, 76
  - EPA's IRIS system, 77
  - EU's REACH program, 77
  - international efforts, 77
  - managers, who are they?, 76
  - public pressure, 76
  - using law, 77
- chemicals
  - acids, 427
    - strong, 427
    - weak, 427
  - acids and bases, 427
  - bases, 427
  - biochemicals, natural and synthetic, 423
  - combustion, incomplete products,
    - examples, 426
  - formula as representations of, 418
  - inorganic, definition, 423
  - introduction
  - organic, 423
  - organic, synthetic, 423
  - organometallic, 423
  - radioactive, types of radiation, 420
- reactive
  - example, fluorine atom, 421
  - reactive, lithium, 420, 421
- chemistry
  - atomic mass, 418
  - atomic nucleus
    - protons and neutrons, 418
  - atomic number, 419
  - atoms, 418
  - Avogadro's constant, 425
  - balancing chemical reactions, 425
  - chemical bonds, 421
  - combustion, incomplete products, 426
  - covalent bonds, 421
  - electron
    - configuration, 420
  - electrons, 420
  - electrostatic forces, 422
  - elements, 418
    - deuterium, 420
    - electronegative, 420
    - electropositive, 420
    - hydrogen, 421
    - lithium, 419
    - noble, 420, 421
    - tritium, 420
  - introduction
  - ionic bonds, 422
  - isotopes
    - definition, 420
    - environmental chemistry, 420
    - mercury, 340
    - oxygen, 420
    - radioactive, 420
    - stable, 420
  - molecular mass, 422
  - molecular mass, calculating, 422
  - neutralization, 427
  - oxidation and reduction reactions, 426
  - oxidation by losing electrons, 425
  - oxidation of hydrocarbons, 424
  - periodic table, 419
  - pH definition, 427
  - radical, free, 424
  - radical, hydroxyl, 424
  - redox reactions, 425
  - stable octet, 420
  - stoichiometry, 425
  - subatomic particles, 418
  - valence electrons, 420
  - vanishing zero, 31
- chemistry, analytical
  - sensitivity of, 10
- children and infants
  - avoiding home poisonings, 388
  - exposure to
    - air pollutants, protective standards, 90
    - aspirin, 44
    - CDC study of exposure, 69
    - cigarette smoke, 380
    - contaminated fish, neglecting fish advisories, 342
    - contaminated soil, eating, 75
    - electronic waste (e-waste), 61
    - excess vitamin A, 44
    - fire retardants, 322
    - fluoride in drinking water, 252
    - indoor carpets with contaminants, 390
    - methylmercury, 50
    - neurotoxins, prenatal, 58
    - nitrate in drinking water, 227
    - ozone, susceptibility, 96
    - PCBs in contaminated fish, 322
    - pesticides, less-developed countries, 364
    - phthalates, 53

- polluted air, reduced lung capacity, 7
  - toxicant, children's greater exposure, 48
  - toxicants, sensitivity may be greater, 48
  - UV-B radiation, 199
  - water-borne disease, 246
  - indoor air pollutants, 377
  - smoke in poorer countries, 386
- food wastage, meanwhile malnutrition, 268
- handling household hazardous waste, 267, 389
- hazardous product alternatives, 389
- hazardous products, protection from, 387
- keep out of children's reach, 388
- immune system less developed, 47
- lead
  - blood lead levels, 69, 336
  - blood levels needing intervention, 250
  - childhood exposure, 335
  - eating leaded paint, 62
  - exposure, no safe level, 69
  - legacy lead in homes, 389
  - living near lead smelter, 303
  - water pipes, 102
- less-developed countries
  - greater risk, 48
  - greater smoke exposure, 386
  - pesticide exposure
  - train parents in IPM, 365
  - unsafe drinking water, 255
- legacy mercury, 345
- living near hazardous waste sites, 304
- pesticide
  - exposure, migrant workers, 54
  - exposure, Yaqui children, 54
  - exposure, safety factors, 78, 361
  - heavy exposure to spraying, 53
  - lawns treated with, 359
  - reducing pesticide risk, 78
- protecting from, 390
- Poison Prevention Act, 388
- polluted air and reduced lung capacity, 106
- sulfonamide poisonings, 74
- toxicants, safety factors, 74
- chloracne, 47
- China and a circular economy
  - China and industrial ecology, 398
  - China looking at tools for circular economy, 398
  - China's High-Tech Zone, 400
  - leads in mitigating SDSs, 110
- circular economy (CE)
  - Advanced Life Support System, 400
  - Amazon and the Closed-Loop Fund, 399
  - biodegradable materials, 400
  - closed-loop system, 397
  - cradle to cradle, 400
  - efficient recycling necessary, 273
  - EU action for a CE, 278
  - factor-10 efficiency in resource use, 278, 401
  - factor-10, computers fulfill criterion, 401
  - factor-10, dematerialization, 398
  - how EU works toward, 398
  - how Renault works toward, 399
  - industrial ecology, 397, 400
  - Japan tracks material flows, 398
  - more value, less waste, 397
  - needs highly recycled materials, steel, 399
  - other terms that describe, 397
  - personal actions, 401
  - recovering waste raw materials, 311
  - reject linear economy, 396
  - remanufacturing, 399
  - renewable energy, 412
  - similar terms, 38
  - steel recycling important to, 399–400
  - sustainable food production, 412
  - take back, 269
  - tools needed to reach CE, 396
  - umbrella term, 400
  - wastes and by-products as nutrients, 397
  - wastes to resources, 37
  - wastewater, value in, 220
  - Wastewater, the Untapped Resource*, 259
  - zero waste
    - city efforts, 403
    - corporate efforts, 402–403
    - countries working toward, 404
    - introduction, 401
    - personal actions, 401
  - zero waste movement, 401
  - zero waste network, e.g., Zero Waste Europe, 401
- circular economy, Earth's boundaries
  - operating within, 411–412
- circular economy, tools used
  - design for the environment (DfE), 270, 277, 406
  - DfE examples, 270
  - DfE to develop recyclables, 278
  - EPR, extended producer responsibility, 269. *See also* product stewardship
  - making it work, 269
  - popular in Japan, 270
  - should recover product components, 270
  - used worldwide, 270
- green chemistry
  - 12 principles, 409
  - designing chemical products, 409
  - doing it nature's way, 409
  - examples, 409–410
  - make recycling simpler, 410
  - natural systems, work to use, 411
  - recycling rare earths, 410
- LCA how it's done and information
  - provided, 405
- lifecycle assessment (LCA), 277, 405
- product stewardship. *See* EPR and take-back laws
- product stewardship and extended producer responsibility, 407
- remanufacturing convertibility, 407
- remanufacturing metal products, 271
- remanufacturing. *See also* circular economy, tools used: design for disassembly: DfD examples
- servicizing, 408
  - chemical products, 408
  - Consumer Product Safety Commission (CPSC), 379
  - corporate use of, 408
- dead zone
  - Gulf of Mexico, 228
- Delhi, most polluted capitol, 106
- dental caries
  - why fluoride added to water, 252
- design for the environment, DfE. *See also* WMH: pollution prevention
- development leads to greater nonpoint source runoff, 212
- drinking water
  - bottled, 254
- drinking water disinfection
  - alternative disinfectants, 247
  - chlorine chemicals, 247
  - disinfection by products (DBPs), 247
  - how reduce need for, 247
  - reducing DBPs, 247
  - trihalomethane byproducts (THMs), 247
- drinking water, municipal
  - contaminant examples, 245
  - introduction, 243
  - maximum contaminant level (MCL), 245
  - nitrate, reactive nitrogen, 245
  - potential chronic effects, 243
  - Safe Drinking Water Act (SDWA), 243
  - treatment, 245
- drinking water safety
  - alternative toilets, 256
- arsenic
  - developed countries, 78
  - health impacts, 249
  - many natural sources, 249
  - mass poisoning, 247
- clean water, a medical milestone, 254
- emerging contaminants, 253
  - removing, 253
  - triclosan, 253
- fluoridated water, contaminant or safe?, 252
- fluoride at high levels, 252
- future, revolutionize wastewater management, 259
- important problems in drinking water safety, 252
- lead
  - corroding pipes, 251
  - description of Flint crisis, 250–251
  - Flint and environmental justice, 249

- drinking water safety (*cont.*)  
   Flint correcting problem, 251  
   Flint crisis develops, 249  
   introduction to, 249  
   Legionnaire's disease in Flint, 251  
   poisoning by lead defined, 250  
   nitrate and methemoglobin, 246  
   pathogens, 246  
   *Legionella*, 246  
   sources, 246  
   well and irrigation water, 246  
     private wells, 247  
     problems with drinking water, 252–253  
     tainted with many contaminants, 253  
     toilets, 256–257  
   *Wastewater, the Untapped Resource*, 259  
 drinking water safety, less-developed countries, 255  
   an improved source, 257  
   arsenic, ongoing poisoning, 248  
   billions lack clean water, 254  
   chlorination, 258  
   exposure to pathogens, 255  
   fecal pathogens, 258  
   home water treatment, 257  
   household water treatment and safe storage, 257  
   pathogens, 254–255  
   point of use (POU), 257–258  
     purification, 257  
   safely recycling feces, 258  
   sanitation and pathogens, 254  
   toilets and water, 258  
   use of EcoSan, 258  
   water scarcity, 255  
   world's dearth of, 242  
 drinking water standards  
   lead standard, 250  
   pathogen standard, 245  
   primary standard, 243  
   secondary, 251  
   secondary, purpose of, 251  
 drinking water, bottled  
   why people drink, 254  
  
 endocrine disruptors, 51–53  
 energy, sources of, 179  
   electric grid  
     introduction, 178  
   batteries  
     handled five sources of energy, 179  
     lifecycle of batteries, 178  
     major grid rule, 178  
     recycling batteries, 181  
     storing energy, 178  
     storing energy, controversy, 178  
 fossil fuel  
   acid gas emissions, 154–155, 156, 170  
   ash recycling, 171  
   building new plants, 171  
   carbon capture and storage, 171  
   coal wastes, 170  
   is clean coal possible?, 169–171  
   lifecycle of coal, 169  
   mining and health, 170  
 geothermal  
   renewable, 182  
   what is it, 181  
 hydroelectric is sometimes renewable, 183  
 hydrogen fuel-cell  
 nuclear power  
   greatly lowers carbon pollution, 185  
   pro and con, 184–185  
   introduction, 184  
   safety, 185  
 introduction  
 renewables  
   end-of-life waste, 180  
   international use of, 179  
 solar  
   concentrated solar, 175  
   introduction, 174  
   life cycle of photovoltaics, 176–177  
   passive, 175  
   recycling panels, 181  
   Solar Scorecard, 176  
   ultrapure polysilicon, 177  
 tidal, 177  
 waste biomass, 169, 180–181, 182, 184  
 wind  
   introduction, 177  
   life cycle of wind, 178  
   offshore, 177  
   onshore, 177  
 wood183  
   can grow wood sustainably, 182  
   Europe uses a loophole, 183  
   when is wood a renewable fuel?  
 energy use  
   efficiency at home, 172  
   efficient use in industry, 172–173  
   using motor vehicles  
     adverse impacts, 168  
     green score card, 169  
     lifecycle of, 168  
     lowering impact, 168  
     very low emission, 169  
   using waste energy, 173  
 environmental catastrophe  
   dust bowl, 11  
 environmentally preferable products,  
   purchasing, 271  
 EPA standards, air pollutants  
   criteria, each has standard, 90  
   HAPs, most lack individual standards, 90  
   HAPs exception, Mercury and Air Toxics Standards, 90  
   health-based standards, 90  
 EPA standards for other pollutants  
   drinking water, primary and secondary standards, 243  
   hazardous waste standards, 304  
   pesticide standards, special for children, 78  
 epidemiology, meaning and use, 70–72  
   cluster, meaning of, 71  
   community studies, 71  
   confounding factors, 71  
   and EMF exposure, 72  
   folic acid study, 72  
   judging studies, 72  
   limits of, 72  
   meta-analysis, 71  
   vitamin A study, 72  
 epigenetic factors  
   changes in DNA, 57  
 epoch, 2  
 extinction  
   sixth event, 2  
  
 fishable and swimmable, 30  
 Flint, Michigan  
   lead drinking-water crisis, 249  
 fluoride  
   in drinking water, 252  
 fluorosis, 252  
  
 gasoline  
   hydrocarbons and composition, 5  
 global warming issues and terminology  
   adaptation in the Netherlands, 152, 153  
   adaptation to warming and its impacts, 342  
   adapting to rising sea, 152  
     Emissions Gap, 155  
   greenhouse warming potential, 135  
   helping emerging nations to adapt, 156  
   ice core studies of past conditions, 137–138  
   impact of population growth, 148  
     major solutions being proposed, 157  
   National Climate Assessment, 145  
 oceans  
   carbon dioxide sink, 139  
   Paris Agreement, 155  
   storing warmth, 139  
   reversing warming, 157  
   terminology used, 156  
 global warming and aerosols  
   aerosol, 143  
   aerosol, compare to a gas, 143  
   albedo of, 142  
   black carbon, 136, 144  
     Arctic warming, 144  
     reducing black carbon, 145  
     warming aerosol, 143  
   cooling aerosol, sulfate, 143, 144  
   global warming and solar engineering with aerosols  
   global warming and greenhouse gases (GHGs)  
     carbon dioxide (CO<sub>2</sub>), 136  
   carbon capture and storage, 153

- carbon dioxide sources, 137–138
- carbon dioxide, reducing, 139
- halogens, 142
- methane, 140
- nitrous oxide, 142
- ozone, 141
- water vapor, 142
- global warming impacts
  - changing the seasons, 147–148
  - coastal flooding, 147
  - melting ice and glaciers, 145
  - ocean temperature rising, 146
  - permafrost thawing, 146
  - sea-level rising, 146
  - storm intensity increasing, 147
  - worse-case possibilities, 148
- grasshopper, global distillation, 8
- green chemistry
  - basics of green chemistry, 409
- green dot trademark, 275
- green roof, 223
- greenfield
  - undeveloped land, 306
- Gulf of Mexico
  - dead zone, 228
- Haber–Bosch process
  - produces reactive nitrogen (fixed nitrogen), 224
  - synthetic fertilizer, 225
- hazardous products, home
  - alternatives to, 389
  - asbestos, legacy hazard, 389
  - concerns relating to, 387
  - combustible, 387
  - corrosive, 387
  - emergency room visits, 387
  - flammable, examples, 387
  - gasoline, multiple hazards, 387
  - hazardous characteristics, 387–388
  - Hazardous Substances Act, 388
  - reactive, examples, 387
  - toxic, examples, 387
  - labeling of products, 388
  - lead paint, legacy hazard, 389
  - legacy hazards, 389
  - more than one hazard, 387
  - Read The Label First campaign, 388
  - recommendations to follow when using, 388
  - reducing exposure to, 388–389
  - signal words that indicate, 387
  - Toxics Use Reduction (TUR), 388
- hazardous products, household hazardous waste (HHW), 389–390
  - community collection program, 390
  - how handle specific hazardous wastes, 390
  - how to reduce HHW, 389
  - introduction, 389
  - pesticides, how reduce use, 390
- hazardous products, principal hazard
  - introduction, 388
  - word definitions, 388
- hazardous waste, business and industrial
  - introduction, 298
  - Basel Convention objectives, 308
  - characteristics, 298
  - cradle to grave, tracking, 300
  - EPA exposure standards, 304
  - green chemistry reducing generation, 309
  - international transport. *See* Basel Convention
  - managing HW using WMH's four steps, 298
  - recycling methods, 299
  - stabilize before disposal, 300
  - treatments for, 300
  - who generates hazardous waste?, 298
- hazardous waste sites, 299
  - definition, 301
  - describing brownfield, 306
  - funding cleanup, 306
  - health risk, 304–305
  - if imminent hazards, 306
  - lead and cadmium are common, 332
  - living close to HW site, 305
  - many thousands of abandoned mining sites, 303, 329
  - mining sites, abandoned, but “forever” cleanup, 330
  - underground storage tanks, 301
- hazardous waste treatment
  - bioremediation, 307
  - metal cleanup, 307
  - methods, 300
- haze
  - PM2.5, 94, 101
- heat islands, 157
- Holocene, 134
- hormones
  - estrogens, androgens, others, 53
- hydroxyl radical, 9, 94
  - atmospheric cleanser, 141
  - destroy VOCs, 103
- indoor air pollutants
  - attached garages as sources, 380
  - biological contaminants
    - biological contaminants, examples and sources, 381
    - biological contaminants, reducing, 379, 381
  - combustion pollutants, examples, 377
  - carbon monoxide and CO detectors, 379
  - difficult to avoid pollutants and possible impacts, 381–383
  - dust and dirt
    - carpets, 381
    - reducing, 381
    - particulates, 379
  - health effects, potential
    - acute, 377
    - chronic, 378
- indoor air pollutants, poorer countries
  - introduction, 386
  - reducing smoke, clean cookstoves, 387
  - reducing smoke, examples, 386
- industrial ecology: moving toward closed loop, 399
- industrial symbiosis, 37–38 *See* inorganic chemicals
  - fate, 9
- International Agency for Research on Cancer (IARC)
  - WHO cancer research, 360
- ionizing radiation
  - damage to DNA, 384
  - introduction, 384
  - sources, anthropogenic, 385
  - sources, natural, 384
- iron oxide, 328
- Kalundborg
  - eco-industrial park, 37
- Keeling, David, 136
- Lake Chad: pumps out dust, 110
- law, EC
  - Waste Electrical and Electronic Equipment Directive, 311
- introduction, 376, 381
- less-developed countries, particulates and smoke, 379
- multiple chemical sensitivity, 377
- nitrogen oxides, 379
- particulates, 380, 381
- possible reactions, 379
- moisture, mold, and bacteria, 380
- mold growth, 379
- reducing indoor pollutants, a how-to summary, 379
- reducing moisture levels of, 381
- smoking and its impacts, 379
- sources of moisture, 380
- VOCs, health concerns, 380
  - reducing exposure, 380
- VOC sources almost ubiquitous, 380
- indoor air pollutants, ones difficult to avoid
  - benzene, properties and toxicity, 382
  - benzopyrene, properties and toxicity, 382
  - formaldehyde, properties and toxicity, 382
  - how to minimize exposure, 383
  - introduction, 381
  - PAHs, properties and toxicity, 382
  - paradichlorobenzene, properties and toxicity, 383
  - PERC, properties and toxicity, 382
- radon
  - detecting and reducing, 385
  - how exposure occurs, 383
  - properties and toxicity, 385
- scientific uncertainty, 385
- solid radioactive daughters, 384
- toxicity and action level, 383



- law, US  
   CERCLA or Superfund, 303  
   Clean Air Act. *See* NAAQS, 90  
   Clean Water Act (CWA), 206, 221  
   Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), 365  
   Food Quality Protection Act (FQPA), 78, 361  
   Hazardous Substances Act, 388  
   Hazardous Substances Labeling Act, 388  
   Mercury and Air Toxics Standards, 333  
   Poison Prevention Act, 388  
   Resource Conservation and Recovery Act (RCRA), 268, 298  
   right-to-know law, 31  
   right-to-know: toxic release inventory (TRI), 31–33  
   Safe Drinking Water Act (SDWA), 206, 243  
   Toxic Substances Control Act (TSCA), 77  
 laws, natural, 4  
 leachate, 280  
 lead pollution  
   many sources, 249  
 lethal dose LD<sub>50</sub>, 45  
 lifecycle assessment, automobiles, 277
- Mauna Loa Observatory, 136  
 maximum available control technology  
   MACT, 104  
 mega-cities, 15  
   examples of, 90  
   dramatic mobilization, 328  
   emissions to atmosphere, 328  
   human exposure to, 332  
   particulates, 328  
   reducing risk, 333, 365–366  
 mining, 329  
   lifecycle assessment of mining, 329  
   mining operations, 329  
   mining wastes produced, 329  
 metals and metal pollutants  
   abandoned mines and “relentless pollution”, 329, 330  
   acid mine drainage, 329  
   ancient mining, 332  
   folk remedies, lead, mercury, cadmium, arsenic, 334  
   heavy metals, 328  
   introduction, 327  
   soils, maximum-loading rate, 332  
   sources of metal pollutants, 329–332  
     coal-burning power plants, 330  
     metal mining and processing, 329  
   toxicity of, 333  
   treating disease with, 334  
   tributyltin, 333  
   water, soil, agricultural soil, 332  
 metals, arsenic  
   all crop plants, 344  
   drinking water, 344  
   introduction, 344  
   natural and human sources, 345  
   poisoning with, 345  
   power plant emissions, particulates, 345  
   toxicity of inorganic arsenic, 345  
   uses of arsenic, 344  
 metals, cadmium  
   by-product, zinc mining, 327  
   excreted very slowly, 343  
   exposure to, cereal crops and smoking, 343  
   exposure to, reducing, 344  
   exposure to, shellfish and smoking, 332  
   hyperaccumulators and cadmium, 308  
   introduction, 343  
   itai itai disease, 343  
   phosphate rock, 259  
   sources, uses, transport, 343  
   toxicity, kidney, 343  
 metals, lead  
   common at Superfund sites, 335  
   exposure, work and beyond, 334  
   lead exposure  
     banning lead from gasoline, 336  
     banning products with lead, 336  
   introduction, 334  
   legacy lead, 335, 336  
   reducing exposure, 91–95  
   reducing leaded gasoline, Mexico City, 336  
   reducing legacy sources, 337  
   sources, 334  
   toxicity, 335  
     babies and children, 335, 336  
     eagles, 337  
     mother’s early exposure, 336  
     no safe blood level, 336  
     reference level, CDC, 336  
     small children absorb more, 336  
   transport in environment, 334  
   in winter haze, 334  
 metals, mercury  
   atmospheric concentrations, 338  
   complex cycling in environment, 340  
   isotopes help trace travels, 340  
   elemental, inorganic, and methylmercury, 337  
   elemental mercury  
     emitted by incinerators, 340  
     long atmospheric life, 340  
   introduction, 337  
   sources, 338  
     artisanal mining largest worldwide source, 338  
     fossil fuel burning largest US source, 338  
   sources of possible exposure  
     consumer products, now mostly banned, 338  
     dental amalgams, 342  
     exposure of humans and wildlife, 342  
     exposure of loons, eagles to fish, 342  
     fish, are many fish advisories, 342  
   mercury emissions in Arctic high, 342  
   Mad Hatter, 337  
   Minamata, 342  
   Minamata and international action, 341  
   Minamata Convention, 338, 341  
   Minamata Convention, how it works, 342  
   Minamata emissions by Chisso Corp, 341, 342  
   Minamata, poisoning disaster, 47  
   toxicity  
     conversion to methylmercury, toxicity high, 339  
     methylmercury biomagnifies in food chain, 338, 339  
 metals, metalloid. *See* metals, arsenic  
 methane (swamp gas), 9  
 methanotrophs, 140  
 microplastics  
   physical degradation, 9  
   plastics, broken down, 2  
 Minamata Convention  
   purpose of, 342  
 mineralize, definition, 9  
 mining overburden and tailings, 266  
 movement  
   transboundary, 126  
 MSW  
   recycling  
   terminology, 273  
 MSW and gross pollution  
   start trash pickup, 288
- nature’s services  
   algae, 226  
   algae and oxygen production, 226  
   categories of services, 13  
   defining services, 10  
   desertification prevention, 13  
   filtering water, 11  
   glaciers, 12  
   microbes, 12  
   Ogallala aquifer, 12  
   soil, 11, 13  
   trees, 12  
 NIMBY, not in my backyard, 281  
 nutrients  
   toxicity, 45
- ocean acidification, 149–152  
   calcium carbonate shells, 150  
   CO<sub>2</sub> leads to acid, 149  
   on coral reefs, 151  
   decreased seawater pH, 149  
   definition, 149  
   example, 151  
   in future, 152  
   impacts of acidification  
     less shell-friendly water, 150  
     on marine life, 151  
 organic chemicals

- can biodegrade, 9
- degradation, factors impacting, 9
- orthophosphate
  - reacts with lead, 251
- Owens Lake
  - dried up, 110
- ozone
  - ground level compared to stratospheric, 96
  - ozone, ground level
  - transport, 7
- Paracelsus, 43
- particles
  - inorganic and nitrogen, 2
- PBTs and POPs, 316
  - bioaccumulation vs. biomagnification, 316, 317
  - chemical description, 318
  - definitions. *See also* POPs
  - long-range transport, 318
  - many are pesticides, 319
  - many emitted dispersively, 318
  - many volatilize, 318
  - PBDEs, a brominated chemical family, 322
  - PCBs
    - biomagnify in food chain, 321
    - bioaccumulated high level in whales, 321
    - polychlorinated chemical family, 321
    - toxicity and exposure, 322
  - PFAS chemicals in drinking water, 323
    - in human blood, 323
    - polyfluorinated chemical family, 323
    - PFOA and PFOS, no natural sources, 323
  - POPs
    - all POPs are organic, no metals, 316
    - all POPs are PBTs, 316
    - found in fatty food and breast milk, 319
    - POPs and most BPTs bioaccumulate in fat, 317
    - POPs EPA has identified to date, 316
    - POPs are PBTs, but not all PBTs are POPs, 316
  - why a concern, 317
  - why persistence a concern, 317
  - widespread contamination, 319
- pesticides
  - almost everyone uses them, 355
  - broad and narrow spectrum, 356
    - examples, e.g., chlorine chemicals, 356
    - heat, ionizing radiation, 356
  - disinfectants, 356
  - example, fumigants, 356
  - phenol since 1867, 356
  - categories of, 355
  - exposure, air, water, food, 361
  - historical
    - early hazardous waste pickups, 355
    - what was used, 355
  - impacts on honey and bumble bees, 359
  - inert ingredients, 366
  - International Code of Conduct, FAO
    - administered, 364
  - introduction, 353
  - less-developed countries, 364
    - 200,000 killed /year, 364
  - FAO statistics, 364
  - FAO teaching organic and IPM, 365
  - indigenous knowledge “old customs, examples”, 365
  - lack of safe management, 365
  - National Pesticide Information Center, 355
  - obsolete, what happens to them, 364
  - pest resurgence, 362
  - philosophies regarding pesticide use, 366
  - reducing risk, integrated pest management (IPM), 212
  - Rotterdam Convention controls, 364–365
    - metals, pesticides containing them, 355
  - transport in air, water, 340
  - what biopesticides are, 363
  - what characteristics are desirable in pesticides, 366
  - why used, many reasons, 354–355
- pesticides, beyond just pesticides
  - biodiversity loss, 362
  - major habitat loss, 363
  - sixth extinction event, 363
- pesticides, combinatorial
  - how impact bees, 359
- pesticides, herbicides
  - broad spectrum, 360
  - glyphosate overview, 359–361
  - impacts bee immune system, 360
  - introduction, 359
  - Roundup-ready controversies, 360
  - USA and EU disagree on use, 360
  - used worldwide, 360
- pesticides, insecticides, 357
  - 3 families of insecticides, 357
  - carbamate family, 357
  - neonicotinoid family (neonics), 358
  - exposure, 75% from food, 358
  - EU severely restricts use, 359
  - found in 75% of honey samples, 358
  - still used in USA, 359
  - systemic action, 358
  - worldwide use, 358–359
- organophosphate family, 357
- polychlorinated, DDT history, 357
  - DDT, how used when new, 356
- polychlorinated, POPs, 357
- rotenone, 356
- pesticides, monitoring
  - FDA aided by safety factors, 362
  - foreign produce seldom checked, 362
- pesticides plus other human actions
  - damaging biodiversity, 363
- pesticides, pollinators
  - bees, what impacts them, 358
  - colony collapse disorder, 358
  - hive dwellers, 358
  - impacts, pesticides plus other human actions, 358
  - importance, 358
- pesticides, public involvement. *See* REACH
  - EU’s socioeconomic analysis, 360
  - growing demand for organic produce, 362
  - what is needed in registration process, 360
- pesticides, reducing their risk
  - alternative pesticides, 371
  - Amsterdam increases bee diversity, 368
  - Amsterdam, urban agriculture, 368
  - biocontrol agent examples, 371–372
  - biopesticides, characteristics of, 371
  - biopesticides, may expedite registration, 366
  - can agriculture be sustainable?, 367
  - crop protectant, 366
  - desirable characteristics in pesticides, 366
  - France’s major efforts, 368–369
  - GEOs, legitimate to use?, 371
  - green chemistry examples, 366
  - integrated pest management (IPM), 366
    - characteristics, 366
    - common features, 367
  - organic farming, 367
    - characteristics, 367
  - Rachel Carson’s advice, 366
  - urban agriculture, 368
  - using law, FIFRA, 365
- pesticides, registration
  - setting tolerance, 78
  - tolerance and no-harm, 361
- pesticides, resistance to
  - continues to grow, 362
  - how resistance develops, 362
- pH impacts on water life, 121
- pH, defined, 120
- phosphorus
  - nutrient, sewage as a source, 231
  - sources of this nutrient, 231
- phosphorus pollution
  - its impacts, 232
  - introduction, 231
  - reducing its pollution, 232
  - sources, 231
- phytoestrogens
  - plant estrogens, 53
- pig-pen, 381
- planet’s boundaries
  - living within, 17
  - nine risks, 18
  - what they are, 17
- plastic lumber, 284
- plastic pollution, reducing
  - ban single-use plastic, 289
  - Basel Convention, 290
  - beat plastic pollution, 289
  - cutting use with pollution prevention, 289
  - EU action, 289

- plastic pollution, reducing (*cont.*)  
   National Geographic's actions to reduce use, 289  
   Ocean Conservancy, 288  
   recycling plastic packaging, 289  
   recycling, needs to be improved, 290  
   UN Clean Seas campaign, 290
- plastic pollution, in ocean  
   absorbs chemicals, 286  
   becoming microplastics, 286  
   can it be removed?, 286  
   colossal amounts, 285  
   entering food chain, 286  
   how plastic kills wildlife, small and large, 286  
   low percentage ocean pollution from USA, 285  
   low percentage in gyres, 285  
   high percentage from coastal countries, 285  
   mammoth problem, 286  
   microplastics  
     defining microplastics, 286  
     in food chain, 286  
     in human bodies, 286  
     now ubiquitous, 286  
     most found in open sea, 285
- plastic, solid waste  
   a huge problem, 283  
   developing better plastics, 284  
   landfilling plastic, 284  
   plastic uses, 283  
   pyrolysis as option to destroy, 285  
   recycling difficulties, 284  
   recycling PET and HDPE, 284  
   searching for plastic replacements, 284  
   thermoplastic recyclable, 284  
   using waste-to-energy to burn, 279, 284  
   using incineration, 284  
   worldwide production, 283
- plutonium 239, 2
- PM<sub>2.5</sub> composition, 92
- pollinators  
   honey bees and others, 358
- pollutant transport, 6–8  
   of acid particulates, 7  
   in air, 7, 96–98  
   in air, dioxin, 6  
   in air, transboundary, 7  
   of DDT, grasshopper effect, 8  
   in sediment, 7  
   in soil, 8  
   in water, transboundary, 6, 7  
   transport, biotransport, 8  
   transport, POPs in Arctic, 8
- pollutants  
   Arctic, land-based bioaccumulation, 8  
   categories of, 6  
   concentrations of, 4  
   definition, 2  
   degradation, hydroxyl radical, 9  
   fate of, 9  
   gases becoming particulates, 7  
   lead at Superfund site, 62  
   natural chemicals, 4  
   POP hotspots in Arctic, 8  
   synthetic and industrial pollutants, 4
- pollution  
   blatant, 3  
   deaths attributed to pollution, 60  
   is a design failure, 3  
   devastating amounts of pollution, 10  
   lead in old houses, 62  
   poverty and pollution, 78  
   tiny amounts, 10  
   waste electronics, 61  
   where pollution occurs, 5  
   why pollution happens, 3  
   is zero pollution possible?, 31
- pollution prevention or source reduction, 35
- pollution, severe and cancer, 60
- POPs  
   in soil, water, food, 24, 238, 325, 326  
   reducing by P<sup>2</sup>, 319
- population, human, 15
- population momentum, 15
- radical, nitric oxide  
   stratospheric ozone, 142
- radionuclides, 2  
   plutonium 239, 2
- radon  
   carcinogen, natural, 55  
   outdoor air, 4
- reactive nitrogen  
   crossed planetary boundary, 228  
   dead zone  
   Gulf of Mexico, 228  
   Haber–Bosch process, 228  
   human sources, 228  
   reducing agricultural runoff, 207  
   some natural sources, 228
- Reilly, William, 16
- risk  
   definition, 72  
   zero to one, 72
- risk assessment  
   comparative, 27  
   comparative, how to do, 29  
   planetary, 29
- risk assessment, cancer. *See also* cancer risk assessment  
   cancer potency, 81  
   dioxin most potent carcinogen, 81  
   hazard identification, its importance, 80  
   identifying carcinogens, 80  
   lifetime studies, 80  
   maximum tolerated dose (MTD), 81
- risk assessment, chemical. *See also* chemical risk assessment  
   alternative new methods rapidly developed, 79  
   cancer. *See* cancer risk assessment  
   Tox21  
     example, BPA, 80  
     high throughput, 79  
     less animal testing, 80  
     more predictive, 79  
     robotics and technology, 79  
   risk assessment, chemical, alternatives to. *See* chemical risk assessment, alternatives  
   risk reduction  
     educating public, 78  
     for children, pesticide standards, 78  
     public pressure, 77  
     using law, 29–30  
   risk reduction, chemical. *See* chemical risk reduction  
     reduction. *See* chemical risk reduction  
     for children in poor countries, 78  
     international efforts, 77  
     using non-regulatory programs, 77  
     using precautionary principle, 78  
     for wildlife and natural resources, 79
- road building  
   pollution and other damage from, 6
- Rockström, Johan, 411
- root causes  
   environmental problems, 14  
     consumption, 15  
     PAT, 14  
     population, 14  
     uncontrolled technology, 16
- salinization  
   how it happens, 14
- sanitary landfill, 280
- sensitive populations, response to, 253
- Shanghai, 3
- signal event, 2
- silicosis, 47
- sink, 123  
   algae as carbon sink, 226  
   sequestering carbon dioxide, 139  
   sinks for POPs, 190, 223
- smog, 95  
   air you can see, 95  
   Delhi, India, 106  
   photochemical, 95  
   pollutants, 95
- soil  
   sends environmental messages, 14
- solid waste, municipal  
   beaches in less-developed countries, 289  
   Chinese ban, 274  
   food waste, 267–268  
     challenges, 268  
     worldwide, 268  
   great quantities of many wastes, 266  
   how food becomes waste, 267  
   introduction, 265  
   landfill monitoring, 280  
   less-developed countries, 266  
     food waste, 268



- product's history of waste, 266
- promoting recycling to lessen quantity, 278
- what is in MSW, 266
- why is MSW a concern, 267
- source reduction. *See* WMH: pollution prevention
- Stockholm Convention. *See also* persistent organic pollutants
  - dirty dozen, 319
  - effectiveness of Convention, how seen, 320
  - exceptions to banning a chemical, 320
  - PBTs and POPs, eliminating, 342
  - safer alternatives, 320
- stratosphere atmospheric layer
  - contains most ozone, 193
  - normal chemical reactions, 195
  - ozone screens out UV radiation, 193
  - reactions with and without chlorine, 195
- stratospheric ozone-depleting chemical reactions
  - Antarctic, shows most ozone depletion, 96
  - how ozone destroyed, 195–196
  - ice clouds, role of, 196–197
  - ozone “hole” formation, 197
  - polar vortex, role of, 142–144, 197
  - volcanic eruptions, 198
- stratospheric ozone-depleting chemicals
  - CFCs and halons, 194
  - chemicals causing, 194–195
  - had been useful chemicals, 194
  - meaning of ozone-depleting potential (ODP), 195
  - Montreal Protocol, 194
  - natural halocarbons, 195
  - stratospheric ozone depletion
    - assist less-developed countries, 201
    - eliminating depleting substances
    - global warming and ozone depletion, 201
    - HCFCs, substitutes for CFCs, 200
    - HFC substitutes, potent greenhouse gases, 200
  - Montreal Protocol, 200–201
    - compliance with, 202
  - remaining problems, 201–202
  - substances that deplete the ozone layer, 200–201
  - UV exposure, its impacts on Earth, 199–200
- stratospheric ozone layer
  - absorbs UV-B radiation
  - introduction, 198
  - history, 193–194
  - measuring UV-B, 198
  - Montreal Protocol accomplishments, 194
  - more UV reaches earth when ozone depleted, 198
  - protects earth from UV-B radiation, 198
  - seasonal ozone depletion, 194
  - UV exposure
    - impacts on health, 199
    - impacts on sea organisms, 200
- UV radiation monitored planetwide, 199
- Superfund
  - purpose of, 303
- Superfund sites
  - cleaned up
    - energy generation use, 306
    - site-specific-standards, 306
  - Coeur-d'Alene, very large mining site, 302
  - Love Canal, a history, 302
  - National Priority List, 303, 304
- sustainable
  - agriculture, 368, 369
  - cities, 283
  - clean water and sanitation, 255
  - forestry, 138, 185
  - land management, 110, 111
  - materials use, 299
  - phosphorus source, 231
  - societies, 38
  - future, 14
  - UN Sustainable Development Goals, 220
- sustainable chemistry. *See* green chemistry
- sustainable development
  - agriculture, 353
  - excess garbage, barrier to development, 282
  - maintaining nature's services, 395
  - population growth hinders, 15
  - UN Clean Seas campaign, 290
- take-back law. *See* EPR and product stewardship
- Tox21. *See* chemical risk assessment
- toxic, definitions, 43
- toxicant, 31
  - acetylcholine, 357
  - arsenic, 247
  - asbestos, 80, 389
  - aspirin, 44
  - atrazine, an herbicide, 359
  - benzene, 80, 104, 382
  - benzopyrene, 48, 105, 382
  - biotransformation, 47
  - botulinum toxin, 45
  - cadmium, 104
  - caffeine, 45
  - carbon monoxide, 44
  - children's greater exposures, 48
  - chloroform, 104
  - DDT, 317, 355
    - as environmental estrogens, 52
  - definition. *See* xenobiotic
  - diethylstilbestrol, 52
  - dimethyl sulfoxide, 46
  - dioxins, 47, 68, 317
    - bonding to soil and sediment, 49
    - exposure, 68
    - in fat, 6
    - poisoning, 47
    - sources, 319
  - transport. *See* pollutant transport, fallout
  - toxicity among species, 47
  - why cannot eliminate dioxins, 320
- endocrine disruptor. *See* environmental hormones
- environmental estrogen, an endocrine disruptor, 51
- formaldehyde, 104, 382
- glyphosate, 359
- hydrogen cyanide (fumigant), 355, 356
- iron, can kill children, 328
- lead, 335
- lead arsenate, 355
- lead shot, 337
- mercury, 104, 342
- methyl bromide (fumigant), 356
- methyl isocyanate (MIC), 31
- methylene chloride, 377
- methylmercury, 104, 342
- neonicotinoid (neonic), 358
- nicotine sulfate, 355
- nitrate, 245
- organophosphate, 45, 357
- oxalic acid, 45
- PAHs, 382
  - sources, 319
- paradichlorobenzene, 383
- paraquat, still manufactured, 364
- parathion, skin absorption, 357
- PCBs, 321
  - chloracne, 322
  - human exposure, 322
  - remediating Hudson River, 322
- PERC, 382
- pesticides, 319
- PFAS chemicals, 323
- phthalates, leaching from plastic, 52
- polysilicon and polysilicon tetrachloride, 176
- radon, 383
- rotenone and borax, 356
- Roundup, 360
- secondary poisoning, 363
- smog, 95
- solanine, 45
- tetraethyl lead, 328
- thalidomide, 48
- tributyltin, 333
- trichloroethylene, 214
- triclosan, 253
- vinyl chloride, 80
- vitamin A, 43, 44
- toxics and system impacting
  - immune system, 58
  - kidneys, 58
  - liver, 57
  - lungs, 59
  - nervous system, 58
  - pesticides action on children, 53
  - reactive gases, 59
  - skin, local and systemic, 58

- toxicity
  - absorption, how occurs, 46
  - acute and chronic effects, 44
  - arsenic symptoms of poisoning, 248, 249
  - children's sensitivity, 47
  - comparing chemical toxicities, 45
  - direct entry into body, 46
  - dose and response, 44
  - dose per time, 45
  - excretion, 47
  - factors affecting toxicity, 47–49–51
  - lethal dose (LD<sub>50</sub>), 45
  - movement of toxicant within body, 49
  - nutrients, dose per time, 45
  - protection, most sensitive populations, 47
  - systemic and local effects, 46
- toxicity, lead shot not banned, 337
- toxics use reduction (TUR). *See* pollution prevention
- transport
  - transboundary, definition, 7
- UN Convention on Long-Range Transboundary Air Pollution, 126
- US Geological Survey (USGS), 214
- waste management hierarchy (WMH), 268
  - introduction, 268
- waste to product ratio, 266
- waste electronics, 309–311
  - Basel Action Network, 309
  - China banned e-waste imports, 310
  - EPA's actions and proposals, 311
  - Europe's program, 311
  - four steps in recycling, 309, 310
  - introduction. *See* waste, electronics
  - life cycle of electronics, 311
  - poor recycling, 309
  - proper recycling, 310
  - quantity of electronics up, quality down, 311
  - raw materials overused, 311
  - shorter life spans, 309
  - "smash and bash recycling", 309
- wastewater
  - less-developed countries, 255–256
  - recovering needed phosphorus, 259
  - reusing gray water, 219
  - reusing wastewater, 219
  - uses of wastewater, 411
- wastewater treatment, 411
  - introduction, 216
  - primary treatment, 216
  - reduces pollution on beaches, 218
  - reducing point pollution, 218
  - secondary treatment, 216
  - septic systems and septage, 218, 219
  - sewer terminology, 215
  - sludge
    - industrial, 217
    - metals contaminants, 217
    - uses of, 216–217
  - small or private treatment systems, 218
  - steps in treatment, 216
  - treatment plants and combined sewer overflow, 218
- wastewater, untreated, 220, 331
  - cities, 220
  - commonly used on crops, 255
  - contaminates Indian food chain, 256
  - great quantities, 220
  - killing a river, 220
  - reducing amounts, 221
  - some Indian rivers, 255
  - UN goal, cut in half, 220
- water body
  - coastal, 214
  - estuary, 214
  - groundwater
    - cleanup, 213
    - introduction, 212
    - reducing pollution, 213
    - sources, 213
    - VOCs, 213–214
- river
  - compare to other water bodies, 214
- wetlands
  - sequester pollutants, 214
- water pollutants
  - reactive nitrogen*, 224–226. *See also* fixed nitrogen
  - beyond planetary boundaries, 225
  - bioavailable to plants, 224
  - China project to reduce, 229
  - confronting reactive nitrogen, 225
  - dead zones and legacy nitrate, 228
  - defining fertilizer overuse, 227
  - eutrophication, an introduction to, 226
  - eutrophication also occurs naturally, 226
  - eutrophication, harmful algae blooms (HABs), 226
  - increasing number of dead zones, 226
  - International Nitrogen Management System, 225
  - introduction, 224
  - reducing agricultural runoff, 228
  - reducing livestock runoff, 229
  - why use has soared, 226
- water pollutants, banned discharges, 212
- water pollutants, conventional
  - BOD, 209
  - BOD and hypoxic water, 209
  - introduction, 208, 211
  - nutrients, 209
  - nutrients, reactive nitrogen and eutrophication, 209
  - oil and grease, 210–211
  - pathogens, 209
  - pH beyond normal range, 209
  - suspended solids (SS), 209
- water pollutants, nonconventional
  - examples, 212, 366
  - freshwater-salinization syndrome, 212
  - salinizing North American waterways, 212
  - salt and alkali, 43, 212
- water pollutants, priority, 208–212
  - introduction, 211
  - pesticides, 211
- water pollutants, toxic. *See* water pollution:- pollutants, priority
- water pollution
  - Chesapeake Bay, 232–234
  - closed shellfish beds, 215
  - coastal beaches, 216
  - eutrophication
    - red tide, an HAB, 227
    - red tide, Florida, 226–227
    - red tide, wildlife massacre, 227
    - red tide with powerful toxins, 227
  - fishable and swimmable, 206
  - hypoxia and dead zone, 226, 228
  - introduction to reactive nitrogen, 209, 224, 226
  - nonpoint source pollution
    - atmospheric deposition, 222
    - best management practices to reduce, 221
    - difficult to identify source, 207
    - how point source differs, 207
    - NPS runoff, 207
    - overuse of water, 224
    - preventing NPS runoff, 222
    - reducing NPS runoff, 222
    - reducing storm runoff, 221
    - stormwater runoff, 224
  - point source and how identified, 207, 221
- water pollution, falling ocean oxygen, 228
  - climate change and more, 228
  - reasons for fall, 228
- watershed
  - definition, 207
- wellhead, 213
- WMH or waste management hierarchy
  - incineration, 280
  - can be misused, 280
  - how differs from waste-to-energy, 279, 284
  - incineration or combustion, 279
  - mass burn, 282
  - preferred by China, 282
  - products banned from incinerator, 279
  - what it is, 279
  - why used, 279
- landfilling, an introduction, 280
  - bioreactor landfill, 281
  - landfill ecosystem, 283
  - landfilling and methane production, 280
  - landfilling, disposal (lowest step on hierarchy), 37
  - much used in China, 282
  - sometimes a first option, 282
  - stabilization of landfill, 281
- P<sup>2</sup>, design for the environment, 35

- P<sup>2</sup>, environmentally preferable products, 271

P<sup>2</sup>, source reduction, 34

P<sup>2</sup>, purpose of, 34

P<sup>2</sup>, use

in industry, 34

P<sup>2</sup>, when not enough, pollution prevention (P<sup>2</sup>), 34–35, 37

apex of hierarchy, 34, 268

environmentally preferable purchasing.

*See also* Green procurement

French law reduces food waste, 268

green procurement program, 273

personal actions to practice P<sup>2</sup>, 273

Pollution Prevention Act, 35, 409

source reduction equates to pollution prevention, 268, 270
- toxics use reduction (TUR), 35
- recycling
- advantages (second step in hierarchy), 36
- China’s role, 274
- composting considered recycling, 274, 276
- contaminants in recyclables, 274
- common products recycled, 274, 276
- construction and demolition debris, 276
- end-of-life cars, 277
- fills vital need, 273
- packaging presents problems, 36, 275
- problems that recycling presents, 36
- promoting its use, 278–279
- products from landfills, recycling, 276

projects in Curitiba, 283

saves energy and material, 275

uncommon examples, 276

reuse

reuse examples, 36

reuse of industrial, 271

reuse similar to pollution prevention, 35

treatment (third step in hierarchy), 36

energy recovery, 36

purposes of, 268

treatment, reasons for, 36

xenobiotic and natural chemicals, 46

zero waste, zero emissions

an introduction, 395