

INDEX

$(\subseteq \omega)$ -presentations, 3	Σ_1^0 , xxi
$2^{<\mathbb{N}}$, xv	Σ_n^0 , xxi
A^* , 58	Σ_1^{in} , 15
Q' , 23	Σ_1^{in} -complete, 151
W_e , xv	VS , 11, 82
$W_{e,s}$, xv	\bigoplus , xvi
X -enumeration reducible, 57	$\hat{\cdot}$, xv
X -r.i.c.e., 60	\exists -algebraic, 35
$X^{<\mathbb{N}}$, xv	\exists -formulas, xx
$[R]^C$, 52	\exists -type, 19
$[T]$, xvi	\exists -atomic structure, 33
\mathcal{A}' , 137	\exists -theory, 36
ABA , 172	\exists -tp $_{\mathcal{A}}(\bar{a})$, 19
Adj , 28	fi, 28
Δ_2^0 -categorical, 140	\forall -formula, xx
Δ_1^0 , xxi	\forall -type, 40
Δ_n^0 , xxi	$\forall\exists$ -decidable, 129
$\mathcal{HF}_{\mathcal{A}}$, 29	$\forall\exists$ -formula, 129
$\mathbb{HF}_{\mathcal{A}}$, 29	\forall -type of \bar{a} in \mathcal{A} , 40
$\vec{K}^{\mathcal{A}}$, 22	∞ -copyable, 171
\mathbb{N} , xv	$\langle \rangle$, xvi
$\mathcal{P}_{\text{fin}}(X)$, 29	la, 28
Φ_e , xiv	\leq_e , xviii
$\Phi_e(n)\downarrow$, xiv	\leq_m , xvi
$\Phi_e(n)\uparrow$, xiv	\leq_p , xviii
$\Phi_{e,s}(n)$, xiv	\leq_{rT} , 13
Π_1^0 class, xxii	\leq_T , xvii
Π_1^{in} -complete, 151	μ , 101
Π_1^0 , xxi	∇ , 101
Π_1^0 class, 68	∇_t , 106
Π_n^0 , xxi	ω -computably approximable, 103
Π_2^c , 42	ω -presentation, 1
$\Pi_2^{\text{c}\mathcal{Y}}$, 42	ω -sums, xvi
Π_2^{in} , 42	\oplus , xvi
Σ_1^c , 15	\subseteq , xx
Σ -small, 149	$\lceil a \rceil$, xiv
Σ_1^c formulas, 15	\upharpoonright , xvi
Σ_1^c -definable, 16	$\ $, xvi
Σ_3^{in} formula, 46	ϵ , xvi

$a[s]$, xv
 e -reducible, xvii
 m -degrees, xvi
 m -equivalent, xvi
 m -reducible, xvi
 1-equivalence, xvii
 1-generic, 53
 1-generic reals, 52
 1-reducibility, xvii
 2-diagonally non-computable, 80
 2-generic, 69
 adjacency chains, 110, 112, 156
 adjacency linear orderings, 13, 24, 35, 156
 adjacent, 12
 Andrews, U., 69
 arithmetic, xxii
 Ash, Knight, Manasse, Slaman; Chisholm theorem, 16, 117, 142, 143
 atom, 29, 153
 atom Boolean algebras, 172
 atomic τ -formula, xx, 2
 atomic diagram, 2
 atomic structure
 \exists -atomic, 33, 46
 \exists -atomic with parameters, 122
 effectively, 123
 effectively \exists -atomic, 34
 automorphism orbit, 33
 back-and-forth property, 37
 Badaev's lemma, 132
 basic open, 68
 Boolean algebra, xxi
 Borel embedding, 82
 bounded formulas, xxi
 bounded quantifier, 29
 bouquet graph, 72
 c.e., xv
 c.e.-coded, 19
 c.e.-exact pair, 67
 c.e.-minimal pair, 65
 c.e. complete, xvi
 c.e. embeddability condition, 63
 canonical structural jump, 158
 Cantor pairing function, xiii
 closed, 68
 co-c.e., xv
 co-r.i.c.e., 12
 co-spectrum, 65
 co-total, 72
 Cohen generic real, 51

Cohen generics, 53
 comeager, 84
 complete, 21
 complete r.i.c.e., 137
 computable embeddability condition, 63, 149
 computable equivalence, 132
 computable function, xiii
 computable functor, 86
 computable infinitary Π_2 , 42
 computable infinitary Σ_1 formula, 15
 computable operators, xvii
 computably categorical, 115
 relatively, 117
 uniformly, 38, 39
 uniformly, relatively, 38
 for decidable copies, 123
 on a cone, 122
 computably coded, 19
 computably enumerable, xv
 computably infinitary Σ_1 formulas, 15
 computes, xvii
 cone, 121
 congruence ω -presentation, 6
 congruence τ -structure, 6
 converges, xiv
 copy of, 1
 copyable, 169
 decidable, 123
 decides, 53, 58
 degree invariant, 121
 degree spectrum, 8, 63
 dense, 59
 diagonally non-computable, 71
 diagram
 \exists -diagram, 4
 elementary, of a tuple, 124
 atomic diagram, 2
 atomic diagram of tuple, 6
 elementary, 123
 direct limit, 7
 discrete family, 130
 diverges, xiv
 dominates, 102
 e-reducible to, 20
 effectively ∞ -copyable, 171
 effectively atomic, 123
 effectively bi-interpretable, 94
 effectively copyable, 169
 effectively-bi-interpretable, 89
 effectively-interpretable, 87
 elementary, 123

INDEX

189

- elementary τ -formula, xx
- elementary diagram, 123
- embeddability partial ordering, 154
- enumeration, xv, 56
- enumeration degree
 - structure has, 48
- enumeration jump, 143
- enumeration of Y , 20
- enumeration of a structure, 7
- enumeration operators, xviii
- enumeration reducible, xviii
- enumeration upper cone, 68
- equivalence structure, 28
- existential τ -formulas, xx
- existentially atomic structures, 33
- expansion, xx
- Faizrahmanov, M., 78
- family
 - enumeration of, 72
- faster up to a computable speed up, 102
- finitary first-order formulas, xx
- first-order elements, xxii
- Fixed point theorem, 144
- flower graph, 66
- forces, 53
- Friedberg enumeration, 130
- Friedberg–Muchnik theorem, 98
- generalized low, 54
- generic
 - X -1-generic, 53, 60
 - 1-generic real, 53
 - enumeration of structure, 58
 - presentation, 59
- Goncharov’s theorem, 129, 130
- graphs
 - coding structures, 91
- halting problem, xix
- Harrison-Trainor, Melnikov, Miller, Montalbán theorem, 88
- higher-order arithmetic, 146
- hyperarithmetically listable, 163
- ideal in the enumeration degrees, 66
- increasing settling-time function, 101
- index, xiv, 187–190
- index set, 91, 116
- infinitary Π_2 formula, 42
- infinitary Σ_1 formula, 15
- infinitary Σ_2 formula, 42
- infinite binary sequences, xv
- infinite binary strings, xv
- injective ω -presentations, 6
- interval Boolean algebra, 175
- Jump inversion theorem
 - First, 138
 - Second, 141
- jump of relation, 23
- jump of structure, 137
- Kalimullin, I. Sh., 78
- Kleene relation, 22
- Kleene’s relation, 137
- Kleene-Brouwer ordering, 108
- Knight’s theorem on spectra, 8
- Knight’s theorem on upper cones, 68
- lattice, xxi
- left c.e., 79
- Limit Lemma, xxi
- linear dependence, 25
- linear jump hierarchy, 144
- linear order, xx
- linear ordering, 109
 - product, xx
 - sum, xx
- listable, 162
- literal, xx
- locally constructivable, 64
- locally finite, 154
- low, 98
- low property, 160
- low property on a cone, 172
- majorizes, 102
- many-one reducible, xvi
- Martin’s Turing determinacy, 121
- Medvedev reducible, 75, 76
- Miller, J., 69
- minimal elements, 174
- minimal pair, 54, 65
- Moschovakis enrichment, 31
- Muchnik reducible, 75, 76
- mutually generic, 56
- nowhere dense, 51
- Nurtazin’s theorem, 123
- on top for effective bi-interpretability, 95
- on top for Turing computability, 83
- Open, 68
- open subset of $\mathbb{N}^\mathbb{N}$ generated by, 52
- oracle, xvii

- PAC tree, 74
- Padding Lemma, xiv
- partial computable function, xiv
- partial order, xx
- path, xvi
- positive, xviii
- presentation
 - congruence ω -presentation, 6
 - injective ω -presentations, 6
- pull-back, 7
- purely binary information, 24
- purely structural information, 24
- Puzarenko, V., 144
- quantifier-free τ -formula, xx
- r.i. computable, 13
- r.i. computable in, 13
- r.i.c.e., 12, 16
 - complete, 21
 - uniformly, 18
- realized, 149
 - sharply, 149
- realized in, 40
- reals, xxii
- recursion theorem, xv
- reducible via effectively bi-interpretability, 94
- reduct, xx
- relation, 11
- relatively Δ_2^0 -categorical, 140
- relatively intrinsically Δ_2^0 , 13
- relatively intrinsically Σ_2^0 , 142
- relatively intrinsically arithmetic, 13
- relatively intrinsically computable, 13
- relatively intrinsically computably enumerable, 12
- relatively-Turing reducibility, 13
- relativization, xvii
- Richter's theorem, 64, 65
- Scott family, 34
- Scott sentence, 45
- search computable functions, 31
- second-order arithmetic, 145
- second-order elements, xxii
- Selman Theorem, xviii, 57
- semi-search computable, 31
- separating family, 130
- settling time, 101
- settling-time function, 101
- sharply realized, 149
- simple sets, 98
- Slaman–Wehner theorem, 73
- Soskov, I. N., 141
- Soskova, A. A., 138
- structural jump, 158
- structurally complete, 25
- structurally r.i. computable, 24
- structurally r.i.c.e., 24
- structurally r.i.c.e. complete, 25
- structurally u.r.i.c.e., 151
- structurally u.r.i.c.e.complete, 151
- structure, xix
 - has enumeration degree, 47
 - has Turing degree, 47
- Stukachev, A. I., 138
- substructure, xx
- supported type, 40
- term, xx
- theory, 36
- total, xiv
- total enumeration degree, 47
- tree, xvi, xxi
- trees, 157
- trees as graphs, xxi
- trees as orders, xxi
- trivial structure, 8
- true stage, 101
 - apparent, 106
- true stages, 100
- Turing cone, 121
- Turing degrees, xviii
- Turing determinacy, 121
- Turing equivalent, xviii
- Turing jump, xix
- Turing operators, xvii
- Turing reducible, xvii
- Turing-computable embedding, 81
- Turing-upward closure, 68
- type generated, 152
- uniformly c.e.-coded, 20
- uniformly locally finite, 154
- universal τ -formula, xx
- universal for effective bi-interpretability, 95
- universal for effective-bi-interpretability, 91
- universal partial computable function, xiv
- use, 98
- vector space, 11, 25
- Vensov's theorem, 39
- vocabulary, xix
 - relational vocabulary, 3
- well-founded, xvi
- well-quasi-ordered, 154
- well-quasi-ordering, 27
- witnessed approximations, 163