

## Index

- α-helical wing domain (HWD), 88
- 3D acquisition, 39
- 5' UTR region, 137
- 5-methyl-cytosine (5mC), 53
- A2 domain, 104
- AAA+ ATPases, 83
- AAA+ family of proteases, 75
- AAA+ proteases, 11, 76
- abnormal DNA methylation, 53
- acquisition loop, 39
- activator/reporter dyes, 29
- active power stroke mechanism, 84
- active power stroke model, 81
- adenylate kinase, 68–9
- Adk, 70
- AdoMetdependent MTase M.TaqI, 51
- AdoYnTAMRA, 54, 55
- AFM, 102
- AFM-based force spectroscopy, 116
- AFM-based single-molecule force spectroscopy, 115
- AFM cantilever, 114
- AFM force mapping, 120
- AFM piezoelectric actuator, 97
- AFM pulling, 103
- AFM single-molecule force data, 98
- AFM single-molecule force measurements, 105
- AFM tip motion for approach, 117
- AlexaFluor, 129
- antibodies, 129
- antigen stimulation, 30
- A-protein interactions, 102
- Ashkin, Arthur, 4, 67, 83
- artifact correction, 33
- atomic force microscope (AFM), 97
- atomic force microscopy, 4, 112
- atomic source spectroscopy, 114
- ATP hydrolysis, 70, 85
- ATP regulation, 72
- ATPase cycle, 85
- ATP-dependent binding of client proteins, 71
- ATP-regulated chaperones, 71, 73
- automatic fluorescence microscopy, 38
- auxiliary protein, 80
- Avogadro number, 112
- BAC sequence, 58
- backtracking, 115
- bacterial resistance, 127
- bacteriophage, 130
- barcode, 49–50, 58
- Bayesian approach, 26
- B-cell lymphocyte experiments, 30
- Bennett acceptance ratio method, 101
- Binnig, Gerd, 4
- biochemical assays, 77
- biological marker, 111
- biomarkers, 138
- biomedical imaging, 21
- biomedicine, 9
- biomolecule behavior, 105
- biomolecules, 97–8, 117
- biopolymers, 97
- BiP (BiP) chaperone, 84–5
- BiP dynamics, 85
- BiP-MJ0366 complex, 86
- bisulfite sequencing, 53
- Boltzman constant, 99
- Brownian motion, 84
- CAM server, 45
- cancer development, 127
- cantilever, 116
- capture-DNA probe, 118
- cardiovascular diseases, 111
- Cas9 nuclease, 39
- CBC, 32
- CBC analysis, 31
- cell death, 57
- cell population, 131
- CellProfiler, 39
- cellular architecture, 25
- channels, 81
- chaperone response, 71
- charge-coupled device (CCD) camera, 83
- charged linker, 73
- chromatic aberration corrections, 29
- chromatin assembly dynamics, 7
- chromatin remodeler proteins, 134
- chromatin remodeling, 132
- Chu, Steven, 4
- Clus-DoC, 31
- cluster algorithm, 26
- cluster analysis, 25
- clustered regularly interspaced short palindromic repeats (CRISPR), 10, 38
- clustering and colocalization methods, 33
- c-Myc, 133
- coarse-grained model, 84
- complementary metal-oxide-semiconductor (sCMOS) camera, 42

**Index**

143

- comprehensive modeling, 128
- computer-aided microscopy (CAM) interface, 42
- concentration range, 119
- conductive-AFM, 112
- confocal 3D image, 42
- confocal microscopy, 39, 41, 46, 131
- conformational cycles, 73
- conformational transitions, 97
- congenital bleeding diseases, 103
- conventional diffraction-limited microscopy, 27
- conventional fluorescence microscopy screening, 39
- conventional multicolor fluorescence microscopy, 29
- coordinate-based colocalization, 30
- copy number variations (CNV), 60
- copy number, 57–8
- correlative light microscopy approach (CORE), 46
- cotranslational protein translocation, 80, 87
- CpG islands, 53, 55
- CpG methylation, 54–5
- CRISPR, 39, 47
- CRISPR RNA-guided endonuclease Cas9, 14
- CRISPR targeting RNA (crRNA), 39
- Crooks fluctuation theorem, 99
- cross-correlation (CC), 51
- crossTalk Corrections, 27
- cryo-electron microscopy (cryoEM), 7, 87, 90
- crystal structure, 69
- C-terminal domain, 73
- cytosine methylation, 54
- cytosine residues, 53
- data acquisition, 39
- data analysis, 39
- DBSCAN, 31–2
- de novo* methylation, 53
- deep learning (DL), 14
- density-based spatial clustering of applications with noise, 26
- diagnosis, 137
- dielectric objects, 131
- differentiation therapies, 138
- digital polymerase chain reaction, 112
- disease biology, 9
- disordered proteins, 97
- DNA biomarker, 111–12, 118
- DNA chemical modifications, 53
- DNA compaction, 134
- DNA damage locations, 50
- DNA duplex structure, 49
- DNA fluorescent labeling, 61
- DNA folding, 135
- DNA labels, 51
- DNA methylation, 56, 58
- DNA optical mapping, 10, 52
- DNA polymerases, 83
- DNA recognition sites, 51
- DNA repeat number variations, 60
- DNA repeats, 57
- DNA roadblocks, 133
- DNA tandem repeats, 57
- DNA tethers, 70
- DNA unwrapping, 11, 97
- DnaJ-DnaK chaperone system, 85
- DnaK, 72, 85
- DNA-methyl transferase assisted labeling, 53
- DNA-methyl transferase, 50
- DNA-sequence-specific binding proteins, 15
- domain unfolding force distribution, 99
- double-stranded DNA, 102
- drift corrections, 27
- Drosophila melanogaster*, 15
- Drosophila S2* cells, 31
- drug discovery, 15
- dSTORM imaging, 42
- dual-color labeling, 135
- Dulbecco's modified Eagle's Medium, 40
- dumbbell configuration, 76
- dynamics of proteins, 103
- E. coli*, 67, 71–2, 132
- Ecole Polytechnique Federale de Lausanne, 21
- edge correction, 31
- electron microscopes, 114
- electron microscopy, 80
- electrophysiological measurements, 84
- electrophysiology studies, 89
- elongation rate, 135
- endogenous genes, 39
- endoplasmic reticulum, 80
- energy stabilization, 70
- ensemble measurements, 3
- ensemble studies, 81, 99
- entropic elasticity behavior, 102
- entropic pulling mechanism, 85
- enzymes transfer, 50
- epigenetic barcode, 55
- epigenetic signals, 53
- epigenetic studies, 52
- epigenetics, 53
- equilibrium free energy, 99
- ER luminal protein, 87
- eukaryotes, 73, 84
- expression heterogeneity, 137
- extracellular matrix (ECM), 137
- facioscapulohumeral muscular dystrophy (FSHD), 57
- F-D curves, 119
- fingerprinting, 116
- flora, 50
- flow-induced stretching, 82
- fluorescence activating cell-sorting (FACS), 87
- fluorescence correlation spectroscopy (FCS), 7, 88, 89
- fluorescence illumination, 131
- fluorescence imaging, 135
- fluorescence imaging, 8, 129
- fluorescence *in situ* hybridization (FISH), 129
- fluorescence lifetime imaging-based FRET, 7
- fluorescence microscopes, 130
- fluorescence microscopy, 14, 55
- fluorescence recovery after photobleaching (FRAP) microscopy, 39
- fluorescence resonance energy transfer, 4

- fluorescence spectroscopy, 88
- fluorescent dye conjugated antibodies, 129
- fluorescent dyes, 129
- fluorescent group, 51
- fluorescent label, 58
- fluorescent microscopy, 49
- fluorescent protein, 129–30
- fluorescent tag, 58
- fluorophore (f) PALM techniques, 23
- fluorophore labeling, 131
- fluorophores, 23, 54, 84, 130
- folding/unfolding pathways, 97
- force mapping, 116
- force-clamp spectroscopy, 116
- force-displacement curves, 115
- Förster, Theodor, 3
- Förster resonance energy transfer, 7
- Förster resonance energy transfer (FRET) correlation spectroscopy, 85
- four-quadrant photodiode, 114
- (f )PALM/(d)STORM imaging, 31–3
- Franke, Joachim, 13
- free energy, 101
- free energy difference, 101
- free energy landscapes, 106
- Galilean telescope, 42
- gamma distributions, 132
- Gaussian distributions, 21, 27, 104
- Gaussian peak values, 99
- gel electrophoresis, 54
- gene coding sequences, 53
- gene editing, 16
- gene epigenetic barcodes, 60
- gene expression, 12, 38–9, 127, 133
- gene regulation, 57
- genetic barcode, 57
- genome architecture, 15
- genome editing technologies, 38
- genome sequence, 127
- genome wide efforts, 137
- genome wide siRNA libraries, 38
- genomic data, 52
- genomic fragments, 49
- genomic location, 57
- genomic modifications, 53
- genomic structural variation, 60
- genomics, 49
- globular conformation, 104
- Golgi apparatus, 80
- graphene nanoribbon, 105–6
- graphene oxide nanoribbons (GONRs), 106
- green fluorescent protein [GFP], 38
- Grp94, 75
- guanosine triphosphate (GTP) hydrolysis, 80
- heat shock protein 70 and 90, 72
- helical scaffold domain (HSD), 88
- helicoids, 106
- Hell, Stefan, 4
- hereditary bleeding disorder, 103
- heterogeneity, 127
- heterotrimeric SecY complex, 88
- high-content microscopy, 46
- highly inclined and laminated optical sheet (HILO) illumination, 42
- high-resolution crystals structures, 85
- high-resolution imaging, 117
- high-resolution microscopes, 39, 114
- high-sensitivity camera, 130
- high-speed atomic force microscopy, 129–30
- high-speed force microscopy, 117
- high-throughput and high content screening, 10
- Hirschfeld, T., 4
- histograms, 99
- histone modifications, 135
- homeostasis, 69
- homologous DNA fragments, 57
- homologous recombination, 57
- Hsc82, 73
- HSD domain, 88
- Hsp70, 72, 75, 87
- Hsp70 chaperones, 85
- Hsp70 family, 84
- Hsp82, 75
- Hsp90, 75
- Hsp90 family, 73
- HUGO Gene Nomenclature Committee, 56
- Human Genome Organization, 56
- human plasma proteome, 121
- hydrodynamic radius, 118
- hydrophobic amino acids, 84
- hydrophobic domain, 87
- image processing, 33
- immunocytochemistry, 40
- immunoglobulin (Ig)-like domains, 98
- immunoglobulin binding protein (BiP), 80
- in multiple*, 82
- in singulo*, 82
- infrared (IR) spectroscopy, 121
- inner centromere protein (INCENP) knockdown, 43
- intensity distribution, 44
- interposition distance, 117
- intracellular compartment, 44
- intracellular signaling, 25
- intracellular structure, 44
- intramolecular interactions, 120
- introns, 135
- intron-to-exon junction, 135
- ion channel molecules, 129
- Irys instrument, 51
- Janelia Fluor, 129
- Jarzynski's equality, 99, 101
- kinase enzymes, 69
- KNIME, 39–40, 42–3, 45
- knockdown efficiency, 38
- knockdown technologies, 38
- labeled molecules, 129
- large-scale screening, 39
- laser-based back-focal plan detection, 29
- Leica Application Suite Advanced Fluorescence (LAS), 42
- ligand-receptor binding, 97
- light-sheet microscopy, 131
- limits of detection (LODs), 111

- lipid bilayers, 114
- lipid membrane, 89
- localization microscopy, 27
- M.TaqI labeling, 52, 55
- machine learning (ML), 14
- macromolecules, 81
- magnetic tweezers, 11, 83, 97, 115
- maltose binding protein (MalE), 88
- mammalian cells, 53
- Markov model, 23
- matrix screener, 42, 45
- maximum distance separating molecules (maxD), 26
- mechanical oscillation, 115
- mechanochemistry, 90
- membrane-associated molecules, 25
- membrane insertion, 87–8
- membrane protein insertion mechanism, 89
- membrane receptors, 30
- metagenomics, 50
- metagenomics studies, 50
- metalloprotease ADAMTS13, 104
- Methanocaldococcus jannaschii*, 85
- methylation, 53, 61
- methylation analysis, 58
- methylation state, 60
- microbial adaptive immune system, 38
- microbiomes, 50
- microbiota, 50
- microfluidic assay, 136
- microfluidic mixing, 85
- microfluidics, 13
- micropilot, 39
- microRNA, 137
- microtubule structures, 46
- mitochondria, 87
- MJ0366 protein, 85
- MMRun System, 46
- molecular chaperones, 72
- molecular counts, 129
- molecular heterogeneity, 115
- molecular imaging techniques, 10
- molecular nanomachines, 6
- molecular simulations, 85
- molecule localization analysis, 33
- molecule localization data, 21
- monoclonal mouse anti- $\alpha$ -tubulin antibody, 40
- motor proteins, 131
- mRNA, 127
- mRNA degradation, 137
- mRNA secondary structures, 136
- mRNA transcripts, 136
- MS2/Sun-Tag system, 136
- MS2-PP7 system labeling, 135
- MTase enzymes, 50, 53
- multichannel imaging, 27
- multicolor analyses, 27
- multimer dynamic states, 105
- multimeric glycoprotein, 103
- multiscale fluorescence imaging, 38
- multiscale imaging, 10
- muscle protein, 98
- muscle sarcomeres, 98
- muscle-specific gene, 56
- nanochannels, 58
- nanodisc, 83, 89
- nanomachines, 77
- nanomaterial mechanics, 98
- nanomaterials, 105
- nanometer resolution, 131
- nanometers, 29, 131
- nanometric resolution, 120
- nascent polypeptides, 84, 87
- nearest neighbor distance analysis, 23
- near-field nanoscopy, 7, 13
- near-field scanning optical microscopy (NSOM), 8
- Neher and Sakmann, 4
- neurodegenerative disease, 60, 87
- nonmethylated repeat units, 58
- N-terminal domain, 73, 80
- nuclear transports, 132
- nucleic acids unzipping, 97
- nucleosomal elements, 135
- nucleosomes, 133
- nucleotide binding domain (NBD), 72, 88
- nucleus, 87
- oligonucleotides, 129
- one-dimensional nanomaterials, 106
- optical beam deflection (OBD), 118
- optical DNA mapping, 50
- optical mapping, 50, 52, 57, 59
- optical mapping data, 58
- optical trapping, 67, 129, 131, 135
- optical trapping nanometry, 136
- optical traps, 77
- optical tweezers, 72, 76, 82, 85, 88, 97, 115
- OPTICS, 26
- oscillation-based force spectroscopy, 117
- packaging of DNA, 81
- pair Correlation Analysis, 24
- pair cross-correlation, 30, 32
- palindromic repeats, 39
- PALM/STORM data, 30
- PALM-type imaging, 20
- peptide nucleic acid (PNA) fluorescence in situ hybridization (FISH), 41
- Perrin, Jean, 3
- phages, 38
- phenotype recognition, 43
- phenotypic occurrences, 39
- phosphate-buffered saline, 40
- phosphate-buffered saline with Tween (PBST), 41
- photo switchable dye pair, 28
- photo switchable fluorophores, 29
- photo-activated localization microscopy [PALM], 8, 20
- photo-blinking, 129
- photo-lithographically etched glass, 118
- pico-newton resolution, 129
- pico-newton sensitivity, 115
- piezoelectric scanner, 114
- plasma membrane proteins, 25
- plasmid-based CRISPR usage for screening, 46
- platelet adhesion, 103
- platelet adhesion and aggregation, 104
- pointillism images, 25

- poly(dA), 103
- polypeptide chain, 80, 88
- polypeptide chain translocation, 84
- polypeptide-cross-linking domain (PPXD), 88
- postsequencing era, 60
- posttranslational mechanism, 84, 88
- posttranslational translocation, 81, 87–8
- predictive modeling, 132
- promoter mutations, 133
- prostate cancer, 41
- proteasome complexes, 137
- protein complex, 80
- protein copy number distributions, 132
- protein degradation, 132, 137
- protein expression, 136
- protein folding, 67, 85, 97
- protein heterogeneity, 137
- protein mechanosensation, 81
- protein nanomachine, 67–8
- protein quality network, 71
- protein translation, 132, 136
- protein translocation, 80
- protein unfolding, 81, 85, 118
- proteinase K treatment, 41
- proteolytic machines, 75
- proteome, 112
- P-TEFb, 133
- Quantitative (f )PALM/(d) STORM, 22
- quantitative analysis, 117
- quasinative environments, 114
- Raman and IR spectroscopy, 14
- Raman scattering, 13
- Ratchet mechanism, 84
- Ratchet model, 84
- real-time enzyme dynamics, 70
- real-time quantitative polymerase chain reaction (RT-qPCR), 112
- recognition signal, 117
- recombinant protein, 38
- repeat arrays, 61
- repetitive arrays, 57
- representation optical methylation mapping (ROM), 55
- restriction protection assay, 54
- ribosome assembly, 13
- ribosome binding affinity, 137
- ribosome reactions, 127
- ribosomes, 80, 83
- ribosome-Sec61 complexes, 87
- Ripley's K and pair correlation, 25–6
- Ripley's K approach, 30
- Ripley's K function, 24–5, 30
- Ripley's K or pair correlation, 32
- RNA counting, 129
- RNA degradation, 135
- RNA interference (RNAi), 38
- RNA polymerase, 127, 131
- RNA sequence, 129
- RNA synthesis, 135
- RNA transcription, 134
- RNA-guided Cas9 DNA nucleases, 38
- RNAi, 47
- RNAi screening facility, 48
- RNAi technology, 38
- RNAP binding, 133
- RNAP progression, 134–5
- Rohrer, Heinrich, 4
- Saccharomyces cerevisiae*, 86
- scanning probe microscopes (SPMs), 113
- scanning tunneling microscope (STM), 15, 113
- screening campaigns, 38
- Sec61 complex, 80, 84, 87
- Sec63, 84
- SecA, 81, 90
- second law of thermodynamics, 101
- secretory vesicles, 80
- SecY complex, 90
- SecY dynamics, 89
- SecY translocon pore, 88
- SecY/Sec61 complex, 80
- SecYEG oligomerization, 89
- SecYEG translocon, 88
- sequencing read, 57
- serum albumin, 40
- short hairpin RNA (shRNA) libraries, 38
- short interfering RNA (siRNA), 38
- short recognition sequences, 49
- signal recognition protein (SRP), 80
- signal transmission, 81
- signaling molecules, 30
- single- and multicolor (f )PALM/(d) STORM data, 29
- single base-pair stepping, 115
- single biomolecules, 82, 129
- single DNA molecules, 49
- single genomes, 60
- single guideRNA (gRNA), 39
- single-molecular factors, 128
- single-molecule AFM, 98
- single-molecule assays, 133
- single-molecule biology, 8, 12
- single-molecule conductivity measurements, 89
- single-molecule data, 23
- single-molecule detection, 13, 127
- single-molecule DNA sequencing, 15
- single-molecule enzymology, 6
- single-molecule fluorescence and FRET, 77
- single-molecule fluorescence video microscopy, 133
- single-molecule fluorescence imaging, 129
- single-molecule fluorescence resonance energy transfer (smFRET), 133
- single-molecule fluorescence spectroscopy, 85
- single-molecule fluorescence technique, 84
- single-molecule force measurements, 97
- single-molecule force spectroscopy (SMFS), 11, 14, 67, 69, 71, 73, 75, 77, 86, 115
- single-molecule FRET, 85
- single-molecule imaging, 14–15
- single-molecule level, 3, 52, 82, 102
- single-molecule localization microscopy (SMLM), 10, 39, 42, 44
- single-molecule near-field nanoscopy, 14
- Single-molecule optical tweezers assay, 68
- single-molecule resolution, 49–50
- single-molecule science, 3, 8, 16
- single-molecule sequencing, 129

**Index**

147

- single-molecule signals, 20  
single-molecule super-resolution imaging, 87  
single-molecule tracking analysis, 133  
single-molecule tracking assays, 133  
single-molecule unfolding and translocation, 76  
single-repeat resolution, 58  
single-stranded DNA, 102  
siRNA Silencer, 40  
SMLM image acquisition, 43  
SMLM imaging, 42  
solid cancers, 138  
somatic cells, 52  
somatic mosaicism, 57  
Spearman's rank correlation, 31  
spindle assembly checkpoint, 48  
spliceosome, 7  
splicing, 132  
Ssc1 chaperone, 86  
stimulated emission depletion (STED) microscopy, 8, 20  
stochastic behaviors, 128  
stochastic gene expression, 12, 128, 131, 133, 137  
stochastic optical reconstruction microscopy (STORM), 8, 87  
stretching, 102  
structural analysis, 70  
structured illumination microscopy (SIM), 20  
subcellular localization, 38  
subcellular resolution, 39  
substrate binding domain (SBD), 72  
super-resolution dSTORM microscopy, 46  
super-resolution imaging, 41  
super-resolution microscopy, 10, 14, 20  
super-resolution optical microscopy, 121  
super-resolution reconstruction, 44  
super-resolved fluorescence microscopy, 5  
surface modification, 116  
surface-enhanced, 13  
Synge, E.A. 3  
synthetic cofactor, 51  
systematic analysis, 120  
systemwide measurement, 132  
T7 DNA molecules, 51  
targeted microscopy, 39  
targeted super-resolution microscopy, 45  
T-cell signaling, 31  
temporal measurements, 71  
theoretical modeling, 128  
therapeutic intervention, 111  
Thermo Fisher Scientific, 40  
three-dimensional images, 16  
thrombogenic stimuli, 104  
ThunderSTORM, 44  
Tim Microscopy, 46  
tip-sample interaction forces (Hooke's law), 114, 117  
tissue microarrays, 40–1, 47  
titin I27 domain, 99  
topography and recognition imaging, 117  
total internal reflection fluorescence (TIRF) microscopy, 8, 131  
tracking residual disease, 111  
transactivating crRNA (tracrRNA), 39  
transcription activator-like effector nucleases (TALENs), 38  
transcription factor binding, 132  
transcription factor dynamics, 133  
transcription factors (TFs), 15, 133–4  
transcription, 132, 134  
transition pathway of double- and single-stranded DNA, 102  
transition state, 102  
translation rate, 136  
translocation, 81, 85, 89  
translocon, 83–4, 88  
translocon-SecA interactions, 88  
transmembrane channels, 84  
trap center, 131  
triggering RNA polymerase (RNAP) binding, 133  
twisting, 102  
two-dimensional spatial information, 30  
ubiquitin, 137  
ubiquitinated protein, 137  
unfolding titin I27, 102  
untranslated region (UTR) sequence, 135  
unwrapping of DNA, 133  
vertical deflections, 114  
viral genome, 38  
viral replication, 81  
von Willebrand disease (VWD), 103  
von Willebrand factor (VWF), 98, 103  
VWF Multimer, 104–5  
whole genome bisulfide sequencing (WGBS), 55  
wide-field illumination microscopy, 130  
wide-field screening microscopy, 41  
wrinkles, 106  
zebrafish, 38  
zinc finger nucleases (ZFNs), 38