

Index

- 3-*j* symbol, 569
- P, T* phase diagram
 - p*-ethoxybenzoic acid, 66
 - 5CB, 67
 - 70PDOB, 66
 - liquid crystals, 67
- P, V* diagram of benzene, 63
- n*CB, 14
 - smectic transitions, 96
- 4O.8
 - smectic B, 33
 - smectic-nematic, 72
- 5CB
 - P, T* phase diagram, 67
 - anisotropic radial distribution, 506
 - atomistic model, 13
 - atomistic simulations, 499, 501
 - diamagnetic anisotropy, 119
 - dielectric constant, 315
 - diffusion coefficients, 304
 - elastic constants, 29, 508
 - Haller exponent, 502
 - ionic conductivity, 315
 - molecular structure, 13
 - order parameters, 143, 337
 - polarizability, 272
 - quadrupole tensor, 261
 - structure and transitions, 4
 - transitions, 72
 - viscosities, 5
- 65OCB smectic B, 33
- 6CB
 - critical exponents, 97
- 6OCB-8OCB
 - diffusion coefficients, 304
- 70PDOB, 66
- 8CB, 30
 - P, T* phase diagram, 67
 - atomistic simulations, 499, 501
 - chain order parameters, 504
 - dielectric constant, 315
 - elastic constants, 29
 - GB parameters, 251
 - Haller exponent, 502
 - interdigitated, 445
 - ionic conductivity, 315
 - surface tension, 211
 - transitions, 30
- 8OCB, 30, 304
- Absorption spectroscopy, 146
- ACEMD, 399
- Active systems, 59
- Actuation
 - electric field, 481
 - simulation, 483
 - thermal, 57
- AMBER, 399
- AMBER Force Field, 231, 232, 234–238, 497, 517, 524, 526–528
- Amphiphilic molecules, 44, 99
- Amphitropic liquid crystals, 50
- Amplitude ratio, 77
- Anchoring, 508
 - atomistic simulations, 510
 - continuum theories, 512
 - Rapini–Papoular, 508, 513
 - silica, 514
 - surface, 415
- Angular momentum, 325
 - classical mechanics, 571
 - ladder operators, 571
 - operator, 322, 571
 - triangular condition, 569
- Angular velocity, 175, 291, 299, 300, 305, 379, 388
 - correlation functions, 305
 - director, 320
 - quaternions, 389, 390
- Anisaldazine, 15
 - order parameter, 337
- Anticlinic, 37

- Antiferroelectric ordering, 30
- Antiferromagnetic coupling, 86
- APAPA, 119
 - order parameter, 119, 337
- Aramid, 56
- Aspect ratio, 13, 105, 106, 244, 248, 350, 353, 355, 357, 441–445, 447, 450, 489, 495, 496, 505
- Atomic scattering factor, 598
- Bézier curves, 461, 462
- Banana
 - dipolar GB mesogens, 474
 - GB mesogens, 473
 - mesogens, 36, 282
- Banana phases, 36, 37
- Basis sets, 544
- Benzene
 - P, V diagram, 63
 - ^1NMR spectrum, 150
 - critical point, 62
 - Force Fields, 238
 - polarizability, 272
 - quadrupolar interactions, 266
 - quadrupole, 261
- Biaxial
 - disclotics, 347
 - ellipsoids, 443
 - Gay–Berne, 251, 471
 - interactions, 471
 - lattice models, 411
 - nematics, 26, 413, 471
 - shape, 471
- Bilayers, 47
 - L_α, L_β phases, 48
 - ripple (P) phases, 47
 - simulations, 529
- Binodal, 63
- Birefringence, 5, 7, 8, 77, 95, 417, 491, 500
 - induced, 8
- Bithienyl, 163, 167, 236
- Blue Phases, 23, 24, 98
 - phase diagrams, 92
- Boltzmann distribution, 174, 177, 241, 334, 360
- Boltzmann inversion, 242, 268
- Bond order, 32, 202, 455
- Boundary conditions
 - axial, 425
 - bipolar, 425
 - cluster, 376
 - free surface, 373
 - homeotropic, 419
 - periodic, 364, 373, 378, 402
 - radial, 425
 - tangential, 416, 419
 - tin foil, 241
 - tin foil, 241
 - toroidal, 425
- Bowlic liquid crystals, 43
- Box function, 563
- Boyle temperature, 227
- Bra and ket notation, 537
- Bragg law, 21, 598
- Brownian diffusion, 320
- Calamitic mesophases, 13, 157, 347, 414
- Carbon nanotubes, 55, 56, 58, 104, 422, 423
- Carnahan–Starling equation, 225, 356
- CdSe nanoparticles, 10, 54, 106
- Cell membrane, 49
- Central moments, 404
- Centre of mass, 179
- CFF91 Force Field, 532
- Chapman–Kolmogorov equation, 603
- Charge
 - CHELPG, 240, 497
 - density matrix, 239
 - partial, 239
- Charge carrier mobility, 43
- CHARMM, 399
- CHARMM Force Field, 231, 232, 235, 238, 527, 528
- Chiral
 - Gay–Berne models, 283
 - hard particles, 282
 - interactions, 282
 - invariant, 283
- Chiral nematics, 18
- Cholesteric
 - Blue Phase, 23
 - dye laser, 22
 - optical rotation, 20
 - pitch, 19, 20
 - pitch divergence, 31
 - reflection from, 21
 - textures, 23
 - thermometry, 23
- Cholesterics, 18
- Cholesteryl
 - nonanoate, 24
 - oleate, 23
- Chrononics, 51, 103, 267, 525
 - Cromolyn, 103
 - DSCG, 103
 - hexagonal phase, 52
- Cinnamate series
 - odd-even effect, 92
 - simulations, 497, 498
- Clausius–Clapeyron equation, 74
- Clausius–Clapeyron equation, 74
- Clearing
 - point, 5, 6
 - temperature, T_{NI} , 8, 14, 30, 77, 91
- Clebsch–Gordan coefficients, 223, 274, 295, 338, 568, 580
 - properties, 570

- Cluster integrals, 179
- CMC, 45
- CO₂, 63, 266
- Coagels, 48
- Cole–Cole plot, 312
- Colloidal suspensions, 2, 53
 - nematic-isotropic transition, 54
 - phase diagrams, 103
- Columnar, 3, 38, 40
 - atomistic simulations, 524
 - chromonics, 52
 - discotic, 40
 - donor-acceptor, 41
 - ferroelectric phases, 464
 - Gay–Berne phases, 445, 455, 456
 - H-bonded, 284
 - ionics, 53
 - nematic, 40
 - nematics, 38, 41, 157
 - organic electronics, 456, 524
 - phase diagrams, 93
 - phase stability, 282
 - phases, 173, 267
 - properties, 42
 - pyramidal, 43, 465
 - semiconductors, 42
 - triphenylenes, 42, 93, 282, 457
- Compressibility
 - factor, 209
 - hard spheres, 225
 - isothermal, 78, 209
- Conformational distribution, 168
- Connodal, 63
- Contact angle, 211
- Convolution, 307
 - theorem, 247, 308, 565
- COOB re-entrant behaviour, 74
- Correlation functions, 290
 - dipolar, 311
 - from simulations, 305
 - limiting values, 295
 - total, 185
- Correlation times, 296
- Corresponding states, 76
- COSMIC Force Field, 510
- COSMOS Force Field, 232
- Cotton–Mouton effect, 8, 212
- Critical
 - exponents, 77, 401
 - opalescence, 73
 - temperature, 62, 437, 446, 449
 - volume, 62
- Critical point, 62, 64, 65, 71, 73, 77, 79, 83, 84, 86, 92, 98, 104, 210, 446
- Cromolyn, 51
- Cubic phase, 46
- Cumulants, 404
- Curie
 - temperature, 71, 76, 78
 - transition, 88
- CVFF, 232
- Cyano-biphenyls
 - atomistic simulations, 499
 - calorimetry, 96
 - dimers, 26
 - elastic constants, 508
- Cybotactic clusters, 159
- Dawson function, 411
- DB₇NO₂, 31
- DCM laser dye, 22
- De Broglie wavelength, 178
- De Vries smectics, 35
- Debye
 - exponential relaxation, 311
 - screening length, 268
- Defects
 - winding number, 10, 324, 416, 421, 432
- Delta
 - Kronecker, 538, 561
 - sequence, 558
- Delta function, 558
 - expansion in Wigner matrices, 567
 - Fourier expansion, 164, 452, 560
 - properties, 559
- Desmond, 399
- Detailed balance, 324, 361, 397
- detection, 417
- Di-*n*-alkyl azoxybenzene
 - order, 95
- Diagonalization, 125, 126, 150, 158, 499, 549
- Diamagnetic
 - anisotropy, 118, 119, 151
 - susceptivity, 7, 118, 119, 213, 312, 452, 492
- Diamond phases, 47
- Dielectric
 - anisotropy, 6, 18, 23, 213, 320, 417
 - constant, 240, 268, 309
 - susceptivity, 6, 309, 311, 312
- Dielectric properties
 - Linear Response, 309
- Dielectric relaxation, 321
- Diffusion
 - rotational, 321, 430
 - translational, 301, 304, 429, 430
- Diffusion coefficients
 - atomistic simulations, 493
 - Einstein formula, 301
 - Gay–Berne, 303
 - Green–Kubo relation, 302
- Dimensionality effects, 409
- Dipole moment
 - definition, 261
 - electric, 309
 - molecular, 36, 115, 310, 311
 - nuclear magnetic, 592, 593
 - table, 260

- time correlation, 311
- Direct Blue, 51
- Direct product, 539
- Direction cosines, 548
- Director, 4, 111, 115, 126, 128
 - frame, 125, 127
- Disclinations, 10, 89, 416, 422, 423, 428
- Discotics, 38
 - atomistic simulations, 524
 - bilayers, 50
 - chiral, 194
 - columnar, 173
 - columnar bond order, 204
 - ellipsoids, 180
 - fluorescent probes, 330
 - nematics, 54
 - phases, 156
 - positional order, 114
 - quadrupolar, 470
 - thermal conductivity, 317
 - triphenylene, 38
- Dispersive forces, 153
- Dispersive interactions, 230, 270, 273, 274, 276, 283, 332, 336, 339, 511
 - biaxial, 344, 346, 412, 419
- DLPOLY, 399
- DMANS, 124
- DMPC, 101, 529
 - atomistic simulations, 528, 532
 - bilayers, 50
 - calorimetry, 102
 - vesicles, 139
- DNA, 55, 232, 267, 284, 355, 432
- DNMR, 152, 170, 294, 343, 492, 502, 533
 - droplets, 428
- DOBAMBC, 36
- DOBOB, 44
- DOPC, 48
- DPH, 122, 139
- DPPC, 101, 529
 - acyl chains, 533
 - atomistic simulations, 528, 532
 - bilayers, 50, 528
 - calorimetry, 102
 - CFF91, 532
 - ripple phase, 531
 - simulations, 531
 - united atoms, 525
- DREIDING Force Field, 232, 235

- E63 mixture composition, 13
- E7 mixture composition, 13
- Easy axis, 9, 508
- EBBA, 153, 155, 450
- Edicol, 51
- Eigenvalues, 549
- Elastic constants, 11, 128, 422, 452, 454, 456
 - and POM textures, 422, 423
 - anisotropy, 12, 422
- biaxial nematics, 28
- chromonics, 52
- features, 12
- from atomistic simulations, 508
- from simulations, 452–454
- Gay–Berne, 453
- smectics, 29
- twist-bend phase, 26
- Elastomers, 57, 475, 480–486
- Electric
 - charge, 259
 - dipole, 259
 - quadrupole, 261
- Electromagnetic spectrum, 597
- Ellipsoids
 - aspect ratio, 244, 353, 357
 - biaxial Gay–Berne, 251
 - Gaussian overlap model, 247
 - Gay–Berne, 249, 284
 - hard, 243, 441
 - hard biaxial, 277, 278
 - inertia tensor, 180
 - oblate, 180, 251
 - prolate, 180
 - silica nanoparticles, 246
- Enantiomers, 18
- End-to-end distance, 478
- Entropy, 74
 - Boltzmann–Shannon, 132
 - maximum, 131
 - statistical mechanics, 205
- Ergodic systems, 402, 603
- Escape into third dimension, 420
- ESPResSO, 399
- Eukaryote, 49
- Euler
 - angles, 109, 163, 167, 189, 190, 253, 254, 288, 299, 379, 388, 546, 549, 566–568, 578, 579, 588, 589
 - equation, 300, 388–390
 - identity, 562, 587, 589
 - method, 382
- Evolution operator, 324
- Ewald sums, 240, 437, 489, 497, 510

- Fast Fourier transform, 565
- FDTS fluorinated alkylsilane, 520
- FENE potential, 476, 481–483
- Ferroelectric nematics, 115, 192, 434, 437–438, 460
- Ferromagnet, 76
- Ferromagnetic coupling, 86
- Fingerprint cholesteric texture, 23
- First-order phase transitions, 82
- First-rank reorientational correlations
 - initial values, 294
- Flory
 - chimney, 104
 - Rotational isomeric state, 163
- Fluctuation probability, 84

- Fluorescence depolarization, 321
 Fluorescence depolarization , 121, 122
 Fluorescent probes
 DCM, 22
 DMANS, 122–124
 DPH, 122, 139, 330–331
 perylene, 330–331
 Focal conic texture, 23
 cholesteric, 23
 smectic, 29–30
 Force Fields, 231–238, 241–242, 398, 488, 489, 499,
 510, 521, 526, 528, 532
 Fourier
 law, 316
 transform, 290, 307, 311, 321, 564
 Fourier series, 112, 236, 242, 562
 complex, 562
 Gaussian, 563
 rectangular wave, 563
 triangular wave, 563
 Fourier–Laplace transform, 311, 565
 Fourth-rank order parameter
 experimental determination, 121
 Frank elastic energy, 128, 416, 432, 452, 540
 cholesteric, 20
 nematics, 11–12
 smectics, 29
 GAFF, 232, 489, 528
 Gaunt formula, 216, 570, 578
 Gaussian curvature, 421
 Gay–Berne
 aspect ratio, 445
 banana mesogens, 473
 biaxial, 471
 bowlic, 463
 dipolar, 466
 elastic constants, 452, 454
 elastomers, 480
 order parameters, 472
 phase diagrams, 446, 456
 polymers, 475
 quadrupolar, 468
 simulated discotic models, 455
 simulated rod-like models, 449
 soft core, 481
 tapered, 460
 GHRL model, 422
 Giroid phases, 47
 Glass transition temperature, 98
 Gradient, 540
 Grandjean cholesteric texture, 23
 Green–Kubo formula, 302
 dielectric response, 310
 ionic conductivity, 315
 thermal conductivity, 316, 317
 viscosity, 319
 GROMACS, 399, 524, 527, 530
 GROMOS, 530
 GROMOS Force Field, 232, 526–528
 HAB, 34
 order parameter, 337
 smectic C, 35
 transitions, 30
 Hairpins, 479, 480
 Haller equation, 119, 502
 Gay–Berne, 447
 Hamaker constants, 277, 474
 table, 280
 Hamilton equations of motion, 288, 381
 HAN (hybrid aligned nematic), 415, 419
 Hard ellipsoids, 243, 244, 441
 Onsager theory, 353, 357
 packing, 443
 phase diagram, 442
 Hard spheres, 223
 dipolar, 436
 linear chains, 439
 Hard spherocylinders, 245, 304, 495
 dipolar, 444
 Onsager theory, 353, 356, 357, 439, 495
 phase diagram, 444, 496
 simulations, 443
 Havriliak–Negami equation, 312
 Hedgehog configuration, 426, 427, 431
 Heisenberg
 evolution equation, 289
 Heisenberg model, 88, 377
 droplet, 428
 universality class , 88
 Helical twisting power, 20
 Heliconical phase, 26
 Helium superfluid, 72, 89, 96
 Helmholtz
 free energy, 68, 177, 340, 350
 Hessian, 555
 Heterophase fluctuations, 73
 Hexagonal
 close packing, 202
 columnar, 93
 order, 33, 156, 199
 phase, 46, 48
 Hexatic
 bond order, 202, 455, 470
 order, 202, 204
 Hexon potential , 230
 HHTT, 43, 94
 Hilbert space, 542
 HOBACPC
 chiral smectic C, 36
 Homeotropic alignment, 18, 23, 24, 41, 419, 423, 450,
 511, 512, 520–523
 HOOMD, 399
 HTS alkylsilane, 522
 Hydrogen bonds, 57, 280, 283–287
 modelling, 284
 Hyperpolarizabilities, 270

- 152, 15
 Ideal gas, 62
 Identity resolution, 540
 Imidazolium, 52
 Inequalities
 correlation functions, 296
 elastic constants, 13
 order parameters, 137, 154
 Inertia tensor, 179, 180, 300
 Inorganic nanorods, 54
 Interface
 nematic-isotropic, 450
 nematic-vapour, 448, 511
 Intermediate phase, 46
 Internal-external order parameter, 166
 Ionic conductivity, 315
 Ionic liquid crystals, 52
 simulations, 466
 Ising model, 86, 373
 3D, 86, 373
 Isostress simulations, 370
 LCE, 482–485
 Isothermal compressibility, 78, 209, 395, 528, 530,
 533
 ITO, 9

 Janus particles, 59
 Joint distributions, 291, 292, 306
 Jones vector, 604

 Kernel, 307
 Kerr effect, 8, 212
 Kevlar, 56, 57
 Kirkwood coefficient
 second rank, 214
 Kolrausch–Williams–Watts
 stretched exponential decay, 312
 Kraft point, 48
 Kronecker delta, 538, 561, 587
 orthogonal expansion, 560

 Lagrange multipliers, 132, 133, 177
 Lambda transition, 73, 89
 Lamellar (L) phases, 47
 LAMMPS, 228, 231, 387, 390, 398, 399, 445, 453,
 466, 515
 Landau point, 83, 413
 Landau theory, 79–85, 87, 128, 212, 408, 448, 500
 first-order transitions, 81, 404
 second-order transitions, 81
 smectics, 94
 Laplacian operator, 325, 541
 Latent heat, 69
 Lattice gas model, 86
 Lattice models, 85, 401
 Laue diffraction condition, 600
 LCD
 MC simulation, 458
 twisted nematic (TN), 9

 LCE (Liquid Crystal Elastomers), 57, 480
 actuation, 482
 isotropic genesis, 481
 supersoft, 58, 481, 484
 LCP (liquid crystal polymers), 16, 38, 98, 475
 Leapfrog integrator, 384
 Lebwohl–Lasher model, 89, 115, 127, 195, 197, 212,
 333, 335, 336, 374, 377, 435
 Monte Carlo, 402–408
 one-dimensional, 409
 orientational time correlations, 306
 planar, 409
 Legendre polynomials, 4, 88, 116–117, 136, 354, 492,
 545
 plot, 116
 Lennard–Jones, 233
 anisotropic, 435
 cut and shifted, 228
 linear chains, 440
 OPLS, 237
 parameters, 228
 phase diagram, 229
 potential, 227
 quinquephenyl, 238
 Levi-Civita symbol, 388, 538, 566, 587
 Linear Dichroism (LD), 120, 146
 Linear Response, 308, 309
 Liouville
 equation, 289, 308
 operator, 289, 386
 Lipid bilayers, 101
 atomistic simulations, 528–534
 chain melting, 102–103
 main transition, 101
 phase transitions, 101
 pretransitions, 101
 Lipid phases, 529
 Luzzati classification, 48
 Lipid14 Force Field, 528
 Liposomes, 48, 101
 Liquid crystal
 elastomers, *see* LCE
 Lorentz–Berthelot mixing rule, 228
 Lorentzian function, 311
 Loss tangent, 310
 Lyotropics, 2, 44
 atomistic simulations, 525
 cubic phases, 46, 47
 lamellar, 47
 phase transitions, 99, 101
 polymers, 56

 Magic angle, 129
 Magnetic susceptibility, 118, 431
 anisotropy, 213
 Magnetization, 76, 77
 transition, 81
 Main transition, 103, 529

- Markov processes, 321, 360, 429, 602
 MARTINI, 526
 Maximum entropy, 131, 134, 168, 176, 322
 biaxial molecules, 152, 154, 156, 323
 uniaxial molecules, 132, 137, 139
 Maxwell construction, 63
 Maxwell distribution, 178, 300, 391
 Mayer
 expansion, 179
 function, 209, 245, 352
 MBBA, 14
 diamagnetic anisotropy, 119
 heat capacity, 91
 Landau expansion, 84
 NI transition, 91
 order parameter, 119, 337
 polarizability, 272
 quadrupole tensor, 261
 surface alignment, 450
 transitions, 72
 viscosities, 319
 MBCA
 order parameter, 119
 MCM41, 366
 McMillan Mean Field Theory, 94, 95
 Mean Field Theory, 95, 134, 154, 223, 322, 332, 412, 436, 491
 biaxial nematics, 346, 413
 biaxial solutes, 343–345
 Humphries–James–Luckhurst, 340, 341
 Maier–Saupe, 333, 334, 337, 492
 smectics, 348
 Membrane bilayers, 101
 atomistic simulations, 528–534
 Membranes, 47, 50
 bicelles, 50
 bilayers, 101
 fluid mosaic model, 50
 fusion, 46
 liposomes, 48
 vesicles, 49
 Mesogens polarizability
 table, 272
 MESP, 239
 Metallomesogens, 15
 Metastable state, 71
 Methylene chains, 26, 73, 91, 233, 234, 503, 513
 order, 170, 504
 Micelles, 44, 99
 biaxial, 101
 discoidal, 50
 elongated, 46
 reverse, 46
 spherical, 45
 Middle phase, 46
 Miesowicz viscosities, 5, 319
 Miller indices, 601
 Mineral liquid crystals, 53
 MMn Force Field, 232, 233, 234
 Modelling
 All Atoms, 234, 529
 United Atoms, 234, 529
 Molecular biaxiality
 smectics, 171
 Monoclinic lattice, 600
 Monte Carlo method
 N, P, T ensemble, 369
 acceptance ratio, 363
 boundary conditions, 364
 Cluster, 376
 critical slowing down, 363
 cycle, 368
 errors, 371
 free energy, 373
 hard particles, 441
 heat capacity, 372
 initial configuration, 367
 isostress, 370, 482
 Metropolis algorithm, 361
 observables, 370
 pair distribution, 375
 reweighting techniques, 378
 theory, 359
 Mulliken charges, 239
 Multipolar expansion, 258
 Multitrotor molecules, 162
 Müller matrix, 415, 605
 NAMD, 387, 399, 489, 499, 524, 533
 Nanoparticles
 modelling, 474
 Nanoporous materials, 47
 Nanorods, 422
 Neat phase, 48
 Nematic
 polymers, 16
 properties table, 13
 re-entrant, 31, 74, 96, 304
 Nematic-isotropic transition, 6, 13, 71, 74, 82, 84, 90, 117, 127, 238, 285, 403, 436, 447, 471, 490, 492, 493, 497, 499, 502
 Nematics, 4
 alignment, 6
 biaxial, 26, 157
 columnar, 41
 optical properties, 6
 re-entrant, 31
 temperature range, 14
 transition temperatures, 13
 turbidity, 5
 Nematogens, 13
 NMR
 dipolar couplings, 503
 high-field approximation, 593
 quadrupolar splittings, 151
 rotational diffusion, 324
 stick spectrum, 429

- Noyeaux, 10
- Nuclear
gyromagnetic ratio, 592
shielding tensor, 592
- Number density, 111
- OAB, 34
smectic C, 35
- OCTA, 399
- Odd-even effect, 91, 92
- Odd-even effects, 497
- OHMBBA, 119
- OLED, 43
- Onsager theory, 245, 350–356, 495
generalized, 356–358
hard cylinders, 352
hard ellipsoids, 353
hard spherocylinders, 353
- OOBA, 34
- OpenMM, 399
- Operator
Laplacian, 325, 541
- Operators
ladder, 325, 594
- OPLS
Force Field, 231
- OPLS Force Field, 232, 237, 497, 526–528
- Optic axis, 7
- Optical
retarder, 605
rotation, 20
- ORAC, 387, 497
- Order
hexagonal, 33
pretransitional, 84
- Order parameter
5CB, 119
APAPA, 119
configurational, 426
critical exponents, 75
gas-liquid, 77
hexatic, 202
MBBA, 119
MBCA, 119
methylene chains, 170
nitrobenzene, 152
pyridine, 155
temperature dependence, 119
triclinic, 162
Tsvetkov, 4
- Order parameters
biaxial phases, 157
columnar phases, 173
empirical, 75
flexible molecules, 162
from NMR, 149–152, 155, 428, 491, 501–504, 526–527, 533
from simulations, 124–127, 158, 378, 406, 412–413, 438, 440, 446, 447, 457, 463, 469, 472, 474, 482, 490, 491, 498, 501, 511, 516, 520, 527, 534
from X-ray diffraction, 140
non-cylindrical molecules, 143
notations, 157
positional, 1D, 111
positional, 2D, 114
positional-orientational, 216
smectic A, 170
- Ordering matrix, 125, 323
Cartesian, 144
experimental determination, 146
from NMR dipolar couplings, 149
from simulations, 124, 437
NMR quadrupolar splittings, 151
- Organic solar cell, 43
- Orientation factors, 148
- Orientalional correlation functions, 292
initial values, 295
long time limits, 296
- Orientalional correlations, 291
- Orientalional distribution
maximum entropy, 131, 132, 152
orthogonal expansion, 114, 131
- Orientalional order parameter $< P_2 >$
from diamagnetic anisotropy, 118
from dichroism, 120
from simulations, 124
- Orientalional order parameter $< P_4 >$
approximate expression, 136
from fluorescence depolarization, 121
from simulations, 127
- Orientalional order parameters
biaxial molecules, 145
Cartesian description, 144
determination, 117
molecular symmetry, 144
significance, 129
uniaxial, 114
- Orientalional pair correlation, 212
- Orientalional-conformational distributions, 168
- Orthogonality
functions, 541
harmonics, 544
Legendre polynomials, 546
spherical harmonics, 546
Stone invariants, 580
Wigner matrices, 567
- Orthogonalization
Gram–Schmidt, 543
Löwdin, 239, 544
- Orthorhombic lattice, 600
- OTS alkylsilane, 520, 522
- Overlap integral, 542
- PAA, 15, 29
dielectric relaxation, 314
dipole moment, 259
order parameters, 337

- polarizability, 272
- quadrupole tensor, 261
- surface alignment, 450
- transitions, 71, 72
- viscosities, 319
- Packing fraction, 224
 - ellipsoids, 357
 - hard spheres, 224, 225
 - polyhedra, 245
- Pair
 - correlation function, 185
 - correlations and XRD, 214
 - potential, 220
- Pair distribution
 - invariant expansion, 189
 - orthogonal expansion, 188
- Parseval formula, 565
- Parsons–Lee theory, 356–357, 443
- Pauli spin matrices, 588, 604
- PBLG, 105
- PCH5, 15
- PCH7, 15
- Perturbation theory, 269
- Perylene, 145, 330, 331, 524
- Phase 5, 13
- Phase 5 mixture composition, 13
- Phase changes
 - enantiotropic, 2
- Phase diagram
 - P, T , 64, 67, 73, 75, 93, 456, 457
 - P, V , 63
 - T, ρ , 65–67, 226, 229, 442, 447, 451
- Phase diagrams, 62
- Phase transitions, 414
 - λ , 72
 - Ehrenfest classification, 69
 - field effects, 84
 - first-order, 71
 - free energy, 71
 - Landau theory, 79
 - lines, 64
 - lipid bilayers, 101
 - location, 403
 - monotropic, 2
 - nematic-isotropic, 90
 - order, 70
 - second-order, 70, 73
 - smectic A-nematic, 94
- Photonic materials, 22
- Pixel, 9
- Plastic crystals, 2, 442, 443
- PLPC, 46
- PME (Particle Mesh Ewald), 241, 489, 499, 507
- Poisson brackets, 289, 385
- Polar smectics, 30
- Polarizability, 16, 41, 270, 271
 - table, 272
 - tensor, 270
- Polarization tensor, 120
- Polymer chains
 - characterization, 478
- Polymeric liquid crystals, 16, 475
 - main chain, 17
 - side chain, 17
 - smectic side chain, 38
- Polymerization
 - degree, 478
 - modelling, 475
- Polymorphism, 68
- POM (Polarized Optical Microscopy), 417, 422, 606
 - from simulations, 415, 417
 - HAN films, 421
 - schlieren, 419, 420
- Positional order
 - columns, 40, 114
 - crystals, 114
 - smectics, 28, 34, 111–113, 201, 215, 216, 492
 - XRD, 215
- Potts model, 87
- Pressure
 - statistical mechanics, 206
 - tensor, 207
 - virial, 365, 371, 395
- Pretransitional effects, 73, 212
 - 6CB, 212
 - divergence, 84
 - Gay–Berne, 448
 - Lebwohl–Lasher, 407
- Principal coordinate frame, 550
- Propagator, 386
 - diffusional, 324
 - multi timescale, 386
- ProtoMol, 399
- Pseudoscalar product, 539
- Pyramidal liquid crystals, 43
- Q phase, 45
- Quadrupolar splittings, 151
- Quadrupole coupling tensor, 151
- Quadrupole tensor
 - definition, 261
 - table, 261
- Quantum dots, 10, 54
- Quaternions, 253, 387, 401, 587
 - equation of motion, 389, 391
- Quinquephenyl, 15, 488
 - polarizability, 272
 - quadrupole tensor, 261
 - radial distribution, 188
 - torsional potential, 236
 - transitions, 495
- Racah coefficients, 274, 569
- Radial distribution, 186, 200, 339, 375
 - 8HTT, 457
 - anisotropic, 200, 494, 506

- hard spheres, 225
- Hexxon model, 230
- LJ particles, 229
- quinquephenyl, 188
- site-site, 187, 188
- Rapini–Papoular
 - anchoring energy, 508, 513–514
- Re-entrant nematic, 74, 96
 - 6OCB-8OCB, 304
- Reactive mesogens, 16, 424
- Reactive monomers, 475
- Refractive index, 1, 5, 15, 415
 - effective, 21
- Reintzer, 18
- Relaxation time, 297
- Reorientational
 - correlation functions, 292
 - correlation times
 - atomistic simulations, 495
- ring disclination, 428
- Ripple phase, 47, 48, 103
 - simulations, 531
- RIS model, 170
- Rodrigues formula, 545
- Rotameric molecules, 167
- Rotation matrix
 - Cartesian, 549
- Rotational diffusion, 321
 - asymmetric rotors, 323
 - equation, 322, 324
 - tensor, 322, 324
 - uniaxial, 323
- Rotational isomeric state, 163, 169
- Rotational motion
 - spinning, 324
 - tumbling, 324
- Rubbers, 57
- SAM
 - simulations, 520, 521
- Saupe ordering matrix, 145, 147
 - determination, 147
- Scalar product, 538
 - functions, 541
 - vectors, 537
- Scattering vector, 598
- Schlieren texture, 10, 416, 419, 420, 423
- Schwarz inequality, 137
- SDS, 45, 525
 - atomistic simulations, 525
- Second-order phase transitions
 - free energy, 81
 - universality, 78
- Second-rank reorientational correlations
 - initial values, 295
- Sexithienyl, 236
- Shear, 318
- Shear stress, 208
- Short-range order, 196
- Sign function, 560
- Sinclinic, 37
- Single particle
 - distributions, 107
 - dynamics, 290
- Slipids Force Field, 528
- Smectic
 - diffusion, 304
 - free standing films, 211
 - positional order, 94, 113
 - transitions, 94
- Smectic C*
 - ferroelectric DOBAMBC, 36
 - W314, 36
- Smectic C* ferroelectric
 - HOBACPC, 36
- Smectic A, 28
 - S_{A1}, 31
 - S_{A2}, 31
 - S_{Ad}, 31
 - S_Q, 31
 - order parameters, 170
 - schematic structure, 28
- Smectic A-nematic transition, 94
- Smectic B, 32
 - 4O.8, 33
 - crystal, 33, 204
 - hexatic, 33
- Smectic C, 34, 156, 160
 - HAB, 35
 - OAB, 35
 - OOBA, 35
 - order parameters, 160
 - Saupe ordering matrix, 160
 - symmetry, 35
 - tilt angle, 34, 160
- Smectic C*, 35
- Smectic E, 33
- Smectic F, 34
- Smectic H, 34
- Smectic I, 34
- Smectic J, 34, 470
- Smectic L, 34
- Smectic transitions
 - critical exponents, 96
- Smectics
 - De Vries, 35
 - polar, 30
 - tricritical point, 95
- Soaps, 48
- Soft spheres
 - dipolar, 438
 - linear chains, 440
- Sonication, 48
- Space inversion, 221
- Specific heat, 71
- Spectral densities, 290, 298
- Spherical harmonics, 143, 546
 - addition theorem, 568

- Spherical micelles, 45
 Spherical particles, 177
 Spherical tensors, 551
 Spherocylinders, 243, 245, 304, 353, 356, 439, 443, 444
 phase diagram, 444
 Spin Hamiltonian, 592
 Spinodal curve, 63
 SPME (smooth particle mesh Ewald), 241, 497
 Sprang–Trotter formula, 386
 Square well potential, 225
 Boyle temperature, 226
 critical exponents, 226
 parameters, 226
 Stationary process, 290
 Stirling approximation, 178
 Stochastic matrix, 603
 Stockmayer potential, 438
 Stokes
 representation, 604
 vector, 415, 459, 604
 Stone invariants, 189, 222, 248, 338, 339, 427, 461, 579
 biaxial particles, 472, 584
 chiral, 194, 582
 space correlations, 190
 tabulation, 580
 uniaxial particles, 580
 Stress
 shear, 208
 tensile, 208
 Stress-strain
 plot, 58, 482, 485
 simulations, 370, 483
 Stretched exponential decay, 312
 Strong collision, 298
 Structure factor, 141
 Sunset Yellow, 51
 Supercritical fluids, 62
 Surface
 alignment, 9, 508
 interaction strength tensor, 345
 roughness, 515
 tension, 210, 211
 Surfactants, 44
 Susceptibility, 214, 308
 Symmetry
 broken, 83
 cylindrical, 84
 inversion, 576
 spherical, 84
 Tamman phase diagram, 74
 Tapered particles, 460, 463
 Taylor series, 555
 TBBA, 34, 96
 transitions, 35
 TBCN, 43
 Templating, 47
 Tensile
 strain, 56
 strength, 57
 stress, 56, 208
 Tensor product, 539
 TEOS, 47
 Terphenyl
 second-order transition, 72
 TGB smectics, 31
 Thermal actuation, 57
 Thermal conductivity
 simulations, 316, 532
 Thermodynamic observables, 204
 Thermotropics, 2
 Thin film characterization, 196
 Tie line, 63
 Tilt angle, 160, 470
 Time correlations
 from MD, 305
 Time reversal symmetry, 293, 385, 386
 Tinfoil
 boundary conditions, 241
 Tinker, 399
 Tobacco mosaic virus, 55, 56, 105, 422
 Topological defects, 10
 charge, 416–418, 421, 431, 432
 strength, 10
 Torque, 300, 389, 390
 Total correlation function, 185
 Transition dipole
 DPH, 331
 Transition matrix, 602
 Transition moment, 330, 331
 absorption, 52, 120, 121, 125
 emission, 122
 Transition probability, 360
 Translational diffusion coefficients
 atomistic simulations, 494, 497
 from membranes simulations, 529
 Triclinic
 lattice, 600
 simulation box, 464
 Tricritical point, 85, 95, 98
 Trifluorenone
 2,4,7-trifluorenone, 41
 Triphenylene, 38
 Triphenylenes, 457
 Triple point, 62, 64, 104
 Trotter factorization, 386
 Twist-bend nematic, 12, 26, 473
 Twisted nematic display, 9, 319
 UFF, 232
 Uniaxial symmetry, 4
 United atoms, 380, 534
 Universality
 classes, 78, 85
 hypothesis, 78

686

Index

- van der Waals
 - dispersion, 276
 - equation of state, 63
 - volume, 227
- Vapour, 219, 225, 226
- Vectors, 537
 - identities, 539
 - pseudoscalar product, 539
- Vesicles, 48, 101, 139, 142, 531
- Virial
 - coefficients, 179, 210
 - equation, 207
 - expansion, 209
 - hard spheres coefficients, 223
 - series, 179
- Viruses, 55, 355, 422
- Viscosities, 318
 - Green–Kubo formula, 319
 - Miesowicz, 319
- Volume fraction, 104
- Voronoi cell, 202
- VOTCA, 399
- Voxel, 605
- Water dielectric constant, 268
- Water models
 - H bonds, 285
 - SPC, 285, 531
 - square well, 226
 - TIP3P, 285, 286, 526, 533
 - TIP4P, 285–287
- WAXS, 492, 531
- Westin metric, 417, 432
- Wigner matrices, 323
 - closure, 567
 - definition, 566
 - tabulation, 571
- Wigner–Fourier basis, 168
- X-ray diffraction, 140, 214, 596
- XY model, 88, 97, 98
- Young’s equation, 211
- Young’s modulus, 29, 56, 370
- Zeeman splitting, 593
- Zeolite
 - artificial, 47, 366
 - MCM41, 366
- ZLI-1167, 153, 155, 156
- Zwitterions, 44