

## Index

- amplitude constraint, 80, 82–83, 86, 100, 104
- amplitude-only SLM, 76–78
- arithmetic circle algorithm, 47
- Arnold transform, 155, 163–167, 176, 183–186, 190–191
- Arrizón, V., 118, 146
- Awatsuji, Y., 24
  
- beam splitter, 5, 8, 21, 150
- BERD (bi-directional error diffusion), 114, 123–125, 129, 138, 145, 158
- Bessel function, 115–116, 130
- bi-directional error diffusion (BERD), 114, 123–125, 129, 138, 145, 158
- binary phase-only hologram (BPOH), 98, 110, 114, 127–129, 141–142, 145
- block truncation coding (BTC), 172–174, 191, 193
- BPOH (binary phase-only hologram), 98, 110, 114, 127–129, 141–142, 145
- Bragg, 3, 38
- Bresenham, J., 47, 74
- Bresenham's line algorithm, 47
- Brown, B.R., 12, 38
- BTC (block truncation coding), 172–174, 191, 193
- Buckley, E., 90, 111
  
- CAM (complex amplitude modulation), 114, 115–117, 121, 122, 129–130, 142, 144–145, 183, 187
- CGH (computer-generated holography), 12–14, 19, 34, 40–41, 42, 70–73, 92, 113
- chosen plaintext attack (CPA), 154–157, 161
- ciphertext, 152–157, 158, 161–162, 191
- circular directrix. *See* directrix.
- C-LUT, 49–50
- complementary sampled phase-only hologram (CSPOH), 97
- complex amplitude modulation (CAM), 114, 115–117, 121, 122, 129–130, 142, 144–145, 183, 187
- compressed look-up table, 49–50
- computer-generated holography (CGH), 12–14, 19, 34, 40–41, 42, 70–73, 92, 113
- conversion to phase-only hologram methods
  - bi-directional error diffusion (BERD), 123
  - complex amplitude modulation (CAM), 114
  - direct binary search (DBS), 127
  - double phase macro-pixel hologram, 116
  - localized error diffusion (LERD), 125
  - uni-directional error diffusion (UERD), 121
- CPA (chosen plaintext attack), 154–157, 161
- cryptography, 147, 151–153, 190
- CSPOH (complementary sampled phase-only hologram), 97
  
- data embedded error diffusion (DEED), 169–172, 176–177, 186–187, 191, 193
- DBS (direct binary search), 98–99, 110, 112, 114, 127–129, 141–142, 145, 146
- decryption key, 152–153
- DEED (data embedded error diffusion), 169–172, 176–177, 186–187, 191, 193
- Denisyuk, Y., 7, 38
- depth cues, 3
- digital holography, xi, x, 114, 146, 147
- Dirac impulse, 154
- direct binary search (DBS), 98–99, 110, 112, 114, 127–129, 141–142, 145, 146
- directrix, 51
- disparity, 1, 3, 7, 151
- double-depth image, 15
- double-phase hologram, 118–121, 145
- double-phase-only hologram (DPH), 118–121, 145
- double random phase encoding (DRPE), 154–157, 190–191
- downsampled WRP (DS-WRP), 54
- DPH (double-phase-only hologram), 118
- DRPE (double random phase encoding), 154–157, 190–191
- dual SLM holographic display, 76
  
- edge-enhanced noise addition, 89
- edge-enhanced sampled phase-only hologram (EESPOH), 96–97

- EESPOH (edge-enhanced sampled phase-only hologram), 96–97
- encryption key, 152–158, 161–162, 190
- enhanced single random phase encryption (ESRPE), 160, 161–163, 176–177, 179–180, 190, 192
- error diffusion, 114, 121–127, 135–138, 145, 158–161, 162, 169–172, 174–177, 183
- ESRPE (enhanced single random phase encryption), 160, 161–163, 176–177, 179–180, 190, 192
- fill factor, 148–149
- Florence, J.M., 118, 146
- Floyd–Steinberg, 121–122, 126, 145, 175, 191
- Fourier cell, 118
- four-step PSH, 21–24, 25
- fractional Fourier transform, 155
- free space impulse response, 65, 68, 73, 102, 104, 106, 108–109, 127–128, 131, 133–134, 136–137, 144, 158, 179, 182, 186, 188
- Fresnel zone plate (FZP), 31, 33–34, 44–47, 50–51, 65, 68, 72–73, 102, 104, 106, 108–109, 131, 133–134, 136–137, 141, 144, 179, 182, 186–187
- FZP (Fresnel zone plate), 31, 33–34, 44–47, 50–51, 65, 68, 72–73, 102, 104, 106, 108–109, 131, 133–134, 136–137, 141, 144, 179, 182, 186–187
- Gabor, Denis, 3, 38
- GCD (grid-cross downsampling), 95, 163–165, 167, 191, 193
- gelatin emulsion, 6
- Gerchberg, R.W., 79, 110, 111, 114
- Gerchberg–Saxton algorithm (GSA), 79, 110, 114
- GPU (graphical processing unit), 41, 52, 125
- graphical processing unit (GPU), 41, 52, 125
- grid-cross downsampling (GCD), 95, 163–165, 167, 190–191
- grid-cross lattice, 94, 97, 111, 165, 167, 186
- grid-cross pattern, 97
- GSA (Gerchberg–Saxton algorithm), 79, 110, 114
- hologram, 3
- hologram capture
  - non-diffractive optical scanning holography, 27–29, 37
  - off-axis hologram, 19
  - optical scanning holography, 25–29, 37, 113, 190–191
  - phase-shifting holography, 21–22, 29, 34–35, 37–38, 144
- holographic display, ix–x, 38, 109, 113–145, 150
- holographic encryption, 147, 151, 153–155, 160, 163, 190, 192
- holographic projection, 147, 149–150, 190
- holographic steganography, 168
- holography
  - digital, xi, x, 114, 146, 147
  - optical, 1, 3, 6–7, 11–12, 14, 19, 34–38, 40, 78
- horizontal light modulation factor, 48–49
- Hsueh, C., 118, 146
- IFTA (iterative Fourier/Fresnel transform algorithm), 79–88, 100, 110, 113
- IFTA multiple frame averaging (IFTA-MFA), 83
- integrated sampled phase-only hologram (ISPOH), 164, 166–168, 191
- interference pattern, 4, 8, 21
- interferograms, 21–25, 34–35
- interpolated wavefront recording plane (IWRP), 55–56
- isotropic point sources, 4
- ISPOH (integrated sampled phase-only hologram), 164, 166–168, 191
- iterative Fourier transform algorithm (IFTA), 79–88, 100, 110, 113
- iterative Fresnel transform algorithm, 100, 110, 113
- IWRP (interpolated wavefront recording plane), 55–56
- Javidi, B., 154, 191–192
- Juday, R.D., 118, 146
- known plaintext attack (KPA), 153, 154–157
- Korpel, 26, 39
- KPA (known plaintext attack), 153, 154–157
- Laplacian kernel, 97
- layer-based method, 14, 16–18, 20, 23, 34, 41, 69–73
- LCoS (liquid crystal on silicon), 13, 76, 148–149, 150
- Leith, E., 7, 38
- Leportier, T., 112, 146
- LERD (localized error diffusion), 114, 125, 146, 192
- light utilization efficiency, 148–149
- line scanning method (LS), ix
- liquid crystal on silicon (LCoS), 13, 76, 148–149, 150
- Liu, J.-P., 24, 39, 77, 112, 145–146, 193
- localized error diffusion (LERD), 114, 125, 146, 192
- Lohmann, A.W., 12
- look-up-table methods
  - compressed look-up table, 49
  - direct look-up table, 42
  - novel look-up table, 44
  - split look-up table, 47
- LS method, 47
- macro-pixel, 42, 74, 116–121, 134, 145
- Makowski, M., 77, 111

- Matoba, O., 39
- mean and standard deviation, 172
- mixed-region amplitude freedom (MRAF), 81–84, 100–103, 110
- monochromatic light, 1, 2
- morphological dilation, 90
- MRAF (mixed-region amplitude freedom), 81–84, 100–103, 110
- multiple-image holographic encryption, 163, 167, 183
- ND-OSH. *See* non-diffractive optical scanning holography
- N-LUT, 45–46, 74
- noise-addition method, 89–91, 92–94, 106
- noise region, 82–83, 103
- non-diffractive optical scanning holography, 27–29, 37, 39
- novel look-up table, 45–46, 74
- numerical reconstruction, 18, 159, 162
- off-axis hologram, 8–10, 19–21, 29, 31–32, 37, 76, 78, 115, 125, 160–162, 167, 179–180
- one-step phase shifting holography, 25
- one-step phase retrieval (OSPR), 90–92, 110
- optical encryption, 153–155, 191–192
- optical holography, 1, 3, 6–7, 11–12, 14, 19, 34–38, 40, 78
- optical interference, 4
- optical reconstruction, 9, 18, 124, 149, 167
- optical recording, 5–6
- optical scanning holography (OSH), 26–29, 37, 113, 190–191
- OSH (optical scanning holography), 26–29, 37, 113
- OSPR (one-step phase retrieval), 90–92, 110
- Pan, Y., 38, 47, 146
- parallel phase shifting hologram (PPSH), 24–25
- Park, M.C., 112, 146
- patterned phase-only hologram, 92–94, 100, 109
- peak-signal-to-noise-ratio (PSNR), 116, 131
- persistence of vision, 85, 91–92, 98
- PFP (principal fringe patterns), 45–47
- phase reservation and compression, 155, 192
- phase shifting hologram (PSH), 21–25, 29, 34–35, 37
- phase-only Fourier hologram, 79, 81
- phase-only hologram (POH), 100–103, 106–111, 113–145, 150–151, 155–164, 167–170, 176–177, 183
- phase-only hologram generation
  - iterative methods
    - direct binary search (DBS), 98
    - Gerchberg–Saxton algorithm (GSA), 79
    - IFTA multi-depth object, 85
    - IFTA multiple-frame averaging (IFTA-MF), 83
  - iterative Fourier/Fresnel transform algorithm (IFTA), 80
  - mixed-region amplitude freedom (MRAF), 81
  - non-iterative methods
    - complementary sampled phase-only hologram (CSPOH), 97
    - edge-enhanced noise addition, 89
    - edge-enhanced sampled phase-only hologram (EESPOH), 96
    - one-step phase retrieval (OSPR), 90
    - patterned phase-only hologram, 92
    - random noise addition, 88
    - sampled phase-only hologram, 93
  - phase-shifting holography (PSH), 21–22, 29, 34–35, 37–38, 144
  - photographic film, 1, 6–9, 10–12, 19, 37, 78, 147
  - photographic films, 6
  - photography, 1, 6–7, 34
  - photon counting, 155, 192
  - pinhole, 6–7
  - pinhole camera, 6–7
  - pixel pitch, 74, 148
  - point-based method, 14–17, 29–30, 34–37, 40–41, 52, 69
  - Poon, T.-C., 24, 26, 39, 75, 111, 112, 121
  - PPSH (parallel phase-shifting hologram), 24–25
  - principal fringe patterns (PFP), 45–47
  - PSH (phase shifting hologram), 21–25, 29, 34–35, 37
  - random noise addition, 88
  - randomized lens-phase function, 155, 192
  - reflection, 1–2
  - refraction, 1–2
  - Refregier, P., 154, 191
  - sampled phase-only hologram, 93–97, 110, 164, 191, 192
  - Sanchez-de-la-Llave D., 118, 146
  - Sawchuk, A., 118, 146
  - Saxton, W.O., 79, 110, 111, 114
  - SBP (space–bandwidth product), 78, 150
  - scattering, 1–2, 69, 88–91
  - selective interpolation algorithm, 25
  - Shimobaba, T., 51, 74–75
  - Siemion, A., 77, 111
  - signal region, 82–83, 100–103, 110
  - silver halide, 6
  - single random phase encryption (SRPE), 155–157, 159–160, 163, 176–177, 190
  - SLM (spatial light modulator), 12–13, 76–78, 85, 109, 118, 145, 148–151
  - S-LUT, 47–50, 74
  - Snell's law, 1
  - Song, H., 78, 111
  - space–bandwidth product (SBP), 78, 150

- spatial light modulator (SLM), 12–13, 76–78, 85, 109, 118, 145, 148–151  
 split SLM holographic display, 77  
 split look-up-table method, 47–50, 74  
 SPOH, 93–97, 110, 164, 191, 192  
 SRPE (single random phase encryption), 155–157, 159–160, 163, 176–177, 190  
 steganography, 147, 168, 190, 192  
 Stolz, C., 76, 111  
 symmetric encryption, 153  
  
 three-step PSH, 24, 25  
 Tsang, P.W.M., 29, 75, 121, 111–112, 145–146, 192–193  
 Tudela, R., 76, 111  
 twin image, 9–10, 11, 19–21, 78  
 two-step PSH, 24  
  
 UERD (uni-directional error diffusion), 114, 121–125, 129, 135, 138, 159, 162, 176–177, 183  
 uni-directional error diffusion (UERD), 114, 121–125, 129, 135, 138, 159, 162, 176–177, 183  
 Upatnieks, J., 7, 38  
  
 vertical light modulation factor, 48–49  
 virtual image, 3, 9–11, 19–21, 78, 150–151  
 virtual window, 50–51  
  
 warped wavefront recording plane (WWRP), 56–58, 60–62, 69–70, 73  
 Waters, J., 12, 190–191  
 wavefront recording plane (WRP), 51–74  
 wavefront recording plane (WRP) methods  
   basic WRP, 50  
   downsampled WRP, 54  
   interpolated WRP, 55  
   warped WRP, 56  
 WRP (wavefront recording plane), 51–74  
 WWRP (warped wavefront recording plane), 56–58, 60–62, 69–70, 73  
  
 Xia, P., 25, 39  
  
 Yamaguchi, T., 75  
 Yang, Z., 46, 74  
 Yoshikawa, H., 75  
  
 zero-order beam, 9–10, 11, 19–21, 78, 125  
 Zhu, L., 77, 111