

Index

Bold page numbers refer to pages with illustrations

- A. See flow law
- ablation
 effect of debris cover on, 27–28
 ablation area, 17
 basal melting beneath, 137
 compressive flow in, 279
 emergence velocity in, 96–97
 foliation in, 393–406
 lateral moraines in, 101
 near surface temperature in, 125, 130–131
 temperature profile in, 127, 136, 294–295
 transverse surface profile in, 99–100
- abrasion
 production of fine material by, 176
 rate of, 192
 resulting in polishing, 193
- accumulation area, 17
 accumulation-area ratio, 33
 activation
 energy, 52–53
 enthalpy, 71
 volume, 71
- albedo
 of bare ice, 27
 definition, 26
 effect of black carbon on, 26–28
 effect of debris on, 27–28
 effect of dirt cover on, 33
 effect on mass balance, 26–28
 of snow, 26
- Aleutian Low, 40
 Allan Hills, 446
 Amundson Sea, 360
 angle of internal friction, 170–171
- Antarctica
 accumulation rate, 26
 basal drag in, 141
 basal temperatures in, 138–141, 142
 digital elevation model of, 140
 dust in ice, 443
 ice streams in, 350, 352, *See also* ice streams
 mass balance in, 34, 39, 43, 409
- Arolla ice tunnel, 328
- Athabasca glacier
 longitudinal velocity in, 91
 sliding speed, 155
 transverse velocity in, 100
- axes
 instantaneous stretching, 389
 principal
 in strained state, 390
 of strain, 390
 of stress and strain rate, 14, 271–273
- Barnes Ice Cap, 391–393
 borehole deformation studies, 346
 foliation in margin, 394, 404–406
 ice fabrics in, 68
 longitudinal cross section, 347
 near-surface temperatures in, 125
 Pleistocene ice in, 314
 recumbent folds in margin of, 400
 temperature profiles in, 298
 Thule-Baffin moraines on, 108
 winter balance on, 31
- basal ice
 rheology of, 160–161
 effect of sediment on, 160–161
- bed roughness, 150, 153
 controlling obstacle size, 197
 sinusoidal beds, 154
 white roughness, 155
- Bindschadler Ice Stream, 188
- Bingham material, 263
- bipolar seesaw, 452
- Bjerrum defects, 48
- black carbon, 26–28
- Black Rapids Glacier, 188, 190
- Blue Glacier, 155, 199, 338, 341, 396
- Böðvarsson effect, 409
- borehole
 closure of, 327
 deformation of, 342–349
- Breiðamerkurjökull, 188–189
- bubbles
 Δ age of, 438, 447
 $^{40}\text{Ar}/^{38}\text{Ar}$ ratio in, 446
 in Barnes Ice Cap Pleistocene ice, 347
 in basal ice, 160
 blocking veins, 199
 ^{14}C in, 444
 CO_2 in, 434–436
 defining foliation, 396
 in dirty ice, 137
 O_2/N_2 ratio in, 439
 at pore close off, 312
 in superimposed ice, 21
 volume of air in, 409
- budget (mass)
 definition, 22
 gradient, 32–34
 imbalance, 33
- bullet boulders, 249
- Byrd Station
 debris in basal ice, 137

- ice fabrics, 67
 ice temperature, 68
 Pleistocene-Holocene transition, 409
- c-axis, 48
 calving, 17
 of ice shelves, 39
 loss of ice by, 34
 rates of, 36–38
 of tidewater glaciers, 34–36
- Camp Century
 debris in basal ice, 137
 $\delta^{18}\text{O}$ variations in core, 435
- cavities, subglacial
 effect of water pressure on, 162–163
 formation of, 161
 linked, 220–221
 role in quarrying, 248–252
 seasonal evolution of, 230–231
- cirques
 erosion of, 252–254
- Clausius–Clapeyron slope, 7
- climate
 continental, 33, 203
 maritime, 33, 203
- climate change. *See also ice core studies*
 analysis using perturbation theory, 416–418
 anthropogenic, 2
 during Pleistocene, 410–411
 at end of Pleistocene, 21
 effect on ice shelves, 39
 effect on mass balance, 28–32
 effect on sea level, 314–317
 effect on temperature distribution, 143
 instabilities in response to, 409
 kinematic waves, 413–416
 response of glaciers to, 408, 411–413
 3-stage response, 423–425
 effect of diffusion, 420
 Green Bay Lobe, 308–311
 modeling, 425–428
 observations of
 Greenland, 429
 Nisqually glacier, 429–431
 volume response, 420–423
 without diffusion, 418–420
 response time
 Johannesson theory, 420–423
 Nye theory, 419
 Roe and Baker model, 423–425
- CO_2 . *See* ice core studies
- coaxial deformation, 389
- Cobol creep, 55
- cohesion, 168–169
- cold patches, 156–158
- Columbia Glacier
 bottom melting, 39
 retreat of, 39, 317–318
- Column model, 131–135
- compressive flow, 279
- conduits
 closure of, 205–207
 englacial, 204
 equilibrium size, 205
 on eskers, 242–243
 melt rates in, 212
 subglacial
 closure of, 329–332
 comparison of theory and field observations, 220
 distributed, 216–217
 efficient/inefficient, 209
 linked cavity, 220–221, 233
 Nye channels, 209
 Röthlisberber channels, 209
 shape of, 219
 on till, 221–232
 water pressure in
 hard beds, 213–217
 soft beds, 223–225
 under cold ice, 213
- consolidation, 169–170
- controlling obstacle size, 153
- core recovery, 433–434
- Crank–Nicolson, 297
- creep
 diffusional, 55–56
 dislocation, 56
 grain-boundary sliding, 56
 primary, secondary, transient, 58
- crevassing. *See also* fracture propagation to bed, 73, 203
- critical state line, 173
- cross glide, 52
- cross slip, 57
- crystal size. *See* grain size
- cumulative strain, 388
 calculating, 391
 in Barnes Ice Cap, 391–393
 parameters describing, 387–388
- cylindrical hole, closure of, 320–326
- Dansgaard–Oeschger cycles, 410
- Dawson’s integral, 125, 133
- debris. *See* dirt
- debris entrainment. *See* erosion
- deformation. *See* strain
- deformation mechanism map, 68–70
- deformation mechanisms, 55–56
- del operator, 119
- depth hoar, 21
- Des Moines lobe, 173, 183, 354
- Des Moines lobe
 till strength, 179
- Devon Ice Cap, 403
- diffusion
 grain boundary, 55
 self, 55
 volume, 55
- dilation, of till, 170–171
- dirt
 in basal ice, 138
 in cores of ice-cored moraines, 107
 effect on albedo, 33
 effect on ice rheology, 160
 in foliation, 395–396
 on ice-cored moraines, 109
- disintegration ridges, 111
- dislocation
 climb, 57
 cross-slip, 57
 density of, 51, 57, 63
 edge, 49
 generation of, 52
 healing of, 70
 recovery processes, 57
 screw, 49
 tangles, 51, 57, 79, 160
- Dome C, 433
- doughnuts, 111

- drainage systems, subglacial
 efficient, 209
 inefficient, 209
 linked cavity, 220–221
 on till, 221–232
 spatial and temporal
 distribution of, 232
- drumlins, 194–196
- dry-snow
 facies, 20
 line, 20
 zone, 20
- effective normal pressure, 163
- electromagnetic forces, on
 clays, 169
- energy balance
 in polar ice sheets, 115–120
 advection effect, 115–116
 conduction effect, 117–118
 strain heating effect,
 118–119
- energy grade line, 216
- energy of liquid–solid interface,
 7
- Engabreen, 156, 183, 186, 218
- enhancement factor
 in Barnes Ice Cap Pleistocene
 ice, 313–314
 in borehole closure, 329
 in development of Raymond
 bumps, 105
 estimates of, 71–72
 in Siple Dome, 312
 in Whillans Ice Stream
 margin, 360
- ENSO, 40–42
- equilibrium line, 17, 21
 altitude, 29–31
- equipotential surfaces, 205–208
- erosion, 143. *See also* abrasion,
 quarrying, cirques
 by abrasion, 192
 beside flutes, 196
 role in drumlin formation,
 194
 role of cold patches, 158
- error function, 124, 125
- eskers, 238–247
 conduits on, 242–243
 crossing ridges, 238–239
 esker heads, 244
 esker nets, 244
 Katahdin, 240
- paths, 238
 on valley sides, 239
 sediment supply to, 240–242
 segments, alignment of,
 244–247
- Eulerian coordinate system,
 116
- extending flow, 279
- fabric
 development of, 64–65,
 67–68
 measurement of, 60–63
 multiple-maximum, 67
 single maximum, 66
 small circle, 64
- facies, 20
- Findelengletscher, 165–166,
 207, 230
- finite-difference modeling. *See*
 numerical modeling
- finite-element modeling. *See*
 numerical modeling
- firn, 17
- flow field, 81, 97–99
- flow law, 70–72
 effect of fabric on, 71–72
 effect of fracture on, 78–79
 effect of grain size on, 68–71
 effect of pressure on, 71
 effect of temperature on, 53,
 329
 effect of water on, 73
 Glen's, 15
- flowlines, 97–98, 392
- flutes, 196–197
- flux, ice, 92
- foliation
 around conduit, 211
 folds in, 397–400
 isoclinal, 400–404
 in ice sheet margin, 107,
 404–406
 in longitudinal septa,
 396–397
 origin of, 393–396
- force balance, 332–338
- fracture, 73–77
 effect on flow law, 78–79
 fracture toughness, 75
 linear fracture mechanics,
 73–76
- Frank-Read source, 51
- frazil ice, 253, 377
- free energy, 19, 59, 160
- freezing at bed, 125–126, 136
 in overdeepenings, 253
 role in erosion, 157
- friction
 angle of internal, 170–172
 rock-to-rock, 197
- frictional heating
 in basal ice, 134, 191
 in basal ice of ice streams,
 363
 role in basal melting, 39
 during surging, 235
- gas constant, 53
- Gaukler-Manning-Strickler
 equation, 210
- geothermal heat
 role in basal melting, 129
 role in ice stream stability,
 363–366
 warming subglacial Icelandic
 lakes, 236
- geothermal heat flux, 122
 at Dye 3, 292
 effect on basal melt rates,
 125–126
 effect on temperature
 profiles, 127
 topographic focusing, 137,
 195
- GISP, GISP2, 433
- glacier
 cirque, 5
 classification, 5
 outlet, 6
 polar, 6
 polythermal, 6
 source of water, 2–3
 temperate, 6
 temperature of, 6–7, 115–122
 tidewater, 5
 valley, 5
- glacier volume
 estimate from surface area,
 317
- Glen's flow law, 15–16, 70
- glide planes, 51
- Global Positioning System, 82
- global warming, 3, 312
- Gornergletscher, 230
- grain boundary
 impurities on, 54
 liquid on, 7, 53

- migration, 59
 sliding on, 56, 60
 slip on, 51
 grain bridges. *See* till
 grain fracture. *See* till
 grain nucleation, 64
 grain size (ice), 394
 effect of impurities on, 347
 effect on rheology, 46, 56, 58, 60, 68–71
 variation with depth, 63
 Greenland
 age of ice, 21
 albedo, 26
 basal ice, 137
 borehole deformation, 346
 climate history, 143, 292
 dust in cores, 443, 449
 folds in basal ice, 403
 ice cores, 433
 ice deformation, 56
 ice-core chemistry, 441–442
 kinematic wave, 429
 lead in, 2
 mass balance, 26, 34, 135, 443
 modeling, 313–314
 subglacial water, 228–231
 superglacial lake drainage, 73
 Thule-Baffin moraines in, 106–111
 tidewater glaciers in, 37
 $\delta^{18}\text{O}$, 435, 438
 GRIP, 433
 heat
 advection, 115–116
 conduction, 117–118
 sensible, latent, 29, 236
 heat flow unit, 122
 heat of fusion, 125, 157, 377
 Heinrich layers, 354
 hill-hole pair, 144
 Hintereisferner, 23, 31, 426, 427
 Holocene ice
 rheology of, 347
 Hudson Bay, 313
 Hudson Strait, 354
 hydraulic grade line, 216, 217, 219
 hydraulic jacking, 162, 197
 hydroelectric power, 3, 156
 ice
 crystal structure of, 47–48
 dating. *See* ice core studies:
 dating
 electrical conductivity of, 53
 heat capacity of, 8, 54
 Pleistocene. *See* Pleistocene
 ice
 water content of, 7, 72, 161
 ice cap, 6, 8
 ice core studies. *See also climate change*
 ancient atmosphere
 composition, 446–447
 CO₂, measurement of, 434–436
 core logging
 field, 433–434
 laboratory, 434
 dating, 436–446
 ¹⁰Be, 441–442
 ¹⁸O and D₂, 437–440
 analytical methods, 444–446
 chemical variations, 440–441
 dust layers, 442–443
 layer counting, 436–437
 radioactive dating, 444
 volcanic events, 441
 electrical conductivity, 434, 436
 Pleistocene CO₂ and CH₄, 447–449
 ice sheet, 6
 ice shelves, 366–378
 bottom melting, 40, 378
 calving of, 376
 circulation beneath, 376–378
 creep of, 367–373
 effect of tides on, 379–382
 Larsen, 39, 366, 376
 Ross, 39
 ice stream shear margins
 migration of, 362
 stability of, 362–364
 ice streams, 112–113
 characteristics of, 354
 draining to Amundson Sea, 358–360
 effect of tides on, 383–385
 erosional capabilities of, 168
 in Laurentide Ice Sheet, 353
 Rutford, 371, 383
 Siple Coast, 358
 speed, 113, 167
 temporal changes in, 356
 stability of, 364–366
 ice-walled lake plains, 112
 impurities
 effect on ice rheology, 54
 effect on sliding, 158–159
 incompressibility condition, 8–9
 indicator trains, 138
 invariant. *See* tensor
 irrotational deformation, 268, 389
 isotropic
 material, 71
 stress, 13
 Jakobshavn Isbræ, 353
 jökulhlaup, 218, 236–237
 Kamb Ice Stream, 313, 357, 358, 363, 366, 379
 Kangerlussuaq, 110
 Kelvin effect, 18
 kettled outwash plain, 244
 kinematic wave
 description of, 412–413
 equation, 418
 modeling, 427
 on Nisqually glacier, 430
 on Rink glacier, 429
 theory, 416
 Kronecker δ , 261
 Lagrangian coordinate system, 116, 120
 Lake Vostok, 106, 433
 landscapes, relict, 145–146
 lapse rate, 30, 33
 Late Glacial Maximum, 308
 latent heat of fusion. *See* heat
 Laurentide Ice Sheet
 demise of, 21
 ice streams in, 353
 model of, 310
 modeling, 313–314
 temperature in, 246, 309
 tunnel valleys beneath, 247
 Law Dome, 72
 lead, in atmosphere, 452–453
 linked cavity system. *See*
 conduits, subglacial
 liquid–solid surface energy, 7

- Little Ice Age
 advances, 2, 40
 initiate folds in Barnes Ice Cap, 402
 initiate Thule-Baffin moraines, 110
 cold snap, 411
 effect on Alaskan tidewater glaciers, 38
 near-surface temperature in Barnes Ice Cap, 298
 Storglaciären retreat from, 423
 longitudinal coupling, 338–341
 longitudinal strain rate
 across Siple Dome, 312
 effect on basal temperature, 128–129
 effect on borehole deformation, 342
 effect on calving, 38
 role in balancing b_n , 289
 role in glacier response to climate change, 412, 418–420
 in a slab, 284–288
- MacAyeal Ice Stream, 353, 356, 366
- Manning equation, 210
- mass balance, 22
 Alaskan glaciers, 40
 black carbon effect, 28
 climate causes of, 28–32
 dynamic, 22–23
 effect of albedo on, 26–28
 effect on sea level, 44
 measuring, 23–26
 meteorological, 22–23
 polar ice sheets, 26
 principles of, 22–23
- mass, conservation of, 8–9
- material lines, 389
- megascale lineations, 353
- melting
 basal, 39–40
 base of ice shelves, 39–40
 of conduit walls, 205, 211
 melting point depression, 7
- Mer de Glace, 2
- microcracks
 in ice, 73
 in rock, 248
- Milankovitch cycles, 303
- Mohr–Coulomb relation, 168
- Mohr's circle, 259–260
- momentum balance, 265–266
- moraines
 ribbed, 146–147
 stoss side, 146
 Thule-Baffin, 106–110
- moulins, 204
- n , 46
 at low stresses, 56
- NGRIP, 433
- Nisqually Glacier, 429–431
- normal consolidation line, 173
- North Atlantic oscillation, 43
- numerical integration, 292–293
 Crank Nicolson method, 297
 finite difference models, 294–298
 trapezoidal, 293
- numerical modeling
 finite difference models
 alternating direction schemes, 297–298
 implicit methods, 297
 finite element models, 300–302
 finite volume models, 302
 full Stokes models, 300
 goals of, 291–292
 initial conditions, 303–304
 intercomparison of models, 305–306
 non-deterministic models, 306–307
 Monte Carlo models, 307
 semi-empirical models, 307
 non-dimensionalization, 299
 sensitivity testing, 305
 shallow ice approximation, 299–300
 thermomechanical models, 303
 tuning, 305
 validation, 304
- Nye channels, 209
- octahedral plane, 14
- ore plumes, 138
- overdeepenings
 drainage through, 253–254
 erosion of, 252–254
 till in, 254
- Pacific decadal oscillation, 43
- Pb, in atmosphere, 452–453
- Penobscot River, 240
- percolation
 facies, 20
 zone, 20
- perfect plasticity, 263
- permafrost, role in glacier flow, 308–311
- permeability
 of glacier ice, 199
 of till, 177, 188, 382
- perturbation techniques
 applied to changes in ELA, 30–31
 applied to changes in glacier profile, 416–418
- Peyto Glacier, 42
- piezometric head, 216, 221
- Pine Island glacier, 353, 358
- plane strain, 264
 maximum shear stress in, 265
 stresses and velocities in non-linear material, 288
 perfectly plastic material, 274–284
- Pleistocene ice
 dust in, 443
 folds in Barnes Ice Cap, 402
 impurities in, 313
 isotopic ratios in, 110
 rheology of, 314, 347
- plowing, in till, 182–184
- polygonization, 61, 63
- pore close off, 20
- precipitates, subglacial
 CaCO₃, 159
 Si, 193
- preconsolidation test, 173
- premelting, 7, 53–55
- pressure
 effective normal, 163
 melting point, 7
 separation, 162
- principal axes. *See* axes
- prismatic plane, 51
- profile
 transverse surface, 99–101
- pyramidal plane, 51
- quadrature, 293
 Gaussian, 293
- quarrying, 248–252

- R channels, 209
 radiation
 black body, 32
 gradient, 33
 solar, 26, 29
 rate-limiting processes,
 56–57
 climb, 57–58
 definition of, 57
 drag, 57
 other slip directions, 59
 Raymond bump, 102, 103, 312
 recrystallization, 60–64
 dynamic, 59
 by grain growth, 63
 by nucleation of new
 grains, 64
 by polygonization, 63
 migration, 64
 regelation
 contribution to sliding,
 150–152, 152
 effect of impurities, 158
 into subglacial till,
 184–186
 regelation layer, 155
 Roman lead smelting, 2
 Ross Ice Shelf, 112
 calving from, 39, 374
 grounding zone, 351, 378
 rotation
 of ice crystals, 64
 in simple shear, 267, 390
 of strain axes, 271
 Röthlisberger channel, 223
 Rutford Ice Stream, 362

 satellite interferometry, 82
 sea level
 effect of collapse of West
 Antarctic Ice Sheet,
 360
 effect on ice streams, 312
 estimate of future rise,
 314–317
 twentieth century rise, 3,
 43–44
 shallow ice approximation,
 299–300
 shape factor, 90
 shear
 pure, 62, 64, 65, 66, 389
 simple, 62, 65, 66, 118, 276,
 329, 342, 389

 shear stress, basal, 84–86
 calculation using force
 balance, 332–338
 SI units, 5
 sintering, 19
 Siple Coast, 112
 Siple Dome, 102, 357, 436
 modeling of, 312–313
 sliding
 effect of cavities on, 161
 effect of impurities on, 159
 effect of rock-to-rock friction
 on, 156
 effect of water pressure on,
 162–166
 Nye-Kamb roughness, 154
 by plastic flow, 152
 by regelation, 150–152
 speed, 154
 stress, 149–150
 at subfreezing temperatures,
 193–194
 tests of theories, 155–156
 weaknesses of theories,
 156–160
 slip line field, 280
 snow drifting
 effect on budget gradient,
 23
 effect on velocity field,
 105–106
 Storglaciären, 162
 break through curves, 229
 effect of N_e on u_s , 165, 167
 englacial drainage in, 204
 longitudinal cross section of,
 219, 253
 map of, 336
 moulins in, 204
 surface speed of, 230
 till rheology, 171, 179, 181
 τ_v , 422
 stoss side moraines, 145
 strain, 266–269
 cumulative, in a glacier,
 391–393
 definition, 12
 ellipse, 387–389
 logarithmic, 12, 269
 notation, 12
 transformation of, 269–271
 strain heating, 118–119
 in basal boundary condition,
 132

 strain rate
 definition, 12
 effective, 14
 equation for, 267
 longitudinal. *See* longitudinal
 strain rate
 octahedral shear, 14
 principal axes of, 271–273
 stratigraphy
 radar, 101–105
 snow, 21
 use in dating ice, 21
 stress
 comparison of theory with
 measurements,
 289–290
 definition, 10
 deviatoric, 13, 260–262
 effective, 14
 equilibrium, 265–266,
 332–338
 in a slab on a uniform slope,
 274–275
 nonlinear material,
 284–288
 perfectly plastic material,
 275–280
 non-hydrostatic, 13
 octahedral, 14
 principal, 14, 259
 principal axes of, 271–273
 sign convention, 10
 transformation of, 256–258
 yield, 12
 stress intensity factor, 74–76
 striations, 192–193
 summation convention, 261
 supercooling, 218. *See also*
 frazil ice
 superimposed ice, 21
 surging, 232–236
 drainage mechanisms, 235
 thermal mechanisms,
 235–236
 Svartisen Subglacial
 Laboratory, 156, 160

 T term, 333
 temperature
 basal in Antarctica, 138–141
 distribution along a flowline,
 135–137
 mean annual near surface,
 130–131

- temperature boundary
 condition
 bed, 122–123, 125–126
 surface, 124–125
- temperature profile
 ablation area, 129, 294–295
 accumulation area, 127–128
 beneath divide, 121–126
 effect of vertical velocity on,
 128–129
 far from divide, 131–135
 response to climate change,
 143
 seasonal variation, 295–296
- tensor
 invariants of, 260
 in plane strain, 264–265
 rank of, 11, 256
 rotation rate, 268
 strain, 12, 267
 strain rate, 12
 symmetric, 11
 velocity derivative, 268
- texture, 60, 61
- thermal conductivity
 ice, 117, 120
 rock, 151
- thermal diffusivity, 118
- thin section, 60
- thrust features, 311
 blocks, 197
 hill-hole pair, 144
 slab entrainment, 190
- Thule, Greenland, 106, 110
- Thule-Baffin moraines. *See*
 moraines
- Thwaites glacier, 358
- tidewater glaciers, 6, 34
 calving from, 34–36
 retreat of, in Antarctica, 411
 unstable retreat of, 38–39
- till
 consolidation of, 169–170
 Coulomb plastic behavior,
 181
 deformation of, 166–172
 dilatant hardening, 177
 role of pore water, 177
 depth of deformation in, 191
 dilation of, 170–171, 178,
 382
 flow law for, 178–182
 grain bridges in, 174–175
 grain fracture in, 175–176
 granulometry of, 175–176
 plowing, 182–184
 rheology of, 177–178
 sediment transport in
 deforming, 168
 strength
 failure, 168, 171
 fundamental, 171
 residual, 171
 ultimate, 171
 yield, 171
 void ratio of, 172–174
- tiltmeters, 181, 189
- transformation of snow to ice,
 18, 19
- transverse till scarps, 145
- Tresca yield criterion, 262
- trimline, 90
- triple point, 7, 7
- tunnel closure, 213, 327–329
- tunnel valleys, 247–248
- uniaxial compression, 64
- units, 5
- unloading-reloading line, 173
- Urumqi Glacier No. 1, 161, 194
- Variegated Glacier, 220
 surge of, 233, 234
- veins, 6, 200
 energy balance in, 202
 water flow in, 156, 199
- velocity
 balance, 83–84
 effect of drifting on,
 105–106
 horizontal
 comparison of theory and
 measurements,
 91–92
 depth variation of,
 86–88
 depth-averaged, 92
 in valley glaciers,
 88–90
 measurement of, 82–83
 submergence/emergence,
 96–97
 vertical
 beneath divide, 96
 variation with depth,
 93–96
- velocity distribution
 comparison of theory with
 measurements,
 289–290
 in a slab on a uniform slope
 nonlinear material,
 284–288
 perfectly plastic material,
 281–284
- viscoplastic material, 263
- viscous heating in water, 205,
 213, 237, 246
- void ratio, 172, 177
- von Mises yield criterion, 262
- Vostok, 66, 433
 Lake Vostok, 106
- water content of ice. *See* ice
- water equivalent line, 216,
 218
- water flow
 englacial, 204
 in veins, 199–202
 subglacial
 on adverse bed slopes, 218,
 253
 on hard beds, 213–217
 on soft beds, 221–227
- water pressure
 during surges, 233–235
 effect of A on, 216
 effect of bed slope on,
 216–218
 in conduits on till, 223–225
 in pore water
 Des Moines Lobe, 174
 near conduit, 363
 role in erosion, 144
 role in plowing, 198
 role in sliding, 314
- water table in firn, 203
- West Antarctic Ice Sheet, 42,
 350
 collapse of, 360, 385
 ice streams, 354
 wet snow zone, 20
- Whillans Ice Plain, 383
 driving stress, 353
 stick-slip movement, 382
 till permeability, 382
- Whillans Ice Stream
 driving stress, 353
 grounding line wedge, 186

- shear margin, 356, 361
 migration of, 362
speed of, 113, 356
stability of, 364–365
subglacial channel spacing,
 227
till beneath, 167, 169–170, 356
till deformation, 187–188
- till rheology, 179, 180
 preconsolidation stress, 180
- yield criterion, 262–264
 Tresca, 262
 von Mises, 262
- yield strength, 263
 ice, 76
- till, 171
yield stress, 12, 263
Younger Dryas
 age, 21
 change in b_n at end of, 21,
 443, 445
 cold snap, 411
 end of, 449–451