Index

Entries in bold are primary references, usually a definition.

Absorption, 112, 298
  coefficient, 113
  cross section, **112**, 316
  infrared, 113
  internal, 316
  ultraviolet, 113
Adaptive bit loading, 712
Adaptive estimation, 599
Add–compare–select, 540
Additive-noise-limited channel, **19**, 688
Additivity property of entropy, 279, **674**, 862
  product state, 786
Algebraic block code, 611, **612**
  binary, **617**, 640
  critical rate, 611, **635**
  generator matrix, 614
  irregular, 647
  matrix description, 613
  performance, 623
  properties, 613
  Reed–Solomon, *see* Reed–Solomon code
  regular, 647
  weight profile, **628**, 635
Algorithm
  back-propagation, **564**, 724
  Bahl, 644
  split-step Fourier method, 229
  Viterbi, **540**, 565, 626
Aliasing, **46**, 399
Alphabet, **1**, 609
  q-ary, 609
  binary, 609
Amplified spontaneous emission, **334**, 337
Amplifier, *see* Lightwave amplifier
Amplify-and-forward, 5
Amplitude
  peak, xxv
  root-mean-squared, xxv, **39**, 324
Amplitude modulation, 12
Amplitude-shift keying, **415**, 467
Analytic signal, **32**, 101
Ancilla embedding, 103, **810**
Ancilla state, **789**, 810
  image mode, 795
  unoccupied, 792
Angular frequency, **8**, 30, 235, 518, 570
Anharmonic oscillator, 202
Anisotropic material, **81**, 96
Annihilation operator, 770
Anomalous dispersion, 161
Antenna, **18**, 298
Anti-Stokes scattering, 205
Antipodal modulation, 414, **466**, 477
  error rate, 423, **476**
  quantum optics, **775**, 831
Approximation
  gaussian, 453, **506**
  paraxial, **92**, 120
Arrival process
  photodetection, 309
  photoelectron, **258**, 285, 294
  photon, 237, **257**, 311
Arrival rate
  constant, 259, 286, 428, 441
  photoelectron, xxvi, **258**, 270, 312, 692
    constant, 331, 519
  photon, 9, 122, **257**, 265, 309, 311
    time-varying, 257
Associative property, 29
Asymptotic
  coding gain, **625**, 659
  energy efficiency, **474**, 492, 689
Attenuation, 155
  coefficient, 114
  material absorption, 112
  optical fiber, 112
Autocorrelation function, **68**, 72, 106, 294
  additive white gaussian noise, 344
  circularly symmetric gaussian noise, 267
  complex-baseband noise, 76
  electrical, **98**, 109
  fourth-order, 267
  frequency, 199
  laser, 345
  lightwave noise power, 267
  lightwave power, 98

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

noise, **74**, 279
optical, 109
width, 70
Autocovariance function, *see* Covariance function
Avalanche photodiode, 290, **306**, 515
absorption region, 306
characteristic function, 333
current loop, 307
gain, 306
multiplication region, 306
probability mass function, 332
Axial field component, **88**, 124, 139
Axis
fast optic, **97**, 183
optic, 97
polarization, 96
principal, 81
slow optic, **97**, 183

Back propagation, **564**, 724
Bahl algorithm, 644
Balanced modulator, 330
Balanced photodetection, 9, 19, **308**, 378, 494, 574
Bandgap, **303**, 319
Bandlimited
channel, **18**, 21, 238, 271, 398, 522, 659
gaussian noise, **271**, 274
gaussian random process, *see* Random process, gaussian, bandlimited
information channel, **676**, 706, 710
lightwave signal, **277**, 294
lightwave source, 325
noise, 75
random process, *see* Random process, bandlimited
signal, 12, 24, **34**
system, **26**, 74
waveform, **45**, 109, 723
wavelength-multiplex channel, 726
Bandwidth, 12, **34**
3-dB, **34**, 355
effective, 70
half-power, **34**, 74
ideal, 34
maximum, **45**, 281
noise
circularly symmetric gaussian, 271
noise-equivalent
baseband, **74**
complex-baseband, **77**, 280
passband, **74**, 77
root-mean-squared, **34**, 100
Baseband
noise-equivalent bandwidth, 74
signal, **3**, 12, 24
power, 11
waveform, **3**, 45, 398
Basis, **41**
change of, **48**, 102, 745
countable, **39**, 751
finite field, 613
Fourier, 45
gaussian distribution, 59
mode, 88
Nyquist, 45
orthonormal, **41**, 50, 88, 100, 277
polarization mode, 96
principal polarization state, 370
spatial modes, 147
square-root, 840
uncountable, 751
Bayes' rule, **55**, 413, 545, 640, 651
Beamsplitter, **301**, 789
Beer–Lambert law, 113
Belief propagation, 665
Bending loss, 151
Berrou code, **642**
consensus, 644
constituent decoder, 644
prior, 644
error rate floor, 646
minimum Hamming distance, **646**, 655
parallel concatenation, 646
Bessel differential equation, 134, **151**
Bessel function
expansion
large-argument, 168
small-argument, 153
first kind, **132**, 134, 406
identity, 141
modified, **62**, 104, 518, 638
recursion relations, 136
Bias, **15**, 513
current, **324**, 327
forward voltage, 304
reverse voltage, **304**, 305, 352
Binary asymmetric channel, **436**, 439, 441
quantum, **831**, 868
Binary block code, **617**, 640
Binary entropy function, **636**, 675, 701, 865
Binary phase-shift keying, **466**, 475, 625
error rate, 476
error rate floor, 485
with phase noise, 484
Binary symmetric channel, **434**, 439, 456, 701
capacity, 705
crossover probability, 434
quantum, 831
Binomial
coefficient, **590**, 624
probability mass function, 260
Biorthogonal modulation, 499

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Birefringence, **81**, 370
circular, **97**, 183
fiber, 370
linear, 97
optical fiber, 183
intensity-dependent, 218
linear, 185
Bit, 1, 240
energy, 22, **423**, 466
error, **6**, 431
error rate, **6**, 15, 25, 477
Bivariate
gaussian random variable, 106
probability density function, **54**
gaussian, **58**, 104, 251, 253
maximum-entropy, 252
Block
code, *see* Algebraic block code
detection, 401, **495**, 573, 849
quantum-lightwave, 869
signal, 255, **373**, 491, 554, 724, 732
synchronization, 573
transfer function, 373
Block-symbol state, 742, 778, 815, 819, **846**, 848
construction, 850
detection, 849, **851**, 852
detection operator, 816
entangled state, 781, **819**, 861
partial trace, 858
product state, 781, **819**
Blocklength, 614
Blue-shift, **213**, 404
Boltzmann
constant, 240
entropy, 673
factor, 206, **245**
probability density function, **250**, 293
Bose–Einstein probability mass function, **244**, 293
Bound
Shannon
bandlimited channel, 21, **711**
single-letter capacity, **697**, 699
spectral rate efficiency, 22, **719**
union, **479**, 541, 840, 842
von Neumann entropy, 868
Boundary
cladding/casing, 137
core/cladding, **127**, 133, 138
planar, 115
Boundary conditions, **80**, 88, 115, 121, 127, 151
step-index fiber, 138
Bounded-distance decoder, 622
Bra, 48, **751**
Bra–ket notation, 750
Bragg diffraction grating, 207
Branch (mode)
characteristic equation, **130**, 142
Branch (trellis), **537**, 538, 626
metric, **539**, 632
state-dependent, 560
label, 538, 656
trellis-coded modulation, 658
Brillouin scattering, 206
stimulated, 313
Burst error, 608

Campbell's theorem, 286, **289**, 296, 428, 458, 569
derivation, 290
modified form, 290
Campbell–Baker–Hausdorff identity, 772
Canonical commutation relationship, **764**, 766
Canonical quantization, **751**, 761
Capacity, *see* Channel capacity
Carrier, **12**
coherent, **6**, 13, 214, 560
frequency, **12**, 31
noncoherent, 6, 13, 25, 172, **387**, 392, 393, 467, 556, 566
wavelength autocorrelation function, 179
partially coherent, 471, 507, **510**, 569
Causal impulse response, 73
Causality, 29
Central chi probability density function, **65**
one degree of freedom, 65
Central chi random variable, 65
Central chi-square probability density function, **63**, 372, 376
N degrees of freedom, 64, 274
Central chi-square random variable, 63
Central limit theorem, **66**, 216, 256, 279, 286, 371, 553, 726
Centroid, 34
Centrosymmetric material, 203
Chain rule
entropy, **674**, 731
Channel, 1, **17**
additive white gaussian noise, **271**, 281, 425, 530
discrete-time, 400
additive-noise-limited, **19**, 688
bandlimited, **18**, 21, 238, 271, 398, 522, 659, 671, 676, 710
binary asymmetric, **436**, 439, 441
quantum, **831**, 868
binary symmetric, **434**, 439, 456, 701
"black box", **672**, 691, 843
capacity, *see* Channel capacity
classical
ideal, **854**, 856
code, *see* Code, channel
coherence timewidth, 590
continuous-time
memoryless, 374

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

discrete-time, 17, 18, **398**, 411, 494, 671, 698
additive bandlimited gaussian noise channel, 634
additive white gaussian noise, 412
electrical, **397**, 411
matrix, 602
electrical, *see* Electrical channel
gain, 709
noise, 872
signal, 872
"gray box", **691**, 843
impulse-response matrix, 373
information, *see* Information channel
interference-limited, 552
lightwave, *see* Lightwave channel
memoryless, **672**
Kerr, 729
continuous-time, 374
discrete-time mimo, 707
photon-noise-limited, 446
space-time separable, 495
multi-input multi-output, 15, **372**, 602
continuous-time, 374
mode-multiplex, 372
multiplex, *see* Multiplex channel
noiseless product-state, 858
noisy product-state, 860
nonlinear, 23, 559, **722**
interference-limited, 726
Kerr, 722
phase-insensitive, **253**, 799, 871
photon-noise-limited, **265**, 402
photon-optics, *see* Photon optics
physical, 4, **17**, 361
Poisson, 265, 311, **401**, 692
product, **706**
quantum-lightwave
gaussian, 871
reverse, 529
signal-dependent-noise, 20
space-multiplex, 15, **369**
space-time separable, **376**, 494
state, 536
state estimation, 590
state vector, 536
transfer-function matrix, 370, 373
transition matrix, **636**, 672
transition probability matrix, **636**, 672, 679, 817
wave-optics, *see* Wave optics, channel
waveform, **17**, 397
bandlimited, 18
electrical, **17**, 398
lightwave, 17
Z, 693
Channel capacity, 20, 237, 363, **669**
additive-noise-limited channel, **688**, 697
classical limit, 695
large-signal limit, 695
bandlimited, 21
discrete-time memoryless channel, 679
equal-energy signaling, 711
photon-optics, 21, **713**
wave-optics, 21, 676, **710**
binary-symmetric channel, **636**, 705
classical, 859
continuous information channel, **710**
dispersionless nonlinear lightwave channel, 724
ideal classical channel, 854
ideal photon-optics channel, 685
homodyne demodulation, 694
large-signal limit, 686
small-signal limit, 687
small-signal limit per photon, 687
information-theoretic, 21, **670**
intensity modulation, 701
multi-user detection, 728
noiseless product-state channel, 858
noisy product-state channel, 860
nonlinear interference-limited channel, 726
phase modulation, 638, **703**
Poisson channel, **692**, 731, 867
product channel, 706
quantum-lightwave channel
additive-noise, 871, **876**
block-symbol state, 869
classical, 843
component-symbol state, 867
phase-insensitive, 876
thermal-noise, 876
single-carrier nonlinear lightwave channel, 723
single-letter, **20**, 676
photon-optics, 244, **680**
wave-optics, 684, **696**
Channel matrix, **373**, 401, 707, 871
frequency domain, 373
nonhermitian, 189
normal, **495**, 554
polarization, 370
time domain, 373
Characteristic equation, **128**, 158
hybrid mode, 141
linearly polarized mode, 153
TE mode, 128
TM mode, 129
Characteristic function, **56**, 275
conditional, 288
exponential probability density function, 282
noncentral chi-square probability density function, **64**, 275
Poisson probability distribution, **260**, 264
Poisson transform, 263
probability mass function, 56

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

quantum, 799
Check equations, **614**, 649
Gallager code, 649
Tanner graph, 647
Check matrix, 614
regular, **617**, 646
systematic, 616
Checkword, 642
Chi probability density function
central, 65
noncentral, 65
Chi-square probability density function
central, **63**, 372, 376, 731
N degrees of freedom, 64, 274
two degrees of freedom, 64, 273
noncentral, 105, 347, 360, 805
N degrees of freedom, 64, 274, 284
two degrees of freedom, **63**, 255, 273, 340, 561
Chirp, **213**, 404
Chromatic dispersion, 161
Circular polarization, 94
Circularly symmetric
complex gaussian random variable, 60
complex gaussian random vector, 60
gaussian noise, **256**, 271, 334, 390, 481, 573, 575, 724, 748, 872
gaussian prior, **697**, 699, 877
gaussian probability density function, **58**, 78, 254, 872
multivariate, **60**, 707
gaussian random process, **255**, 343, 574
bandlimited, **277**, 283
gaussian random variable, **58**, 78, 251, 254, 281, 483, 518, 553, 602, 696
with a bias, 255
gaussian random vector, 106
gaussian signal state, 748, **806**, 873
gaussian smoothing function, 802
Classical
information, **679**, 736, 815
optics, 6
signal state, 741
Clock phase, 473
estimation, 587
synchronization, **573**, 586
Closure property, 774
Coaxial cable, 124
Code
algebraic, *see* Algebraic block code
Berrou, *see* Berrou code
binary block, **617**, 640
channel, 2, 15, 534, 535, **608**
check matrix, 614
composite, *see* Composite code
constrained, 660
convolutional, *see* Convolutional code
critical rate, 611, **635**
cutoff rate, 611, **635**
cyclic, **613**, 620
data modulation, 609
data transmission, 608
DC-balanced, 663
DC-free, 663
dicode, 663
dual, 614
duobinary, 663
modified, 663
error control, 608
Gallager, *see* Gallager code
graphical description, 625
Gray, **451**, 477, 515
Hamming, 615
heft, **616**, 647
inner, 609
LDPC, *see* Gallager code
linear, 613
low-density parity-check, *see* Gallager code
maximum-distance, **613**, 620
modulation, 659
Morse, 15
outer, **609**, 612, 655
partial-response, 534, **663**
precode, **534**
punctured, 643
rate, **2**, 534, 609
Reed–Solomon, *see* Reed–Solomon code
repetition, **615**, 666
runlength-limited, 660
source, **15**
spectral-notched, 663
stream, 628, **662**
turbo, *see* Berrou code
Ungerboeck, 656
Codebit, **609**, 617
convolutional code, 631
energy, **623**, 646
Gallager code, 652
Codebook, **609**, 780, 847
quantum, 847
Coded-modulation, xx, 3, 15, 22, 238, **413**, 464, 534, 685, 741
Codeframe, 630
Codeword, 2, 5, 15, 413, **609**
block error rate
hard-decision, 624
soft-decision, 625
error rate, 475, **610**
sensed, 610
Coding gain, 475, 610, **659**
asymptotic, **625**, 659
Coherence, **6**
function, **97**, 105

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

temporal, 68
interval, **70**
partial, 13, 388, 470, **556**, 569
quantum, 7, **782**, 784, 805
region, **98**, 374, 376
spatial, **98**, 374
temporal, 97
time, 78
timewidth, **70**, 98, 293, 294
Coherent carrier, **6**, 12, 13, 214, 560
Coherent state, 737, **739**, 761, 762, 772
P distribution, 797
binary detection, 831
binary error rate, 831
density matrix for a pure signal state, 802
displacement operator, **772**, 836
in-phase component operator, 761
minimum-uncertainty, 749, **767**, 802
nonorthogonality, **774**, 775, 848, 867
operator, **762**, 789
photon-number-state representation, 741, **773**
quadrature component operator, 761
state detection, 789
symmetric, 840
Colored noise, 74
Commutation relationship, 810
Commutative property, 29
Commutator, **51**, 102, 763
Commuting operator, 792
Complementary error function, **57**, 437, 456
Complex-conjugate transpose, **42**, 60, 107, 351, 751
coherent-state operator, 762
dispersion relationship, 165
gradient, **596**, 606
random variable, **53**
Complex-baseband
impulse response, 40, 364
noise
autocorrelation function, 76
bandwidth, 271
equivalent bandwidth, 77
power density spectrum, 76
probability density function, 250
random process, 75
signal, 12, **39**, 53, 77, 101, 307, 362, 383
energy, 44
transfer function, 40
waveform, 399
Complex envelope
field, **88**, 144, 387
power density spectrum, **179**, 198
signal, 39, **144**, 162, 361, 389, 724
spectrum, 364
vector form, 218
Component
in-phase, **39**, 313
quadrature, **39**, 313
Component maximum posterior, 544
Component-symbol state, 742, **759**, 776, 778, 780, 815, 819, 844, 846, 869
marginalization to, 858
Componentwise maximum posterior, 544
Componentwise maximum-posterior decoding, 639
Composite code, **611**, 639, 641
Berrou, 642
Gallager, 641
low-density parity-check, *see* Gallager code
turbo, *see* Berrou code
Composite signal
space, 742, **759**
state, **742**, 813
Concave function, 719
Conditional
entropy, **673**, 854
probability, **54**, 291, 545
density function, **54**, 431
of a detection error, **437**, 507
Conjugate symmetric signal, 32, **269**
Conjugate variables, **767**
Consensus, 644
Constant
Boltzmann, 240
Euler, 153, 731
free-space permeability, 80
free-space permittivity, 80
Planck's, 8
reduced Planck's, **8**
Constant-modulus objective function, 598
Constellation, *see* Signal constellation
Constitutive relationships, **81**, 83, 150
Constrained code, 660
Constraint length, **536**, 543, 551
of a constituent code, 642
of a convolutional code, 629
of intersymbol interference, 536
Continuous information channel, **18**, 634
gaussian, 698
memoryless, 634
Continuous-time
channel
memoryless, 374
multi-input multi-output channel, 374
system, 28
waveform, 17, 398, **414**
Controlled local oscillator, 576
Convolution, **28**
associative property, 29
commutative property, 29
distributive property, 29
Fourier transform of, 31
Convolutional code, 611, **628**
binary, 629

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

codebit, 631
codeframe, 630
constraint length, 629
dataframe, 630
decoding
sequential, 633
Viterbi, 629
encoder, **629**, 630
generator polynomial, 630
performance, 634
trellis, 632
weight profile, 635
Correlation, 55
coefficient
random variable, 58
signal, 466
pseudocovariance
function, 268
matrix, 107
Correspondence principle, **762**, 771, 792
Costas loop, 582
Counting soldiers, 667
Coupled-mode theory, **146**, 299, 371
Coupler
180-degree hybrid, 300
3-dB, **301**, 351
90-degree hybrid, 301
directional, 300
symmetric, 300
lightwave, 298
multimode interference, 301
Coupling
amplitude–phase, 405
coefficient, 147
efficiency, **117**, 150
fiber, **150**
matrix, 299
mode, *see* Mode coupling
Covariance, **56**, 58
function, **68**, 346
matrix, **59**, 749
gaussian state, 806
noise, **255**, 495
real, **57**, 252, 593
signal, **707**, 733
spatiotemporal, 375
Cramér-Rao bound, 593
Creation operator, 770
Critical
angle, **116**, 130
rate, 611, **635**, 636
Cross
-coherence function, 98
-phase modulation, **224**, 227, 553
interference, 226
-polarization
modulation, 218
-power density, 89
Cross section, 315
absorption, **112**, 316
scattering, 114
stimulated emission, 355
Crossover probability, 434
Crosstalk, 16, **368**, 371, 373
Cumulative probability distribution function, 53
Curl, **79**, 83
Cutoff condition, **130**, 153, 158
hybrid mode, 143
linearly polarized mode, 137
Cutoff rate, 611, **635**
figure, 636
phase-shift keying, 638
Cyclic code, **613**, 620

Dark current, 306, **312**, 358
noise, 331
Dataframe, **572**, 630
Dataword, **2**, 15, 609, 617
dBm, 25
Decision region, **430**, 477, 478, 817
complex gaussian noise, 480
real gaussian noise, 436
Decision subspace region
classical, **497**, 818
quantum-optics, **820**, 839
Decision-feedback demodulation, 419, **533**
combined with a linear equalizer, 533
error propagation, 533
Decoder, 5, **18**, 361, 410
bounded-distance, 622
data modulation, 609
data transmission, 609
hard-decision, 545, **610**
incomplete, 622
iterative, 611
message passing, 648
sequential, 611
soft-decision, 545, **610**, 625
spherical, 611
Viterbi, 633
Decoding, 5, 523, **610**, 691
error, **622**, 622, 624
failure, 622
hard-decision, 698
maximum-likelihood, **629**, 639
sequential, 629, **633**, 637
sphere, 628
spherical, 621
trellis-based, 632
turbo, 643
Decoherence, 783
Delay

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

group, *see* Group delay
ray, 156
Delay spread, **176**
control, 180
distribution, 177
maximum, 178
minimum, 177
ray optics, **156**, 191
root-mean-squared value, 182
step-index fiber
maximum, **156**, 179
wavelength-dependent, **181**, 214
Delay-line interferometer, 301
Delay-locked loop, **587**, 606
Demodulation, **4**
decision-feedback, 533
combined with a linear equalizer, 533
error propagation, 533
direct photodetection, **20**
energy, 500, **509**
envelope, **14**, 24, 388
hard-decision, **5**, 18
heterodyne, 13, **379**, 381
quantum-lightwave, 792
homodyne, 13, **380**, 383, 694
quantum-lightwave, 790
to a complex-baseband waveform, **380**, 574
to a real-baseband waveform, 380
to quantum complex-baseband, 795
noncoherent, **500**, 512
noncoherent binary, 518
partial-response decision-feedback, 419
partial-response maximum-likelihood, 664
phase-asynchronous, 14, 362, **388**, 463, 500
phase-sensitive, 790
phase-synchronous, **13**, 524
quantum-lightwave, 747
soft-decision, **5**, 18
Demodulator, **307**, 361
complex-baseband, 379
direct-photodetection, *see* Direct photodetection
dual-polarization, 493
heterodyne, **307**, 381
homodyne, 309
phase-asynchronous, 14, **500**, 502
phase-synchronous, **379**, 476
quantum heterodyne, 792
Density function, *see* Probability density function
Density matrix, 679, 680, 746, **777**
average, **780**, 847
block-symbol state, **780**, 858
component-symbol state, **780**, 858
basis, 781
coherent ensemble, 783
marginalized, **779**, 859
mixed signal state, *see* Mixed signal state
noncoherent state, 783
photon-number-state representation
additive noise, 803
bias plus noise, 804
thermal noise, 872
product state, **779**, 786, 857
pure signal state, *see* Pure signal state
signal constellation, **780**, 780
signal plus noise, 838
statistical ensemble, 783
vacuum state, 872
Density operator, 746
Depletion region, 305
Detection, 5, **8**
hard-decision, 5, 18, 418, **610**, 698, 700
photon-optics signal model, 692
maximum-likelihood, 433
maximum-posterior, 433
maximum-posterior sequence, 544
multi-user, **373**, 728
optimal, 477
quantum, 747, **816**, 846
coherent states, 831
sequence, 542
signal state, *see* Signal state, detection
single-user, **373**, 726
soft-decision, 5, 18, 418, **610**, 698
symbol-by-symbol, **5**, 528, 545
Detection filter, 5, 390, **423**
additive noise, 426
integrating, 425, 458
intersymbol interference, 556
linear, 424
matched, *see* Matched filter
minimum error, 529
Detection operator, 816, **820**
antipodal coherent state modulation, 831
block-symbol state, **816**, 849
component-symbol state, **816**, 849, 867
displacement receiver, 835, 880
homodyne demodulation, **791**, 835, 880
optimal, 832
relationship to matched filter, 834
orthogonal pure signal state, 829
quantum on–off keying, **834**, 880
suboptimal, 835
table of, 832
Detection statistic, 395, 412, **419**, 424, 525
complex sample, 477
photon-counting, 692
sufficient, **399**, 412, 419, 420, 622
Detection threshold, 5, **433**
binary symmetric channel, **439**
dependence on prior probability, 439
direct-photodetection, 433
optimal, 436

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

photon counting, 402
ideal, 441
nonideal, 442
Determinant, 48
Dielectric
material, **80**, 84, 110, 151, 166, 202
waveguide, 87, **124**
cylindrical, 132
Differential
delay, 191
group delay, 214
per unit length, 185
polarization-dependent, **185**, 196
phase shift, 184
transit time, 156
Differential entropy, **240**, 673, 696
conditional, 724
Differential equation
Bessel, 151
Helmholtz, 84
lightwave amplification, 316
nonlinear pulse propagation, 217
nonlinear Schrödinger, 202
phase-locked loop, 578
Differential-phase modulation, 469
binary, 469
bit error rate, 503
multilevel, 504
Differential-phase-shift keying (DPSK), *see* Differential-phase modulation
Diffraction, 298
grating, 207
Digitize, 1
Dipole, 80
Dirac
impulse, **28**, 89, 345
signal-state representation, 752
Direct photodetection, xxv, 9, 14, **310**, 519
demodulation, **20**
with intensity modulation, *see* Intensity modulation
Directional coupler, 300
symmetric, 300
Discrete information channel, **18**, 610, 672, 679, 691
memoryless, **634**, 679
Discrete-time
additive white gaussian noise channel, **400**, 412
channel, 17, 18, **398**, 411, 494, 671, 698
channel matrix, 602
direct-photodetection channel, **401**, 412
electrical channel, **397**, 411
Poisson channel, **401**, 412
sequence, **398**
Discriminator, 311
Dispersion, 4, **126**
anomalous, 161
chromatic, 161
-controlled optical fiber, 229
group-velocity, **161**, 167
intermodal, **155**, 163, 169, 176, 194
intramodal, **155**, 169, 173, 194
length, **213**, 216, 226, 235, 404, 563
linear, 4, **126**, 155, 175
material, 82, **155**, 163
coefficient, **164**, 175, 180
zero wavelength, **164**, 180
multiple sources, 181
narrowband, 159
nonlinear, 155
normal, 161
polarization-mode, 94, 97, 155, **182**
ray optics, 156
-shifted optical fiber, 181
slab waveguide, 157
slope, 194
transit time, **156**
waveguide, 194
coefficient, **174**, 180
Dispersion relationship, 6, **86**, 159, 167, 191, 364
complex, 165
graded-index optical fiber, 169
normalized, **158**, 159
plane-wave, 86
power series approximation, 160
waveguide mode, 157
Dispersive material, 82
Displacement operator, **772**, 836
Displacement receiver, **445**, 488
binary error rate, 446
detection operator, **835**, 880
Distance
euclidean, **44**, 478, 539
maximum, 850
minimum, 414
squared, **44**, 478, 774, 840
Hamming, 613
minimum, 613, **616**
metric, 478
Distortion, 4, **155**
intensity-dependent, 16
linear, 4
mode-dependent group delay, 175
multiple sources, 181
polarization-dependent delay, 187
polarization-dependent loss, 189
wavelength-dependent group delay, 179
nonlinear, 4, **216**
single pulse, 219
Distributive property, 29
Divergence, 79
Diversity, 608
polarization, 491

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Doping, 303
Doppler shift, 207
Down-conversion, **304**, 379
Dual
  code, 614
  space, 614
Dual-polarization keying, 491, **493**
Dyadic product, 43

Effective
  area, **211**, 232
  length, **213**, 229, 234, 235, 563
  power, **223**, 233
Effective timewidth, 34
Eigenbasis, **49**, 51, 741, 753, 758, 831
  countable, 753
  uncountable, 753
Eigenfunction, **33**, 86, 88, 278
Eigenmode, 33, 86, **88**, 121
Eigenstate, **742**, 752, 754, 755
  common set for observables, 748
  homodyne demodulation, 835
  of coherent-state operator, 768
  photon-number operator, 754
  polarization measurement, 756
  sampling, **821**, 836, 879
  sampling operator, 823, 828, 834
Eigenvalue, **33**, 47, 50, 86, 278
Eigenvector, **47**
  of a covariance matrix, 59
  orthogonal, 185
Eikonal equation, **92**, 105, 119
Elastic scattering, 114
Electric field, 79
  complex representation, 84
  cylindrical coordinates, 138
Electric flux density, 79
Electrical
  bit energy, **423**, 466
  channel, **17**, 361
    discrete-time, **397**, 411
    intermodal-dispersion-limited, 392
    intramodal-dispersion-limited, 393
    nonlinear, 556
    relationship to lightwave channel, 362
  optical conversion, **9**, 362
  pulse, xxvii, **100**, 391
    energy, 365, **382**, 423, 426, 466
  signal-to-noise ratio (SNR), **75**, 108, 268, 343
    relationship to OSNR, 268
  waveform, xxvii, 108
    classification, 377
    direct photodetection, 296
    noiseless, 416
    noisy, 430
    phase-synchronous demodulation, 307
Electro-optic effect, 329
Electromagnetic
  field, 79
    complex-baseband, 87
  wave, 83
Electron–hole pair, 303
Electrostrictive force, 207
Encoder, 2, **18**, 241, 242, 361, 410
  Berrou code, 642
  classical, 844
  convolutional code, **629**, 630
  inner, 612
  optimal, 670
  outer, 612
  state, 658
  systematic, 617
  trellis description, 632
Energy
  codebit, **623**, 646
  complex-baseband signal, 44
  direct-photodetected lightwave, 336
  electrical bit, 22, **423**, 427, 466
  electrical pulse, 365, **382**, 423, 426, 466
  level, 244
  passband signal, 12, 25, **44**
  photon, 8
  quanta, 203
  redistribution, **4**, 146
    between subchannels, 373
    linear, 155, **202**, 395
    multimode fiber, 155
    nonlinear, **216**, 221
  thermal, 112, 206, **243**
  vacuum-state, **246**, 770, 771
  zero-point, **246**, 771
Energy demodulation, 500, **509**
Energy efficiency, **474**
  intensity modulation, 505
  PSK, 474
  QAM, 474
Ensemble, 68
Entangled state, *see* Signal state, entangled
Entropy, **239**, 673
  additivity property, 279, **674**, 862
  Boltzmann, 673
  chain rule, **674**, 731
  classical, 673
  conditional, **673**, 854
  differential, **240**, 673, 696
    conditional, 724
  Gordon distribution, 685
  joint, 673
  noise, **682**, 698, 731
  Poisson distribution, **687**, 692, 732
  product distribution, 674
  Shannon, 673, **785**

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

table of common distributions, 240
units, **240**, 696
von Neumann, *see* von Neumann entropy, 880
Envelope, **12**, 14
complex field, **88**, 144, 387
complex signal, 12, 39, **144**, 162, 361
vector, 218
demodulation, **14**, 24, 388
passband signal, 162
root-mean-squared amplitude, 364
Envelope method, **700**, 729
Equalization, **522**, 527
linear, 527
with additive noise, 530
matched filter, 528
nonlinear, 559
optical fiber dispersion, 181
zero-forcing, 528
Equalizer
constant modulus, 598
minimum mean-squared error, 529
nonlinear minimum-error, 541
zero-forcing, **528**, 533
multi-input multi-output channel, 554
Equivalence class, 496
Erbium, 313
-doped lightwave amplifier, *see* Lightwave amplifier
Ergodic process, 69
Error
bit, **6**, 431
block, 6
burst, 608
codeword, 6
decoding, 622
frame, 6
function, **57**, 63, 347
complementary, **57**, 437, 456
message, **6**, 676
propagation, 533
random, 608
symbol, **5**, 21, 451, 456
Error rate
antipodal modulation, 476
based on the union bound, 481
binary coherent state, 831
binary orthogonal modulation, 476
binary phase-shift keying, 476
with phase noise, 485
binary pure signal state, 830
bit, **6**, 15, 25, 477
bit error vs. symbol error, 451
block, 6
codeword, 6, 15, **610**
differential-phase-shift keying (DPSK), 503
equal-energy phase-asynchronous modulation, 503
floor, 485
frame, 6, **589**
gaussian approximation, 506
heterodyne binary phase-shift keying, 487
homodyne binary phase-shift keying, 487
shot-noise limit, **487**, 832
with matched local oscillator, 832
message, **6**, 15, 676
multilevel modulation, 447
on–off keying, 438
quantum, 834
shot-noise limit, 506
with additive white gaussian lightwave noise, 453, 504
phase-shift keying, **483**, 504
photon counting, **441**, 832
binary keying, 441
multilevel keying, 451
with a matched local oscillator, 832
with noise photons, 441
quadrature amplitude modulation (QAM), 482
quantum antipodal modulation, 832
quantum on–off keying, 832
sequence detection, 540
shot-noise-limited, 487
symbol, 451
Estimation
adaptive, 599
carrier phase, 13, **574**
decision-directed, 581
error, 577
maximum-likelihood, 574
channel matrix, 602
channel state, 590
clock phase, 587
detection filter, 595
impulse response, 591
joint carrier and clock phase, 588
nonlinear phase, **463**
polarization-state, 553, **600**, 606
spatial mode, 601
stochastic gradient decent, **600**, 603
Étendue, 117
Euclidean distance, **44**, 478, 539
maximum, 850
minimum, 414
squared, **44**, 478, 774, 840
Euler's constant, **153**, 731
Evanescent
field, 131
mode, **131**, 148
Evidence
extrinsic, **547**, 641, 649
intrinsic, 545, **547**, 641, 649, 655

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Evolution equation for pulse timewidth, **222**, 232
Excess noise factor, **332**, 515
Expectation, **53**, 270
  quantum, **754**, 777
Expected number
  of noise photons, **241**, 490, 684, 695, 803, 838
  of photons, 241
  of signal photons, **241**, 739, 805
Expected value, 53
Exponential
  probability density function, **65**, 103, 250, 273, 376, 702
  random variable, **65**
Extinction ratio, **327**, 516
Extrinsic evidence, 545, **547**, 641, 649
  Berrou code, 645
  Gallager code, 651
Eye diagram, **525**

Fabry–Pérot resonator, 357
Fano inequality, 675
Fast optic axis, **97**, 183
Fermat's principle, 92
Few-mode fiber, 369, **372**, 601
Fiber, *see* Optical fiber
Field
  electric, 79
  electromagnetic, 79
  finite, *see* Finite field
  magnetic, 79
  monochromatic, **80**, 83, 125, 151
    complex, 125
  narrowband, 87
  plane-wave, 85
Filter
  all-pass, 364
  causal, 29
  detection, 390, *see* Detection filter
  estimation, 595
  image-rejecting, 578
  linear shift-invariant, 29
  loop, **577**, 580, 604
  lorentzian, 295
  noise-suppressing, **271**, 293, 354, 381, 382, 396, 559
  transversal, **531**, 559
  Wiener, **591**, 598
Finite field, **612**, 618
  basis, 613
  characteristic-two, 613
  orthogonal vectors, 613
First moment, 53
Fluctuation–dissipation theorem, 335
Flux density, 79
Fock state, *see* Photon-number state
Forward error correction, 619
Forward–backward algorithm, *see* Bahl algorithm
Four-dimensional signal constellation, 491
Four-wave mixing, 205, 225, **228**, 234
  interference, 228
    interchannel, **228**, 553
    intersymbol, 229
  intrachannel, 229
Fourier series, **45**, 355, 406, 516
  cosine, 104
Fourier transform, **30**, 38
  convolution property, 31
  differentiation property, 31
  inverse, **30**, 217, 261, 284, 570
  modulation property, 31
  properties, **30**, 99
  scaling property, 30
  sign convention, xxv
  spatial, 30
  temporal, **30**, 125, 162
Frame (data), 5
  error rate, 6
  synchronization, 573, **588**, 590
Frame (trellis), **537**, 634
Fraunhofer diffraction, 402
Free-space
  impedance, **108**, 140
  permeability, 80
  permittivity, 80
  phase velocity, 86
  wavelength, 84
  wavenumber, **80**, 84, 121, 165, 209
Frequency, 8
  angular, **8**, 30, 235, 518, 570
  carrier, **12**, 31
  instantaneous, 212
  mixer, **307**, 578
  modulation, 463
  noise, 579
  normalized, **128**, 151, 157
  spatial, **30**, 120
  translation, **3**, 12
Frequency-shift keying, **468**
  coherent, 469
  noncoherent, 469
  orthogonality condition, 469
  phase noise floor, 520
Full-rank matrix, **48**, 189, 614
Function
  Bessel
    first kind, **132**, 134, 406
    identity, 141
    modified, 134
  coherence, **97**
  complementary error, **57**, 437, 456
  concave, 719
  error, **57**, 63, 347

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

gamma, **64**, 66, 233, 274
generalized, 28
Gordon, *see* Gordon function
Hermite polynomial, 145, **154**
Laguerre polynomial, 66
log-likelihood, **477**, 542, 583
lorentzian, **345**, 356
modified Bessel, **62**, 104, 518, 638
objective, **241**, 530
pseudocovariance, 268
radial prolate spheroidal, 280
rect, 36
signum, 29
sinc, 37
smoothing, 801
triangular, 72
unit-step, 29

Gain
homogeneous, 320
inhomogeneous, 320
internal photodetector, *see* Photodetector, internal gain
lightwave amplifier, *see* Lightwave amplifier, gain
modulation, 320
noise, 307
per unit length, 315
saturation, 316
small-signal per unit length, 316
Gallager code, 641, **646**
check equations, 649
codebit, 652
irregular, 647
posterior probability ratio, 649
regular, 647
Gallager induction, 668
Galois field, 612, **618**
Gamma
function, **64**, 66, 233, 274
probability density function, **65**, 405
random variable, 65
Gaussian
noise model, 727
probability density function, *see* Probability density function, gaussian
pulse, 37
generalized, 233
quantum-lightwave channel, 871
random process, *see* Random process, gaussian
random variable, *see* Random variable, gaussian
signal state, *see* Signal state, gaussian
Generalized
angle, 826
function, 28
likelihood function, 583
likelihood principle, 583
measurement, **787**, 792
rotation, **48**, 753, 755, 823
Generator
matrix, **614**, 630
systematic, 617
polynomial, 630
Geometric probability mass function, 242
Geometrical
optics, 6, **91**, 119
wavefront, 92
Germanium, 111
Girth, **627**, 647, 655
Glauber
number, 739, **762**, 768, 791, 802
state, **739**, 761
Gordon distribution, 242, **266**, 292, 681, 697, 803, 804, 838, 873
entropy function, **242**
variance, 266
Gordon formula, 22, **714**
Gordon function, **242**, 683, 696, 716, 863, 873, 877
Graded-index optical fiber, **110**, 169
cladding, 121
maximum launch angle, **120**, 150
mode, 144
mode-dependent group delay, 169
numerical aperture, 120
ray propagation, 119
ray trajectories, 120
Gradient
complex, **596**, 606
spatial, 305
Gradient descent method
stochastic, **600**, 603
Gram matrix, **49**, 825
Gram–Schmidt procedure, 100
Graph
edge, 627
Tanner, **625**, 647
trellis, 625
Gray code, **451**, 477, 515
Grazing angle, 116
Group delay
figure, 174
mode-dependent, **155**, 157, 161, 167, 171, 172, 349, 364, 366, 367
mode-group, **168**, 170, 177
optimal index profile, 178
polarization-dependent, **184**, 185, 368
relationship to group-velocity dispersion, 173
spread, 167
subcarrier, 224
wavelength-dependent, 155, 170, **173**, 179, 199, 366, 367
weighted average, 176
Group index, **163**, 170, 192, 195

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Group velocity, **161**, 162
dispersion coefficient, **161**, 173, 235, 364, 534, 569
total, **174**, 180
dispersion compensation, 181
polarization-dependent, 183
Guard
band, 409
interval, **537**, 591
Guided mode, *see* Mode, guided

Hadamard's inequality, 48
Half-power bandwidth, 74
Hamiltonian, **762**, 771
Hamming
code, 615
distance, **613**
minimum, 613, **616**
sphere, 621
weight, **613**, 622
Hard-decision
decoder, **610**
decoding, 698
detection, 18, 608, **610**, 698, 700
Hardlimiter, 582
Harmonic oscillator, 202
classical, 82
quantum, 761
Hartley–Shannon theorem, 21
Heft, **616**, 647
Heisenberg
representation, **752**, 792
uncertainty relationship, 36, **767**
Helmholtz equation, 80, 84
cylindrical coordinates, 139
scalar, **84**, 105, 126, 133
boundary conditions, 127
vector, 80, **84**, 121, 126, 138
boundary conditions, 121
Hermite polynomial, 145, **154**, 809
Hermite-gaussian mode, 145
Hermitian matrix, 47, **49**, 185, 752
Heterodyne demodulation, 13, 307, **379**, 381
operator, 793
including an image mode, 794
quantum-lightwave, 792
shot-noise-limited, **385**, 795, 796
Hilbert
space, **43**, 752
transform, **32**, 101
Hole, 303
Holevo information, **857**, 862, 881
Homodyne demodulation, 13, 307, **380**, 383
detection operator, **791**, 835, 880
quantum optics
to complex-baseband, 795
quantum-lightwave, 790
shot-noise-limited, 487, 796, 831, 842, 866
to a complex-baseband waveform, **380**, 574
to a real-baseband waveform, 380
Homogeneity, 27
Homogeneous
material, 81
system, 28
Husimi distribution, 801
Hybrid mode, **124**, 138, 142
characteristic equation, 141
cutoff conditions, 143
Hypersphere, 491
Hypothesis testing, 418, **430**
quantum-optics, 820
sequential, 633

Identity
matrix, 48
operator, 774
Image
frequency, 386
mode, **308**, 386, 487
quantum-optics, 794
vacuum-state operator, 794
Image rejecting filter, 578
Impact ionization, 306, 332
Impairment, **4**, 155
absorption, 112
attenuation, 112
cross-phase modulation, **205**, 226
interchannel interference, 553
four-wave mixing, **205**, 228
interchannel interference, **228**, 553
intersymbol interference, 229
group-velocity dispersion, **161**, 235, 569
interchannel interference, *see* Interference, interchannel
interference, *see* Interference
nonlinear, 202
polarization-dependent loss, **189**, 371, 553
polarization-mode dispersion, 182
scattering, *see* Scattering
self-phase modulation, **204**
Impedance, 85
free-space, **108**, 140
material, 210
Impulse
Dirac, **28**, 89, 345
Kronecker, **28**, 41, 89, 278, 498, 777
sifting property, 28
Impulse response, 27, **28**, 101
causal, 73, 74
channel matrix, 373
complex-baseband, 40, 364
estimation, 591

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

noncoherent lightwave channel, 393
passband, 40
ray optics, 191
right-sided, 29
shift-invariant, 28
symmetric, 561
time-varying, 28
In-phase
component operator, **761**, 797
noise component, 75
signal component, **39**, 313
signal representation, 761
Incomplete decoder, 622
Independent
increment, 257
random matrix, 375
random variable, **55**, 388
random vector, 67
Index of refraction, 80, **83**, 86, 170, 195
angularly dependent, 81
complex, 165
fiber core, 151
graded-index fiber, 110
group, 163
inhomogeneous medium, 91
power-law profile, *see* Power-law index profile
profile, parabolic, **119**, 145, 153
silica glass, 192
step-index fiber, 110
time-varying, 328
Inelastic scattering, **114**, 205
Inequality
Hadamard's, 48
Schwarz, **43**, 426
timewidth–bandwidth, **36**, 767
Information, 1
classical, 679
Holevo, **857**, 862, 881
mutual, **674**, 690
rate, *see* Information rate
relationship to entropy, 673
side, 726
Information channel, 18, 361, 363, **410**, 411
additive-noise-limited, 688
bandlimited, **706**, 710
photon-optics, 688
binary asymmetric, **436**, 439
quantum, **831**, 868
binary symmetric, **434**, 439, 456, 701
quantum, 831
classical, **679**, 707
continuous, **18**, 634, 672, 676
capacity, 710
gaussian, 698
memoryless, 634
discrete, **18**, 610, 672, 679, 691
memoryless, 634, **671**, 679, 848
gray box, 691
hard-decision, **672**, 698
ideal photon, 685
bandlimited, 21, **713**
Laguerre, 690
memoryless, **411**, 610
multi-input multi-output, 707
probability model, 411
quantum-lightwave, **679**
additive-noise-limited, **871**, 876
block detection, 869
ideal, 862
phase-insensitive, 876
thermal-noise, 876
soft-decision, **672**, 698
spectral rate efficiency, 718
waveform, 18, **672**, 676, 679, 710
bandlimited, **676**, 710
nonlinear, 671
Information rate, 2, **11**, 474, 534, 573, 611, 710
bandlimited channel, 711
function of signal power, 734
maximum, **21**, 433, 669
relationship to arrival rate, 714
relationship to bandwidth, **22**, 715
relationship to channel capacity, 669
relationship to codeword error rate, 678
saturation with bandwidth, 716
using photon counting, 693
Information theory, **18**, 240
quantum, 878
Inhomogeneous material, 81
Injection current, 323
Inner code, 609
Inner product, **42**, 49, 100, 102, 147, 466, 595, 708
coherent state, 850
pure signal state, 781, **830**, 863
signal state, **753**, 830
Intensity, 9, **87**
autocoherence function, 98
modulation, 15, **467**
approximate forms using $\mathcal{Q}$, 453
binary modulation error rate, 438
channel capacity, 701
error rate, 453
error rate with additive lightwave noise, 504
gaussian approximation, 506
intersymbol interference, 523
multilevel, **447**, 451, 515
multiple fiber segments, 321
on–off keying, 467
shot-noise-limited error rate, 506
threshold, 433
noise, 346
probability density function, **347**, 359

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Interchannel interference, *see* Interference, interchannel
Interference, **4**, 155
  interchannel, 4, 16, 368, 373, **522**, 556, 568
    cross-phase modulation, 553
    estimation, 555
    four-wave mixing, **228**, 553
    gain modulation, 320
    nonlinear, 16, **205**
  intermodal, 556
  intersymbol, 395, **523**, 569
    equalization, 522
    four-wave mixing, 229
    nonlinear, 229
    postdetection, 531, 533
    power penalty, 515
    predetection, 531
  modal, **392**
  multipath, 302
  nonlinear, 181, 202, **223**, 559, 726
    equalization, 559
Interferometer
  delay-line, 301
  Mach–Zehnder, 329
Intermediate frequency, **13**, 308, 379, 577
Intermodal dispersion, **155**, 163, 169, 176
  electrical channel, 392
  lightwave channel, 366
Internal gain noise, 331
Interpolation, 46, **399**
Interstitial region, **622**, 628
Intersymbol interference, *see* Interference, intersymbol
Intramodal dispersion, **155**, 169, 173, 194
  electrical channel, 393
  lightwave channel, 367
Intrinsic
  evidence, 545, **547**, 641, 649, 655
    Berrou code, 645
    Gallager code, 651
  linewidth, **179**, 326, 345
  region, 305
Inverse
  Fourier transform, **30**, 217, 261, 284, 570
  Poisson transform, **262**, 698
Ionization
  coefficient, 306
  impact, 306
  ratio, **332**, 359
Irregular algebraic block code, 647
Isotropic material, **81**, 91, 203
Isserlis theorem, 54, 267, **297**

Jacobian matrix, 103
Jitter, **349**
Joint
  detection
    classical, 495
    quantum-lightwave, 846
  estimation, 588
  probability, 413
  probability density function, 54
  signal space, 742
Jointly orthogonal modulation, **474**, 492
Jones
  representation of polarization, **94**, 183
  vector, **94**, 108, 186

Kerr
  nonlinear fiber coefficient, **210**, 235
  nonlinear lightwave channel, **722**
    mimo, 728
    multiplex, 726
    single-carrier, 723
  nonlinearity, **204**, 229, 553
    glass, 208
    optical fiber, 208
Ket, 48, **751**
Keying
  antipodal, 466
    quantum coherent-state, 775
  ASK, 467
  BPSK, **466**, 625, 832
  DPSK, 469
  dual-polarization, 491
  FSK, 468
  MSK, 473
  on–off, 467
  OQPSK, 473
  polarization-switched, 492
  PSK, 472
  pulse-position, 689
  QAM, 472
  QPSK, **472**, 483
    offset, 473
  quantum-lightwave
    antipodal, 831
    on–off, 832
    phase shift, 831
Kramers–Kronig transform, **32**, 83, 102, 165
Kronecker
  impulse, **28**, 41, 89, 278, 498, 777, 809
  product, **51**, 779, 813

Lagrange multiplier, 241
Laguerre
  information channel, 690
  polynomial, **66**, 805
    generalized, 66
  probability mass function, **66**, 277, 444, 690, 805
  random variable, **66**, 276
Laplace recursion formula, 48

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Laser diode, **326**, 356, 357
extinction ratio, 327
Fabry–Pérot resonator, 357
free spectral range, 357
intensity noise, **346**, 358, 397
linewidth
intrinsic, **326**, 345
modulated, 569
modulation response, 327
phase noise
power density spectrum, 347
probability density function, 511
relaxation oscillation frequency, 328
spectral width, *see* Intrinsic linewidth
threshold current, **326**, 356
Length
dispersion, **213**, 216, 226, 235, 404, 563
effective, **213**, 229, 234, 235, 563
nonlinear, **213**, 230, 235, 563
walk-off, 213, **214**, 216, 234
Letter, **1**, 411
Lifetime
charge carrier, 325
upper-state, **246**, 314, 318
Light-emitting diode (LED), **323**
modulation response, 325
noise statistics, 355
spectrum, 323
Lightwave
coupler, 298
envelope, 143
ergodic, 98
monochromatic, 94, **123**, 143, 739
noise, *see* Noise
partially polarized, 94
power, *see* Power, lightwave
unpolarized, 94
Lightwave amplifier, **312**
Brillouin, 313
distributed, 322
doped-fiber, 313, **317**, 325, 396
gain, 312, **315**
internal, 316
saturation, 316
small-signal, 316
gain site, 312
noise, 337
noise figure, 338
parametric, 313
phase-insensitive, **313**, 388, 796, 813
quantum-noise limit, **336**, 339, 796
phase-sensitive, 313
pump, 313
Raman, 313
semiconductor, 318
Lightwave channel, xix, 4, 17, **361**, 361
impulse response, 393
intermodal dispersion, 366
intramodal dispersion, 367
linear, **110**, 363
mode-multiplex, 372
nonlinear, 201
polarization-multiplex, 370
quantum, 862
relationship to electrical channel, 362
single-input single-output, 363
space-multiplex, 369
table of models, 393
transfer function, 364
Lightwave field, 143
complex, 98
complex envelope, **88**, 144
random, 68, **97**
spatially random, **98**, 374
temporally random, 97
vacuum state, 249
Lightwave signal, 8, **364**
bandlimited, **277**, 294
direct-photodetected energy, xxv
expected number of photons, **241**, 348
mean number of signal photons, 259
narrowband, 159
power, 4, 25, **87**, 105
spectrum, 159
Lightwave source, **10**, 323, 355
bandlimited, 325
coherence properties, 13
coupling efficiency, 118
étendue, 117
for a multimode fiber, 176
laser diode, *see* Laser diode
light-emitting diode, *see* Light-emitting diode
numerical aperture, **118**, 151
spontaneous emission, 256
Likelihood
function, **432**
generalized, 583
log, **477**, 542, 583
ratio, **433**, 461
log, **433**, 652
Linear
causal media, 82
polarization, *see* Polarization, linear
polarizer, 301
shift-invariant filter, 29
time-invariant system, **33**, 84, 363
Linearity, 28
Linearly independent set, **41**, 613, 647
Linearly polarized mode, **133**
cutoff condition, 137
dispersion relationship, 159
Linewidth, **179**, 569

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

intrinsic, **326**, 345
Local oscillator, 13, 19, 308, **379**, 384, 408, 446, 577
controlled, 576
Log-likelihood
function, **477**, 542, 583
ratio, **433**, 652
Loop filter, **577**, 580, 604
Lorentzian
filter, 295
function, **345**, 356
pulse, **38**, 101
Low-density parity-check code, *see* Gallager code
Lowering operator, 771

Mach–Zehnder interferometer, 329
Magnetic
field, 79
complex representation, 84
flux density, 79
Manakov equation, 218
Manakov–PMD equation, 218
Marginal probability density function, 54
Marginalization, 54, 104, **544**, 639, 677, 779
block, 546
quantum-lightwave product state, 858
Mark, 1
Marker detection, 589
Matched filter, 390, 408, 423, 424, **426**, 854
bank, 390, **498**, 542
coherent state, 834
optical, 421
whitened, **427**, 458
Material
anisotropic, **81**, 96
centrosymmetric, **203**, 208
circular birefringent, **97**, 183
crystalline, 114
dielectric, **80**, 84, 110, 151, 166, 202
dispersion, **155**, 163
zero-wavelength, **164**, 180
dispersion coefficient, **164**, 175, 180
silica glass, 192
dispersive, 82
homogeneous, 81
impedance, 107, 210
inhomogeneous, 81
isotropic, **81**, 91
linear-birefringent, 97
noncrystalline, **112**, 114
nondispersive, 82
polarization, **80**, 148
Matrix
channel, 401, 707, 871
commuting, 47, **51**
conjugate, 46
conjugate transpose, 46
covariance, *see* Covariance matrix, 252
density, 746, **777**
exponentiation, **49**, 102, 772
full-rank, **48**, 189, 614
Gram, **49**, 825
hermitian, 47, **49**, 60, 185, 752, 825
identity, 48
logarithm, 102
nonhermitian, 49
nonnegative-definite, **47**, 189, 371, 776, 819, 825
normal, **51**, 190
outer product, 51
polarization-dependent loss, **189**, 371, 553
positive-definite, 47, 819
product, 47
projection, **50**, 753, 783
pseudocovariance, **60**, 107
rank, 48
rank-one, **747**, 782
singular-value decomposition, **49**, 190, 554
square, 46
symmetric, 47, 59
trace, *see* Trace
transformation, **42**, 50
transpose, 46
unitary, **48**, 185, 196, 370
Maximum-distance code, **613**, 620
Maximum-entropy distribution, **241**, 803
continuous energy, 250
discrete energy, 242
photon-optics, **242**, 684
thermal equilibrium, 244
wave-optics, 697
with a mean constraint, 242
without a mean constraint, 292
Maximum-entropy principle, 240
Maximum-likelihood
decoding, **629**, 639
detection, 433
sequence detection, 535, 536, **542**
Maximum-posterior
decision rule, 431
detection, 433
sequence, 544
sequence detection, 522, 535, **544**
Maxwell's equations, 6, **79**
complex representation, 84
Maxwellian
probability density function, 188
random variable, 65
Mean, 53
Mean-squared value
frequency, 34
timewidth, **34**, 222
Measurement operator, **742**, 778
Memoryless

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

additive white gaussian noise, 583
channel, 748
continuous-time channel, 374
discrete-time mimo channel, 707
Kerr channel, 729
photon-noise-limited channel, 446
space-time separable channel, 495
system, 30
Meridional ray, 116
Message
error rate, **6**, 15, 676
passing decoder, 648
Mimo channel, *see* Multi-input multi-output channel
Minimal trellis, 631
Minimum distance, **414**, 435
between sequences, 540
classical signal vs. quantum-lightwave signal, 842
codeword segment, 634
for a code, 611
for trellis-coded modulation, 658
quantum-lightwave coherent state, 842
sequence, 541
signal constellation, 464
four-dimensional, 492
Minimum Hamming
distance, 613, **616**
relationship to euclidean distance, 625
weight, **613**, 634
Minimum mean-squared error, 529
orthogonality condition, 597
Minimum phase, 165
minimum separation, **524**, 567
Minimum-distance sequence detection, 538
Minimum-shift keying, 473
Mixed signal state, 746, **778**, 808, 821, 837, 872
representation, 782
Mixer, *see* Frequency mixer, 576
Mixing, **313**
efficiency, 408
four-wave, *see* Four-wave mixing
gain, **379**, 382, 385, 578
mathematical identity, 307
noise–noise, 396
signal–carrier, 12
signal–local oscillator, 576
signal–noise, 337, 362, 396, 403, 435, 453, 460, **507**
signal–signal, 201
square-law photodetection, 19
subchannel–subchannel, 726
Mobility, 352
Modal noise, *see* Noise, modal
Mode, 3, 4, 6, 88, 117, **121**
azimuthally symmetric, 141
basis, 88
confinement factor, 153
coupling, **146**, 176, 298
random, 375
cutoff condition, **130**, 137, 153, 158
decay rate in the cladding, **128**, 129, 158
delay for a mode-group, **168**, 170, 177
-dependent group delay, **155**, 157, 167, 171, 172, 349, 366, 367
estimation of, 601
evanescent, 148
even-transverse electric, 128
graded-index optical fiber, 144
group delay, **161**
guided, 88, 111, 121, **123**
relationship to ray theory, 130
hermite-gaussian, 145
hybrid, **124**, 138, 142
image, **308**, 386, 487
linearly polarized, 133
multiplex channel, 16, 369, **372**, 555
odd-transverse electric, 128
of a linear system, 33
orthogonal, 88, **132**, 137, 146, 152
orthogonality condition, **89**, 90, 131, 148
partition noise, 348
power, 180
propagation constant, 127
radiation, **89**, 131, 146
spatial frequency within the core, **128**, 158
spatiotemporal, **239**, 244, 250, 739, 761, 769
step-index fiber, 132
suppression ratio, 348
transverse electric (TE), **124**, 151, 189
transverse electromagnetic (TEM), **85**, 124
transverse magnetic (TM), **124**, 151, 189
unguided, 88, **121**, 143, 146, 162
well-guided, **130**, 161, 211
Mode-group, **168**, 173, 369
delay, **168**, 170, 177
density, 192
graded-index fiber, 169
index, **168**, 192
maximum value, 169
uniform distribution, 177
Modem, **5**, 15, 361, 815
quantum, **742**, 815, 848
Modified Bessel function, **62**, 104, 134, 518, 638
Modified duobinary code, 663
Modulation, **3**, 12
amplitude, 12
antipodal, **466**, 477
binary, 463
biorthogonal, 499
code, **609**, 659
coded, xx, 3, 22, 238, **413**, 464, 534, 685, 741
direct current, 324
frequency, 463, **468**

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

index, **198**, 406
intensity, *see* Intensity modulation
jointly orthogonal, **474**, 492
layer, 1
multisymbol, 463
on–off, 414
orthogonal, 466
phase-synchronous, 12
quadrature amplitude, 472
quantum antipodal, **775**, 831
symmetric, 703
trellis-coded, 656
unequal energy, 467
Modulator, **8**, 361
amplitude/phase, 330
balanced, 330
complex-baseband, **330**, 378
dual-polarization, 493
electro-absorption, 329
electro-optic, 329
lightwave-power response, 331
phase-asynchronous, 327
phase-synchronous, 378
Modulus, 32
Moment
*n*th, 53
first, 53
Momentum
operator, **765**, 766
representation, 765
Monochromatic
field, **80**, 83, 125, 151
complex, 125
lightwave, 94, **123**, 143, 739
plane wave, 93
Morse code, 15
Multi-input multi-output channel, 15, **368**, 372, 602
capacity, 707
continuous-time, 374
equalization
polarization modes, 553, **600**
spatial modes, 601
zero-forcing, 554
frequency response, 373
impulse response, 373
mode-multiplex, 372
transfer function, 373
Multi-user detection, **373**, 728
Multilevel modulation
error rate, 447
phase, 472
quadrature amplitude, 472
Multimode interference coupler, 301
Multipath interference, 302
Multiplex channel, **368**
mode-division, **372**, 555
polarization-division, 370
space-division, **371**, 555
Multiplexing, 15
frequency-division, 16
mode-division, 16, 369
polarization-division, 16
space-division, 15, **369**
time-division, 16, **368**
wavelength-division, 16, **368**, 568
Multivariant gaussian probability density function, **57**, 707
Mutual coherence function, 98
Mutual information, **674**, 690
binary symmetric channel, 731
classical channel, 845, 856
function of the prior, 693
quantum channel, 857
Z channel, 693

Narrowband
dispersion, 159
field, 87
signal, **12**, 44
Nat, 240
Nearest neighbor, **414**, 520, 541, 658
Negative binomial probability mass function, **276**, 295, 325, 444
Node, **537**, 552, 627
Noise, 155
additive, **19**, 457
additive white gaussian, 21, 26, **73**, 279, 287, 385
autocorrelation function, 74
bandlimited, 75
circularly symmetric gaussian, **254**, 334, 481, 573, 748, 872
autocorrelation function, 267
bandwidth, 271
colored, 74
complex-baseband
autocorrelation function, 76
equivalent bandwidth, 77
correlated, 105
electrical power density spectrum
phase-synchronous demodulation, 381
energy per mode, 247
entropy, **682**, 698, 731
equivalent bandwidth, **74**, 461
figure, **78**, 461
lightwave amplifier, 338
segment of an optical fiber, 354
gaussian
bandlimited, **271**, 274
in-phase component, 75
lightwave power, 267, **346**
power density spectrum, 267
probability density function, **347**, 359

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

modal, **376**, 402
mode-partition, 348
nongaussian, **478**, 530, 723
nonlinear phase, *see* Nonlinear phase noise
optical thermal, 256
passband, *see* Passband, noise
phase, *see* Phase noise
phase-insensitive, 253
photon, 7, 122, **257**
power density spectrum, 269
probability mass function, 260
power, 73
passband, 77
power density spectrum, 22
pseudothermal, 256, 334
quadrature component, 76
quantum, **248**, 334, 490, 794, 803, 838, 839
relative intensity, 346
shot, 9, **239**, 305, 457
counting, 386, 486, **758**
signal-dependent, **4**, 20, 261, 429, 454, 458, 505
signal-independent, **4**, 19, 448, 457, 458
signal-spontaneous emission, **337**, 461
spontaneous emission, **256**, 337
-suppressing filter, **271**, 293, 354, 381, 396, 559
thermal, 78, **248**, 360, 396, 403, 461
white, 73, **249**, 271, 424, 528
Noisy channel coding theorem, **677**
quantum optics, 860
Noncentral chi
probability density function, 65
random variable, 65
Noncentral chi-square
probability density function
N degrees of freedom, **64**, 274, 284
characteristic function, 64
two degrees of freedom, 340, **347**, 561
random variable, 63
Nonclassical signal state, **741**, 749, 782
Noncoherent
carrier, 6, 12, 25, 172, **387**, 392, 393, 467, 556, 566
direct photodetection, 387
wavelength autocorrelation function, 179
signal state, 783
Noncoherent demodulation, **500**, 512
Noncrystalline material, 112
Nondispersive material, 82
Nongaussian
noise, **478**, 530, 723
random process, 279
Nonlinear
channel, *see* Channel, nonlinear
distortion, 4, 202, **216**, 226
fiber coefficient, 340
index coefficient, 210
interference, 16, 181, 202, **223**, 559
interchannel, 205
interchannel cross-phase modulation, 553
interchannel four-wave mixing, **228**, 553
intersymbol, 229
length, **213**, 230, 235, 563
lightwave propagation, 210
governing equation, 217
nondispersive channel, 219
numerical methods, 229
vector channel, 218
weakly dispersive channel, 222
phase estimation, 463
phase modulation
cross, 205, 553
self, 204
phase noise, 222, **339**, 341, 723
probability density function, 340
variance, 341
phase shift, **212**, 220, 234
Nonlinear Schrödinger equation, **217**, 553, 723
multichannel, 223
numerical solution, **229**, 727
traveling timeframe, 218
vector channel, 218
Nonlinearity
Brillouin scattering, 206
stimulated, **207**, 313
Kerr, **204**, 229, 553
glass, 208
optical fiber, 208
Raman scattering, 205
stimulated, **206**, 313
Nonnegative-definite matrix, *see* Matrix, nonnegative-definite
Nonorthogonal
signal, **499**, 818
signal state, **774**, 778, 786, 824, 840
waveform, 391
Normal dispersion regime, 161
Normal matrix, **51**, 190
Normal ordering, 763
Normalized
dispersion relationship, 158, 159
frequency, **128**, 151, 152, 157
index difference, **117**, 121, 129, 132
mode-group index, **170**, 176, 181
propagation constant, 157
Nuemark extension, 789
Numerical aperture, **116**, 129, 150, 376
graded-index optical fiber, **117**, 120
step-index fiber, 117
Nyquist
pulse, 229, 388, **399**, 416, 455, 465, 526, 566, 585
joint, 466, **469**
joint property, 474

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

rate, 46
Nyquist–Shannon sampling theorem, **45**, 399, 672

Objective function, **241**, 530
augmented, 241
constant-modulus, 598
mean-squared error, 596
Observable
operator, 742, **752**, 755, 762, 782
matrix representation, 751
property, 754
Offset QPSK (OQPSK), 473
Operator, 751
annihilation, 770
coherent-state, **762**, 789
commuting, **758**, 792
convolution, 56
creation, 770
density, 746
detection, 816, *see* Detection operator
determinant, 48
differential, self-adjoint, 88
displacement, **772**, 836
generalized measurement, 787
Hamiltonian, **762**, 771
heterodyne demodulation, 793
including an image mode, 794
identity, 774
image mode vacuum-state, 794
in-phase component, **761**, 797
lowering, 771
measurement, **742**, 778
momentum, **765**, 766
noncommuting, 792
observable, 742, **752**, 755, 762, 782
matrix representation, 751
photon-number state, 754, 762, **764**, 790
position, **765**, 766
projection, **753**, 777, 778, 789
quadrature component, **761**, 797
raising, **770**, 772
self-adjoint, **752**, 768
trace, **47**, 777, 829
Optic axis, **97**
fast, **97**, 183
slow, **97**, 183, 187
Optical
cavity, 323
coupler, 313
electrical conversion, **8**, 310, 362
filter, 302
isolator, 302
pump, 256, **313**
signal-to-interference ratio (OSIR), **552**, 727
signal-to-noise ratio (OSNR), **75**, 108, 268, 341, 343
relationship to SNR, 268
signal-to-noise-plus-interference ratio (OSNIR), **552**, 553, 571
thermal noise, *see* Noise, optical thermal
Optical fiber, **110**
absorption, 112
attenuation, **112**, 114
birefringence, **183**, 185
intensity-dependent, 218
characteristic equation
hybrid mode, 141
cladding, **110**
core, 110
cutoff condition
hybrid mode, 143
linearly polarized mode, 137
dispersion-controlled, **180**, 229
dispersion relationship, 170
effective area, 211
effective length, 213
equalization, 181
few-mode, 369, **372**, 601
graded-index, *see* Graded-index optical fiber
intermodal dispersion, 366
intramodal dispersion, 366
mode, power, 180
mode-confinement factor, 153
mode-group, **168**, 173
density, 192
mode-group index, **168**, 192
multimode, **111**, 119, 155, 169, 194, 365
impulse response per mode, 365
mode-dependent group delay, 175
nonlinear propagation
governing equation, 217
nondispersive channel, 219
numerical methods, 229
vector channel, 218
weakly dispersive channel, 222
parabolic index of refraction, 119
segment, **4**, 321
single-mode, **111**, 137, 151
attenuation, 11
complex-baseband transfer function, 364
dispersion, **173**, 194
impulse response, 364
nonlinear coefficient, 210
span, **4**
step-index, *see* Step-index optical fiber
transfer function
complex-baseband, 406
weakly guiding, 133
Optical-matched filter, 421
Orthogonal
quantum signal states, 745, **747**, 777, 823, 860, 879

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

signals, 44, 390, 391, 425, **469**, 498, 879
classical vs. quantum-optics, 774
equal-energy, 501
error rate, 476
noncoherent, 501
waveforms, 469
Orthogonality condition
frequency-shift keying, 469
minimum mean-squared error, 597
mode, **89**, 90, 131, 148
Orthonormal
basis, **41**, 50, 88, 100, 277
basis states, 759
OSNR, *see* Optical signal-to-noise ratio
Outer code, **609**, 612
Outer product, **43**, 47, 759, 777
basis functions, 759
matrix, 51
orthonormal basis vector, 50

P distribution, **797**, 802
classical signal in noise, 798
Parabolic index profile, **119**, 153
Parallel concatenation, 642
Parametric amplification, 313
Paraxial approximation, **92**, 120
Pareto
index, 54
probability density function, 106, 634
random variable, *see* Random variable, Pareto
Parseval's relationship, **31**, 44, 70, 73
Partial-fraction expansion, 296
Partial-response
code, 534, **663**
decision-feedback demodulation, 419
dicode, **419**, 663
duobinary, **418**, 663
maximum-likelihood demodulation, 664
maximum-likelihood detection, 419
pulse, 418
Partial trace, **779**, 812, 858
Partially coherent carrier, 13, 388, 470, **556**, 569
Passband
impulse response, 40
noise, 75
bandwidth, 271
power density spectrum, 76
probability density function, 250
noise-equivalent bandwidth, 74, 77
noise process, 75
signal, 3, 12, **39**
energy, 44
envelope, 162
waveform, **3**, 710
Path metric, **539**, 542
summed, 540
Permeability, 80
Permittivity, **80**, 82
Phase
ambiguity, 583
asynchronous demodulation, 14, **500**
comparator, 576
estimation, *see* Estimation, phase
-insensitive
channel, **253**, 799, 871
lightwave amplifier, **313**, 388
noise, 253
-matching, **149**, 203, 233
-mismatch, 228
-modulation, *see* Modulation, phase
probability density function, 104
reference, 13
-synchronous demodulation, 379
heterodyne, 381
velocity, **86**, 92, 161, 162
polarization-dependent, 184
Phase-locked loop, **576**
acquisition step, 577
Costas, 582
damping coefficient, 580
first-order, 578, **580**
loop filter, **577**, 580, 604
natural frequency, 580
nonlinear analysis, 605
second-order, **580**, 604
tracking step, 577
transfer function, 579
first-order, 604
second-order, 604
transfer function for phase error, 604
Phase noise, 14, **484**, 574
laser diode probability density function, 511
nonlinear, **339**, 502
nonlinear probability density function, 340
probability density function, 63
Phase-shift keying, **472**
binary, 466
error rate
heterodyne BPSK, 487
homodyne binary phase-shift keying, 487
multilevel, 472
QPSK, 483
offset, 473
Phase space, 739, 774
Photocharge, xxvi, **259**, 382
Photocurrent, xxvi, **9**, 259, 352
Photodetected
lightwave energy, xxv
lightwave power, xxvi
Photodetection, **8**, 238
balanced, *see* Balanced photodetection
direct, *see* Direct photodetection

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

event, **257**, 305
square-law, *see* Square-law photodetection
Photodetector, **8**
avalanche photodiode, 306
dark current, **312**, 331
internal gain, 290, 306, 331
expected value, 359
PIN photodiode, 305
polarization-insensitive, 396
responsivity, 9
square-law, **100**, 108, 249
Photodiode, 304
avalanche, 304
PIN, **305**, 352
Photoelectron, xxvi, **257**
arrival process, **258**, 285, 294
arrival rate, xxvi, **258**, 270, 692
constant, 331, 519
counting process, **258**, 312
mean number, **259**
primary, **257**, 288, 311, 331
secondary, **257**, 288, 291
Photon, **7**, 205
arrival process, 237, **257**, 311
arrival rate, 9, 122, **257**, 309, 311, 401, 421, 440, 685
time-varying, 257
counting process, 312
mean number, **241**, 348
in a coherence interval, 352
per bit, **503**, 514, 690, 775, 831
per pulse, 440, 451
-noise-limited channel, **265**, 402
number, **239**, 311, 737
probability mass function, 338
energy, xxv, **8**
lifetime, 326
momentum, 8
noise, *see* Noise, photon
Photon counting, **257**, 402, 456, 689
binary, 440
classical, 832
conventional, **831**, 836
multilevel, 451
random process, 257
threshold, 402
with a matched local oscillator, 832
with noise photons, 441
Photon optics, **6**
bandlimited capacity, 21, **713**
narrowband, 714
description of shot noise, 309
detection, **422**, 428
discrete-energy property, 422
discrete-time channel, 401
memoryless, **682**, 692
photon noise, 237, **257**
relationship to quantum optics, 736, **773**
relationship to wave optics, **250**, 259
signal model, **7**, 237, 246, 737
signal propagation, 122
single-letter capacity, 244, **680**
spectral-rate efficiency, 719
treatment of photodetection, 238
Photon-number state, **741**
basis, 764
operator, 754, 762, **764**, 790
representation, **741**, 838
of a classical state, 802
of a coherent state, 741, **773**
of additive noise, 803
with zero photons, 771
Physical
channel, 4, **17**, 361
layer, **1**, 15
Pilot signal, 574
PIN photodiode, **305**, 352
Planck's constant, 8
reduced, 8
Plane wave, **85**, 107
in slab waveguide, **130**, 196
monochromatic, 93
Poincaré sphere, **95**, 186, 188, 370, 601
latitude, 95
longitude, 95
transition along, **96**, 601
Point process, 122, 331, **439**, 740
maximum entropy, 439
Poisson
channel, 265, 311, **401**, 692
counting process, 9, **257**, 260, 312
probability mass function, **260**, 773
mixed, 262
summation formula, 37
transform, 239, **262**, 684, 737, 799
Dirac impulse, 265
exponential probability density function, 265
gamma probability density function, 275
inverse, **262**, 698
noncentral chi-square probability density function, 690
relationship to Gordon distribution, 266
Polarization (field), 3, 80, **93**, 368
alignment, 495, 553, **600**
axes, 190
beamsplitter, **301**, 493, 744
circular, 94
combiner, 301
cross modulation, 218
decorrelation length, **187**, 218
-dependent group delay, **184**, 368
-dependent group velocity, 183

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

-dependent loss, **189**, 199, 371, 553
ellipse, 108
elliptical, 93
Jones representation, **94**, 183
linear, **94**, 183
mode dispersion, 94, 97, 155, **182**
first-order, 199
governing equation, 184
Jones representation, 183
linear-birefringent material, 185
second-order, 183
Stokes representation, 186
vector, **186**, 196
modulation, 493
multiplex channel, 16, 370, **491**
optic axis
fast, **97**, 183
slow, **97**, 183, 187
orthogonal, 96
principal axes, 97, **183**, 185, 190
principal states, **183**, 188
basis, 370
interference, 190
sign convention, xxv
slab waveguide, 130
state estimation, 553, **600**, 606
Stokes representation, **94**, 186
Polarization (material), 80
nonlinear, 203, **208**
Polarizer, linear, 301
Position
operator, **765**, 766
representation, 765
vector, 85
Positive-operator-valued measure, 788
Posterior probability, 55, **412**, 544, 547
component maximum, 544
componentwise maximum, 544
density function, 432
marginal, 545
ratio, **432**, 461, 547, 643
Gallager code, 649
senseword, 649
sequence maximum, 544
Potential, 304
Power
baseband signal, 11
effective bandwidth, **70**, 293
lightwave, 4, 25, **87**, 105
autocorrelation function, 98
photodetected, xxvi, **4**
penalty, 607
discrete lightwave amplifier, 322
intersymbol interference, 515
reactive, 131
splitter, **301**, 386
Power density spectrum, **69**, 105, 267, 269
arrival rate, 269
complex-baseband noise, 76
constant signal plus noise, 268
direct-photodetected electrical signal, **271**, 395
electrical
per unit resistance, xxvi, 73
phase-synchronous demodulation, 381
relative intensity noise, 346
shot noise, 385
filtered electrical signal, 287
filtered shot noise, 287
lightwave noise power, 267
lightwave signal, 70
noise, 22, **247**
one-sided, 69
passband noise, 76
quantum noise, 248
random binary waveform, 72
spontaneous emission, 257, **336**
direct-photodetected, **xxvi**, 561
lightwave power, 267
thermal noise, 250
two-sided, **69**, 279, 293
noise, 73
wavelength, 70
Power-law index profile, **145**, 169, 171, 192
parameter, **145**, 169, 176, 182
optimal, **177**, 182, 196
Poynting vector, 86
complex, 87
Pre-equalization, **525**, 534
Prefilter, 534
Primary photoelectron, **257**, 288, 311, 331
Primitive element, 620
Principal
axis, 81
polarization axes, 97, **183**, 185, 190
polarization states, **183**, 188
basis, 370
interference, 190
Principle of stationary phase, 367
Prior probability, 18, 237, **412**, 436, 672, 681
Berrou decoder, 644
capacity-achieving, 673
equiprobable, **433**, 699
ratio, 548
unequal, 461
Probability density function, **53**
bivariate, **54**, 295
gaussian, **58**, 104, 251, 253
maximum-entropy, 252
Boltzmann, **250**, 293
central chi, **65**
central chi-square, **63**, 372, 376, 731
two degrees of freedom, 273

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

complex gaussian, 60
circularly symmetric, 60
complex-baseband noise, 250
conditional, **54**, 413, 431
exponential, 64, **65**, 103, 250, 273, 376, 702
first-order, 68
gamma, **65**, 376, 405
gaussian, **57**
bivariate, 253
circularly symmetric, **58**, 78, 254, 872
multivariate, 57, **60**, 707
spherically symmetric, 188
inverse gaussian, 360
joint, 54
marginal, 54
maxwellian, **65**, 188, 200
noncentral chi, 65
noncentral chi-square, **63**, 105, 340, 347, 360, 561, 805
two degrees of freedom, **63**, 255, 273
Pareto, **54**, 106, 634, 636
passband noise, 250
phase, 63, 104
posterior, **432**
ratio, 461
prior, *see* Prior probability
Rayleigh, **61**, 62, 65, 103, 254, 273
ricean, **61**, 62, 103, 273, 502, 507, 509, 724
second-order, 68
table of, for noise processes, 283
Probability distribution function, 53
posterior, 412
prior, 412
table for wave-optics and photon optics, 284
Probability mass function, **53**
binomial, 260
Bose–Einstein, **244**, 293
geometric, 242
Gordon, *see* Gordon distribution
inverse gaussian, 332
Laguerre, **66**, 277, 444, 690, 805
maximum entropy, 241
negative binomial, 295
Poisson, **260**, 325, 773
Product
channel, **706**
capacity, 706
mimo, 707
distribution, **55**, 253, 254, 554, 682, 742, 848
bandlimited gaussian random process, **278**, 706
gaussian, **59**, 253
mimo channel, 707
output posterior, 643
subblock, 678
state, 742, **760**
density matrix, **779**, 786, 857
expectation, 791
generation with a coupler, 790
Projection, **43**, 100
matrix, **50**, 753, 783
operator, **753**, 777, 789
Propagation
constant, **85**, 124, 157
along optic axes, 184
frequency-dependent, 157
mode, 127
mode-dependent, 157
normalized, 157
vector, **85**
Pseudocovariance
function, 268
matrix, **60**, 107
Pseudorandom sequence, **516**, 594
Pseudothermal noise, 256
Pulse, **3**
-amplitude modulation, **463**, 517
multilevel, 464, **471**
multilevel error rate, 477
chirp, 38
electrical, xxvii
gaussian, 37, 100
generalized, 233
lorentzian, **38**, 101
non-return-to-zero, 467
inverse, 468
Nyquist, 229, 388, **399**, 416, 455, 465, 526, 566, 585
joint, 469
joint property, 474
partial-response, 418
-position modulation, 689
quadratic phase, 38
raised-cosine, 468
rectangular, 36
sinc, 37
symmetric, 532
target, xxvii, **416**, 465, 525
transmit, 415
triangular, 101
Puncturing, 643
Pure signal state, **746**, 760, 776, 778
binary modulation error rate, 830
coherent
density matrix, 802
density matrix, 811
representation, 782
von Neumann entropy, 785

$\mathcal{Q}$, **438**
for an avalanche photodiode, 515
for intensity modulation, 453
for multiple fiber amplifiers, 462

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Quadratic-phase function, 367
Quadrature
  -component operator, **761**, 797
  -noise component, 76
  -signal component, **39**, 313
  -signal representation, 761, 762
Quadrature phase-shift keying, **472**, 483
  offset, 473
Quadrature-amplitude modulation, **464**, 472
Quanta, 203
Quantization, 1
Quantum
  coherence, 7, **782**, 784, 805
  correlation, 7
  decoherence, 783
  efficiency, xxvi, 258, **305**, 338
  entropy, *see* von Neumann entropy
  expectation, **754**, 777
  information theory, 878
  noise, *see* Noise, quantum, 249
  noise regime, 249
  phase, **782**, 805
  state, 750
  uncertainty, 7, 262, 683, 685, **743**, 776, 820, 824
Quantum optics, **6**
  channel capacity, 843
  heterodyne demodulation, 792
  homodyne demodulation, 790
  information channel, 843
  modulation
    antipodal, **775**, 831, 832
    on–off keying, 832
    using coherent states, 831
  signal model, **6**, 7, 246, 446, 736
  statistical, 743, **776**
Quantum wave function, 738, 745, **753**, 765
  continuous, 755
  in-phase component, 761
  in-phase representation, 765
  momentum representation, 765
  position representation, 765
  quadrature component representation, 762
  quadrature representation, 765
Quarter-square multiplier, 308
Quasi-linear approximation, 723
Quasi-probability distribution, 773, **797**
  P distribution, **797**, 802
  Husimi, 801
  Wigner, **799**, 802, 805
    gaussian state, 806

Radial prolate spheroidal function, 280
Radiation mode, **89**, 131, 146
Radiative-recombination lifetime, **319**, 325
Raised-cosine pulse, 468
Raising operator, **770**, 772
Raman scattering, 205
  stimulated, 313
Random process, 52, **67**
  bandlimited, 251
  circularly symmetric gaussian, **78**, 254, 343, 574
    bandlimited, **277**, 283
  complex-baseband noise, 75
  ergodic, 69
  gaussian, **68**
    bandlimited, **239**, 273, 280, 284
    circularly symmetric, **255**
    decorrelated, 278
    product distribution, **278**, 706
  independent increment property, 257
  nongaussian, 279
  notation, xxv
  passband, 252
  photon counting, 9, **257**, 260, 312
  spatiotemporal, 284
  stationary
    strict sense, 68
    wide sense, 68
  Wiener, 343
Random telegraph signal, 70
Random variable, **52**
  *n*th moment, 53
  additivity property, **253**, 261
  bivariate gaussian, **58**, 255
  central chi, 65
  central chi-square, 63
  complex, 53
  complex gaussian, 60
  correlation, 55
  expectation, 53
  exponential, 65
  first moment, 53
  gamma, 65
  gaussian, 57
    bivariate, **58**, 251, 255
    circularly symmetric, **58**, 78, 281
    multivariate, **57**, 284
    spherically symmetric, 188
    uncorrelated, 59
  independent, 55
  Laguerre, **66**, 276
  maxwellian, 65
  mean, 53
  noncentral chi, 65
  noncentral chi-square, 63
  notation, xxv
  Pareto, 666
  phase, 511
  Poisson, 260
  Rayleigh, **62**, 391, 507
  realization, **53**, 239
  ricean, **62**, 391, 507

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

root-mean-squared value, 54
uncorrelated, 56
uniform, 70
variance, 54
Random vector
complex gaussian, 60
Random walk, 343
Rate
code, *see* Code, rate
information, *see* Information rate
Rate equations, **317**, 328
Ray, **92**
meridional, **116**, 120
skew, 116
tracing, 91
trajectory, **92**, 120, 150
transit time, **156**
impulse response, 191
unguided, 117
Ray optics, **6**, 110
dispersion, 156
governing equation, **92**, 105
Rayleigh
probability density function, **61**, 62, 103, 254, 273
random variable, **62**, 391, 507
scattering, **114**, 166, 193, 205
Reach, **4**, 21
Reactive power, 131
Real-baseband
signal, **11**, 77, 307, 362, 383, 386, 489, 694
waveform, **310**, 380, 411, 581
Realization
channel, 709
random variable, **53**, 239
sample function, 52
Receiver
displacement, 835, 880
frequency response, 287
impulse response, 292
lightwave, 304
phase-asynchronous, **14**, 463, 500
phase-sensitive, 790
phase-synchronous, **13**, 524
photon-counting, **311**, 440, 456
multilevel, 451
polarization-sensitive, 368
quantum-lightwave, 837
sensitivity, 11, 25
suboptimal, 561
Recode-and-forward, 5
Reconfigurable add–drop multiplexer, 552
Rectangular pulse, 36
Rectifier, 14
Red-shift, **213**, 404
Reduced Planck's constant, 8
Reed–Solomon code, 619
primitive, 620
primitive element, 620
Reflection, 115
law of, 115
Refraction, 115
law of, 115
Regeneration, 5
Regular
algebraic block code, 647
check matrix, **617**, 646
Relative intensity noise (RIN), **346**, 358, 397
shot-noise limit, **346**, 359
Relative permittivity, 82
Relaxation oscillation frequency, **328**, 359, 397
Remodulate-and-forward, 5
Representation
Dirac, 752
Heisenberg, **752**, 792
in-phase component, 765
in-phase signal component representation, 761
interaction, 752
momentum, 765
position, 765
quadrature component, 765
quadrature signal component, 761, 762
Schrödinger, 752
Resonator, 323
Fabry–Pérot, 357
free spectral range, 357
laser diode, 326
mode structure, 327
photon lifetime, 326
Responsivity, xxvi, **9**, 259, 305
Reverse channel, 529
Ricean probability density function, **61**, 62, 103, 273, 502, 507, 509, 724
Ricean random variable, **62**, 391, 507
RIN, *see* Relative intensity noise
ROADM, *see* Reconfigurable add–drop multiplexer
Robust, **427**, 519, 609
Root-mean-squared
bandwidth, **34**, 100
position, 767
timewidth, **34**, 100
Root-mean-squared amplitude, xxv, **39**, 54, 324
Rotation
generalized, **48**, 753, 755
joint probability distribution, 107
polarization axes, **187**, 369
signal constellation, 576
Runlength-limited code, 660

Sample, 1, **45**, 399
complex, 390
function, **52**, 68
instantaneous, 420

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Sampling, 1
basis, symmetric, 830
eigenstate, **821**, 836, 879
rate, **46**, 235, 281, 692
theorem, 18, 44, **45**, 281, 399, 672
Saturation power, 317
Scalar, 28
Scalar Helmholtz equation, **84**, 126
boundary conditions, 127
Scattering, 113
anti-Stokes, 205
Brillouin, **206**
stimulated, **207**, 663
cross section, 114
direction-dependence, 114
elastic, 114
inelastic, **114**, 205
linear, 113
Raman, **205**
stimulated, 206
Rayleigh, **114**, 166, 205
Stokes, 205
Schrödinger representation, 752
Schur–Horn theorem, 785
Schwarz inequality, **43**, 426
Second law of thermodynamics, 243
Self-adjoint
differential operator, 88
operator, **752**, 768
transformation, **49**, 742, 752
Self-phase modulation, **204**, 219, 223, 224
Sellmeier formula, 192
Semiclassical signal model, **7**, 680, 748, 815
Semiconductor, 304
bandgap, **303**, 319
conduction band, **303**, 315
diode, 323
electron–hole recombination, 313
intrinsic, 305
-laser diode, *see* Laser diode
lightwave amplifier, *see* Lightwave amplifier
radiative recombination time, 319
valence band, **303**, 315
Sensebit, 649
Senseword, 5, **610**, 626
corrupted, 621
hard-valued, 5, **610**
memoryless, 418
pictorial representation, 621
soft-valued, 5, **610**
symbol, 412
uncorrectable, 622
Separation of variables, **126**, 133, 139, 145, 151
Sequence detection, 522, **535**
constraint length, 537
error rate, 540
maximum-likelihood, 535, **542**
maximum-posterior, 522, **544**
minimum-distance, 538
trellis, 537
Sequential
decoding, 629, **633**
complexity, 639
hypothesis testing, 633
Shannon
bound
bandlimited channel, 21, **711**
single-letter capacity, **697**, 699
spectral rate efficiency, 22, **719**
entropy, 673, **785**
first coding theorem, 676
second coding theorem, 677
Shaping, gain, **472**, 699
Shift-invariant system, 28
Shot noise, *see* Noise, shot
Shot-noise-limited
error rate, 487
heterodyne demodulation, **385**, 795, 796
homodyne demodulation, 487, 796, 831, 842, 866
relative intensity noise, 346, 359
system, **286**, 346, 359, 429, 455, 457, 559, 767
Side information, 726
Sideband, 205
Sifting property of an impulse, **28**, 345
Signal, 27, **41**
analytic, **32**, 101
bandlimited, 12, 24, **34**
baseband, **3**, 12, 24
complex envelope, 39, **144**, 162, 361
spectrum, 364
vector, 218
complex-baseband, 12, **39**, 53, 77, 101, 307, 362, 383
conjugate symmetric, 32, **269**
dual-polarization, 493
envelope, **12**, 14
passband, 162
impairment, *see* Impairment
lightwave, *see* Lightwave signal
narrowband, **12**, 44
noise, *see* Noise
nonorthogonal, *see* Nonorthogonal signal
orthogonal, *see* Orthogonal signal
passband, 3, 12, **39**
periodic, 12
polarization-multiplex, 491
quantum-lightwave, 7
real-baseband, **11**, 77, 307, 362, 383, 386, 489, 694
rectified, 14
regeneration, 5
right-sided, 29

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

spectrum, 30
square-integrable, 30
timewidth-limited, 34
vector, **42**, 788, 881
basis, 100
euclidean distance, 44
waveform, 3
Signal constellation, **414**, 480
antipodal, **414**, 466
complex, 464
four-dimensional, 491
matrix, **497**, 818, 851
quantum, **825**, 832
on–off intensity modulation, **414**, 467
phase-shift modulation
binary, 466
eight-level, 472
multilevel, 472
pulse-amplitude modulation, 471
quadrature-amplitude modulation, **464**, 497
nonsquare, 472
quantum-lightwave, **780**
average state, **780**, 788, 847
coherent-state components, 819
nonorthogonal components, 815
pure-state components, **826**, 844
symmetric, 840
real, 414
signal space, 496
Signal model, **6**
geometrical-optics, **6**, 119
photon-optics, **7**, 11, 237, 246, 737
relationship to quantum optics, 736
quantum-optics, xxv, **6**, 7, 246, 446, 736
ray-optics, **6**, 110
semiclassical, **7**, 680, 748, 815
wave-optics, xxv, **6**, 20, 83, 115, 122, 239, 361, 737
relationship to quantum optics, 741
Signal space, **41**
basis, **41**, 759
composite, 742, **759**
definition of distance, 44
for a classical signal constellation, 496
for a quantum-lightwave signal constellation, 742
generalized measurement, 789
higher-dimensional, 536
Hilbert, 752
infinite-dimensional, 736
Signal state, 736, **738**, 750
block-symbol, 742, 778, 815, 819, **846**, 848
entangled state, 781
product state, 781, 819
cat, 833
classical, 741, 800
coherent, *see* Coherent state, 762
component-symbol, 742, **759**, 776, 778, 780, 815, 819, 844, 846, 869
marginalization to, 858
composite, **742**, 813
detection, 738, 739, **747**, 815, 816, 818, 820, 843
block-symbol, 846
coherent-state, 789
component-symbol state, 845
entangled, **760**, 811, 819, 861
Fock, *see* Photon-number state
gaussian, 748, 800, **806**
circularly symmetric, 748, 749, **806**, 807, 873
Glauber, **739**, 761
image quantum-optics, 794
measurement, **742**, 776
mixed, *see* Mixed signal state, **778**, 837
nonclassical, **741**, 749, 782
noncoherent, 783
nongaussian, **749**, 800
nonorthogonal, 774, 778, 786, 824, 840
orthogonal, 745, **747**, 777, 823, 860, 879
photon-number, *see* Photon-number state
preparation, 738, **741**, 815, 843
product, *see* Product state
pure, *see* Pure signal state, 760, 776, 778
sampling, 823, 834
symmetric, 840
vacuum, *see* Vacuum state
Signal state, detection, 738
Signal-spontaneous emission noise, **337**, 461
Signal-to-noise ratio, 21, 22, 26, **75**, 108
electrical (SNR), **75**, 108, 343
optical (OSNR), **75**, 108, 268, 341, 343
relationship between SNR and OSNR, 339
sample, 420, 424, **426**, 435
effective, 424, **438**
matched filter, **426**, 435
Signum function, 29
Silica glass, 83, **111**, 112, 166, 203, 210
material dispersion curve, 164
Sinc pulse, 37
Single
-input single-output channel, 363
-letter channel capacity, *see* Channel capacity, single-letter
-mode optical fiber, *see* Optical fiber
-user detection, **373**, 726
Singular value, **49**, 554, 555
Singular-value decomposition, **49**, 190, 554
Skew ray, 116
Slab waveguide, 125
dispersion, 157
power density, 130
TE characteristic equation, 128
TE mode pattern, 131
TM characteristic equation, 129

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Slow optic axis, **97**, 183
Smoothing function, 801
Snell's law, 115
SNR, *see* Signal-to-noise ratio
Soft-decision
  decoder, **610**
  decoding, 625
  detection, 18, 418, 608, **610**, 698
Solid angle, 117
Space
  -invariant system, 28
  -multiplex channel, 15, **369**, 371, 555
Space–time separable channel, **376**, 494
Span, 41
Spatial
  Fourier transform, 30
  coherence
    function, 98
    region, 374
  frequency, **30**, 120, 127
Spatiotemporal covariance matrix, 375
Spatiotemporal mode, **239**, 244, 250, 739, 761, 769
Speckle, 374
Spectral
  –notched codes, 663
  shaping, 664
  susceptibility, **83**, 165
  width, *see* Linewidth
Spectral rate efficiency, 156, 474, 475, **718**
  arbitrary modulation, 718
  for several modulation formats, 720
  maximum, 22
  phase modulation, 720
  photon-optics, 719
  wave-optics, 718
  wideband regime, 719
Spectrum, 30
Speed of light
  material, 83
  vacuum, 83
Spherical decoding, 621
Split-step Fourier method, **229**, 564
Spontaneous emission, 246, **256**
  amplified, **334**, 337
  noise factor, 335
  nonlinear mixing with signal, 339
  power density spectrum, 257, **336**
    phase-synchronous demodulation, 381
Spontaneous–spontaneous emission noise, 337
Square-integrable signal, 30
Square-law photodetection, 19
Square matrix, 46
Square-root detection basis, **840**, 851
Standard deviation, 54
State, *see* Signal state
State preparation, *see* Signal state, preparation
Statebook, 780, **847**, 875
Stationarity
  strict sense, 68
  wide sense, 68
Stationary
  point, 530
  random process, 68
Statistic, 52
  sufficient detection, **399**, 419, 420, 622
Statistical
  quantum optics, 743, **776**
  uncertainty, 7, 262, 683, **743**, 776, 820
Step-index optical fiber, **110**, 132, 133, 179
  multiple-layer, 180
Stimulated
  Brillouin scattering, **207**, 313, 663
  Raman scattering, **206**, 313
  emission, **246**, 312
    cross section, **315**, 355
    laser diode, 326
Stochastic
  differential equation, 347
  gradient descent method, **600**, 603
  process, 52
Stokes
  parameters, 94
  representation of polarization, **94**, 186
  scattering, 205
  vector, 108
Subcarrier, 16, **201**, 225, 368
  interchannel interference, 551
  nonlinear interference, 224
  walk-off length, 215
Subchannel, **15**, 551
  channel capacity, 706
  degrees of freedom, 368
  energy redistribution, 373
  independent, **285**, 706
  multimode fiber, 369
  polarization, 368
  time, 368
  uncorrelated, 709
  wavelength, **368**, 553
Subcode, 640
Submatrix, **48**, 615
Sufficient detection statistic, **399**, 412, 419, 420, 622
Sum–product algorithm, *see* Bahl algorithm
Superposition, 27
  integral, 28
Surviving path, 540
Susceptibility, **81**
  nonlinear coefficient, 203
  spectral, **83**, 165
  temporal, 82, 165
  tensor, 81
Symbol, 1

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

clock, 586
energy, 365, **382**, 423, 426, 466, 471, 514
error, **5**, 21, 451, 456
mapping, 451
pulse, 3
state, 451
Symbol state
block-symbol, *see* Signal state, block-symbol
component-symbol, *see* Signal state, component-symbol
Symbol-by-symbol detection, *see* Detection, symbol-by-symbol
Symmetric matrix, 47
Symptom, 648
Synchronization
carrier phase, 574
block, 573
clock phase, **573**, 586
frame (data), **573**, 588, 590
marker, 588
detection, 589
preamble, 588
Syncword, 588
Syndrome, **622**, 648
System, 1, 27
additive, 28
bandlimited, **26**, 74
causal, 29
continuous time, 28
homogeneous, 28
linear, 27, **28**, 560
linear time-invariant, **33**, 84, 363
memoryless, 30
shift-invariant, 28
shot-noise-limited, **286**, 429, 455, 457, 559, 767
space-invariant, 28
spatially local, 30
time-invariant, 28

Tangential field component, 139
Tanner graph, **625**, 647
girth, 627
Target pulse, xxvii, **416**, 465, 525
Temporal
coherence, 97
coherence function, 98
defocusing, 367
Fourier transform, **30**, 125, 162
susceptibility, 165
Tensor product, **43**, 759
Theorem
Campbell's, *see* Campbell's theorem
central limit, *see* Central limit theorem
fluctuation–dissipation, 335
Hartley–Shannon, 21
Isserlis, 54, 267, **297**
noisy channel coding, 677
quantum optics, 860
sampling, *see* Sampling theorem
Wiener–Khintchine, 69
Thermal
energy, xx, 112, 206, **243**
equilibrium, 206, **243**, 244
maximum-entropy distribution, 250
noise, 78, 237, **248**, 250, 358, 360, 396, 403, 461
channel, 872
floor, 249
optical, 256
power density spectrum, **249**, 250, 396
noise regime, 248
radiation, 113
Thermodynamics, 243
second law of, 243
Three-dB coupler, 301
Threshold
detection, *see* Detection threshold
lasing, *see* Laser diode, threshold current
Time-division multiplexing, 16, **368**
Time-invariant system, 28
Timeframe, traveling, **167**, 218, 220, 224
Timewidth, **34**, 82
effective, 34
-limited signal, 34
root-mean-squared, **34**, 100
Timewidth–bandwidth
inequality, **36**, 767
product, **35**, 688, 707, 711
Total harmonic distortion, 355
Total internal reflection, 116
Trace, **47**, 776, 777, 829
outer product, 102
partal, **779**, 812, 858
Training sequence, 372, 574, **590**
Transfer function, **33**, 73
baseband noise-equivalent bandwidth, 75
block, 373
channel matrix, 373
complex-baseband, **40**, 364, 371, 406
lightwave noise-suppressing filter, 293
electrical, 395
matrix, 370
multi-input multi-output channel, 373
passband, 40
noise-equivalent bandwidth, 75
phase-locked loop, 579
first-order, 604
second-order, 604
polarization-dependent, 370
receiver, 287
Transform
Fourier, *see* Fourier transform
Hilbert, **32**, 101

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

Kramers–Kronig, **32**, 83, 102, 165
Poisson, **262**, 799
Transformation
matrix, **42**, 50
self-adjoint, **49**, 742, 752
unitary, **48**, 370
Transit-time dispersion, **156**
Transition probability, 636, **672**, 691, 700, 729, 848
Transmittance, **114**, 321, 364
Transparency region, 112
Transversal filter, **531**, 559
Transverse
electric mode (TE), **124**, 151
characteristic equation, **128**, 158
even, 128
mode pattern, 131
odd, 128
step-index fiber, 143
electromagnetic mode (TEM), **85**, 124
field component, 88
magnetic mode (TM), **124**, 151
characteristic equation, 129
step-index fiber, 143
Trellis, **537**
branch, **537**, 538, 626
code, 656
-coded modulation, 656
branch, 658
for a convolution code, **632**
graph, 625
minimal, 631
node, 537
surviving path, 540
Triangular pulse, 101
Turbo code, *see* Berrou code
Turning point, 809

Uncertainty
quantum, 7, 262, 685, **743**, 750, 820, 824
statistical, 7, 262, 685, **743**, 820
Ungerboeck code, 656
Unguided mode, *see* Mode, unguided, 162
Union bound, **479**, 541, 840, 842
quantum, 842
superfluous term, **479**, 541
Unit-step function, 29
Unitary
matrix, **48**, 185, 196, 370
transformation, **48**, 370, 753
Up-conversion, 378
Upper-state lifetime, **246**, 314, 318

V parameter, **128**, 151, 157
V_π, 329
Vacuum state, **246**, 248, 771, 772, 794, 800
energy, **246**, 764, 770, 771
fluctuations, **249**, 487
operator, image mode, 794
Wigner distribution, 800
Variance, 54
Variational calculus, **241**, 252, 429, 530
Vector
field, **84**, 89, 126
axial component, **88**, 124, 139
normalized, 88
tangential component, 139
transverse component, 88
Helmholtz equation, 126
notation, xxv
Vector space, 41
Velocity
group, *see* Group velocity
phase, *see* Phase velocity
Viterbi
algorithm, **540**, 565, 626
decoding, 629
von Neumann entropy, **784**, 881
antipodal coherent-state modulation, 865
nonorthogonal signal states, 785, 864
orthogonal signal states, 864
pure signal state, 785
Voronoi regions, **478**, 497

Walk-off
length, 213, **214**, 216, 234
time, 215
Water filling, **706**, 735
spatial subchannel, 706
Wave equation, **83**, 108, 114
optical fiber, 132
Wave optics, **6**, 115
bandlimited capacity, 710
relationship to photon optics, **250**, 259
relationship to quantum optics, 741
signal model, **6**, 20, 83, 122, 239, 361, 737
signal rate, 735
single-letter capacity, **696**, 698
spectral-rate efficiency, 718
Waveform, **3**
bandlimited, **45**, 109, 723
baseband, **3**, 45, 398
channel, **17**, 397
bandlimited, 18
electrical, **17**, 398
lightwave, 17
complex-baseband, 399
continuous-time, 398, **414**
data-modulated, **214**, 573
information channel, 18, 679
bandlimited, **676**, 710
nonlinear, 671
modulated, 179

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-108-42756-2 — Lightwave Communications
George C. Papen , Richard E. Blahut
Index
More Information

noncoherent, 500
nonorthogonal, 391
passband, **3**, 39, 710
power, 467
pulse, 570
random binary, 71
real-baseband, **310**, 380, 411, 581
Wavefront, geometrical, 92
Waveguide, 6, 88, **121**
dielectric, 87, **124**
cylindrical, 132
dispersion, *see* Dispersion
dispersion coefficient, 180
optical fiber, *see* Optical fiber
slab, 110, **125**
Wavelength, 7, **85**
-dependent group delay, 155, 170, **173**, 179, 199, *see* group delay, wavelength-dependent
-division multiplexing, 16, **368**, 568
bandlimited channel, 726
free-space, 84
Wavenumber, **8**, 84, 86
free-space, **80**, 84, 91, 121, 165, 209
Wavevector, 85
local, 92
Weakly guiding fiber, 133
Weight, Hamming, **613**, 622
minimum, **613**, 634
Weight profile, **628**, 635
Well-guided mode, **130**, 161, 211
White noise, 73, **249**, 271, 424, 528
Whitened matched filter, **427**, 458
Wideband regime
photon-optics capacity, 715
wave-optics capacity, 719
Wiener
filter, **591**, 598
process, **343**
Wiener–Hopf equations, 598
Wiener–Khintchine theorem, 69
Wigner distribution, **799**, 802, 805
gaussian state, 806
relationship to other distributions, 802
vacuum state, 800

Z channel, 693
mutual information, 693
Zero-forcing
equalizer, **528**, 533
multi-input multi-output channel, 554
polarization alignment, 554
Zero-material dispersion wavelength, 164
Zero-point energy, **246**, 771

© in this web service Cambridge University Press & Assessment www.cambridge.org