CAMBRIDGE

Cambridge University Press
978-1-108-42809-5 — Representations of Solvable Lie Groups
Didier Arnal , Bradley Currey
Index
More Information

Index

adjoint representation, 5
  of a Lie group, 58
Ado theorem, 23, 40
affine group, 30, 111, 115, 174, 275, 411, 422
affine Lie algebra, $\mathfrak{aff}(\mathbb{R})$, 3, 10
almost real element, 6
  $Z_e(v)$, 128
  $\beta_i^+(Z, v)$, 126
alternate form B_ℓ, 270
  orthogonal complement $\mathfrak{k}^\ell$, 271, 277
Auslander–Kostant map, 387
Auslander–Kostant theorem, 372

Bargmann transform, 348
basis, adapted, 13
  good ascending, 16
  good descending, 18
  good Jordan–Hölder, 17, 19

canonical coordinates
  of the first kind, 44
  of the second kind, 45
canonical extension, 360, 375
central decomposition theorem, 213
character
  formula, 411, 413, 416
  of a unitary representation, 409
  of an exponential group, 416
coadjoint representation, 5, 269
coexponential basis for a subalgebra, 42
cohomology
  Čech cohomology, 326
  de Rham cohomology, 325
column operation matrix, $T(M)$, $T(v)$, $T(\ell)$, 82, 84
commutant, double commutant, 184
completely solvable type, representation of, 19
complex structure, 282
  on E/D, 283
cross-section, 105
  $\Sigma = \Sigma_{\mathbf{e},h,\delta}$, 108
  map, 105
  measure ν_Σ, 116, 154
  topological, 105

derived series, 2
descending central series, 2
diagonal operator, 197
diamond group, 47
diamond Lie algebra, 18, 20, 277, 279, 303
dilation indices, 97
direct integral
  of Hilbert spaces, 193
  of operators, 196
  of representations, 200
Duflo group, 320, 329, 354, 370, 392

Engel theorem, 10
Euclidean group E_2, 31, 34, 45, 52, 178, 245, 261, 276, 319, 352, 370
  universal cover of, $\tilde{E}_2$, 34
exponential basis, 43
exponential Lie group, 41, 53
  characterization, 48
exponential type, 19, 64

Fell topology, 188
flag
  ascending, 12
  descending, 13

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-108-42809-5 — Representations of Solvable Lie Groups
Didier Arnal , Bradley Currey
Index
More Information

flag (cont.)
  good ascending, 16
  good descending, 17
flag equivalent
  strictly flag equivalent, 69
flag normal form, 70
  skew-symmetric case, 292
flag normal form, strict, 71

general linear group $GL(n,\mathbb{R})$, 28
generalized affine group, 175, 201, 241, 262
generalized weight space, 8
Grélaud group, 31, 45, 427
Grélaud Lie algebra, 4
group algebra
  C^*-algebra, 183
  $L^1(G)$, 179
  reduced C^*-algebra, 187

Haar measure, 166
  explicit expression, 167, 168, 241
  semidirect product, 169
Heisenberg group, 29, 174, 176, 199, 200, 212, 214, 232, 255, 266, 270, 273, 377, 400, 408
Heisenberg Lie algebra, 3, 20, 278, 298, 311
holomorphic condition, 335
holomorphic induction, 335
  $\mathcal{H}(G,\ell,\mathfrak{h},\chi)$, 338
  $\mathcal{A}$, 342, 390
  $\mathcal{C}(G,\ell,\mathfrak{h},\chi)$, 338
  $\mathrm{ind}(G,\ell,\mathfrak{h},\chi)$, 338
  in stages, 336

induced representation, 231
  $C_c(G,H,\sigma)$, 229
  $\mu_{G,H}$, 226
  ν_ρ, 240
  $f_{\phi,v}$, 234
  induction in stages, 246
  invariant functional $\mu_{G,H}$, 222
  Leptin theorem, 256
  rho-function, 239
integral form, 328
integral orbit, 321
intermediate group M, 355, 361, 368, 371
intertwining operator, 172
isotropic subspace, 276

jump index function h
  for a matrix M, 70
  for an action, 87
  for coadjoint action, 298
  skew-symmetric M, 290
jump indices, 70
  δ, 97
  $\mathbf{e}(\ell)$, 298
  $\mathbf{e}(M)$, 69
  $\mathbf{e}(v)$, 87
  $\mathbf{e}^+$, $\mathbf{e}^-$, 290
  $\mathbf{e}_0$, $\mathbf{e}_1$, $\mathbf{e}_2$, 121
  $\mathbf{f}$, 307
  dilation indices δ, 298
  for an action, 87
  for coadjoint action, 298
  jump indices for a matrix, 70
  skew-symmetric M, 290

Kirillov correspondence, 265
Kirillov form, 271
Kirillov map, 265, 338
  $\mathrm{K}_{\mathbf{e},h,\delta}$, 398
  K, 265, 338, 401
Kostant measure, 272, 309, 404
  relation to μ_σ, 408
  relation to mixed measure, 405

Lie algebra, 1
  completely solvable, 20
  exponential, 20
  nilpotent, 2
  solvable, 2
Lie algebra of a Lie group, 28
Lie algebra representation, 5
  equivalence, 5
  finite-dimensional, 5
  irreducible, 6
Lie group, 28
  $T(n,\mathbf{k})$, 28
  exponential map, 32
Lie group representation, 29
  finite-dimensional, 29
Lie subgroup, 32
Lie theorem, 11
Line bundle, 330
linear group, matrix group, 29

Mautner group, 205, 214, 263, 299, 392
measurable field
  of Hilbert spaces, 191
  of operators, 196

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-108-42809-5 — Representations of Solvable Lie Groups
Didier Arnal , Bradley Currey
Index
More Information

measurable vector field, 192
Measure
  orbital measure ω_σ, 406
  Plancherel measure, 426
modular function, 166
  Δ_G, 166, 171, 219
  $\delta_{H,G}$, 220
module
  $\mathfrak{g}$-module, 5

nilpotent group, 37
nilpotent type, representation of, 19
nilradical of $\mathfrak{g}$, 21
normalized acting element, 106
normalizing matrix, 78
  $S(M)$, $T(M)$, 78
  $S(v)$, $T(v)$, 87, 90
  $T(M)$, M skew-symmetric, 290

orbit, 57
  affine orbit ω of $G(w)$, 61
  coadjoint, 269
  projected orbit, $\mathcal{O}_0$, 61
  regular orbit, 60
  tangent vector ξ_v^X defined by X, 57
  tangent vector ξ_ℓ^X defined by X, 269
orbit parametrization, 104, 135
  $P(z,v)$, 113, 148
  $Q(t,v)$, 108, 136
  $\zeta_e(v)$, 136
  $\mathbf{b}_e(v)$, 107, 136
  cross-section Σ, 142, 154
orbital measure
  μ_σ, 406
  ω_σ, 117, 160
  mixed measure, 403

Plancherel formula, 425
polarization, 278
  $\mathfrak{g}$-polarization, 278
  admissible for an ideal, 287
  algebras $\mathfrak{e}$, $\mathfrak{d}$, 278
  polarization $\mathfrak{p}(\ell)$, 318
  positive, 310
  Pukanszky condition, 285, 403
  Vergne polarization, 303

quasi-equivalence, 206
quasi-regular representation, 175, 201, 262

radical of B, 276, 294
radical of B_ℓ, 270
real subspace, 6
realization, 29
realization of a Lie algebra, 5
regular representation, 173
restricted form f, 304, 351
root of a Lie algebra, 20

Schur lemma, 175
semicharacter formula, 420, 422
semidirect product, 39
solvable group, 37
stabilizer, stability group, 35
  $G(\ell)$, 269
  $G(f)$, 304, 352, 371
  $G(v)$, 35, 57
stratification, 78
  action matrix $M(v)$, 85
  fine layer, 89
  fine stratification, 89
  layer, 78
  ordering $\prec$, 78
  ordering $\prec\prec$, 102
  ultrafine layer $\Omega_{\mathbf{e},h,\delta}$, 97, 102
submatrices $M_{\mathbf{i}}^{\mathbf{j}}$, $M_{1,\dots,i}^{1,\dots,j}$, 69
supplementary element
  $X_e(v)$, 131
  $Z_e(v)$, 128
system of imprimitivity, 248
  equivalence of, 248
  transitive, 248

tensor product, 177
  of Hilbert spaces, 177
  of representations, 177, 236
type 1 group, 211

unimodular group, 166
unitary character, 173
unitary dual, 188
  $\hat{G}_{\mathcal{O}}$, 333
  $\hat{G}$, 188
  $\hat{G}_{\mathbf{e},h,\delta}$, 398
  separation property, 255
unitary representation, 172
  $\eta_{M,\chi}$, 355
  $\rho \otimes \eta_{M,\chi}$, 362
  $\sigma_{M,\chi}$, 362
  direct product of representations, 177
  direct sum of, 177
  equivalence, 172

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-1-108-42809-5 — Representations of Solvable Lie Groups
Didier Arnal , Bradley Currey
Index
More Information

unitary representation (cont.)
factor representation, 206
invariant subspace, 172
irreducible, 173
multiplicity free, 263
tensor product of representations, 177
trivial representation, 173
type 1 factor, 207

weak Malcev basis, 42
weight for a $\mathfrak{g}$-module, 7
weight space, 7
weight, generalized, 13

© in this web service Cambridge University Press www.cambridge.org