

Index

- ABRs. *See* auditory brain stem responses
- ACC. *See* anterior cingulate cortex
- acceleration, time, 265
- accelerometers, 647, 658–660, 661
- accommodation, in life story, 392
- accommodative coping, 500–501
- acetylcholine
- age effects on, 86–87
 - in age-related working and episodic memory decline, 83, 85–86, 92–93
 - in arousal, 103, 105–106
 - in attention, 171–172
 - in cognition, 83, 85–86
- acetylcholine hypothesis of Alzheimer's disease, 105–106
- achievement, grit association with, 501–502
- actigraphy, 629, 647
- activity participation, 440–442, 452–453
- activity type and timing, 449–450
 - differential preservation *versus* preserved differentiation in, 446–448, 588
 - intervention based on, 451–452
 - life course considerations, 448–451
 - mental activity, 442–444
 - physical activity, 444–445
 - retrospective methods for study of, 448–449
 - social activity, 445–446
 - start of participation, 450–451
- activity-regulated cytoskeleton-associated protein (Arc), 70–71
- AD. *See* Alzheimer's disease
- affective arousal, 102
- age-by-valence interactions, in memory, 236–238, 239–240, 243–247
- alcohol, prenatal exposure to, 426
- $\alpha 2$ antagonists, norepinephrine activity effects of, 108
- Alzheimer's disease (AD)
- acetylcholine hypothesis of, 105–106
 - bilingualism impact on, 485
 - blood biomarkers of, 570, 573–576
 - brain reserve in, 33, 34
 - cholinergic innervations of hippocampus in, 85–87, 92
 - cognitive reserve in, 32–33, 34, 35, 36–37, 39–40, 424–425, 430–432
 - decision making and, 226
 - default mode network activation in, 14–15
 - epigenetic mechanisms in, 560–561
 - genetic influence on cognition in, 554
 - genetic risk factors for, 555, 556
 - histamine levels in, 109–110
 - LC-NE hyperactivity in, 106–110
 - narrative foreclosure in, 392
 - nutrition role in, 612–613
 - antioxidants, 614–615
 - B vitamins, 613–614
 - dietary patterns, 618–620
 - fruits and vegetables, 617–618
 - novel approaches to, 620
 - polyunsaturated fatty acids, 617
 - vitamin D, 616
 - vitamin K, 615–616
 - orexin levels in, 109
 - physical activity impact on, 646, 648
 - predicted prevalence of, 645–646
 - sleep apnea in, 635, 637
 - sleep role in, 628–629, 633, 638, 639
 - smell changes in, 191
 - tau pathology in, 94–95, 104
- amphetamine, 88, 89
- amygdala
- aging effects on, 238–240
 - in emotion recognition, 372–376
- animal models
- of neuroadaptive aging, 67–68
 - of prenatal influences on cognitive aging, 425–427
- anterior cingulate cortex (ACC), 372–376
- anticholinergics, Alzheimer's disease risk and, 105–106
- antidepressants, for late-life depression, 599
- antioxidants, cognitive function impact of, 614–615

- apolipoprotein E (*APOE*) gene, 51, 555, 556, 557, 558, 561
- Arc. *See* activity-regulated cytoskeleton-associated protein
- arithmetic
 strategy use in, 128–132, 133–135
 Westerner and East Asian differences in, 461–462
- arousal
 aging-related modulation of, 110–111, 305
 definition of, 102
 emotional, memory effects of, 236–240
 neurotransmitter compensation in, 101, 102, 104, 110–111, 123
 acetylcholine, 103, 105–106
 dopamine, 102, 105, 109
 histamine, 103, 105, 109–110
 norepinephrine, 102, 104–110
 orexin, 103–104, 105, 109
 overarousal, 101, 106–110
 serotonin, 102–103, 105, 109
 underarousal, 101, 104–106
- assimilation, in life story, 392
- assimilative coping, 500–501
- assistive robots, 726
- associative memory, 9–10
- attention
 age-related differences in, 161–162, 171–172, 275
 bottom-up processes, 162–165, 273–274
 compensation costs and, 165–169
 motivation and emotion influences on, 169–171
 top-down processes, 162–165, 273–274
 definition of, 161–162
 positivity effect in, 169–171, 306–307
 time perception and, 259–260, 266
 Westerner and East Asian differences in, 460–461
- attentional deployment, emotion regulation and, 306–307
- attitudes, aging, 520–524
- attribution, of causality, 740
- auditory brain stem responses (ABRs), 182
- auditory perception. *See also* hearing
 age-related changes in, 179–181
 bilingualism and, 482
 training of, 673
- auditory processing
 in bilingualism, 488–490
 in sensory deficit hypothesis, 5–6
 temporal, 181–182
- auditory sensitivity, 181
- authoritarianism, 368–369
- autobiographical memory, 383, 393
 cultural influences on, 462–463
 functional approach to
 age differences in personal past use, 387–388
 identity support through personal past use, 386–387
 life story and, 390–392
 memory and identity integration through
 age differences in, 389–390
 self-memory system in, 388–389
- autobiographical memory base, 388
- autobiographical reasoning, 384, 389, 390
- automatic activation, 147–149
- autonomic arousal, 102
- awareness of age-related change (AARC), 520–521
- awareness of aging, 520–521
 cognitive function and, 522–524
 perceived control and, 521–522
- B vitamins
 cognitive function impact of, 613–614
 supplements, 51–52
- balance, 190–191, 703, 709
- BDNF* gene. *See* brain-derived neurotrophic factor gene
- behavior
 health-related, in cognitive function–well-being association, 537–538
 inappropriate, recognition of, 368–369
 inhibition of socially undesirable, 322
 inappropriate remarks, 322
 prejudice, 322–323
- benzodiazepines, for sleep disorders, 638
- bilingualism, 480–481, 492–493, 587–588
 age-related changes impacting, 485, 491
 in cognitive functions, 482–483
 cognitive reserve advantages, 485
 in higher-level language processing, 491–492
 in language processing, 481–482
 in sensory perception, 482
 transmission deficit theory consequences, 486
 transmission deficit theory of, 483–485
- auditory language processing in, 488–490
 definition of, 481
 higher-level language processing and, 491
 discourse processing, 492
 working memory and syntactic processing, 491–492
 individual variation in, 490–491
 prevalence of, 480–481
 speech perception in, 487–488
- binding deficit, 9–10
- biomarkers. *See* blood biomarkers
- Birren, James, 385
- birth weight, 427–428
- blood biomarkers, 568–569, 577, 589–590

- of cognitive health, 571–572, 573
 definition of, 569
 methodological challenges to development of, 576–577
 in neurodegenerative disease, 570, 573–577
 rationale behind, 570
 blood pressure, 340–342
 bottom-up processing
 attention, 162–165, 273–274
 time, 255–257
 top-down linkages with, 265–266
 brain
 fetal programming of, 424
 predictive coding view of, 467–469
 brain aging. *See also* functional connectivity;
 neural networks; *specific structures*
 cognitive reserve and, neuroimaging of, 39–40
 emotion recognition difficulties caused by, 372–373
 evidence for, 373–374
 specific brain regions involved in, 374–376
 general principles characterizing, 47–49, 55
 dimensionality, 48
 early influences, 49–51
 environmental factors, 49, 51–55
 neurocognitive plasticity and, 53–55
 strategy perspective on, 127–128
 trajectories of, 47–49
 brain imaging. *See* neuroimaging
 brain maintenance, 35, 205–206
 brain reserve, 33–35, 38, 90–91
 brain reserve capacity (BRC), 424–425, 430–432
 brain stimulation, for late-life depression, 601–602
 brain training. *See* cognitive training
 brain-derived neurotrophic factor (*BDNF*) gene, 555, 556, 557
 BRC. *See* brain reserve capacity
 broad learning, 688–689
 broaden-and-build theory, 355
 Butler, Robert, 385
 CA1, 68–73
 CA3, 68–73
 caloric restriction, 620
 candidate gene studies, of cognitive abilities, 554–556, 557
 capacity sharing model, of cognition and mobility, 706
 cardiovascular disease, 432. *See also* cerebrovascular disease
 cardiovascular fitness
 cognitive aging association with, 444–445
 episodic memory improvement with, 208–209
 care coordination approaches, for late-life depression, 599
 cataracts, 188
 catechol-O-methyltransferase (*COMT*) gene, 556, 557
 causality
 in activity-cognition associations, 446–448, 588
 attribution of, 740
 in mobility and cognitive decline interrelationship, 706
 CBT-I. *See* cognitive behavioral therapy for insomnia
 CCRCs. *See* continuing care retirement communities
 cerebrovascular disease
 blood biomarkers for, 575
 depression with, 593, 603–604, 739
 clinical features of, 594–596
 neurobiology of, 596–598
 treatment of, 599–603
 cholinergic hypothesis of cognitive aging, 92–94
 cholinesterase inhibitors, 105–106
 chronic goals, 333
 circadian rhythms
 age-related change in, 629
 inhibitory theory and, 154
 phototherapy for, 637–638
 circuits. *See* neural networks
 clinical care, stereotype threat in, 407–408
 cognitive abilities
 genetics of, 552, 561–562, 588
 candidate gene influences, 554–556, 557
 epigenetic mechanisms, 559–561
 gene-environment interactions, 558–559
 heritability, 552–554
 polygenic scores in increasing predictive power, 556–558
 initial level of, 690–691
 interventions improving, 685–687, 692
 cognitive aging models, 5, 22
 common cause model of sensory and cognitive function, 5–6
 compensation-related utilization of neural circuits hypothesis (CRUNCH), 12, 64–65, 169
 debates in
 domain-general *versus* domain-specific age-related changes, 19–21
 limitations of models and methodological advances, 21–22
 hemispheric asymmetry in older adults (HAROLD), 12–13, 64–65
 STAC, 16–19, 64–65, 122
 cognitive reserve and, 42
 revised model of, 16–18, 122–123
 cognitive behavioral therapy for insomnia (CBT-I), 636–637
 cognitive change, emotion regulation and, 307–308

- cognitive control, of strategic variations during
 cognitive aging, 135
 behavioral data, 135–137
 brain-imaging data, 137–139
- cognitive deliberation, in decision making
 age-related differences in, 219–221
 interventions supporting, 224
- cognitive engagement interventions, 685–686,
 692–693, 740
- cognitive training compared with, 686–687,
 693
- outcomes maximization in
 via optimal individualized approach,
 689–692
 via optimal scientific approach, 687–689
- research overview for, 685–687
- cognitive function
 awareness of aging and, 522–524
 bilingualism and, 482–483
 blood biomarkers of healthy, 571–572, 573
 control beliefs and, 516–517, 519–520,
 522–524
 cultural influences on, 459–460
 aging effects on, 466–467
 perception and attention, 460–461
 semantic and mathematical processing,
 461–462
 social mores, affective reactions, and
 self-concept, 462–463
- emotion recognition deficits with decline of,
 370
- grit role in, 506–508
- hearing loss demands on, 184–186
- intraindividual variability in, 518, 519–520
- late-life depression and, 595–596
- major neurotransmitter systems involved in,
 83–86
 acetylcholine, 83, 85–86
 dopamine, 83, 84, 85
 glutamate and GABA, 83
 noradrenaline, 83, 84, 85
- mobility interrelationship with, 704–708
- nutrition role in, 612–613, 620–621, 738
 antioxidants, 614–615
 B vitamins, 613–614
 dietary patterns, 618–620
 fruits and vegetables, 617–618
 polyunsaturated fatty acids, 617
 vitamin D, 616
 vitamin K, 615–616
- prenatal influences on, animal models of,
 425–427
- stereotype threat impacts on, 400–401, 410,
 420
 clinical implications of, 407–408
 deficit expectations role in, 403–404
 domains most affected by, 404–406
 experimental methods for study of, 401–403
 framework of, 401
 mechanisms underlying, 409–410
 other applied implications of, 408
 participant factors moderating, 406–407
 vision loss demands on, 189–190
 well-being and, 532–533, 545, 589
 age, gender, and education role in, 540–541
 health behavior role in, 537–538
 individual resources and constraints in,
 540–542
 marital status role in, 543–544
 neurobiological pathways linking, 539–540
 pathways linking, 536–539
 perceived control role in, 542
 physical health role in, 541–542
 secular trends role in, 544–545
 social participation role in, 538–539
 sociohistorical context resources and con-
 straints in, 542–545
 stressor reactivity role in, 537
 well-being as antecedent for cognitive
 function and development, 535–536
 well-being as outcome of cognitive function
 and development, 533–535
- cognitive mechanics, 219
- cognitive permeation hypothesis, 6
- cognitive remediation, for late-life depression,
 601
- cognitive reserve (CR), 32, 42–43, 121–123
 in Alzheimer's disease, 32–33, 34, 35, 36–37,
 39–40, 424–425, 430–432
 bilingualism advantages for, 485
 brain reserve and, 33–35, 38
 concept of, 32–33
 episodic memory performance and, 205–206
 evidence for
 cognitive, 38
 epidemiologic, 37–38
 neuroimaging, 38–40
 grit role in, 506–507
 locus coeruleus neuron density and, 90–91
 measurement of, 34, 40–41
 neural correlates of, 40–41
 STAC and, 42
 technology support for, 718
 theoretical issues in, 40–41
 theory predictions of
 in Alzheimer's disease, 36–37
 in healthy aging, 37
- cognitive reserve capacity (CRC), 424–425,
 430–432
- cognitive strategy, 127–128. *See also* strategy
 perspective
- cognitive structure, in neuroadaptive aging,
 73–74
- cognitive training

- cognitive engagement compared with, 686–687, 693
 duration of, 677
 far transfer of, 666–668, 676–678, 737–738
 distraction suppression hypothesis of, 670–675, 676–678
 durability of, 675–676
 mechanism considerations in, 668
 updating hypothesis of, 668–670, 675, 676–678
 mobility intervention using, 708
 plasticity effects of, 53–55
 studies of, 451–452
- cold cognition, 332
- collaborative inhibition, 284
 age differences in, 284–286
 in long-term married couples, 286–288
- collaborative memory, 418
 group-level measures of, 282–283
 individual-level measures of, 282, 283–288
 study approaches to, 282, 288
- compensation
 in arousal neurotransmitters, 101, 102, 104, 110–111, 123
 acetylcholine, 103, 105–106
 dopamine, 102, 105, 109
 histamine, 103, 105, 109–110
 norepinephrine, 102, 104–110
 orexin, 103–104, 105, 109
 overarousal, 101, 106–110
 serotonin, 102–103, 105, 109
 underarousal, 101, 104–106
 grit role in, 507–508
 for sensory decline, 162–169, 273–274
 top-down, 162–169, 273–274
- compensation models, 12–13, 122–123
- compensatory scaffolding, in STAC model, 16–19, 122
- competence, 515–516
- computerized cognitive remediation, for late-life depression, 601
- COMT* gene. *See* catechol-O-methyltransferase gene
- conceptual self, 388
- conformity, memory, 288–289, 292–293
 age differences in susceptibility to, 289–291
 perceptions of age and, 291–292
- conscientiousness, 503
- conservative social attitudes, 368–369
- consistency of interest, 503, 505, 506
- consolidation, memory
 emotion role in, 237–238, 241–243
 sleep role in, 632, 633
- constraints, 515
- context-focused perception and attention, 460–461
- continuing care retirement communities (CCRCs), technology use in, 729–730
- continuous positive airway pressure (CPAP), 637
- control beliefs, 514, 524, 589
 aging effects on, 516
 awareness of aging, 520–524
 construct of, 514–516
 control beliefs, 522–524
 developmental and contextual approaches to, 518–520
 individual differences in, 516–517, 519–520
 intraindividual variability in, 518, 519–520
 perceived control, 521–522
- coordinate response measure (CRM) task, 184
- coping, 500–501
- cortical thinning, sleep role in, 632–633
- cortisol, 340–341
- CPAP. *See* continuous positive airway pressure
- CR. *See* cognitive reserve
- CRC. *See* cognitive reserve capacity
- CREATE model, 720
- critical periods, 589
 for activity participation, 448, 449–450
- CRM task. *See* coordinate response measure task
- crystallized intelligence
 in decision making, 221
 heritability of, 552–554
- cultural influences, 457–459, 588–589
 cognitive differences between Westerners and East Asians, 459–460
 aging effects on, 466–467
 in object- and context-focused perception and attention, 460–461
 in semantic and mathematical processing, 461–462
 in social mores, affective reactions, and self-concept, 462–463
- evidence for, 466–467
- as lifetime of integrating social norm violations and informative signals of informativeness, 469–470
- neural correlates of, 463
 biases in neural selectivity and specialization, 463–464
 extra-recruitment for culturally nonpreferred strategies, 464–465
 predictive coding view of, 467–469
 sense of control and, 517
- DAN. *See* dorsal attention network
- dark adaptation, 188
- DASH. *See* Dietary Approaches to Stop Hypertension
- de Beauvoir, Simone, 384–385
- DECHA. *See* default-executive coupling hypothesis of aging

- decision making
 age-related differences in, 218–219, 225–226, 273–274, 276
 cognitive deliberation and motivation and, 219–221
 emotion and motivation and, 222–224
 experience-based knowledge and, 221–222
 interventions supporting, 224
 cognitive deliberation and motivation, 224
 emotion and motivation, 225
 experience-based knowledge, 225
 strategy use in, 130–131
- DED. *See* depression with executive dysfunction
- dedifferentiation, 13–14
- Deese-Roediger-McDermott (DRM) paradigm, 405–406
- default mode network (DMN)
 in distraction suppression hypothesis, 670, 671–672
 failed suppression of
 attention effects, 164–165
 in brain-based models of aging, 14–15
 in late-life depression, 597–598
- default-executive coupling hypothesis of aging (DECHA), 15
- deficit expectations, 403–404
- deletion inhibitory mechanism, 148, 150–151
- deliberation
 age-related differences in, 219–221
 interventions supporting, 224
- dementia, 702. *See also* Alzheimer's disease
 blood biomarkers in, 570, 573–577
 cognitive reserve and, 32–33, 34, 35, 39–40, 424–425, 430–432
 decision making and, 226
 fetal programming of, 430–432
 grit impact on, 508
 hearing deficits and, 186
 mobility in, 705–706
 mobility interrelationship with, 704–706
 perceptual training impact on risk of, 675–676
 physical activity impact on, 646, 648, 660
 social relationships in risk for, 356
 hypothesized mechanisms of risk reduction, 356–357
 limitations of research on, 359
 loneliness and social isolation, 358–359
 social activities and support, 357–358
 social networks, 357
- dementia with Lewy bodies, 107
- dentate gyrus (DG), 68–73
- depression. *See* late-life depression
- depression with executive dysfunction (DED), 593, 595–596, 603–604
- detached reappraisal, in emotion regulation, 307–308
- developmental goals, 334
- developmental plasticity, 424
- DG. *See* dentate gyrus
- diet, 618–620
 for late-life depression, 603
- Dietary Approaches to Stop Hypertension (DASH), 618–620
- differential preservation, in activity-cognition associations, 446–448, 588
- digital home assistants, 725
- dimensionality, of cognitive aging, 48
- discourse processing, 492
- distraction suppression hypothesis, 149–150, 670, 675, 676–678
 evidence supporting, 670–672
 perceptual training and, 672–675
- divided attention, time perception and, 259–260, 266
- DMN. *See* default mode network
- dmPFC. *See* dorsomedial prefrontal cortex
- DNA methylation, cognitive abilities and, 559–561
- domain-general age-related changes, 19–21
- domain-specific age-related changes, 19–21
- dopamine
 age effects on, 86–87
 in age-related working and episodic memory decline, 83, 84, 85, 87–90
 in arousal, 102, 105, 109
 in attention, 171–172
 in cognition, 83, 84, 85
- dorsal attention network (DAN), in distraction suppression hypothesis, 670, 671–672
- dorsomedial prefrontal cortex (dmPFC), 245–247, 597
- driving
 age-related changes affecting, 190
 technology support for, 718
- DRM paradigm. *See* Deese-Roediger-McDermott paradigm
- dual-process models
 of cognition and mobility, 706
 of decision making, 219
 of episodic memory, 8–9, 200–201
- duration judgments, age-related declines in, 257
- divided attention deficits, 259–260
- internal clock slowing, 258–259
- methodological considerations, 257–258
- time acceleration effects in, 265
- Dylan, Bob, 62
- early influences, cognitive aging and, 49–51
- East Asians, cognitive differences between Westerners and, 459–460
 aging effects on, 466–467
 in object- and context-focused perception and attention, 460–461

- in semantic and mathematical processing, 461–462
- in social mores, affective reactions, and self-concept, 462–463
- ecological validity, in emotion recognition difficulties, 371–372
- ecosystem focused therapy, 599–600
- education
 - in cognitive function–well-being association, 540–541
 - cognitive reserve and, 34, 36–38, 39
 - intervention optimization and, 690–691
 - stereotype threat moderation by, 406
- EEG. *See* electroencephalography
- ego integrity, 392
- electroencephalography (EEG), 182, 205–206, 207, 208, 601, 671
 - sleep studies, 629–631
 - strategy execution studies, 134–135
 - strategy repertoire studies, 129–130
- emotion
 - aging-related changes in experience of, 299–300
 - attention and, 169–171
 - in decision making
 - age-related differences in, 222–224
 - interventions supporting, 225
 - in memory, 236, 247, 273–274, 276
 - age-by-valence interactions, 236–238, 239–240, 243–247
 - as aid at time of learning, 237, 238–241
 - changes in feeling of remembering, 243–247
 - as prioritization signal over periods of rest, 241–243
 - stereotype threat impact on, 404–406
 - noradrenergic response to, 84, 91
 - social network contribution to, 355
 - Westerner and East Asian differences in, 462–463
- emotion recognition, age-related deficits in, 320, 367, 376, 419
 - brain changes in, 372–376
 - ecological validity in, 371–372
 - gaze patterns in, 370–371
 - general cognitive decline role in, 370
 - positivity bias in, 369–370
 - studies of, 367–369
- emotion regulation, 299, 418
 - in decision making, 223
 - emotional well-being and, 299–300
 - empirical support for theoretical models of, 304
 - attentional deployment, 306–307
 - cognitive change, 307–308
 - process model of emotion regulation overview, 304
 - response modulation, 308–309
 - situation selection and modification, 305
 - improvement or stability of, 309–310
 - positivity effects in, 301–302, 342
 - socioemotional selectivity theory and, 301
 - theoretical models of
 - SAVI, 303–309
 - SOC-ER, 302–303, 304–309
 - in time perception, 262–263
- emotional tagging hypotheses, 241–242
- emotional well-being, 299–300
 - social relationships in, 315, 324
 - aging effects on social interactions, 318–323
 - relationship maintenance in health preservation, 315–318
- empathic accuracy, 372
- encoding, memory
 - age-related changes in, 201–204, 205, 206, 207–208
 - age-related memory deficits due to, 9, 10–11
 - collaborative inhibition and, 286–288
 - emotion role in, 236–237, 238–241
 - object- and context-focused perception and attention in, 460–461
 - self-concept and, 318–319
 - sleep apnea and, 634–635
 - stereotype threat impact on, 404–406, 409–410
- Engage, for late-life depression, 600–601
- engagement. *See also* cognitive engagement interventions
 - activity participation interventions, 451–452
 - cognitive function effects of, 351–352
 - dementia risk and, 357–358
 - social
 - cognitive aging association with, 445–446
 - cognitive function effects of, 351–352
 - dementia risk and, 357–358
 - technology support for, 723–724
 - for vascular and late-life depression, 603
- environmental factors
 - in cognitive aging, 1–2, 49, 51–55
 - genetic correlations with, 558–559
 - genetic interactions with, 558
 - social enrichment, 351–352, 354–355
 - work, 354–355
- environmental support
 - compensation using, 165
 - of episodic memory, 205
 - self-initiated processing and, 10–11
 - technology design and, 730–731
- epigenetics
 - of cognitive abilities, 559–561
 - prenatal influences on, 432
- episodic memory
 - age-related decline of, 200–201, 207–209, 273–274, 275–276
 - individual differences in, 205–207

- episodic memory (cont.)
 interventions for, 208–209
 neural contributions to, 201–205
 binding deficits in, 9–10
 change trajectories of, 47–48
 definition of, 200
 dual-process model of, 8–9, 200–201
 grit impact on, 506–507
 heritability of, 552–554
KIBRA gene in, 555–556
 in middle age, 206
 neurotransmitter role in, 82–83, 87, 93–95, 123
 acetylcholine, 83, 85–86, 92–93
 dopamine, 83, 84, 85, 87–90
 noradrenaline, 83, 84, 85, 90–92
 personal past recall and, 389–390
 physical activity impact on, 647–651, 657, 658–660
 recollection deficits in, 8–9
 self-initiated processing deficits in, 10–11
 stereotype threat impact on, 404–406, 407
 strategy use in, 128–129, 130–132, 134
 tests of, 200–201
- Erikson's theory of development, 384, 391–392
- ERPs. *See* event-related potentials
- ethnicity, intervention optimization and, 691–692
- event-related potentials (ERPs), 134, 205, 462–463, 465, 492, 673–674, 675–676
 strategy repertoire studies, 129–130
 sustained attention studies, 163
- excitatory neurotransmitters, 83
- executive dysfunction, depression with. *See* depression with executive dysfunction
- executive functioning, 38, 83, 88–90, 92, 93, 122, 219, 322, 324, 340, 389, 428, 430, 507–508, 516–517, 572, 668–670, 671–672, 705, 707–708, 710
 bilingualism impact on, 481, 485, 587–588
 cognitive intervention outcomes and, 690–691
 depression with changes in, 593, 595–596, 603–604
 genetic influences on, 555, 556, 557
 mobility and, 704
 nutrition impact on, 615–616
 physical activity impact on, 646, 647–648, 651–657, 658–661
- exercise
 in Alzheimer's disease, 646
 cognitive aging association with, 444–445
 cognitive reserve and, 34, 37–38
 episodic memory improvement with, 208–209
 genetic interactions with, 558
 motivation for, 690
 physical activity compared with, 646–647
 technology support for, 724–725
 in vascular and late-life depression, 603
- Experience Corps, 690–691
- experience-based knowledge, in decision making
 age-related differences in, 221–222
 interventions supporting, 225
- expressive suppression, in emotion regulation, 308–309
- extra-recruitment, for culturally nonpreferred strategies, 464–465
- eyewitness memory, 408
- face recognition, 464
- facial expression
 cultural influences on, 462–463
 recognition of, 367–368, 370–371, 372–373
- facilitation, in interference resolution, 204–205
- false memories, 405–406
- familiarity
 in dual-process model of episodic memory, 8–9, 200–201
 stereotype threat impact on, 404–406
- famine, 428–430
- far transfer, of cognitive training, 666–668, 676–678, 737–738
 distraction suppression hypothesis of, 670–675, 676–678
 durability of, 675–676
 mechanism considerations in, 668
 updating hypothesis of, 668–670, 675, 676–678
- fat mass and obesity (FTO)-associated gene, 51
- fetal exposures, 428–430, 432–433
- fetal programming
 brain, 424
 dementia risk, 430–432
- FGA. *See* flexible goal adjustment
- financial literacy, 221–222
- financial management, 724
- first impressions, 321–322
- flexible goal adjustment (FGA), 501, 503–504, 505
- fluid intelligence
 in decision making, 219–220, 221
 emotion recognition difficulties and, 370
 heritability of, 552–554
- Flynn effect, 51–52, 53–54
- fMRI. *See* functional magnetic resonance imaging
- folate, 613–614
- food groups, 617–618
- Framingham Stroke Risk Profile, 595
- free recall, 404–406
- frontal aging hypothesis, 204
- fruit consumption, 617–618
- FTO-associated gene. *See* fat mass and obesity-associated gene
- functional approach, to autobiographical memory
 age differences in use of personal past, 387–388

- identity support through recalling and narrating
 personal past, 386–387
- functional connectivity, 38, 39–41, 67, 73–75,
 88–90, 151–152, 154, 164–165, 204–205,
 207, 374, 375, 672
- in distraction suppression hypothesis, 670,
 671–672
- in late-life depression, 593, 596–598
- functional independence, interventions
 maintaining, 685–687, 692
- functional magnetic resonance imaging (fMRI),
 13–14, 22
- cognitive reserve, 40–41
- distraction suppression hypothesis, 671, 675
- episodic memory impairments, 201–204,
 205–206
- LC-NE system, 107
- network dynamics and cognitive structure,
 73–74
- neurotransmitter systems in cognitive aging,
 82–83
- acetylcholine, 92–94
- dopamine role, 87–90, 93
- noradrenaline, 90–92, 93
- self-referential memory, 319
- sleep impact on neurocognitive functions,
 632–633
- strategy execution studies, 134–135
- functional plasticity of aging hypothesis, 671
- fusiform face area, 464
- GAB. *See* guided autobiography
- GABA. *See* gamma-aminobutyric acid
- GABAergic neurons, molecular plasticity and,
 71–72
- gait, 703, 704–705, 707–708
- gamma-aminobutyric acid (GABA), 83, 171–172
- gaze patterns, in emotion recognition, 370–371
- gender, in cognitive function–well-being asso-
 ciation, 540–541
- gene expression
 molecular plasticity and, 68–71
- prenatal influences on, 432
- generativity, 391–392
- genetics
 of cognitive abilities, 552, 561–562, 588
- candidate gene influences, 554–556, 557
- epigenetic mechanisms, 559–561
- gene-environment correlations, 558–559
- gene-environment interactions, 558
- heritability, 552–554
- polygenic scores in increasing predictive
 power, 556–558
- cognitive aging and, 49–51, 552
- gist-based processes, 335, 389
- glucose metabolism, 571–572
- glutamate, 83
- glymphatic system, 632, 633
- goal priorities, 338–339
- goal-directed attention, 162–165, 273–274
 cost of compensation with, 165–169
- motivation and emotion influences on,
 169–171
- goals
 benefits and costs of pursuing, 333–334,
 339–342
- in cognitive function, 332–334, 342–343, 418
- shifts in goal priorities, 338–339
- social-cognitive goals, 334–336
- socioemotional goals, 336–338
- definition of, 333
- flexible adjustment of, 501, 503–504, 505
- motivation to, 333–334
- tenacious pursuit of, 501, 503–504, 505
- in time perception, 262, 265
- graph theory, in late-life depression, 597–598
- gray matter, cognitive training effects on, 54
- grit
 achievement association with, 501–502
- measurement of, 502–503
- in successful aging, 499–500, 508, 589
- association between, 504–508
- concept of grit, 499–500, 501–504
- concept of success, 499–501
- variability in, 505
- group level, collaborative memory at, 282–283
- guided autobiography (GAB), 385
- gustation, 190–191
- hair cell loss, 181
- head circumference, 427–428
- health behaviors, in cognitive
 function–well-being association,
 537–538
- healthcare, technology support for, 724–725
- healthy aging. *See* successful aging
- hearing
 age-related deficits in, 179–181
- auditory sensitivity, 181
- cognitive demands during speech under-
 standing, 184–186
- in cognitive function and dementia, 186
- intelligibility of speech in noise, 183
- sound source localization, 182–183
- spatial release from masking, 183–184
- temporal processing, 181–182
- in sensory deficit hypothesis, 5–6
- heart rate monitors, physical activity studies with,
 661
- heritability, of cognitive abilities, 552–554
- hippocampus
 cholinergic innervations of, 85–87, 92
- in episodic memory, 201–203
- in memory retrieval, 245–246

- hippocampus (cont.)
 molecular plasticity and, 68–73
- histamine, 103, 105, 109–110
- historical context, in cognitive
 function–well-being association,
 542–545
- homecare robots, 726
- homocysteine, 613–614
- homovanillic acid, 109
- hot cognition, 332
- HPA axis. *See* hypothalamic-pituitary-adrenal axis
- hyper-binding, 153, 204–205
- hypnotic medications, 638
- hypocretin, 103–104
- hypothalamic-pituitary-adrenal (HPA) axis, fetal programming of, 431
- identity, personal past role in, 383, 393, 419–420
 age differences in use of, 387–388
 autobiographical memory in integration of,
 388–390
 functional approach to, 386–388
 historical perspective on, 384–386
 identity support through recall and narrative,
 386–387
 life story in, 390–392
- IEGs. *See* immediate-early genes
- IGP. *See* intergenerational programs
- ILDs. *See* interaural level differences
- immediate-early genes (IEGs), 70–71
- inappropriate behavior, recognition of, 368–369
- inappropriate remarks, 322
- individual level, collaborative memory at, 282, 283–288
- inflammation
 blood biomarkers of, 572, 575–576
 in late-life depression, 595
- information degradation hypothesis, 163–164
- inhibition. *See also* inhibitory theory/inhibitory deficit hypothesis
 access inhibitory mechanism, 148, 149–150
 collaborative, 284
 age differences in, 284–286
 in long-term married couples, 286–288
 distraction suppression hypothesis and, 670
 of socially undesirable behavior, 322
 inappropriate remarks, 322
 prejudice, 322–323
- inhibitory neurotransmitters, 83
- inhibitory theory/inhibitory deficit hypothesis,
 7–8, 147, 154–155, 273–275
 activation in, 147–149, 150–151
 assumptions and predictions of, 147–148
 automatic activation, 147–149
 restraint of strong responses, 151–152
 suppression of irrelevant distraction,
 149–150
 sustained activation, 150–151
 circadian rhythm effects, 154
 episodic memory impairment, 204–205, 208
 mood effects, 154
 sustained activation in, 150–151
 unanticipated findings of, 153
- insomnia, 636–637
- integrated process model, of stereotype threat,
 409–410
- integrative meaning, 389
- intelligence. *See also* crystallized intelligence;
 fluid intelligence
 cognitive reserve and, 34, 40–41
 emotion recognition difficulties and, 370
 intensity, physical activity, 651–658
- interactive expertise, 286–288
- interaural level differences (ILDs), 182–184
- interaural time differences (ITDs), 182–184
- interference resolution, 204–205, 208
- intergenerational programs (IGP), 740
- intermittent theta burst stimulation (iTBS), for
 late-life depression, 601–602
- internal clock slowing, 258–259
- internal representations, 164–165
- intervention, 737–741. *See also* cognitive engagement interventions; cognitive training
 activity components of, 687
 activity participation, 451–452
 collaborative, 284–286
 decision making, 224
 cognitive deliberation and motivation,
 224
 emotion and motivation, 225
 experience-based knowledge, 225
 goals of, 685–687, 692
 initial cognitive abilities in, 690–691
 for late-life depression
 approaches to vascular depression, 599–600
 computerized cognitive remediation, 601
 exercise and lifestyle interventions, 603
 noninvasive brain stimulation, 601–602
 psychotherapy, 600–601
 learning in, 687, 688–689
 mobility, 708–709
 motivation in, 689–690
 multimodal, 709, 710
 outcomes maximization in, 740
 via optimal individualized approach,
 689–692
 via optimal scientific approach, 687–689
 person-to-person variation in, 689–692, 740
 prenatal, 433
 resource level in, 691–692
 social factors in, 692

- targets of, 692–693
 theory-driven, 689
 isolation
 cognitive function effects of, 352–353
 dementia risk and, 358–359
 iTBS. *See* intermittent theta burst stimulation
 ITDs. *See* interaural time differences
 item memory, 10, 404–406
 item recognition tests, 200–201

 James, William, 386–387
 Jung, Carl, 384

 ketogenic diet, 620
 kidney- and brain-expressed protein (*KIBRA*)
 gene, 555–556

 language processing
 aging-related effects on, 491
 discourse processing, 492
 working memory and syntactic processing,
 491–492
 bilingual
 auditory processing, 488–490
 cognitive aging impact on, 481–482
 cognitive function impact on, 482–483
 higher-level processing, 491
 transmission deficit theory and, 483–485
 Westerner and East Asian differences in,
 461–462
 late-life depression (LLD), 593, 603–604,
 739
 clinical features of
 clinical phenotype, 594
 executive dysfunction, 595–596
 pathways to, 594–595
 neurobiology of
 altered structural and functional connectiv-
 ity, 596–597
 novel neuroimaging approaches to, 597–598
 white matter hyperintensities, 596–597
 treatment of
 approaches to vascular depression, 599–600
 computerized cognitive remediation, 601
 exercise and lifestyle interventions, 603
 noninvasive brain stimulation, 601–602
 psychotherapy, 600–601
 LC-NE system. *See* locus coeruleus-norepi-
 nephrine system
 learning
 in cognitive interventions, 687, 688–689
 emotion as memory aid in, 237, 238–241
 reprioritization of information in memory after,
 241–243
 social network impact on, 354–355
 leisure activities
 cognitive reserve and, 34, 37–38
 participation in, 440–442, 448, 452–453
 activity type and timing, 449–450
 differential preservation *versus* preserved
 differentiation in, 446–448, 588
 intervention based on, 451–452
 mental, 442–444
 physical, 444–445
 retrospective methods for study of, 448–449
 social, 445–446
 start of participation, 450–451
 levodopa, 82–83, 87–88, 90
 life course perspective, 1, 121–123, 333
 activity participation considerations, 448
 activity type and timing, 449–450
 retrospective methods for study of, 448–449
 start of participation, 450–451
 cultural influences in, 469–470
 prenatal influences, 423–424
 animal studies of, 425–427
 cognitive reserve capacity, 424–425,
 430–432
 fetal brain programming, 424
 human studies of, 427–430
 well-being role in, 532–533, 589
 life review, 385
 life story, 390–391, 393. *See also* narrative
 identity
 adult development and, 391–392
 historical perspective on, 384–386
 lifestyle. *See also* activity participation
 in cognitive aging, 1–2
 genetic interactions with, 558
 vascular and late-life depression interventions
 targeting, 603
 lifetime appreciation, 261
 in socioemotional selectivity theory,
 261–264
 light exposure therapy, 637–638
 light physical activity (LPA), 652–655,
 657–658
 limited time mechanism, of processing speed
 effects on cognitive processes, 7
 lipid metabolism, 571–572, 576–577
 LLD. *See* late-life depression
 LoC. *See* locus of control
 locus coeruleus
 age-related changes in, 86, 90–91, 94–95
 in arousal, 102, 104–110
 tau pathology in, 94–95, 104
 locus coeruleus-norepinephrine (LC-NE) system
 age-related decline in, 104–106
 compensatory increases in, 106–110
 locus of control (LoC), 514–516, 519–520
 loneliness
 cognitive function effects of, 352–353
 dementia risk and, 358–359
 health effects of, 315

- low birth weight, 427–428
 LPA. *See* light physical activity
- magnetic resonance imaging (MRI). *See also*
 functional magnetic resonance imaging
 neurotransmitter systems in cognitive aging,
 82–83
 prenatal influences on cognitive aging,
 427–428, 429–430
 strategy distribution studies, 131
 strategy selection studies, 132
 of vascular and late-life depression, 596–597
 magnetoencephalography (MEG), cognitive
 control of strategic variations, 137–139
 maintenance, brain, 35, 205–206
 marital status
 in cognitive function–well-being association,
 543–544
 dementia risk and, 357, 358
 markers. *See also* blood biomarkers
 of prenatal stress, 427–428
 married couples, collaborative inhibition in,
 286–288
 masking, spatial release from, 183–184
 maternal stress, cognitive aging relationship to,
 432–433
 animal models of, 425–427
 human studies of, 427–430
 mechanisms underlying, 430–432
 mathematics
 strategy use in, 128–132, 133–135
 Westerner and East Asian differences in,
 461–462
 Matthew effects, 690–691
 MCI. *See* mild cognitive impairment
 MCR. *See* motoric cognitive risk syndrome
 meaning, integrative, 389
 MeDi. *See* Mediterranean-type diet
 medial prefrontal cortex (mPFC), 15, 84, 102,
 319, 373, 597
 dorsomedial, 245–247, 597
 in emotion recognition, 373, 374–376
 positivity effect and, 239–240
 self-reference effect and, 237, 240
 ventromedial, 246, 373
 medial temporal lobe (MTL), 9, 14, 16, 54,
 65–67, 72, 201–204, 276, 485–486,
 587–588
 medication management, 725–726
 Mediterranean-type diet (MeDi), 618–620
 Mediterranean-DASH Intervention for
 Neurodegenerative Delay (MIND),
 618–620
 MEG. *See* magnetoencephalography
 melatonin, 638
 memory. *See also* episodic memory; working
 memory
 age-by-valence interactions in, 236–238,
 239–240, 243–247
 associative, 9–10
 autobiographical, 383, 393
 cultural influences on, 462–463
 functional approach to, 386–388
 identity and memory integration through,
 389–390
 life story and, 390–392
 collaborative, 418
 group-level measures of, 282–283
 individual-level measures of, 282,
 283–288
 study approaches to, 282, 288
 consolidation of
 emotion role in, 237–238, 241–243
 sleep role in, 632, 633
 control beliefs and, 516–517, 518–520
 emotion role in, 236, 247, 273–274, 276
 age-by-valence interactions, 236–238,
 239–240, 243–247
 as aid at time of learning, 237, 238–241
 changes in feeling of remembering, 243–247
 as prioritization signal over periods of rest,
 241–243
 stereotype threat impact on, 404–406
 encoding of
 age-related changes in, 201–204, 205, 206,
 207–208
 age-related memory deficits due to, 9, 10–11
 collaborative inhibition and, 286–288
 emotion role in, 236–237, 238–241
 object- and context-focused perception and
 attention in, 460–461
 self-concept and, 318–319
 sleep apnea and, 634–635
 stereotype threat impact on, 404–406,
 409–410
 epigenetic mechanisms in, 560–561
 eyewitness, 408
 gist-based processes in, 335
 grit impact on, 506–507
 heritability of, 552–554
 item, 10, 404–406
 prenatal influences on, animal models of,
 425–427
 prospective, 404–406
 retrieval of
 age-related changes in, 200–205, 206,
 207–208
 age-related memory deficits due to, 8–11
 with arithmetic, 130–131
 collaborative memory and, 282–283, 284,
 286
 distraction suppression hypothesis and, 670
 emotion role in, 238, 243–247
 neurotransmitter impact on, 91

- object- and context-focused perception and attention in, 460–461
 role of inhibition at, 147, 151, 152
 self-memory system and, 388
 stereotype threat impact on, 404–406
 sleep role in, 632, 633
 social context role in, 336
 in social contexts, 281–282, 293
 collaborative memory, 282–288, 418
 social contagion/memory conformity, 288–293, 418
 social-cognitive goals role in, 334–336
 source, 200–201, 404–406
 stereotype threat impact on, 404–406, 407, 408
 transactive, 286–288
 Westerner and East Asian differences in, 460–461
- memory conformity, 288–289, 292–293, 418
 age differences in susceptibility to, 289–291
 age perception and, 291–292
 memory strategy, 11, 128–129, 130–132, 133–134
- mental activity, cognitive aging association with, 442–444
- mental health, social network impact on, 316–317, 351
- metabolism
 blood biomarkers of, 571–572, 576–577
 prenatal influences on, 432
 sleep impact on, 631
- mild cognitive impairment (MCI), 702
 blood biomarkers of, 570, 573–576
 cognitive reserve and, 39–40
 grit impact on, 507
 mobility in, 705–706
 nutrition role in, 612–613
 orexin levels in, 109
- MIND. *See* Mediterranean-DASH Intervention for Neurodegenerative Delay
- mind-wandering, 164–165
- mitochondrial dysfunction, 430–431
 blood biomarkers of, 571–572, 575–576
- mobility, 701–702, 709–710, 739
 aging-related changes in, 702–704
 aging-related cognitive changes impacting, 701–702
 cognitive decline interrelationship with, 704–708
 cross-domain model of cognition and, 706
 interventions for, 708–709
 measurement of, 703–704
- moderate-to-vigorous physical activity (MVPA), 651–657
- molecular plasticity
 genes and functional pathways in, 68–71
 synapses, systems, and circuits in, 71–73
- mood, inhibitory theory and, 154
- motivation
 attention and, 169–171
 benefits and costs in, 333–334, 339–342
 in cognitive engagement interventions, 689–690
 in cognitive function, 332–334, 339–343, 418
 in decision making
 age-related differences in, 219–221, 222–224
 interventions supporting, 224, 225
 factors influencing, 333–334
- motoric cognitive risk syndrome (MCR), 707
- mPFC. *See* medial prefrontal cortex
- MRI. *See* magnetic resonance imaging
- MTL. *See* medial temporal lobe
- multilingualism, 481
- multimodal intervention, 709, 710
- multivariate pattern analysis (MVPA), episodic memory studies, 207–208
- multivoxel pattern analysis (MVPA), 13–14, 22
- music, recognition of emotion in, 367–368
- MVPA. *See* moderate-to-vigorous physical activity; multivariate pattern analysis; multivoxel pattern analysis
- myelination, deterioration of, 21
- naps, 638
- narrative foreclosure, 392
- narrative identity, 383, 393
 adult development and, 391–392
 definition of, 390–391
 historical perspective on, 384–386
- nCCR-GD. *See* neuroplasticity-based computerized cognitive remediation for geriatric depression
- negative affect, aging-related changes in
 experience of, 299–300. *See also* emotion regulation
- negative information
 age-related responsiveness to, 169–171
 decision making and, 222–223
- network dynamics, in neuroadaptive aging, 73–74
- Neugarten, Bernice, 384–385
- neural networks
 age differences in recruitment of, 12–13
 cognitive reserve and, 39–40, 42
 cultural biases in, 463–464
 dedifferentiation and, 13–14
 default mode
 in attention, 164–165
 in brain-based models of aging, 14–15
 in distraction suppression hypothesis, 670, 671–672
 in episodic memory, 201–204, 207
 extra-recruitment of, for culturally nonpreferred strategies, 464–465

- neural networks (cont.)
 in late-life depression, 596–598
 molecular plasticity and, 71–73
 in neuroadaptive aging, 71–73
 recruitment of alternate, 121–122
 reorganization of, 73–74
 in STAC model, 16–19
- neural reserve, in locus coeruleus, 90–91
- neural resource depletion, 16–18, 122–123
- neural resource enrichment, 16–18, 122–123
- neural selectivity and specialization, cultural biases in, 463–464
- neuroadaptive aging, 62, 63–64, 74–75, 76, 123
 animal models of, 67–68
 conceptualization of, 64–67
 perspectives on growing older and, 62
 substrates of
 genes and functional pathways in molecular plasticity, 68–71
 network dynamics and cognitive structure, 73–74
 synapses, systems, and circuits in molecular plasticity, 71–73
- neurodegenerative disease. *See also* dementia
 blood biomarkers in, 570, 573–577
- neurodevelopment, cognitive aging impact of, 424
- neuroimaging, 11, 48, 67, 572. *See also specific imaging modalities*
 bilingualism, 488
 biomarkers, 574–575
 cognitive control of strategic variations, 137–139
 cognitive reserve evidence provided by, 38, 40–41
 brain function, 39–40
 brain structure, 39
 compensatory processes, 165–167
 culture-related biases in neural selectivity and specialization, 463–464
 distraction suppression hypothesis, 670–672
 emotion recognition, 374–376
 emotion regulation, 262–263
 epigenetic mechanisms, 561
 extra-recruitment for culturally nonpreferred strategies, 464–465
 inhibitory theory, 151–152
 of motivational processes, 343
 network dynamics and cognitive structure, 73–74
 object- and context-focused perception and attention, 460–461
 prejudice in aging, 322–323
 self-referential memory, 318–319
 sleep studies, 632–633
 STAC and, 64–65
 strategy distribution studies, 131
 strategy execution studies, 134–135
 strategy repertoire studies, 129–130
 strategy selection studies, 132
 transmission deficit theory, 484–485
 of vascular and late-life depression, 596–598
- neuromelanin, 86, 90–91
- neuromodulators, 83
 in attention, 171–172
- neuroplasticity. *See* plasticity
- neuroplasticity-based computerized cognitive remediation for geriatric depression (nCCR-GD), 601
- neuropsychological assessment
 blood biomarkers with, 569, 570
 stereotype threat impact on, 407–408
- neurotransmitters
 age effects on, 86–87
 arousal-related, 101, 102, 104, 110–111, 123
 acetylcholine, 103, 105–106
 dopamine, 102, 105, 109
 histamine, 103, 105, 109–110
 norepinephrine, 102, 104–110
 orexin, 103–104, 105, 109
 overarousal with aging, 101, 106–110
 serotonin, 102–103, 105, 109
 underarousal with aging, 101, 104–106
 in attention, 171–172
 co-release of, 94–95
 definition of, 83
 in emotion recognition, 375–376
 major cognition, 83–86
 acetylcholine, 83, 85–86
 dopamine, 83, 84, 85
 glutamate and GABA, 83
 noradrenaline, 83, 84, 85
 in working and episodic memory decline, 82–83, 87, 93–95, 123
 acetylcholine, 83, 85–86, 92–93
 dopamine, 83, 84, 85, 87–90
 noradrenaline, 83, 84, 85, 90–92
- nighttime awakenings, 629–630
- noise, speech perception in, 183, 673
- noradrenaline (norepinephrine)
 age effects on, 86–87, 104–106
 in age-related working and episodic memory decline, 83, 84, 85, 90–92
 in arousal, 102, 104–110
 in cognition, 83, 84, 85
 compensatory increases in, 106–110
- NREM sleep, 629–631
- Nun Study, 32–33
- nutrition
 cognitive function effects of, 612–613, 620–621, 738
 antioxidants, 614–615
 B vitamins, 613–614
 dietary patterns, 618–620

- fruits and vegetables, 617–618
 novel approaches to, 620
 polyunsaturated fatty acids, 617
 vitamin D, 616
 vitamin K, 615–616
- prenatal
 animal models of, 425–427
 human studies of, 427–430
- object-focused perception and attention, 460–461
 occupational attainment, 34, 36–38
 OFC. *See* orbitofrontal cortex
 olfaction, 190–191
 omega-3 polyunsaturated fatty acids, 617
 orbitofrontal cortex (OFC), 372–376
 orexin, 103–104, 105, 109
 others, understanding of, in aging effects on
 social interactions, 319–322
 overarousal, in cognitive aging, 101, 106–110
 oxidative stress, blood biomarkers of, 572,
 575–576
 oxytocin, 375–376
- PA. *See* physical activity
 paired-associate learning, 200–201
 paradox of emotion in aging, 299–300
 parahippocampal place area (PPA), 151
 Parkinson's disease, 63–64, 82–83, 168,
 574–576
 sleep disorders in, 635, 636
 participation. *See* activity participation; social
 engagement
 PASA. *See* posterior to anterior shift in aging
 PATH. *See* problem adaptation therapy
 pattern separation, noradrenaline role in, 91–92
 perceived competence (PC), 515–516
 perceived constraints, 515
 perceived control, 514–515. *See also* control
 beliefs
 awareness of aging and, 521–522
 in cognitive function–well-being association,
 542
 perceived time, 254–255. *See also* time
 perception
 perception. *See also* sensory perception; time
 perception
 of age, social contagion and, 291–292
 cultural influences on, 460–461
 speech, 487–488
 speech-in-noise, 183, 673
 perceptual learning, 672–675
 perceptual training, 672–675, 676–677
 dementia risk and, 675–676
 periodic limb movements during sleep (PLMS),
 635
 peripheral vision, in driving, 190
 PERMA model of well-being, 720
- perseverance of effort, 503, 504, 505, 506
 personal past, in identity, 383, 393, 419–420
 age differences in use of, 387–388
 autobiographical memory in integration of,
 388–390
 functional approach to, 386–388
 historical perspective on, 384–386
 identity support through recall and narrative,
 386–387
 life story in, 390–392
 PET. *See* positron emission tomography
 PFC. *See* prefrontal cortex
 phototherapy, 637–638
 phylloquinone, cognitive function impact of,
 615–616
- physical activity (PA)
 cognitive aging relationship with, 444–445,
 645–647, 658–661, 738
 intensity studies, 651–658
 methods of studying, 647
 overall activity level studies, 647–651
 definition of, 646–647
 genetic interactions with, 558
 mobility intervention using, 708–709
 motivation for, 690
 objective assessment of, 647, 658–660, 738
 technology support for, 724–725
 in vascular and late-life depression, 603
- physical health
 in cognitive function–well-being association,
 541–542
 social network impact on, 316–317, 351
 technology support for, 724–725
- plasticity
 aging effects on, 53–55
 blood biomarkers of, 571–572
 cognitive training and, 666–667
 developmental, 424
 distraction suppression hypothesis and, 671
 life-span trajectory of, 63–64, 65–67, 74–75
 in neuroadaptive aging, 62, 63–64, 74–75, 76,
 123
 animal models of, 67–68
 conceptualization of, 64–67
 genes and functional pathways in, 68–71
 network dynamics and cognitive structure
 in, 73–74
 perspectives on growing older and, 62
 synapses, systems, and circuits in,
 71–73
 prenatal influences on, 431
- PLMS. *See* periodic limb movements during
 sleep
 polygenic scores, in cognitive ability predictions,
 556–558
 polysomnography (PSG), 629, 630
 polyunsaturated fatty acids (PUFAs), 617

- positive affect, aging-related changes in
 experience of, 299–300. *See also* emotion regulation
- positive reappraisal, in emotion regulation, 307–308
- positivity effect
 in age-by-valence interactions in memory, 236–238, 239–240, 243–247
 in attention, 169–171, 306–307
 in autobiographical memory, 389–390
 cultural influences on, 466–467
 in decision making, 222–223
 in emotion recognition difficulties, 369–370
 in emotion regulation, 301–302, 342
 in goal influences on cognitive function, 337–338
- positron emission tomography (PET)
 arousal role in cognitive decline, 105
 dopamine role in cognitive aging, 87–90, 93
 noradrenaline role in cognitive aging, 91
- posterior parietal cortex, in episodic memory, 201–203
- posterior to anterior shift in aging (PASA), 12–13, 64–65
 in top-down compensation, 165–166
- post-stroke depression, 597
- posture, 703
 cognitive aging effects on, 704
- PPA. *See* parahippocampal place area
- predictive coding, 467–469
- prefrontal cortex (PFC). *See also* medial prefrontal cortex
 in attention processing, 167–169, 172
 compensatory scaffolding in, 16
 in emotion recognition, 373, 374–376
 in episodic memory, 203–205, 206
 in memory retrieval, 245–247
 molecular plasticity and, 73
 positivity effect and, 239–240
- pregnancy
 fetal brain programming during, 424
 stress during, 432–433
 animal models of, 425–427
 human studies of, 427–430
 mechanisms underlying dementia risk due to, 430–432
- prejudice, 322–323
- prenatal influences on cognitive aging, 423–424, 432–433, 589
 life course perspective of, 423–424
 animal studies of, 425–427
 cognitive reserve capacity, 424–425, 430–432
 fetal brain programming, 424
 human studies of, 427–430
 mechanisms underlying fetal programming of dementia risk, 430–432
- preserved differentiation, in activity-cognition associations, 446–448, 588
- prevention focus, 409–410
- priming, 148–149
- PRISM project, 730
- proactive interference, 152
- problem adaptation therapy (PATH), 600
- problem-solving therapy (PST), 600
- process model of emotion regulation, 304
 attentional deployment, 306–307
 cognitive change, 307–308
 response modulation, 308–309
 situation selection and modification, 305
- processing speed, 6–7
 change trajectories of, 47–48
 emotion recognition difficulties and, 370
 physical activity impact on, 647–651, 657, 658–660
 training of, 674–675
- Project EVO, 601
- promotion focus, 409–410
- prospective memory, 404–406
- prudent diet, 619
- PSG. *See* polysomnography
- PST. *See* problem-solving therapy
- psychotherapy, for late-life depression, 600–601
- PUFAs. *See* polyunsaturated fatty acids
- pupil size, LC-NE system activity and, 107
- pupillometry studies, cognitive demands during speech understanding, 185–186
- race, sense of control and, 516–517
- raclopride, 87–88
- RBD. *See* REM sleep behavior disorder
- reactive oxygen species (ROS), 572, 575–576
- reading, 189–190
- real-world skills, interventions improving, 688, 692–693
- reappraisal, in emotion regulation, 307–308
- recollection
 in dual-process model of episodic memory, 8–9, 200–201
 stereotype threat impact on, 404–406
 deficit of, 8–9
- redemption sequences, 391–392
- redemptive self, 391–392
- regulation, emotion. *See* emotion regulation
- regulatory focus theory, of stereotype threat, 409–410
- REM sleep, 629–631
- REM sleep behavior disorder (RBD), 635–636

- remembering, personal identity and, 383, 393
 functional approach to
 age differences in use of personal past, 387–388
 identity support through recalling and narrating personal past, 386–387
 historical perspective on, 384–386
 reminiscence, 383, 393
 functional approach to
 age differences in use of personal past, 387–388
 identity support through recalling and narrating personal past, 386–387
 historical perspective on, 384–386
 reminiscence bump, 390
 repetitive transcranial magnetic stimulation (rTMS), 21–22
 for late-life depression, 601–602
 reserve. *See* brain reserve; cognitive reserve
 resource-modulation hypothesis, genetic variability in, 554–555
 resources
 intervention optimization and, 691–692
 social network provision of, 355–356
 response, restraint of strong, 151–152
 response modulation, in emotion regulation, 308–309
 rest, 241–243. *See also* sleep
 restless legs syndrome (RLS), 635
 restraint inhibitory mechanism, 148, 151–152
 retrieval
 memory
 age-related changes in, 200–205, 206, 207–208
 age-related memory deficits due to, 8–11
 with arithmetic, 130–131
 collaborative memory and, 282–283, 284, 286
 distraction suppression hypothesis and, 670
 emotion role in, 238, 243–247
 neurotransmitter impact on, 91
 object- and context-focused perception and attention in, 460–461
 role of inhibition at, 147, 151, 152
 self-memory system and, 388
 stereotype threat impact on, 404–406
 word, 483–485, 486
 retrieval strategy disruption theory, 284, 286–288
 retrospective studies, of activity-cognition associations, 448–449
 reverse causation, in activity-cognition associations, 446–448, 588
 reward processing, 598
 right inferior frontal gyrus (rIFG), 164
 right prefrontal cortex (rPFC), 167–169, 172
 risk taking, 225–226
 RLS. *See* restless legs syndrome
 robots
 assistive and homecare, 726
 social, 724, 725
 rod photoreceptor loss, 188
 ROS. *See* reactive oxygen species
 rPFC. *See* right prefrontal cortex
 rTMS. *See* repetitive transcranial magnetic stimulation
 salivary alpha amylase, 108
 SAVI. *See* strength and vulnerability integration
 SBP. *See* systolic blood pressure
 scaffolding theory of aging and cognition (STAC), 16–19, 64–65, 122
 cognitive reserve and, 42
 revised model of, 16–18, 122–123
 scopolamine, 85–86, 92–93
 scotopic vision, 188
 secular trends, in cognitive function–well-being association, 544–545
 selection, optimization, and compensation (SOC) model
 goal priorities and, 338
 of successful aging, 717–718, 721
 selection, optimization, and compensation theory of emotion regulation (SOC-ER), 302–303
 empirical support for, 304
 attentional deployment, 306–307
 cognitive change, 307–308
 process model of emotion regulation overview, 304
 response modulation, 308–309
 situation selection and modification, 305
 selective attention, 266
 selective engagement, 333–334, 340–342
 selective engagement theory (SET), 340–342
 selective norepinephrine inhibitors, 599
 selective serotonin reuptake inhibitors, 599
 self-concept, Westerner and East Asian differences in, 462–463
 self-continuity
 personal past role in, 383, 393, 419–420
 autobiographical memory in integration of identity and memory, 388–390
 functional approach to, 386–388
 historical perspective on, 384–386
 life story, 390–392
 in time perception, 264
 self-determination theory, 720
 self-efficacy, 514–515
 self-initiated processing deficits, 10–11
 self-memory system (SMS), 388–389
 self-reference effect (SRE), 205, 237, 240–241
 self-regulation, 322
 semantic priming, 148–149
 semantic processing, 461–462

- senior technology acceptance model (STAM), 720
- sensitivity
- auditory, 181
 - spatial contrast, 187–188
- sensory deficit hypothesis, 5–6
- sensory perception, 179, 191, 275. *See also*
- auditory perception; visual perception
 - bilingualism and, 482
 - compensation for, 162–165, 273–274
 - cost of, 165–169
 - normal age-related changes in, 179
 - taste, smell, and balance, 190–191
 - training of, 672–675
 - variability in, 179
 - Westerner and East Asian differences in, 460–461
- sequential strategy interference effects, 136–139
- serotonin, 102–103, 105, 109
- SES. *See* socioeconomic status
- SET. *See* selective engagement theory
- set-switching, physical activity impact on, 657
- shared decision making, 226
- Sister Mary, 32–33
- situation modification, 305
- situation selection, 305
- situational goals, 333
- size at birth, cognitive aging relationship to, 427–428
- sleep, 628–629, 639, 739
- aging-related changes in, 629–631
 - deprivation, 633–634
 - neurocognitive functions of
 - in older adults, 632–634
 - in young adults, 631–632
 - normal, 629–631
 - poor, 632–634
 - reprioritization of information in memory during, 242–243
- sleep disorders, 634
- insomnia, 636–637
 - REM sleep behavior disorder, 635–636
 - restless legs syndrome, 635
 - sleep apnea, 634–635, 637
 - treatment of, 636
 - CBT-I, 636–637
 - CPAP, 637
 - light exposure therapy, 637–638
 - napping, 638
 - pharmacological, 638
- sleep hygiene, 636
- slow wave sleep (SWS), 629–631
- smartphones
- health tracking on, 724–725
 - medication management with, 725–726
 - older adult use of, 719
- smell, 190–191
- SMS. *See* self-memory system
- SOC model. *See* selection, optimization, and compensation model
- SOC-ER. *See* selection, optimization, and compensation theory of emotion regulation
- social cognition, 315, 324, 419
- social contagion, 288–289, 292–293, 418
- age differences in susceptibility to, 289–291
 - perceptions of age and, 291–292
- social context
- in aging-related memory decline, 336
 - cognitive aging in, 417–420
 - in cognitive function–well-being association, 542–545
 - in decision making, 226
 - intervention optimization and, 692
- memory in, 281–282, 293
- collaborative memory, 282–288, 418
 - social contagion/memory conformity, 288–293, 418
- social engagement
- cognitive aging association with, 445–446
 - cognitive function effects of, 351–352
 - in cognitive function–well-being association, 538–539
 - dementia risk and, 357–358
 - technology support for, 723–724
 - for vascular and late-life depression, 603
- social integration theory, 354–355
- social interaction, aging effects on, 318
- inhibition of socially undesirable behavior, 322–323
 - understanding of others, 319–322
 - understanding of self, 318–319
- social isolation
- cognitive function effects of, 352–353
 - dementia risk and, 358–359
- social network, 315
- aging-related decline in size of, 316
 - dementia risk and, 357
 - diversity of relationships in, 360–361
 - healthy aging through, 317–318
 - mechanisms of associations between, 353–356
 - physical and mental health implications of, 316–317, 351
 - positive emotion from, 355
 - resources provided by, 355–356
 - structure and behaviors of, 354–355
 - variability in, 350–351
- social norms
- in cultural influences on cognitive aging, 469–470
 - Westerner and East Asian differences in, 462–463

- social relationships, 315, 324, 419
 aging effects on social interactions, 318
 inhibition of socially undesirable behavior, 322–323
 understanding of others, 319–322
 understanding of self, 318–319
 aging-related changes in selection of, 301
 cognitive function effects of, 350–351, 360–361
 dementia risk and, 356–359
 mechanisms of, 353–356
 social engagement effects, 351–352
 social isolation and loneliness effects, 352–353
 dementia risk and, 356
 hypothesized mechanisms of risk reduction, 356–357
 limitations of research on, 359
 loneliness and social isolation, 358–359
 social activities and support, 357–358
 social networks, 357
 diversity of, 360–361
 maintenance of, 315–318
 aging-related decline in social network size, 316
 physical and mental health implications of social networks, 316–317, 351
 social networks influences on healthy aging, 317–318
 measurement of, 360
 variability in, 350–351
 social robots, 724, 725
 social support, dementia risk and, 357–358
 social-cognitive goals, 334–336
 socially undesirable behavior, inhibition of, 322
 inappropriate remarks, 322
 prejudice, 322–323
 socioeconomic status (SES)
 cognitive function effects of, 354–355
 intervention optimization and, 691–692
 sense of control and, 516–517
 socioemotional domains, emotional memory
 benefits from processes shared across, 237, 240–241
 socioemotional goals, 336–338
 socioemotional selectivity theory (SST)
 in age-by-valence interactions in memory, 239–240, 246–247
 control beliefs and, 515
 decision making and, 222
 of emotion regulation, 301
 goal-based influences on cognitive function, 336–338
 of time perception, 261–262
 emotion regulation, 262–263
 goal selection, 262
 self-continuity, 264
 sound source localization, 182–183
 source memory, 200–201, 404–406
 span tasks, 150
 spatial ability, 552–554
 spatial contrast sensitivity, 187–188
 spatial release from masking, 183–184
 speech
 bilingualism impact on perception of, 487–488
 cognitive demands during understanding of, 184–186
 intelligibility of, 183
 speech-in-noise perception, 183, 673
 speed of processing model, 6–7
 speed of processing training, 674–675
 split effects, in arithmetic, 129–130
 SRE. *See* self-reference effect
 SST. *See* socioemotional selectivity theory
 ST. *See* stereotype threat
 STAC. *See* scaffolding theory of aging and cognition
 STAM. *See* senior technology acceptance model
 stereotype threat (ST)
 cognitive performance effects of, 400–401, 410, 420
 clinical implications of, 407–408
 deficit expectations role in, 403–404
 domains most affected by, 404–406
 experimental methods for study of, 401–403
 framework of, 401
 mechanisms underlying, 409–410
 other applied implications of, 408
 participant factors moderating, 406–407
 cultural variability in, 404
 motivation and, 340
 social contagion and, 291–292
 stimulus-driven attention, 162–165, 273–274
 strategy distribution, 128
 aging effects on, 130
 behavioral data, 130–131
 brain-imaging data, 131
 strategy execution, 128
 aging effects on, 132–133
 behavioral data, 133–134
 brain-imaging data, 134–135
 strategy interference effects, 136–139
 strategy perspective, 127–128, 139, 273–274
 on age-related differences
 in cognitive control of strategic variations, 135–139
 in strategy distribution, 130–131
 in strategy execution, 132–135
 in strategy repertoire, 128–130
 in strategy selection, 131–132
 dimensions of, 128

- strategy repertoire, 128
 aging effects on, 128
 behavioral data, 128–129
 brain-imaging data, 129–130
 strategy selection, 128
 aging effects on, 131
 behavioral data, 131–132
 brain-imaging data, 132
 strategy sequential difficulty, 133–134
 strategy switch costs, 136
 strength and vulnerability integration (SAVI),
 303–304
 arousal modulation in, 110–111, 305
 empirical support for, 304
 attentional deployment, 306–307
 cognitive change, 307–308
 process model of emotion regulation over-
 view, 304
 response modulation, 308–309
 situation selection and modification, 305
 stress
 aging effects on physiological response to,
 110–111
 prenatal, 432–433
 animal models of, 425–427
 human studies of, 427–430
 mechanisms underlying dementia risk due
 to, 430–432
 stressor reactivity, 537
 STS. *See* superior temporal sulcus
 substantia nigra, 84
 successful aging, 1–2, 62, 63–64, 74–75, 76, 123
 animal models of, 67–68
 blood biomarkers of, 571–572, 573
 cognitive reserve and, 37, 40
 conceptualization of, 64–67, 499–501,
 717–718
 control beliefs in, 514, 520–524, 589
 aging effects on, 516
 construct of, 514–516
 developmental and contextual approaches
 to, 518–520
 individual differences in, 516–517, 519–520
 intraindividual variability in, 518, 519–520
 grit role in, 499–500, 508, 589
 association between, 504–508
 concept of grit, 499–500, 501–504
 concept of success, 499–501
 nutrition role in, 612–613
 perspectives on growing older and, 62
 social relationships in, 315
 aging-related decline in social network size,
 316
 mechanisms of associations between,
 353–356
 physical and mental health implications of
 social network size, 316–317, 351
 social networks influences on healthy aging,
 317–318
 substrates of
 genes and functional pathways in molecular
 plasticity, 68–71
 network dynamics and cognitive structure,
 73–74
 synapses, systems, and circuits in molecular
 plasticity, 71–73
 technology support for, 717–718, 739–740
 design and implementation considerations
 in, 729–731
 illustrative examples of, 722–726, 727
 potential of, 721–722
 research limitations and opportunities in,
 726–729
 theories and frameworks guiding, 719–721
 ubiquitous nature of technology in,
 718–719
 theoretical models of, 717–718
 well-being role in, 532–533, 545, 589
 individual resources and constraints in,
 540–542
 neurobiological pathways linking, 539–540
 pathways linking, 536–539
 sociohistorical context resources and con-
 straints in, 542–545
 well-being as antecedent for cognitive
 function and development, 535–536
 well-being as outcome of cognitive function
 and development, 533–535
 sunk costs, decisions about, 223
 super-agers, 63. *See also* successful aging
 blood biomarkers in, 572
 superior temporal sulcus (STS), 373
 sustained attention tasks, 162–163
 SWS. *See* slow wave sleep
 synapses, in neuroadaptive aging, 71–73
 synaptic tagging hypotheses, 241–242
 syntactic processing, 491–492
 systems, in neuroadaptive aging, 71–73
 systolic blood pressure (SBP), 340–342
 taste, 190–191
 tau pathology
 blood biomarkers for, 574–575
 in locus coeruleus, 94–95, 104
 tDCS. *See* transcranial direct current stimulation
 technology
 older adult use of, 719, 720, 731
 successful aging support with, 717–719,
 739–740
 design and implementation considerations
 in, 729–731
 emerging technologies, 719
 illustrative examples of, 722–726, 727
 potential of, 721–722

- research limitations and opportunities in, 726–729
- theories and frameworks guiding, 719–721
- ubiquitous nature of, 718–719
- TechSAge model, 720
- telecare, 726
- temporal processing, 181–182
- tenacious goal pursuit (TGP), 501, 503–504, 505
- time acceleration, 265
- time perception, 254, 265, 266–267, 277
- age-related declines in duration judgments, 257
 - divided attention deficits, 259–260
 - internal clock slowing, 258–259
 - methodological considerations, 257–258
 - time acceleration effects in, 265
- age-related increases in lifetime appreciation, 261
- socioemotional selectivity theory, 261–264
- aging, time acceleration, and goals, 265
- aging and attention to time, 266
- bottom-up and top-down processing in, 255–257
- linkages between, 265–266
 - consequences of perceived time, 254–255
 - personal past influence on, 384–385
- timing tasks, 164
- tip-of-the-tongue (TOT), 483–485, 486
- TMS. *See* repetitive transcranial magnetic stimulation
- TOMM40* gene. *See* translocase of outer mitochondrial membrane 40 gene
- top-down processing
- attention, 162–165, 273–274
 - cost of compensation with, 165–169
 - motivation and emotion influences on, 169–171
 - time, 255–257
 - bottom-up linkages with, 265–266
- TOT. *See* tip-of-the-tongue
- training. *See* cognitive training
- training studies, activity participation interventions, 451–452
- transactive memory, 286–288
- transcranial direct current stimulation (tDCS), 21–22
- transfer, of cognitive training, 666–668, 676–678, 737–738
- distraction suppression hypothesis of, 670–675, 676–678
 - durability of, 675–676
 - mechanism considerations in, 668
 - updating hypothesis of, 668–670, 675, 676–678
- translocase of outer mitochondrial membrane 40 (*TOMM40*) gene, 561
- transmission deficit theory, 483–485
- bilingualism consequences for, 486
- travel, technology support for, 724
- trisynaptic circuit, 71–73
- tuberomammillary nucleus, in Alzheimer's disease, 109–110
- tyrosine hydroxylase, 107
- UFOV. *See* useful field of view
- underarousal, 101, 104–106
- undernutrition, prenatal
- animal models of, 425–427
 - human studies of, 427–430
- unified theory of acceptance and use of technology 2 (UTAUT2), 720
- updating hypothesis, 668–670, 675, 676–678
- updating training, 669–670
- useful field of view (UFOV), 188–189, 190
- UTAUT2. *See* unified theory of acceptance and use of technology 2
- valence, memory effects of, 236–240
- values clarification, 224
- vascular depression, 593, 603–604, 739
- clinical features of
 - clinical phenotype, 594
 - executive dysfunction, 595–596
 - pathways to, 594–595
 - neurobiology of
 - altered structural and functional connectivity, 596–597
 - novel neuroimaging approaches to, 597–598
 - white matter hyperintensities, 596–597
 - treatment of
 - computerized cognitive remediation, 601
 - exercise and lifestyle interventions, 603
 - noninvasive brain stimulation, 601–602
 - pharmacologic and nonpharmacologic approaches to, 599–600
 - psychotherapy, 600–601
- vegetable consumption, 617–618
- ventral attention network, 107
- ventromedial prefrontal cortex (vmPFC)
- in emotion recognition, 373
 - in memory retrieval, 246
- verbosity, 368–369
- vestibular system, 191
- visual acuity, 187
- visual perception
- age-related deficits in, 187
 - attention effects of, 163–164
 - driving consequences of, 190
 - reading consequences of, 189–190
 - scotopic function and dark adaptation, 188
 - spatial contrast sensitivity, 187–188
 - visual acuity, 187
 - visual processing speed, 188–189

- visual perception (cont.)
 bilingualism and, 482
 in sensory deficit hypothesis, 5–6
 Westerner and East Asian differences in, 460–461
- visual perception training, 673–674
- visual processing speed, 188–189
- vitamin B6, 613–614
- vitamin B12, 613–614
- vitamin D, 616
- vitamin K, 615–616
- vitamin K antagonists (VKA), 615–616
- vmPFC. *See* ventromedial prefrontal cortex
- wakefulness, 102
- weight loss, 620
- well-being
 cognitive function and, 532–533, 545, 589
 age, gender, and education role in, 540–541
 health behavior role in, 537–538
 individual resources and constraints in, 540–542
 marital status role in, 543–544
 neurobiological pathways linking, 539–540
 pathways linking, 536–539
 perceived control role in, 542
 physical health role in, 541–542
 secular trends role in, 544–545
 social participation role in, 538–539
 sociohistorical context resources and constraints in, 542–545
 stressor reactivity role in, 537
- well-being as antecedent for cognitive function and development, 535–536
- well-being as outcome of cognitive function and development, 533–535
- emotional, 299–300
 social relationships in, 315–323, 324
- PERMA model of, 720
- Western diet, 619
- Westerners, cognitive differences between East Asians and, 459–460
- aging effects on, 466–467
- in object- and context-focused perception and attention, 460–461
- in semantic and mathematical processing, 461–462
- in social mores, affective reactions, and self-concept, 462–463
- white matter, cognitive training effects on, 54
- white matter hyperintensities (WMH)
 cognitive reserve and, 39
 in vascular and late-life depression, 596–597
- word retrieval, 483–485, 486
- work environment, 354–355
- working memory, 7
 heritability of, 552–554
 in higher-level language processing, 491–492
- inhibitory deficits in, 7–8
- neurotransmitter role in, 82–83, 87, 93–95, 123
 acetylcholine, 83, 85–86, 92–93
 dopamine, 83, 84, 85, 87–90
 noradrenaline, 83, 84, 85, 90–92
- physical activity impact on, 647–651, 657
- stereotype threat impact on, 404–406, 407
- updating in, 668–670
- updating training of, 669–670, 676–677
- working self, 388