

## Index

- 5 welfare freedoms, 398
- abductor pollicis brevis, 93
- abductor pollicis longus, 93
- abundance, 193, 203, 221, 296, 301, 303–304, 307, 310, 314–315, 332, 334, 395, 398
- Acacia*, 185, 203
- accessory olfactory bulb, 53, 98
- accessory olfactory system, 98, 100, 102–103, 110
- activity budget, 9, 195, 199, 202, 210, 214, 219, 227, 234, 250, 256, 317
- activity pattern, 9, 115, 125, 179, 194, 197, 202, 210, 316–317
- Adapiformes, 37
- Adapoidea, 37
- adapoids, 37, 43
- adaptation, 3, 6, 59, 68, 138, 142, 157, 176, 191, 201, 207, 219, 259
- anatomical, 6, 186
- behavioural, 6, 207
- dental, 7, 45, 155, 157
- exudatory, 185
- fundamental, 7
- locomotor, 77, 210
- masticatory, 113
- metabolic, 166
- morphological, 6, 58, 157
- paramasticatory, 113
- physical, 10
- primate, 140
- process, 66
- toothcomb, 12
- visual, 174, 176, 181
- visual system, 174
- adaptive, 10, 43, 67, 114–115, 125–126, 159, 185, 258–259
- significance, 113, 127, 192
- variation, 115
- adolescents, 362, 365–367, 370
- advertising, 343, 356, 362–363, 370, 373, 378
- direct, 363
- imagery, 363
- indirect, 363
- online, 366
- viral, 362
- affinity, 381–382, 390–392
- Africa, xix, 3–4, 21, 26, 31, 33, 38, 40, 42, 59, 63, 76, 153, 191, 204, 267, 347, 350
- African
- lorises, 1–3, 9, 15, 31, 58, 63, 154, 160, 316, 325
- lorisids, 6, 30, 42, 49, 58, 63, 76, 111, 130, 161, 350
- Lorisiformes, 364
- lorisiforms, 9, 132, 134, 204, 209, 364
- lorisines, 210
- perodicticines, 153
- potto, 19, 24, 29, 33, 49, 64, 98, 210
- range, 1
- species, 2, 209
- tale, 19
- Africans, 19
- Africa-to-Asia, 43
- Afro-Asian, 131, 136
- aggression, 267, 364
- conspecific, 266
- intraspecific, 13
- agriculture, 193
- areas, 333
- sustainable, 399
- agroforestry, 193–194, 201–203
- Akaike information criterion (AIC), 250, 321
- alien species, 339
- allogrooming, 206, 259
- allometry, 113, 115, 117, 120, 124–126, 138
- alopecia, 267
- ambient temperature, 187–189, 264
- amplitude, 317
- anaesthesia, 291, 293
- analysis of covariance, 118
- anaphylaxis, 14
- anatomy, 47, 50, 76, 78, 80, 94, 97, 102, 179, 186, 217, 326
- anatomical variation, 97, 111
- glenohumeral, 138
- muscle, 78–79
- olfactory, 6, 97, 101, 103, 108, 110
- soft-tissue, 78
- visual, 174, 180, 182
- ancestral condition, 129, 181
- ancestral reconstruction, 131
- ANCOVA. *See* analysis of covariance
- angwantibo, xix, 1–2, 6, 9–10, 14, 21, 33, 57, 59–60, 63, 76, 127, 153, 155, 180, 184, 186, 204–205, 207, 209, 236–237, 241, 288, 339, 347–348, 350, 354
- Calabar, 5, 63
- golden, 5, 63, 204, 349
- animal cruelty, 372
- animal markets, 394–395, 398
- Animal Record Keeping System, 235
- ANOVA, 118, 222
- anterior dentition, 45, 62, 69, 157, 161
- anthropogenic activity, 204, 382
- anthropogenic disturbance, 310, 328
- anthropogenic pressures, 333
- anthropogenic settings, 365, 380
- anthropoids, 2, 8, 37, 43, 52, 101, 103, 113, 125, 130
- anthropological capacity, 350
- anthropological design, 350
- anthropomorphism, 374, 391
- images, 380
- settings, 363, 374, 379
- words, 382, 389, 391
- anti-predation, 9
- behaviours, 174
- function, 13
- strategy, 219
- AOS. *See* accessory olfactory system
- Aotus*, 52, 130

## 466 Index

- arboreal, 6, 43, 49–50, 53, 76, 140, 144, 150, 210, 227, 304
- anthropoid, 52
- environment, 6, 53, 144, 150, 152
- lifestyle, 19, 76, 154, 295
- locomotion, 150
- mammals, 49, 194, 313
- primates, 6, 211
- quadrupedalism, 44
- snake, 8, 150
- species, 49, 193, 203
- trapping, 288
- ArcGIS, 230, 327
- Arctocebus*, 1–3, 9, 25, 29–30, 34, 38, 40, 50, 57, 63, 69, 76, 98, 101, 104–106, 108, 111, 148–149, 154, 160, 182, 184, 186
- aureus*, 5, 9, 29, 63, 205, 207–208, 211, 349
- calabarensis*, 5, 63, 104, 205–206
- Arctocebus calabarensis*, 29
- ARKS. *See* Animal Record Keeping System
- artificial day–night light cycles, 264
- Asia, xix, 1, 4, 31, 37, 39, 41, 59, 133, 153, 191, 193–194, 211, 263, 326, 363, 393
- countries, 334
- genera, 31, 57
- lorises, 1–3, 9–11, 15, 19, 23–24, 31, 33, 58, 63, 98, 154, 160, 209–210, 215, 218, 307, 315–316, 325
- lorisids, 6, 30, 49, 58–60, 63, 130, 161, 341
- Lorisiformes, 363
- lorisiforms, 132, 134
- lorisines, 133, 153, 210, 263
- range countries, 1
- slow lorises, 207
- South, 202, 357
- South-east, 3, 11, 25, 31, 33, 40, 59, 61, 187, 193, 202, 211, 333, 355, 400
- trade, 15
- wildlife, 382
- zoos, 263
- attitudes, 353, 367–368, 381, 383, 385, 390–391, 400
- children, 369
- environmental, 366–367, 369
- moral, 367, 369
- public, 375, 379
- student, 367
- auditory, 47, 56, 247
- bullae, 31
- cues, 55, 180
- system, 55
- authorities, 220, 291, 332, 344, 354, 396–397
- awareness, 365, 372, 381, 397–398
- conservation, 333, 392
- public, 363
- B. tardigradus*. *See* *Bradyopus*
- Bahasa
- Indonesia, 343, 383–384, 397
- Java, 343
- Sunda, 343
- Bali, 342–343
- bamboo, 194, 197, 199, 203, 229, 231, 247, 289
- banana, 266, 288, 328, 333
- Bangladesh, 26, 31, 195, 201, 203
- basicranial, 125
- flexion, 113, 124–125
- length, 124
- sutures, 116
- bats, 54, 115, 144, 178, 185
- Bayesian information criterion, 321
- bear monkey, 25
- behaviour, 55, 58, 60, 92, 103, 111, 130, 142, 144, 150, 169, 178–179, 209–210, 220, 227, 250, 260–261, 316, 320–321, 325, 364, 372, 398
- abnormal, 243, 247, 250–251, 257–259, 261, 364
- acuity, 179, 184
- adaptation, 207
- approaches, 178
- data, 103, 110, 169, 212, 222, 249, 320–321
- deficits, 260
- development, 243, 261
- differences, 204, 272
- diversity, 244, 249, 251, 256, 260, 265
- ecology, 210, 219, 285, 382, 389, 392
- evidence, 104, 110, 158
- experiments, 180
- maternal, 243, 249, 251, 257–259, 261
- methods, 178
- normal, 187, 221, 281
- observation, 93, 139, 149, 221–222, 316, 320, 398
- problem, 170
- study, 79, 111, 174, 211, 296
- training, 47
- trends, 261
- beliefs, 7, 136, 342, 351, 353, 366–367, 369–370, 372, 384
- cultural, 357, 363
- folklore, 12
- moral, 367, 369
- superstitious, 357
- traditional, 12
- BGE. *See* brachial gland
- Bhutan, 26, 31, 41
- south-east, 41
- BIC. *See* Bayesian information criterion
- biodiversity, 194, 201, 373–374, 391, 400
- biogeography, 3, 31, 59, 398
- bio-logging, 316, 322
- biomechanics, 8, 48, 138–140, 148, 150
- data, 139, 148–149, 151
- demands, 150
- features, 138
- locomotor data, 140, 149–150
- locomotor features, 139
- principles, 69
- biophilia, 378
- birthing enclosure, 272
- bite, 10, 12–13, 209, 267
- slow loris, 12
- toxic, 242, 267
- venomous, 12, 291, 364
- wounds, 242, 266
- black magic, 357
- black market, 397
- body, 47, 53, 144, 150, 178, 208, 212, 266, 285, 317
- balance, 211
- condition, 260–261
- fat, 187
- fur, 296
- length, 28, 76, 231, 291

- mass, 43, 68, 74, 92, 98, 105, 159, 317, 325, 348
- measurement, 291
- mechanics, 149
- parts, 342, 394
- posture, 191
- size, 11, 28, 62, 64, 108, 181, 196, 211, 227–228, 231, 270, 285, 295, 332
- temperature, 10, 187–189, 314, 316
- weight, 9, 25, 31, 79–80, 188, 190–191, 210–211, 225, 229, 231, 293
- bone, 99, 105, 343, 350
- calcaneus, 58
- cranial, 99
- nasal, 31
- navicular, 58
- phalangeal, 24
- premaxillary, 25, 29
- tarsal, 7, 19
- vertebrae, 24, 28, 30, 58, 64
- Borneo, 220
- Indonesia, 344
- Malaysia, 334
- Bosman, Willem, 19, 23–24, 76
- brachial gland, 12, 266
- exudate, 12, 267
- sebaceous, 11
- brachial oil, 343
- brachioradialis, 79–80, 92–93
- Bradypus*, 20
- breeding, 137, 166, 239, 243, 263, 265, 267, 269–270, 273, 275, 355
- activity, 270
- captive, 234, 264, 346, 352, 365
- colony, 275
- cycles, 264, 267
- farms, 355
- patterns, 264, 267, 274
- programme, 235
- protocol, 263
- season, 8, 233, 238, 275
- selective, 169
- stocks, 355
- bricks-and-mortar markets, 342, 345
- bridging, 7, 150, 210–211, 217
- locomotion, 140
- Buchholz, Rheinhold, 19
- bushbabies, 1–3, 6–8, 19, 31, 33, 153, 155, 157, 312
- bushmeat, 15–16, 242, 341, 347–348, 350, 353
- extraction, 350
- hunting, 15, 349
- markets, 349
- surveys, 347, 350
- trade, 347–348, 350, 353–354
- buying, 332, 344–345, 356–358, 360
- buyer profiles, 347
- Calabar, 5, 63, 205
- Old Calabar, 21, 29
- people, 21
- calcaneus, 58
- Callithrichidae, 155
- Callithrix*, 155, 157
- jacchus*, 165, 172
- penicillata*, 194
- Cambodia, 27, 31, 62, 202, 215, 217, 228, 289
- dipterocarp forests, 202
- eastern, 228
- camera, 291, 321, 374
- video camera, xix, 212, 272
- Cameroon, 29, 63, 204, 206, 285
- Mount Cameroon, 29
- south-east, 349
- campaign, 350, 372, 399
- conservation, 372
- education, 356, 365
- social, 373
- canine (teeth), 28, 45, 67, 69, 74–75, 157
- lower, 67
- post-, 49
- upper, 30, 157
- canonical variate analysis, 73
- canopy, 9, 50, 54, 76, 175, 185, 194, 196, 211, 226, 231, 288, 308
- closed, 185
- continuity, 315
- dense, 194
- high, 215
- middle, 212
- open, 176, 185
- top, 212
- cantilever (movement), 7, 150–151, 211, 217, 308
- lorisid, 8
- Cantius*, 37
- capture and captivity, 12, 64–65, 79, 149, 165, 168, 173, 180, 186–188, 190, 205, 207, 209–210, 217, 228–229, 231, 235, 237, 240–241, 243–244, 253, 257, 260, 263–265, 267, 285, 288–289, 319, 332, 355, 364, 394
- angwantibo, 14
- animals, xix, 167, 220, 228–229, 233, 285, 288, 316
- attention, 19
- biology, 235, 241
- birds, 207
- captive-bred, 167, 234, 238, 264, 346, 352, 356, 365
- collars, 229
- conditions, 233
- diets, 167
- environment, 281
- housing, 243
- insects, 49
- lorisids, 14
- management, 9, 217
- nutrition, 166
- populations, 11–12, 14, 209, 326
- potto, 19, 207, 209, 239
- prey, 111, 207
- primate, 364
- procedures, 266, 289
- pygmy lorises, 231
- recapture, 288, 295, 320
- records, 14
- setting, 11, 149, 257, 259, 281, 319
- sites, 65
- specimens, 66
- stressors, 243, 258
- study, 7, 11, 211, 258, 316–317, 322
- trade, 364, 395
- variation, 175
- caretaker, 169, 247, 263–264, 268, 270, 272, 275
- carpal vibrissae, 53
- cathemeral, 52
- primates, 178
- species, 9, 178
- CDA. *See* cultural cultural domain analysis
- Cebuella*, 155, 157

**468 Index**

- cellulitis, 266
- Central Africa, 5, 41, 76
- Central African Republic, 350
- Cercomoniidae, 37
- cheirogaleid, 116, 129, 155, 185
- Cheirogaleidae*, 130
- chemosensory, 97–98
- China, 15, 26, 31, 187, 326–327, 332, 364, 393
- National Bureau of Statistics, 333
- Red List of Vertebrates, 327
- South, 25, 228
- Survey on Key Protected Terrestrial Wild Animal Resources, 327
- Yunnan, 332
- chiromyiform, 36
- circannual clock, 190
- circumorbital
- form, 113, 115, 127
- function, 114
- region, 113, 118, 127
- CITES, 64, 235, 242, 339, 360, 364, 398
- Appendix I, 357, 375, 396–397
- Appendix II, 358, 396
- Appendix III, 396
- CITES-listed species, 360
- permissions, 364, 395
- reports, 364
- Trade Database, 361
- clicking calls, 206, 209, 273
- clinging behaviour, 273, 290, 312, 319
- code words, 360
- colony, 263–264, 275
- research, 263
- colour, 25–26, 28, 174, 177–178, 185, 270, 302
- bands, 302
- cues, 180
- discrimination, 176, 178, 182
- Munsell, 291
- pelage, 28, 191, 196
- vision, 174, 177–181, 185–186
- wavelength, 177
- commerce, 339, 355
- breeding, 356
- entertainment, 363
- plantations, 333
- trade, 339, 396
- traps, 285
- trees, 196
- communication, 6, 130, 174, 205, 344–345, 374, 391
- function, 13
- intra-species, 271
- negative, 381
- olfactory, 6, 13, 103, 111, 129, 205, 271
- social, 205
- signal, 13
- system, 13
- ultrasonic, 55, 209
- community, 341, 350, 355, 373, 390
- engagement, 397
- hunting, 348
- local, 332–333, 398
- microbiomal, 168
- online, 362
- primate, 348
- rural, 350, 383
- scientific, 209
- comparative and evolutionary approach, 174, 218
- competition, 233
- conspecific, 220
- food, 187
- intraspecific, 11, 233, 242
- male, 271
- confiscation (of illegally trade), 16, 65, 220, 242–244, 251, 256, 258, 338, 355, 364, 397–398
- animals, 332, 397, 399
- fauna, 403
- guns, 332
- infants, 244, 260
- mothers, 243–244, 249, 251, 254, 257, 259–260
- pregnant animals, 244, 257
- Congo, 29
- Congolese, 341
- Democratic Republic of Congo, 29
- Republic of Congo, 63, 350
- River, 29
- conservation, 1, 64, 194, 203, 228, 236, 275, 293, 307, 315, 327, 334, 339, 346, 349, 351–352, 355, 362, 365–367, 372–374, 379, 381–382, 385, 389, 393, 396–399, 403
- Act of the Republic of Indonesia on Conservation No. 5 of Living Resources and Ecosystems, 396
- action, 65, 295, 333, 365, 397
- Agency for the Conservation of Natural Resources, 220
- applications, 64
- attitudes, 382
- awareness, 333, 392
- behaviours, 381
- centres, 235
- conservation effort, 352
- education, 346, 350, 365, 372, 381, 391
- effectiveness, 307, 333
- efforts, 1, 4, 9, 11, 15, 271, 334, 338, 365, 379, 398, 400
- energy, 190
- facilities, 338
- goals, 261
- impacts, 366
- International Union for Conservation of Nature, 397
- issues, 350, 365, 381, 393
- knowledge, 381
- management, 65, 210, 234, 295, 304
- marketing, 373
- Natural Resources Conservation Agency, 396
- organisation, 382, 397
- programmes, 65
- projects, 275, 365
- research, 350, 362, 370, 392
- strategies, 14, 228, 314
- studies, 1
- threats to, 391
- UN Environment World Conservation Monitoring Centre, 360
- value, 203
- Wildlife Conservation Enactment 1997, 334
- Wildlife Conservation Society, 307
- conservation status, 327, 337, 397–398, 403
- Critically Endangered, 64, 327

- Endangered, 211, 241, 307, 327, 333, 357, 365, 394
- Extinct, 29, 37, 43, 49, 64, 115–116, 122, 153, 331, 333, 350
- Least Concern, 304
- Vulnerable, 337, 403
- conservationists, 350, 362, 366, 370, 380
- conspecifics, 8, 13, 55, 103, 205, 207, 220, 266, 269, 271, 273
- aggression, 266
- biting, 242, 266
- competition, 220
- wild, 189
- consumers, 346–347, 351, 355, 363–364, 366
- availability, 281
- behaviour theory, 370
- interviews, 353
- preferences, 339, 346, 352
- surveys, 351
- content (internet sites), 362, 366–368, 370, 373–374
- creators, 372
- emotional, 366
- online, 362–363, 366, 372
- social media, 362, 366
- user-generated, 363
- video, 370
- viral, 362
- content analysis, 384, 387, 391
- contraception, 274
- Convention on International Trade in Endangered Species. See CITES
- convergence, 6, 30, 45, 53, 110, 113, 115–117, 119, 123, 125–126, 160, 174, 323
- conversation, 1, 15, 349, 351, 358
- copulation, 268, 271
- coronoid processes, 58
- corridors, 315
- covariates, 307–308, 312
- CPSA. See cribriform plate
- craniodental, 31, 57, 63
- Cretaceous, 37, 153
- cribriform plate, 100, 104–105, 108, 110
- measurements, 105
- results, 108
- size, 104, 108, 111
- surface, 105
- surface area, 104, 106, 110
- crime, 344, 360
- crop foraging behaviour, 349
- cross-cultural, 391
- cryptic, xix, 2, 50, 130, 304, 316, 321, 332
- function, 193
- locomotion, 10, 155
- primates, 195, 303, 307, 316, 321, 325
- CT scan, 69
- culture, 15, 350–351, 357, 363, 368, 378, 381–382, 384, 391
- backgrounds, 383
- beliefs, 357, 363
- cultural domain analysis, 384, 390
- differences, 361, 391
- domain, 368, 390
- information, 367
- norms, 351
- saliency, 368
- socio-cultural, 400
- traditions, 382
- CVA. See canonical variate analysis
- cytochrome *b*, 31, 61, 64
- cytotoxicity, 13
- dark web, 357
- data sheet, 291
- databases, 235, 352, 360
- online, 360
- scientific, 236
- trade, 339, 360
- zoo, 236
- Daubentonia*, 36, 67, 69, 181
- dazzle (response to light), 281
- deciduous, 308
- dipterocarp, 229
- forest, 175, 202
- mixed, 229
- defence, 10, 12, 137
- behaviour, 204, 208
- mechanism, 11, 208
- posture, 24, 208–209
- deforestation, 193, 332
- dentition, 7, 24, 45, 49, 57, 62, 68–69, 116, 157, 160–161
- adaptations, 7, 45, 155, 157
- characteristics, 3, 160
- deciduous, 116
- disease, 166
- morphometrics, 158, 161
- problems, 166, 364
- remains, 39
- signature, 75, 155–157
- topographic methods, 44, 68
- Derhuphthia*, 358
- detection, 49, 103, 180, 182, 207, 295–296, 301–302, 304, 307–308, 310, 312–313
- calls, 312
- food, 98
- late, 310
- non-detection, 307–308, 312, 314
- odour, 98, 102
- prey, 53
- probabilities, 307–308, 310, 313–315
- rates, 307
- deterioration, 332–333
- development, 28, 115, 259–260, 291, 398
- abnormal behaviour, 258
- behaviour, 243, 261
- conservation, 228
- delay, 244, 259
- foreign, 398
- infants, 243, 247, 256–257, 259–260
- infrastructure, 393
- management targets, 65
- normal, 260
- physical, 260
- primate, 260
- sexual dimorphism, 225
- sibling, 137
- stories, 382
- technology, 374
- trends, 259
- dichromat, 103, 179–180, 185
- diet, 7, 14, 19, 44, 49, 68, 74–75, 155, 157, 160, 165–166, 168, 170, 173, 186, 202, 209, 219, 264, 285, 391
- angwantibos, 207
- behaviour, 44, 68
- Bengal slow loris, 202
- captive, 11, 167, 259
- components, 185
- conditioning, 206

**470 Index**

- diet (cont.)  
 differences, 225, 227, 258  
 exudates, 74, 155–156, 158,  
 165–166, 171, 185, 207, 247  
 fossil, 45  
 fruit, 169–170, 288  
 fruit-free, 169  
 galagos, 166  
 insectivorous, 29, 74  
 Javan slow loris, 220  
 lorises, 166, 288  
 lorisid, 14, 44  
 lorisiforms, 168  
 malnutrition, 167  
 natural, 165, 219  
 niche, 6–7, 11, 68, 155, 161, 364  
*Nycticebus*, 50, 171, 219  
 patterns, 166  
 potto, 166, 288  
 preferences, 127  
 primate milk, 258  
 specialisation, 7, 184, 202  
 trials, 169
- digital extensor, 89, 92  
 digital flexor, 79, 91, 93  
 deep, 91, 93  
 extrinsic, 94  
 superficial, 91, 93
- diphyly, 2, 30  
 direct observations, 180, 220, 316,  
 322
- disease, 12  
 dental, 166  
 infectious, 241  
 spread, 347  
 transmission, 339, 364  
 zoonotic, 347
- dispersal, xix, 8, 11, 129, 234, 293  
 capability, 209  
 early, 137  
 family group, 8, 130, 132–133, 137  
 harem, 129, 136  
 lorisidae, 1  
 multi-female, 137  
 multiple-male/single-female, 129  
 primates, 193  
 seed, 193  
 socially, 19, 130  
 species, 137  
 single-male/multiple-female, 204  
 single-male/single-female, 204
- distributions, 25–26, 29, 31, 63, 65,  
 140, 203, 304, 327, 355  
 age, 249  
 areas, 328, 332  
 Asian lorises, 9  
 Bengal slow loris, 202, 211, 327, 331  
 bites, 13  
 clumped, 205  
 diurnal primates, 295  
 enamel, 69, 73, 158  
 epithelium, 99  
 food, 265  
 geographic, 31, 59, 64, 76, 153, 332  
 grey slender loris, 304  
 heterogeneous, 307  
 historical, 331  
*L. lydekkerianus*, 25, 60, 263  
 lemuriform, 106  
*Loris*, 304, 310  
 lorises, 59, 187  
 lorisids, 41, 106  
*Nycticebus*, 27, 66, 188, 211  
 OTSA, 108  
 patchy, 312  
*Perodicticus*, 26  
 Philippine lorises, 226  
 pottos, 26, 29, 204  
 primates, 63  
 range, 187, 190, 295, 307, 327  
 records, 333  
 slender loris, 304  
 slow lorises, 326–327, 332–334  
 spatial, 302–303  
 spatiotemporal, 129  
 species, 315, 326  
 utilisation, 230  
 utilisation distribution overlap  
 index, 230  
 vibrissae, 56
- diurnality, 8, 113, 178, 180, 230  
 adaptation, 177  
 animals, 126, 176, 288  
 organisms, 126  
 primates, xix, 8, 193, 204, 295,  
 312, 348  
 species, 9, 174
- diversification, 37, 59, 138  
 diversity, 6, 25, 30, 33, 60, 63, 126,  
 218, 339  
 behaviour, 226, 244, 249, 251,  
 256, 260–261, 265
- ecological, 186  
 flowers, 202  
 genetic, 26, 263, 271  
 lorisids, 7, 33, 61  
 lorisiform skull, 127  
 mammal, 334  
 morphology, 153  
 phenotypic, 113, 115, 118, 127  
 primates, 210, 326, 333  
 social organisation, 130  
 species, 25, 63, 193  
 strepsirrhines, 103  
 surveys, 337  
 taxonomic, 4, 65  
 trees, 202
- Djebelemur*, 37, 435
- DNA, 65  
 analysis, 291  
 mitochondrial, 30, 62–63  
 mtDNA, 27, 57  
 nuclear, 27, 30  
 sequence data, 66
- domestic animals  
 dogs, 10  
 guinea pigs, 48  
 market, 363  
 pet trade, 342  
 pets, 393  
 settings, 281  
 species, 165
- Donrussellia*, 37
- dorsal, 99  
 clinging, 206, 271  
 dorsal–ventral position, 206  
 line, 26–27  
 pelage, 13  
 stripe, 23, 25–26, 191
- Duke Lemur Center, 77  
 dusting, 167–168
- East Africa, 3, 38  
 East African Rift, 29  
 EAZA. See European Association of  
 Zoos and Aquaria
- ecology, 6, 8, 12, 40, 47, 50, 53, 56,  
 60, 97, 150, 179, 192, 194,  
 209, 212, 279, 307, 382  
 attitudes, 369  
 behaviours, 210, 219, 285, 382,  
 389, 392  
 characteristics, 58, 62, 295

- conditions, 210  
 context, 110, 139  
 data, 60, 279  
 determinants, 303  
 differences, 48, 204  
 diversity, 186  
 division, 9  
 face touch, 47  
 factors, 11, 137, 174  
 feeding, 165, 219  
 flexibility, 195  
 foraging, 194  
 function, 12, 193–194  
 locomotor, 139  
 influences, 210  
 movement, 325  
 niche, 149, 160  
 parameters, 192  
 primate, 157  
 sensory, 47, 49, 56  
 touch, 47, 50, 56  
 value, 161  
 visual, 174, 177–178, 180, 184
- economy  
   alternative, 293  
   conditions, 396  
   resources, 393  
   returns, 350  
   security, 398  
   value, 346, 348, 354–355
- ecosystem, 339, 396, 400, 403  
   functions, 193
- ectotympanic, 30
- EDJ. *See* enamel–dentine junction
- education, 275, 369–370, 372, 381–382, 391, 399, 403  
   campaigns, 350, 356, 365  
   course, 382  
   efforts, 346  
   events, 399  
   initiatives, 391  
   messages, 373  
   pre–post, 383–385, 387  
   programme, 381  
   programmes, 365, 372, 382, 390, 392  
   public education programmes, 333  
   research, 365
- Egypt, 3, 34, 36, 42, 67
- elbow, 148  
   angles, 144  
   compliance, 142  
   flexor, 79  
   function, 148  
   joint, 144–145  
   yield, 142
- electromyography, 145, 148, 150
- elusive species, 130, 304, 307, 310, 312  
   primates, 12, 192, 294
- EMG. *See* electromyography
- empathy, 381, 391  
   empathic words, 382
- EN. *See* endangered
- enamel, 45, 69, 158  
   enamel–dentine junction, 70  
   labial, 69–70  
   layer, 45  
   lingual, 69, 157–158  
   thickness, 69, 73, 75
- encephalisation, 113, 124–125
- enclosure, 178, 205, 221, 247, 260, 264–265, 273  
   birthing, 272  
   design, 217  
   free-range, 265  
   furnishings, 265  
   habituation, 221, 398  
   indoor, 264, 267  
   outdoor, 189, 265  
   wire-mesh, 247
- encounters, 103, 205, 212, 309–310, 314, 328, 332, 342, 354, 374, 380  
   aggressive, 12  
   agonistic, 12  
   animals, 314  
   rate, 194, 301, 303–304, 314, 332, 354
- Endangered, 211, 241, 307, 327, 333, 357, 365, 394
- Endangered Primate Rescue Centre, 189
- endemic, 60, 63, 194, 228, 307, 382
- energetics  
   advantage, 148  
   costs, 191, 211  
   data, 148  
   expenses, 188, 190
- needs, 187  
   primate, 211
- energy, 156, 167, 169, 171, 187, 190, 260, 325  
   acquisition, 226  
   conservation, 188, 190  
   conversion, 168  
   exertion, 325  
   expenditure, 187, 190, 316–317, 324  
   maximisers, 226  
   requirements, 190, 210  
   saving, 191–192  
   shortage, 190  
   storage, 187
- enforcement, 16, 65, 220, 242, 338, 346, 355, 370, 393, 395, 397, 399  
   agencies, 354, 360  
   efforts, 242, 347, 352  
   officers, 364  
   operations, 364
- English, 343, 358, 383–384, 399, 403
- enrichment, 264–265, 364  
   conditions, 266  
   diet, 166  
   food, 265
- environment, 3, 54, 56, 138, 142, 184, 210, 264, 273, 367, 369  
   arboreal, 6, 53, 144, 150, 152  
   captive, 149, 265, 281  
   complex, 139, 142  
   conditions, 190, 267–268, 275  
   education, 366, 381–382, 390  
   enrichment, 265–266  
   exploration, 47, 260, 265, 387  
   forest, 50, 55, 103, 175  
   fragmented, 217  
   human, 374  
   hypervariable, 156  
   issues, 381  
   light, 175–176, 180, 185  
   managed, 271  
   native, 274  
   natural, 149, 316  
   natural lighting, 264  
   navigation, 56, 98  
   niche, 364  
   nocturnal light, 174  
   requirements, 275

## 472 Index

- environment (cont.)  
 scotopic, 181  
 seasonal, 187  
 stressors, 267  
 unstable, 260  
 warm, 188
- Eocene, 3, 34, 36–37, 43, 59, 68,  
 116, 132, 153
- epoch, 31
- EPRC. *See* Endangered Primate  
 Rescue Centre
- Equatorial Guinea, 29, 63
- ethics, 341, 346, 364, 366, 376  
 animal, 372  
 approach, 353  
 boards, 345  
 code, 341  
 considerations, 345  
 conundrums, 344  
 implications, 344  
 manner, 352, 361  
 standards, 243, 341, 376  
 structures, 341
- Ethiopia, 3, 42
- ethmoturbinals, 99
- ethogram, 218, 222, 247
- Eulemur fulvus*, 115
- Euoticus*, 30, 69, 133, 155, 157–158,  
 161, 211  
*elegantulus*, 74
- Eurasia, 42
- Europe, 37, 263, 375, 399  
 Eastern, 364  
 institutions, 238  
 region, 236  
 Willem Bosman, 19  
 zoological collections, 238  
 zoological records, 241
- European Commissions, 398
- European Union, 393  
 European Union Trade in Wildlife  
 Information Exchange, 360
- European Association of Zoos and  
 Aquaria, 236, 241
- euthanasia, 179, 243
- EU-TWIX. *See* European Union
- evaluation, 328, 353  
 distribution, 327  
 farms, 403  
 measures, 384  
 medical, 273
- online content, 372  
 programme, 384  
 tracking, 15  
 variation, 115
- evergreens  
 forest, 196, 211, 215, 229, 308  
 shrubs, 212
- evolution, 1, 37, 65, 74–75, 139,  
 160  
 adaptation, 59  
 anthropoids, 2  
 changes, 113  
 context, 75, 159, 174  
 cooperative breeding, 137  
 diurnality, 113  
 explanations, 69, 75  
 feeding function, 12  
 history, 2, 33, 45, 59, 66, 185,  
 378  
 lorisidae, 161  
 lorisids, 2–3, 7, 30, 33, 51  
 lorisiform, 155  
 Lorisiformes, 161  
 mechanisms, 13  
 nocturnal strepsirrhines, 184  
 nocturnal vision, 127  
 olfactory system, 111  
 origins, 33, 36, 75, 174  
 parallel, 30  
 pathways, 130  
 perspective, 191, 259  
 pottos, 26  
 primate, 2, 43, 59, 75, 124–125,  
 129, 157, 210  
 relationships, 57  
 slow loris, 14  
 social organisation, 129–130  
 strepsirrhines, 36–37, 155, 161  
 studies, 1, 97  
 time, 129–130  
 trade-off, 51  
 transformations, 114  
 transitions, 33, 45, 137, 160  
 vibrissae, 47  
 zoological records, 235  
 zoos, 235
- exhibit, 264–265, 267, 275
- exotic, 378  
 animal, 356, 378  
 pet trade, 374  
 products, 393
- species, 363, 372
- experimental  
 enclosures, 180  
 methods, 149, 180  
 research, 139  
 studies, 12, 139, 210  
 work, 104, 149
- export, 355, 395  
 exporters, 345, 352, 354, 393  
 quotas, 396
- ex-situ*, 263, 274  
 breeding, 263  
 conservation, 228  
 husbandry, 268  
 management, 264, 271, 274–275  
 numbers, 263  
 populations, 263, 274  
 research, 275
- extant species, 37, 185  
*Arctocebus*, 34, 69  
*Euoticus*, 69  
 galagid, 19  
 lorises, 3, 33  
 lorisids, 2–3, 33, 41, 43, 108, 153  
 lorisiforms, 113, 127, 185  
 mammals, 49, 174  
*Nycticebus*, 38, 69  
 primates, 2, 160  
 scrapers, 74  
 strepsirrhines, 3, 67, 97, 115–116,  
 122, 153
- extensors  
 extensor digiti minimi, 91–92  
 extensor digitorum, 91–92  
 extensor indicis, 79, 89, 92  
 extensor pollicis longus, 91, 93
- extinction, 115–116, 122, 153, 263,  
 279, 331, 333, 339, 350, 393  
 risk, 365
- extra-forest matrix, 201
- extrinsic flexors, 94
- extrinsic muscle, 48, 78–79, 93
- exudate, 13, 49, 68, 74, 126–127,  
 155, 166, 168, 185, 202, 207,  
 211, 219, 222, 247, 258, 265
- acquisition, 69  
 brachial gland, 12, 267  
 consumption, 195  
 extraction, 75  
 feeding, 9, 69, 161, 185, 202, 217  
 flow, 155



- gum, 156  
 plant, 209  
 tree, 19, 45, 68–69, 155, 187, 190, 203
- exudativory, 45, 68, 73–75, 165, 171, 185, 194, 202, 288  
 Asian slow lorises, 207  
 behaviour, 69, 75  
 diet, 171  
*Euoticus*, 211  
 exudativory hypothesis, 69, 74  
 loriforms, 166, 168, 172  
 obligate, 166, 171, 243  
 scrapers, 74–75
- eye shine, 181, 281, 288
- face-touch, 6, 47, 49, 51–52, 55
- Facebook, 356, 362, 367  
 Indonesia, 343
- faeces  
 consistency, 169  
 hormonal analysis, 268  
 oestrogen metabolites, 272  
 samples, 168, 272  
 scoring, 169–170
- false potto, 21
- farming, 15, 355, 399–400, 403  
 artisanal, 349  
 breeding, 355
- fat, 166–167, 171, 189  
 body fat, 187  
 content, 167, 258  
 crude, 167  
 reserves, 188, 190  
 slow loris, 343  
 storage, 10
- fatalities, 12
- fatty acids, 167–168  
 profiles, 167
- fauna, 15, 42, 339, 350, 381, 403
- Fauna and Flora Protection Ordinance, 357
- feeding, 7–8, 98, 161, 167, 169, 173, 185, 193, 196, 198, 202, 204, 212, 217, 219–220, 222, 224, 226, 256, 260, 325  
 apparatus, 113  
 behaviour, 7, 9, 11, 53, 161, 168, 207, 219–220, 222, 224, 226–227, 265  
 bouts, 194  
 boxes, 266  
 dairy, 166  
 ecology, 165, 219  
 formula, 274  
 fruits, 169, 222  
 function, 12  
 gums, 156–157, 202, 207, 217, 265  
 insects, 168  
 invertebrates, 226  
 observation, 224  
 proclivities, 126  
 schedules, 219  
 trials, 165
- fertility, 270  
 fertile periods, 263, 270, 275
- fieldwork, xix, 1, 63, 65, 139, 149, 180, 186, 191, 221, 234, 279, 281, 291, 317, 320, 352, 400  
 behavioural experiments, 180  
 conditions, 291  
 conservation, 275  
 data, 11, 142, 161  
 experimental methods, 180  
 farmers, 400  
 methods, 196  
 observations, 149, 184, 234  
 reports, 7, 155  
 research, 2, 187, 320  
 researchers, xix, 15  
 settings, 178, 281  
 sites, 1, 15, 65, 234, 334  
 staff members, 221  
 station, 290  
 studies, xix, 2, 7, 10, 130–131, 149, 218, 228, 267, 281, 331  
 survey, 228, 296, 331  
 techniques, 295, 301, 303
- field-friendly techniques, 186
- fission–fusion, xix
- flexors  
 flexor digiti minimi brevis, 93  
 flexor pollicis longus, 92–93
- flora, 339, 350
- focal animal, 222, 323  
 instantaneous point sampling, 212  
 scan sampling, 222, 230
- folklore, 12, 332
- food  
 acquisition, 53, 111, 204  
 availability, 187, 190, 220  
 intake, 190  
 resources, 156, 159, 187, 190
- footfall, 140  
 sequence, 142
- foraging, xix, 8, 11, 53, 103, 110, 129, 169, 181, 189, 194, 202, 204, 206, 208, 220–222, 224, 226, 243, 273, 312  
 activities, 193, 199, 202  
 behaviours, 10, 53, 166, 176, 220, 222, 224, 226–227, 281, 349  
 ecology, 194  
 foraging-based test, 178  
 patterns, 193  
 strategies, 9, 174, 226  
 trips, 190–191
- forelimb, 7, 10, 24, 26, 44, 78, 138, 142, 145  
 flexors, 148  
 peak forces, 142  
 peak tangential force, 145  
 protraction, 138
- forest, 9, 26, 33, 40, 42, 50, 55, 65, 175, 185, 193–194, 196, 201–202, 204, 279, 290, 295, 301, 312, 314, 327, 331, 333, 339, 393, 395, 398, 400  
 Afrotropical, 348, 350  
 architecture, 175  
 areas, 331  
 authorities, 220  
 biodiversity, 201  
 canopy, 54, 175, 185, 194, 296  
 costal, 29  
 deciduous, 202, 229  
 dense, 103, 314  
 destruction, 193  
 dipterocarp, 202–203, 229  
 dry deciduous, 175  
 ecosystem, 400  
 evergreen, 229, 308  
 extra-forest matrix, 193  
 fragments, 212, 308, 327, 332–333  
 health, 193  
 higher forest strata, 208  
 indigenous, 196  
 lakeside, 311  
 lower strata, 208  
 low-growth, 196  
 lowland, 221

## 474 Index

- forest (cont.)  
 Malagasy, 176  
 monoculture, 193  
 mosaic, 195, 229  
 natural, 194, 197, 199, 203  
 old-growth, 196  
 patches, 193–194, 203, 212, 296,  
 303–304, 315  
 plantations, 194, 203  
 primary, 50, 193, 219, 221  
 products, 327  
 rain, 31, 63, 279  
 regeneration, 193  
 regions, 328, 331  
 reserve, 221, 301, 304  
 riparian, 326  
 scrub, 312  
 secondary, 50, 196, 208, 219  
 sections, 327  
 semi-evergreen, 211, 215, 229  
 strata, 211  
 subtropical, 333  
 tropical, 41, 59, 63, 193, 393  
 units, 327  
 Vietnamese, 191  
 wet, 25, 311
- fORG. See functional olfactory  
 receptor genes
- fossils, 33, 36, 42, 45, 103, 117, 153,  
 161  
 African, 33  
 ape, 42  
 Asian, 33  
 evidence, 3, 59  
 fossilisation, 130  
*Karanisia*, 7, 31, 36, 45  
 lorisid, 3, 33, 36, 39, 41, 44–45  
 lorisiforms, 161  
 non-primate, 122  
*Nycticeboides*, 40  
 perodicticine, 42, 45  
 primate, 7, 45, 68  
 record, 2–3, 33, 38, 42, 45, 67, 69,  
 74, 153  
 relatives, 33  
 representative, 45  
 sites, 42  
 species, 46  
 strepsirrhines, 67, 69
- fragmentation, 25, 216–217, 315, 332  
 distributions, 332  
 forest, 333  
 habitat, 209, 279, 333  
 population, 26  
 sleep, 322
- free list, 382, 384–385, 389, 391  
 exercises, 384
- free-ranging, 167  
 animals, 167  
 Bengal slow loris, 211  
 enclosures, 265  
 fieldwork, 281  
 insects, 167
- frontation, 113–114, 116–117, 120,  
 122, 125–126
- frontoturbinal, 99
- frugivory, 115
- fruit. See diet
- full-spectrum light, 265
- functional olfactory receptor  
 genes, 98, 103–104, 106,  
 108, 110
- fur, xx, 11, 54, 69, 188, 191, 206,  
 268–269  
 alopecia, 267  
 female, 206  
 infants, 272  
 lorises, 191  
 mother, 206  
 subadults, 230  
 Sunda slow loris, 191  
 thick body fur, 296
- gait, 8  
 characteristics, 138  
 cycle, 145  
 diagonal sequence, 138, 140  
 features, 138  
 lateral sequence, 138, 140  
 parameters, 142  
 sequence, 140  
 spatiotemporal, 140  
 symmetric, 140
- galagid, 3, 19, 30–31, 33, 38, 44–45,  
 50, 58, 65, 69, 101, 104,  
 106, 108, 113, 116, 118–119,  
 123, 127, 142, 153, 155, 158,  
 161  
 characteristics, 3, 154  
*Euoticus*, 155  
 fossil record, 42  
*G. moholi*, 74, 134, 157, 166, 171,  
 181  
*G. senegalensis*, 115, 118, 120,  
 125, 157, 165–166, 168, 171,  
 182, 185  
 kinematic data, 144  
*Komba*, 44  
 lineage, 31, 36  
 locomotion, 2, 44, 148, 155  
*O. crassicaudatus*, 23, 74, 115,  
 118, 120, 134, 157–158, 160,  
 166, 181, 185  
 postcranial adaptation, 3  
 stem, 59  
 traits, 36, 38  
*Wadilemur elegans*, 185
- Galagidae, 1–2, 19, 45, 52, 57, 59,  
 130, 153, 161, 207
- GEA. See attitude
- genera, 1–3, 11, 22, 25, 30, 62,  
 131–132, 153, 326  
 African, 57, 59, 63  
 African lorisid, 30  
 Asian, 31, 57  
 Asian lorisid, 62  
 extant, 69  
 galagid, 30  
 loris, 25  
 lorisid, 22, 60, 139, 142, 154  
 strepsirrhines, 37, 116
- genetics, 179, 326  
 analysis, 49  
 aspects, 285  
 data, 4, 61, 64, 66, 111, 153  
 differences, 27  
 distance, xx  
 diversification, 26  
 diversity, 26, 263, 271  
 drift, 26  
 evidence, 3, 103, 111, 179, 182  
 information, 65  
 material, 137  
 molecular, 2–3, 326  
 olfaction, 97  
 sampling, xx, 291  
 studies, 65, 182
- genitalia, 268–269, 271–272  
 scent glands, 53  
 scratching, 206
- genus, 21–22, 24, 40, 63–64, 347, 357  
*Arctocebus*, 29–30, 34, 40  
*Bradypus*, 20  
*Euoticus*, 30  
*Ficus*, 222  
*Galago*, 30  
*Karanisia*, 33, 59  
*L. gracilis*, 23  
*L. tardigradus*, 23

- Lemur*, 22
- Loris*, 23, 25, 30, 60, 62, 116
- Mioeuoticus*, 38, 59
- Nycticeboides*, 40, 59
- Nycticebus*, 23, 25, 30, 38, 60–61, 76, 168, 242
- Perodicticus*, 29–30, 38, 64, 76
- potto, 110
- Pseudopotto*, 64
- sivaladapine, 37
- Geoffroy Saint-Hilaire, Etienne, 22, 26, 60
- gestation
- length, 11, 243–244, 271
- period, 98, 240
- glands
- brachial, 12, 266
- brachial sebaceous, 11
- mammary, 23
- scent, 6, 53
- scrotal, 206
- secretions, 13, 205
- specialised scent, 6
- specialised scrotal, 206
- sweat, 12
- glenoid foramen, 58
- global trade, 242
- golden man, 358
- golden potto, 21, 24, 29
- gouging, 45, 68–69, 74, 155, 157–158, 160, 266
- government, 338
- agencies, 16
- authorities, 291
- bodies, 360
- local, 333, 397–398
- practices, 355
- GPS, 196, 230, 285, 291, 308, 314, 320
- Gray, John, 21, 23–24, 30–31
- Great African Rift, 31
- grip strength, 6–7, 52, 92–94, 149
- grooming, 8, 45, 68, 74–75, 194, 196, 199, 207, 251, 271
- autogrooming, 212
- hypothesis, 69, 74
- maternal, 251
- tool, 69
- group size, 131–132, 210
- group living, 129–130, 257
- Guangxi, 326–327
- Guinea, 31
- Guinea Coast, 19
- gums, 7, 14, 45, 50, 68, 155, 158, 161, 165–166, 168, 171, 180, 185, 202, 214, 217, 265, 288
- acquisition, 158
- consumption, 158, 168, 207
- eating, 165
- extracting and , 157
- harvesting, 157
- feeders, 157, 165, 265
- feeding, 156–157, 160, 207, 265–266
- flow, 157
- gum arabic, 168, 266
- plug, 157
- seasonal, 156
- trees, 166, 202, 207, 243
- gum-based enrichment, 265
- gummivory, 155, 158, 160
- bushbabies, 157
- lineages, 161
- primates, 265
- species, 185
- strepsirrhines, 160
- taxa, 157
- guns, xix, 332, 350
- gunshots, 332
- hunters, 332
- shotguns, 348, 350
- gut bacteria, 168
- gut health, 165
- habitat, xix, 8–9, 19, 42, 54, 60, 174, 180, 185, 187, 194, 196–197, 202, 207–208, 218–219, 221, 227, 263, 289, 302, 304, 308, 312, 315, 341, 387, 391–392, 400
- areas, 332
- assessment, 221
- change, 9, 209
- complexity, 265
- conditions, 295, 301, 307
- continuous, 217
- destruction, 150
- differences, 219
- disturbed, 9, 349
- dry scrub, 216
- fragmentation, 209, 279
- location, 308
- loss, 228, 293, 315, 327, 333, 397
- low-light, 49
- microhabitat, 186
- natural, 180, 219, 369, 393
- natural forest, 175
- occupancy, 225
- patches, 208
- preferences, 304, 315
- ranges, 332
- requirements, 364
- secondary forest, 219
- structure, 139
- suitability, 201, 315
- type, 185, 199, 203, 291, 295, 302–303, 315
- use, 9, 139, 194–195, 199, 201, 203, 217–218, 279
- viability, 42
- hair plucking, 267
- handling, 221, 265–266, 269, 291, 294, 364
- Haplemur griseus*, 115
- Haplorrhine, 37, 101, 103, 106, 179
- harem, 129, 136
- hashtag, 375
- head sway, 251
- headlamp, 301
- health
- care, 241, 264
- issues, 166, 260, 273, 381
- risks, 12
- heterothermy, 189
- hibernation, 10, 187, 189, 191–192
- hindlimb, 7, 58, 138, 140, 142, 145, 149
- historical records, 236, 393
- home range, 8–9, 15, 131, 194–195, 197, 201, 203, 205, 210, 228, 230–231, 233, 279
- adult male, 231
- data, 196
- estimate, 201, 230
- kernel analysis, 201
- overlap, 8, 129, 202, 230
- size, 131, 195, 197–198, 201, 231
- horizontal quadrupedalism, 140
- housing, 221, 247, 269
- captive, 243
- density, 243
- guidelines, 263
- modifications, 273
- red light, 281
- social, 268
- HPA. See hypothalamic–pituitary–adrenal

## 476 Index

- humans  
 activity, 310, 317, 382  
 conflict, 400, 403  
 contact, 363, 365  
 disturbance, 310, 327  
 encroachment, 315  
 health, 339, 347  
 humidity, 187, 202, 264, 291, 320  
 interactions with wildlife, 350, 363  
 hunting, 19, 230, 234, 282, 285, 289, 293–294, 327–328, 332, 334, 339, 345, 347–348, 350–351, 353–354, 393–394  
 animal, 393  
 bushmeat, 15, 349, 353  
 camp diaries, 353–354  
 China, 332  
 communities, 348  
 consumption, 293, 341, 394  
 follows, 346  
 illegal, 393, 397  
 income, 352  
 Indonesia, 397  
 interviews, 351, 353  
 offtake surveys, 346, 350  
 methods, 352  
 practices, 349  
 pressure, 332, 348  
 pygmy loris, 234  
 shotgun, 348  
 trophy, 339  
 husbandry, 9, 263, 266, 268  
 conditions, 372  
 improvements, 266  
 protocols, 263  
 recommendations, 11  
 requirements, 364  
 standards, 365  
 hyper-abducted pollex, 77  
 hypocone, 28–29  
 hypothalamic–pituitary–adrenal, 258, 260  
 hypothermia, 264  
 illegal activities, 341, 344, 346, 354–356, 364, 370, 375, 396  
 hunting, 393, 397  
 importing, 364, 375  
 poaching, 244  
 possession, 334  
 trade, 15, 234, 242, 332, 339, 347, 354, 357, 363, 374, 393, 397  
 wildlife products, 357  
 wildlife trade, 61, 64, 243, 249, 258, 261, 266, 338, 344, 350, 352, 355, 362–364, 367, 370, 374, 380, 394, 397, 399  
 imagery, 363, 372  
 in situ, 290  
*in vivo*, 148, 151  
 incisors, 29, 49, 69  
 lower, 67, 157  
 spatulate, 37  
 upper, 23, 29  
 income, 352, 364  
 income-generating activities, 352  
 index finger, 21, 23–24, 28, 30, 52  
 India, 19, 31, 41, 43, 66, 187, 195–196, 211, 357, 359–360  
 Assam, 212  
 eastern, 25  
 New Delhi, 358  
 north-east, 41, 202, 357  
 rupee, 359  
 south, 5, 25, 60, 289, 357  
*Times of India*, 360  
 individual variation, 91, 270  
 Indonesia, 15, 19, 25, 242, 289, 342–343, 382, 390–391, 394, 396–397  
 Borneo, 344  
 Indonesian rupiah, 343, 396  
 International Animal Rescue, 219–221  
 Java, 194, 243, 382  
 markets, 398  
 pet trade, 16  
 primates, 227  
 slow loris trade, 343  
 Sumatra, 355, 397  
 West Java, 189, 244, 383  
 wildlife trade, 394, 396  
 indoor enclosure, 264, 267  
 indoor exhibits, 265, 267  
*Indraloris*, 37  
 infants, 11, 116, 124, 196, 207, 209, 231, 243–244, 249, 251, 256, 258–261, 264, 272–273  
 activity budget, 256  
 age, 249–251, 256, 260  
 behaviours, 243–244, 249, 251, 256, 260–261  
 birth weight, 257  
 care, 11, 137, 244, 273–274  
 carrying, 206, 253, 259  
 clinging, 273  
 crania/skull, 115  
 development, 243, 247, 257, 259–260  
 full-term, 257  
 growth, 259–261, 272  
 health, 260, 350  
 mortality, 167, 243–244, 258, 260, 273  
 neglect, 243  
 nursing, 258  
 orphans, 274  
 parking, 11, 206, 259, 314  
 rejection, 258  
 retrieval, 256  
 sanctuary-born, 244  
 sex, 249, 251  
 status, 116, 247  
 stereotypies, 261  
 survival, 243, 259, 261  
 welfare, 244  
 infanticide, 137  
 infection, 266  
 infraorbital foramen, 47, 49, 51  
 infraorbital nerve, 47  
 infrastructure, 339, 393  
 insectivory, 29, 159, 165, 288  
 animals, 165  
 Lorisiformes, 161  
 lorisiforms, 165, 168  
 primates, 170  
 strepsirrhines, 160  
*in-situ*  
 conservation, 228  
 habituation, 221  
 Instagram, 356, 362, 375, 377, 380  
 interbirth intervals, 15, 240  
 international pet trade, 342  
 International Studbook for Grey Slender Lorises, 274  
 internet, 236, 339, 342, 345, 356, 358, 362, 365–368, 374, 377, 399  
 access, 342, 357  
 campaign, 399  
 forums, 358

- interorbital allometry, 120  
interorbital breadth, 115, 117, 119  
interorbital septum, 25  
interspecific, 116, 120, 124–126  
  analyses, 118  
  comparisons, 127  
  correlation, 124  
  data, 115  
  differences, 216  
  patterns, 120, 125  
  transposition, 117  
  variation, 115, 120, 184, 186  
interturbinal, 99  
interviews, 234, 327, 345, 347, 351, 367, 394  
  consumer, 353  
  face-to-face, 327  
  formal, 346  
  free listing, 367  
  household, 351  
  hunters, 351, 353  
  in-depth, 351  
  interviewer, 351  
  period, 327  
  response, 328, 331  
  semi-structured, 349, 351  
  structured, 351  
  survey, 327, 332  
  technique, 351–352, 367  
  trader, 353  
  unstructured, 351  
  wildlife trade, 352–353  
intragroup relationships, 129  
intraspecific, 120  
  aggression, 13  
  agonistic encounters, 12  
  competition, 11, 233, 242  
  social cues, 98  
  variation, 125, 186  
intrinsic musculature, 48  
  hand musculature, 78, 80, 92  
IOF. *See* infraorbital foramen  
ION. *See* infraorbital nerve  
IUCN, 397  
  IUCN Red List, 64, 263, 304, 307, 403  
IWT. *See* illegal wildlife trade  
Jacobson's organ. *See* Vomeronasal organ  
Japan, 356, 364, 393  
Java, 23, 26, 242, 281, 342, 344, 364  
  West, 12  
joints, 144  
  angles, 144  
  excursions, 144, 210  
  juveniles, 27  
  *A. calabarensis*, 206  
  behaviour, 207  
  classification, 196, 347  
  clinging, 206  
  home range, 195  
  lorisiforms, 125  
  *P. ibeanus*, 206  
  potto, 28, 206  
*Kamoyapithecus*, 42  
*Karanisia*, 3, 7, 33, 36, 38, 42, 45  
  *clarki*, 31  
  karyological, 57  
Kenya, 3, 38, 41–42, 76, 209  
  northern, 38, 41–42  
  western, 38  
kinematics, 144, 210  
  hand, 144  
  joint, 142  
  limb joint, 144  
  locomotor, 144  
  primates, 144  
knee yield, 142  
lactation, 11, 231, 274, 293  
landscapes, 193, 201, 301, 333  
  landscape-level survey, 301  
Laos, 26, 228, 332–333  
last common ancestor (LCA), 129–131, 133, 153  
law enforcement, 220, 360, 364, 393, 396–397, 399  
*Lawrence*, 358  
LCA. *See* last common ancestor  
leaping, 3, 7, 19, 31, 59, 139–140, 145, 150, 155, 190, 207, 210–211, 215, 217, 285, 319  
LED lights, 281  
legislation, 65, 345, 357, 394–395  
*Lemur*  
  *Lemur tardigradus*, 20, 23  
lemurids, 115–116  
lemuriforms, 30, 38, 97, 108, 115–116, 118–119, 124–126, 153, 155, 161  
  distribution, 106  
  strepsirrhines, 113  
Lemuriformes, 153  
lemuroids, 37, 55, 67, 116  
lemurs, 1, 30, 65, 78, 101, 108, 110, 153, 185, 194, 211, 316, 325  
  Alaotran gentle, 313  
  anatomy, 101  
  cheirogaleid, 185  
  distribution, 108  
  dwarf, 130, 136, 188  
  glandular secretions, 13  
  Malagasy, 189  
  mouse, 49, 130, 136, 180, 188  
  muscles, 78  
  nocturnal, 182, 185, 211, 317  
  ring-tailed, 379  
Libya, 34, 42  
life history, 11, 346, 365  
  group size, 210  
  strategies, 11  
light  
  conditions, 220  
  energy, 282  
Likert scale, 367  
*Lilliput*, 358  
Linnaeus, 20, 22  
Little Fireface Project, 12, 383  
live animals, 15, 347  
live pet trade, 242, 347, 362  
local, 19, 363  
  areas, 328  
  communities, 332–333, 398  
  conservation, 337, 398  
  councils, 364  
  educators, 384  
  farmers, 15, 400  
  fauna, 15  
  flora, 350  
  folklore, 12, 332  
  forestry, 220, 327–328  
  government, 16, 397–398  
  hunters, 289  
  knowledge, 338  
  legislation, 65  
  linguistic variations, 350  
  loris, 327  
  loris names, 358  
  market studies, 349  
  nature reserves, 331  
  people, 234, 314, 350, 400

**478 Index**

- local (cont.)  
 schools, 399  
 slender loris names, 358  
 species, 26  
 villages, 234, 327, 332  
 weather, 285  
 wildlife, 381
- locomotion, xix, 7, 43, 79, 140,  
 144–145, 148–149, 186, 207,  
 210, 212, 218, 285, 317, 320,  
 391  
 arboreal, 150  
 behaviour, 10, 139, 142, 213, 215  
 biomechanics, 8, 139, 148  
 cryptic, 2, 10, 155  
 exploratory, 215  
 galagid, 148  
 hand-over-hand, 77  
*in vivo*, 148  
 lorisid, 46, 148  
 mode, 44, 139, 142, 144–145,  
 148, 210, 213  
 morphology, 7  
*Perodicticus*, 76  
 potto, 208  
 quadrupedal, 43, 140, 144, 154,  
 308  
 rapid, 149  
 slow climbing, 58, 207  
 stability, 148  
 suspensory, 138, 140, 144–145  
 types, 317
- logging (data), 301, 315, 319, 325  
 activity, 319  
 bio-logger, 317  
 data, 189, 291, 317  
 temperature, 189  
 weight, 325
- Lokonepithecus*, 42
- longevity, 15, 236–238, 241
- long-term, 171, 317  
 care, 398  
 conservation, 203  
 cooperation, 400  
 health, 14, 166  
 medical impact, 14  
 monitoring, 313, 315  
 observation, 12, 209  
 study, 281, 289, 296, 334  
 survival, 14, 209, 263  
 sustainability, 339
- long-wavelength sensitivity, 179,  
 182
- Loris*, 1–3, 8, 22, 25, 30, 57, 60, 62,  
 78, 98, 101, 108, 149,  
 153–154, 160, 165, 170, 264,  
 268, 304, 314–315  
 conservation, 15, 315, 397, 399  
*lydekkerianus*, 5, 9, 25, 60, 211,  
 215, 226, 263, 272, 312  
*lydekkerianus grandis*, 274, 296,  
 357  
*lydekkerianus lydekkerianus*, 61,  
 195, 301–302, 312, 357  
*lydekkerianus malabaricus*, 61,  
 289, 296, 357  
*lydekkerianus nordicus*, 61, 289,  
 296, 307, 310, 312, 357  
*lydekkerianus uva*, 61  
 monophyly, 58, 154, 160  
*tardigradus*, 5, 21, 23, 25, 49, 53,  
 60, 78, 104, 144, 148,  
 181–182, 186, 188, 211, 215,  
 234, 263, 272, 274, 312  
*tardigradus nycticeboides*, 61, 296  
*tardigradus parvus*, 61  
*tardigradus tardigradus*, 61, 210,  
 289, 296, 302, 310, 312
- Lorisinae, 1–2, 4, 31, 38, 57, 59, 62,  
 154, 160
- lorisine, 3, 6, 40, 42–43, 45, 133,  
 153, 210, 263–264, 267, 270,  
 273–275
- home range, 131
- Loris*, 4  
*Nycticebus*, 4, 42  
 oestrous females, 271
- lorisoids, 3, 19, 22, 30, 34, 36–37,  
 42, 45, 55, 67, 69, 75, 139
- Lorisoidea, 1–2, 19, 38
- lumbricals, 92
- luminance, 180, 185  
 cues, 185
- lunar  
 altitude, 175  
 behaviour, 176  
 calendars, 309  
 cycle, 186  
 fraction, 176  
 illumination, 226  
 neutral, 312  
 phase, 175
- philia, 219, 226  
 phobia, 176, 219, 226
- macaque, 403  
 bonnet, 312  
 long-tailed, 394  
 pig-tailed, 403  
 rhesus, 260  
 toque, 312
- Madagascar, 30, 65, 153, 156, 175,  
 180, 188–189, 191, 194
- magic, 357, 359, 393–394  
 practitioner, 359
- magic  
 animals, 20  
 creatures, 359  
 powers, 357  
 practices, 347  
 property, 358  
 purposes, 394  
 thinking, 360
- main olfactory system, 98, 102, 104,  
 110  
 investment, 103–104, 110  
 pottos, 104  
 proxy, 104  
 sensory epithelium, 99, 102  
 strepsirrhines, 103
- Malaysia, 15, 19, 31, 333–334, 342,  
 354, 395  
 east, 334  
 mainland, 25  
 Malaysian ringgit, 343  
 Peninsula, 26, 333–334  
 pet trade, 337  
 west, 333
- Malaysian Borneo, 334
- Malaysian Primatological Society,  
 338
- malnourishment, 347
- management guidelines, 263
- market survey, 345–347, 352,  
 356
- marketing, 362, 364, 372–373  
 analysis techniques, 370  
 supply chain, 370
- marketplaces, 345, 357
- maternal, 260  
 activity, 260  
 activity budget, 250  
 age, 244, 257

- behaviours, 243, 249, 251, 257–259, 261, 273  
 care, 9, 273  
 condition, 258  
 factors, 244  
 grooming, 251  
 instincts, 378  
 interaction, 98  
 parity, 258  
 rejection, 250  
 stress, 260  
 threat, 251  
 mating  
   season, 206, 229, 267  
   selection, 271  
   system, 129, 228, 231, 234, 291  
 MATLAB, 322–323  
 maxilloturbinal, 99, 105  
 maximum likelihood, 131  
 MCP. *See* minimum convex polygon  
 measurements, 15, 182, 184, 291, 317  
   bio-logging, 322  
   body, 291  
   canonical variate analysis, 73  
   cranial, 116  
   cribriform plate, 105  
   enamel, 73  
   labial, 73  
   light, 175  
   lingual, 73  
   moonlight, 175  
   neck girth, 293  
   olfactory turbinal surface, 105  
   pulp cavity, 73  
 mechanoreceptors, 47, 54  
 media exposure, 363  
 medical, 247, 394  
   care, 338  
   checks, 220  
   complications, 14  
   condition, 258  
   evaluation, 273  
   events, 247  
   examination, 398  
   facility, 350  
   history, 251, 257, 261  
   impact, 14  
   issues, 256, 258–259, 261  
   kit, 291  
   practitioners, 21  
   problems, 244, 249, 251, 256, 258, 260  
   records, 247  
   requirements, 220  
 medicinal, 363, 393  
   practices, 347  
   purposes, 342  
   trade, 293, 347, 352  
   use, 20, 344, 353  
 megachiropteran, 55  
 memes, 363, 366  
 mesquite, 131  
 metabolism  
   adaptations, 166  
   rate, 165, 188, 190  
 microchiropteran, 54, 56  
 micro-CT, 69  
 microhabitat, 186  
*Microloris*, 40  
   *pilbeami*, 39  
 micronutrients, 165, 168–169  
 milk, 166, 258, 260, 273  
   composition, 258  
   primate, 258  
 minimum convex polygon, 197, 201  
 Miocene, 3, 38, 40–41, 46, 59, 133  
   early, 3, 38, 42, 44  
   late, 3, 37, 39, 42  
   middle, 38–39, 42, 62  
 Mioeoticinae, 38  
*Mioeoticus*, 3, 38, 44–45, 59  
   *bishopi*, 38, 45  
   *kichotoi*, 38  
   *shipmani*, 38, 44  
 mistreatment, 347  
 mitochondria, 59  
   cytochrome, 61  
   data, 60  
   DNA, 30, 62–63  
   genes, 62  
   marker, 62  
 molar, 28–30, 36, 38, 64, 68, 157, 161  
   cusps, 29  
 molecular genetics, 2–3, 30, 326  
 monochromat, 130, 134, 137, 179, 182, 204  
 monogamy, 8, 131, 133, 137  
   monogamy hypothesis, 137  
 monophyly, 2, 46, 49, 57, 59, 61, 153, 160  
 monotypic, 25  
 monsoon, 196, 229, 359  
 moonlight, 9, 174–176, 219, 226, 265  
 morality, 341, 344, 366  
   action, 367, 369, 372  
   attitude, 367  
   beliefs, 367, 369, 372  
 morbidity, 236, 244, 266, 272  
 Morbidity and Mortality Analysis  
   Medical Resource, 241  
 morphology, 1, 4, 6, 10–11, 31, 52, 55–56, 60, 62, 69, 93, 142, 144, 149–150, 157, 227, 296, 326  
   adaptations, 6, 157  
   basiscranial, 125  
   characteristics, 2, 10, 327  
   clitoris, 268  
   craniomorphology, 61  
   data, 110, 153  
   datasets, 30  
   dental, 68  
   differences, 53, 60, 204  
   digital, 52  
   diversity, 26  
   evidence, 44, 58  
   features, 92, 144, 151  
   functional morphological  
     hypothesis, 152  
   functional muscle, 78  
   gnathic, 68  
   hand, 52, 144  
   limb length, 142  
   loris, 139, 151  
   muscle, 145  
   *P. potto*, 78  
   predictions, 144  
   primate, 79  
   retinal, 181  
   skull, 64  
   studies, 57, 65, 148, 160, 326  
   testes, 270  
   traits, 7, 52–53, 58  
   variation, 28  
   vertebral, 138, 151  
   vibrissae, 52–53  
   whisker, 6  
   wrist, 144  
 MorphoSource, 70, 104

## 480 Index

- mortality, 12, 14, 244, 394  
 infant, 167, 243  
 live animal trade, 242  
 rate, 273, 394  
 trapped animals, 285
- MOS. See main olfactory system
- mosaics, 194, 202
- mother, 11, 137, 206, 243, 247, 251, 257–260, 262, 273, 293  
 abnormal behaviour, 11, 249, 251, 257–259, 261  
 age, 254, 261  
 behaviour, 244, 251, 258  
   social, 251  
 captive, 11  
 carrying, 253, 273  
 clicking call, 209, 273  
 death, 247, 274  
 experience, 249  
 foster, 274  
 fur, 206  
 grooming, 250–251  
 medical, 247, 249, 251, 257–258  
 milk, 259–260, 273  
 offspring care, 243  
 parking, 206, 259, 273  
 pregnancy, 244, 249, 251, 253, 257, 259–260, 273  
 primiparous, 258, 273–274  
 reintroduction, 273  
 release, 261  
 rescued, 243  
 stressors, 243, 258, 260  
 trauma, 243, 249, 258–259
- mother–infant interaction  
 behaviour, 9, 11, 257  
 dyads, 243, 247, 251  
 observations, 206  
 relationships, 257
- motor stereotypies, 251, 257, 261
- Müllerian mimicry, 13
- musculature, 7, 48, 78–79
- efficiency, 144
- recruitment, 145, 148  
 epaxial, 151  
 forearm, 78  
 hand, 78  
 intrinsic, 48, 53  
 intrinsic hand, 78, 80, 92  
*Perodicticus*, 79  
 vibrissae, 48
- mutations, 178, 180, 185  
 rate, 31
- Myanmar, 26, 66, 332–333
- myology, 52, 78, 92  
 hand, 6
- mystical, 12, 342
- mythology, 20, 363  
 mythological powers, 342
- Namaloris*, 38, 41–42  
*rupestris*, 38
- Namibia, 33, 38, 41
- nasal fossa, 99, 105, 111
- nasoturbinal, 99
- native, 263, 274, 344, 381–382, 390
- natural, 203, 221  
 behaviours, 165, 316  
 day/night, 265  
 diets, 165, 219  
 disasters, 236  
 environments, 149, 316  
 factors, 220  
 feeding, 168, 219  
 forests, 175, 194, 197, 199, 203  
 gouging, 266  
 gum feeding, 265  
 habitats, 180, 219, 369, 393  
 history, 21, 243, 258, 261  
 history museums, 19  
 light, 180  
 light cycles, 264  
 lives, 391  
 locomotor ecology, 139  
 moonlight, 265  
 movement, 281  
 postures, 166  
 resources, 334, 339  
 setting, 149  
 studies, 139  
 theology, 21  
 weather conditions, 221
- navicular, 58
- near-fatal anaphylaxis, 14
- necrosis, 266
- nectar, 19, 49, 186, 219, 288
- neonate, 206, 244, 272  
 full-term, 244  
 injury, 273  
 potto, 206  
 trauma, 241, 272
- Nepal, 26, 41, 359  
 Nepali mass animal sacrifice, 359  
 southern, 41
- nest box, 265, 281
- neural volume, 117
- neuroepithelium, 53, 98, 102
- New World monkeys, 52, 166
- NGO. See non-governmental organisations
- night surveys, 196, 334
- night vision, 282, 296  
 human, 281, 296  
 wildlife, 281
- nipples, 196, 295–296
- nocturnality, 6, 19, 52, 303–304  
 activity budget, 195  
 activity patterns, 316  
 animal observations, 281  
 animals, 77, 176, 186, 279, 281, 314, 325  
 arboreal animals, 50, 52  
 arboreal lifestyle, 154  
 disciplines, 282  
 fieldwork, 279  
 forests, 175  
 geckos, 176  
 irradiance, 180  
 lemurs, 182, 185, 211, 317  
 lifestyle, 65, 185, 295, 365  
 light, 175, 177, 185  
 lineage, 185  
 lorises, 9, 50, 348  
 mammals, 49, 181, 219, 296, 337  
 nature, 2, 332  
 niche, 174  
 potto, 127  
 predation, 126, 181  
 primate research, xix  
 primates, xix, 6, 8, 15, 48, 130, 174, 176–178, 181, 186, 192–194, 209–210, 226, 279, 281–282, 285, 296, 316, 321, 325, 337, 348  
 prosimians, 50, 129–130  
 research, 279  
 slender loris, 127  
 slow loris, 127  
 species, 49, 126, 137, 178, 181, 186, 194, 281, 296, 307, 317  
 strepsirrhines, 2, 8, 51, 99, 126, 136, 181, 184–186, 211, 234, 326



- surveys, 288  
 vision, 176  
 visual function, 113  
 visual predation, 113, 127, 186
- nocturnal visual predation  
 hypothesis, 125, 127
- nomenclature, 1, 22–23, 49, 115, 174, 314
- non-digital forearm, 78
- non-government agencies, 338
- non-governmental organisations, 341, 382
- non-human primate, 92, 220, 317, 348, 350  
 hand, 52
- non-native, 194, 224
- non-primate, 14  
 close relatives, 127  
 locomotor behaviour, 142  
 mammals, 47, 101, 127, 181–182  
 outgroups, 118, 122  
 sister taxa, 115–116, 122
- non-volatile odorants, 98
- noose-catching, 289
- North America, 37, 263, 274  
 population, 241  
 zoo, 264–265
- North American Potto Studbook, 274
- nose-down foraging, 53, 207
- Notharctidae, 37
- nuchal spine, 24
- nursing, 244, 251, 258, 273  
 dynamics, 259  
 foster mother, 274  
 inadequate, 273
- nutrition, 8, 11, 167, 247, 260, 264, 273, 364  
 care, 262  
 components, 165  
 composition, 168  
 condition, 261  
 effects, 259  
 issues, 261  
 needs, 74, 219  
 parameters, 14  
 profile, 159  
 quality, 157, 159, 165, 259  
 recommendations, 172  
 requirements, 8, 165, 167, 172, 225–226, 364  
 resources, 260
- rich, 170, 225  
 species-specific, 170  
 stress, 260  
 values, 169
- NVPH. *See* nocturnal visual predation hypothesis
- Nycticeboides*, 40, 59  
*simpsoni*, 3, 40, 44–45
- Nycticebus*, 1–3, 6–7, 10, 23, 25, 28, 30, 38, 44–45, 52, 57, 59–61, 69, 76, 78, 98, 108, 127, 147–148, 154, 157, 160, 168, 184, 186, 219, 226, 242, 264–266, 268, 270–271, 273, 307, 314, 363–364, 375  
*(c.) ornatus*, 26  
*bancanus*, 5, 27, 344  
*bengalensis*, 5, 7, 9, 23, 26–27, 49, 61, 66, 133, 166, 169, 171, 194, 211, 259, 265, 267, 296, 302, 314, 326, 328, 337, 343, 357, 363  
*borneanus*, 5, 27  
*ceylonicus*, 23  
*cougang*, 5, 7, 9, 27, 49, 61, 78–80, 92, 94, 104, 115, 118, 120, 125, 133, 144, 149, 166, 169, 181–182, 184, 188, 220, 242–243, 265–266, 302, 333, 337, 344, 394, 397, 400  
*cougang hilleri*, 27  
*cougang sensu lato*, 27  
*hilleri*, 5, 61, 344, 395, 397  
*intermedius*, 62, 326  
*javanicus*, 5, 7, 23, 26, 49, 55, 61, 133, 166, 168–169, 171, 189, 194, 210, 219, 265, 289, 302, 312, 314, 344, 382  
*kayan*, 5, 27, 334, 337, 344  
*linglom*, 38, 42, 45  
*menagensis*, 5, 10, 27, 61, 169, 219, 289, 301, 334, 344  
*pygmaeus*, 5, 7, 9, 27, 49, 61–62, 133, 148, 166, 171, 182, 184, 188, 210, 220, 263, 265, 267, 289–290, 301, 326, 343, 363, 382
- obligate, 45, 155, 157  
 dietary niche, 68, 155, 161  
 exudativory, 166, 243  
 gummivory, 7, 155, 157
- observations, 8, 36, 50, 68–69, 80, 91, 142, 183, 188, 191–192, 196, 202–203, 206, 209, 212, 215, 217, 220, 234, 249, 260, 268, 270, 281, 301, 308, 316, 322, 327  
 activity, 197  
 angwantibos, 207  
 behaviour, 93, 139, 149, 221–222, 249, 316, 320, 398  
 data, 12, 205, 222, 244, 247, 307  
 direct, 180  
 empirical, 190  
 feeding, 224  
 field, 149, 184, 234  
 GPS, 196  
 hibernation, 188  
 instantaneous, 320  
*Loris tardigradus*, 149  
 mother–juvenile interactions, 206  
 movement, 139  
 nocturnal, 281–282  
 participants, 349  
 paternal care, 207  
 period, 198, 222, 247, 258  
 red light, 281  
 session, 212  
 spatial overlap, 136  
 study, 139  
 time, 247  
 times, 222
- occupancy  
 estimates, 307, 310  
 modelling, 15, 303, 307–308, 312
- occurrence, 155, 189, 224, 243, 322, 328, 345  
 all-occurrence behaviours, 247  
 all-occurrence data, 247  
 data, 303, 322
- ODBA. *See* overall dynamic body acceleration
- odorant, 98, 100, 102, 104, 110  
 detection, 98, 102  
 non-volatile, 98  
 predator-related, 98  
 receptor neurons, 100  
 volatile, 98
- odour, 102
- oestrus, 233, 271
- OFA. *See* optic foramen area
- offline, 357, 372

## 482 Index

- offspring, 136–137, 237, 239, 260, 267, 273–274  
 care, 240, 243  
 genes, 137  
 immature, 137  
 rearing, 137, 220  
 sex, 237  
 siblings, 137  
 survival, 240  
 weaned, 240  
 offtake, 348, 350, 354  
 oil palm, 196  
 Old Calabar, 21, 29  
 olfaction, 6, 52–53, 56, 97, 100–102, 205, 247  
   anatomy, 6, 97, 101, 108, 110  
   bulb, 53, 98, 100, 103–104, 106, 110  
   communication, 6, 13, 129, 205, 271  
   contact, 8  
   cues, 53, 103, 110, 180, 271  
   epithelium, 99, 103, 108  
   fossa, 105  
   function, 13, 101  
   performance, 101  
   receptor gene, 98, 102, 110–111  
   receptors, 111  
   recess, 101–102, 110  
   reduction, 101  
   secretions, 206  
   senses, 47  
   sensitivity, 104, 111  
   signals, 13, 207  
   structures, 111  
   studies, 103  
   systems, 6, 53, 97–98, 110–111  
   turbinals, 99–100, 103–104, 108, 110  
 Oligocene, 31, 33, 38, 42, 59  
 omens, 357  
 online, 342, 351, 356, 358, 360, 363, 365, 367, 369–370, 374–375, 377, 379  
   activities, 343  
   advertising, 366  
   content, 362–363, 366, 372  
   database, 360  
   engagement, 374  
   images, 372  
   journal, 362  
   marketplace, 357  
   platforms, 345, 356  
   trade, 344–345, 356–357, 374  
   trends, 370  
   videos, 365  
   world, 362  
 ontogenetics, 28, 113, 115, 117, 120, 124–125, 127  
 ontogeny, 26, 115, 118–119, 126  
 opponens digiti minimi, 93  
 opponens pollicis brevis, 93  
 optic foramen area, 182  
 orbit, 25, 31, 113–114, 120, 125–126  
   convergence, 125  
   diameter, 115, 120, 125  
   divergent, 113  
   orientation, 113, 115–116, 126  
   width, 120, 125  
 orbital  
   allometry, 120  
   aperture, 117  
   apertures, 113  
   breadth, 117  
   convergence, 6, 110, 113, 115–117, 120, 123, 125–126, 174  
   diameter, 115, 117  
   frontation, 113, 115, 117, 120, 124–126  
   margin, 113, 116  
   orientation, 114, 117  
   rims, 30  
   size, 115  
*Otolemur*, 69, 78, 108, 132–133, 155, 171  
   *crassicaudatus*, 74, 115, 118, 120, 134, 157–158, 160, 166, 181, 185  
   *garnetti*, 144–145  
 outdoor enclosure, 189, 265  
 overall dynamic body acceleration, 317  
 pair-living, 129, 137, 234  
 Pakistan, 3, 39, 41, 59  
 palate, 98, 169  
   length, 117  
 paleoecology, 68  
 Paleogene, 37  
 palm wine, 19  
 paraphyletic, 3, 37, 49, 154  
 parental care, 204, 209  
 parturition, 258, 272–273  
 peak vertical forces, 145  
 pelage, xx, 23, 26, 28, 62  
   change, 62  
   characteristics, 61, 326  
   colouration, 28, 191, 196  
   differences, 61  
   distress, 258  
   issues, 167  
   markings, xix–xx, 291  
   patterns, 13  
   seasonal, 187, 191  
*Perodicticinae*, 1–2, 4, 31, 38, 57, 59, 63, 76, 154, 160  
*perodicticine*, 3, 6, 38, 42–43, 45, 153, 263  
   cranium, 40  
   fossil, 42  
   stem, 59  
*Perodicticus*, 1–3, 6–7, 9–10, 22, 24, 26, 28–30, 52–53, 57, 63–64, 69, 76–77, 79–80, 91–92, 94, 98, 104, 108, 127, 133, 148–149, 154, 158, 160, 272  
   *calabarensis*, 21  
   *edwardsi*, 5, 22, 29, 64, 204, 207, 210, 236, 289, 296, 303, 341, 349  
   *geoffroyi*, 24  
   *ibeanus*, 5, 29, 64, 206, 209, 236, 296, 302–303  
   *ibeanus stockleyi*, 64  
   *juju*, 5  
   *martini*, 64  
   *potto*, 5, 22, 29, 38, 49, 53, 64, 76, 78, 80, 92–93, 104, 115, 118, 120, 125, 165, 171, 181–182, 184, 186, 207, 236–238, 265, 267, 302, 314  
   *potto edwardsi*, 237  
   *potto juju*, 64  
   *potto potto*, 19, 21  
   *potto sensu lato*, 79  
   *potto sensu stricto*, 29  
   *potto* spp., 49, 153, 204, 236, 241, 348  
   *potto stockleyi*, 29  
 pest control, 193

- pets, 14–15, 64, 228, 242, 332, 341–342, 347, 356, 360, 363–364, 366, 370, 374, 378–379, 394, 397, 399  
 animals, 356  
 domestic, 393  
 exotic, 339, 362, 366, 374  
 lorises, 360  
 monkeys, 370  
 owners, 220  
 primates, 347, 363, 367, 370  
 trade, 15, 219, 242, 293, 332, 337, 342, 347, 353, 397  
 Peters, Wilhelm, 19  
 PGLS. See phylogenetic generalised least squares  
 phalanges, 24  
 pheromones, 98  
 Philippines, 25, 27, 31, 334  
 phone applications, 361  
 photographs, 79, 343, 374–376, 379  
   anthropomorphic wildlife, 375  
   chimpanzees, 379  
   general, 377  
   photo props, 16, 64, 242, 341, 374–375, 377, 379  
   sharing, 380  
   slow loris, 377, 383  
   SNS, 374  
   tourists, 374  
 phylogenetic, 2, 113  
   affinities, 98  
   analysis, 34, 37, 45, 67, 136  
   comparisons, 117  
   contexts, 33, 125  
   generalised least squares, 104, 106, 108, 182  
   grade shifts, 49  
   least squares, 182  
   position, 36  
   relationships, 45, 61–62, 67, 185  
   scheme, 154  
   signals, 59, 183  
   studies, 33  
   tree, 45, 131–132  
   variation, 115  
 phylogeny, 127, 184  
   lorisid, 2–3, 49, 64  
   mammals, 105  
   molecular, 131  
   physical injury, 243, 247, 257  
   physiological, 58, 94, 172, 187–188, 190, 260, 264, 272, 316  
   pigmentation, 270  
   plantation, 194, 196, 203, 219, 332–333  
     *Acacia*, 203  
     agar, 195  
     bamboo, 203  
     banana, 333  
     commercial, 333  
     forests, 194, 203  
     lemon, 203  
     non-native, 195  
     oil palm, 196  
     rubber, 333  
     tea, 201  
     teak, 197, 199, 203  
     vanilla, 194  
   *Plesiopithecus*, 36  
   poaching, 242, 244, 257, 294, 359, 394  
   policy change, 370  
   policy measures, 351–352  
   policy-makers, 365–366  
   pollination, 193–194  
   polyoestrous, 267  
   *Ponytail*, 358  
   popular  
     films, 363  
     media, 363  
     social media, 375  
     social network, 343, 362, 380  
     videos, 242, 363  
     websites, 362  
     wildlife tourism, 374  
   population, 15, 28, 57, 62, 158, 166, 194, 234, 244, 266, 274, 295, 302–303, 314–315, 326–327, 352–353, 393, 400  
   abundance, 296, 332  
   assessment, 334, 338  
   coalescence, 26  
   decline, 234, 239, 263, 332, 346, 349, 352, 397  
   density, 1, 15, 279, 295, 314  
   fragmentation, 26  
   historic, 238  
   levels, 325, 400  
   museum, xix  
   parameters, 296  
   primate, 193, 296  
   rescue, 243  
   status, 327  
   structure, 346  
   survey, 333  
   trends, 209, 307  
   viable, 201  
   wild, 65, 209, 219, 228, 235, 333, 339, 363, 395, 397  
   positional behaviour, 10, 204, 210, 212  
   positional muscles, 79  
   postcranial, 3, 31, 44  
   postural, 207, 210, 214  
   potto hair, 350  
   predation, 77, 191, 282, 293  
     avoidance strategy, 226  
     nocturnal, 126, 181  
     predator–prey relationships, 387  
     predator-related odorants, 98  
     pressures, 9, 257  
     risks, 137, 281  
     visual, 126–127  
   predators, 9–10, 13, 50, 113, 127, 182, 185, 191, 208, 213, 226, 285  
     behaviour, 174  
     detection, 184  
     response, 191  
     wild, 209  
   pregnancy, 220, 231, 243–244, 249, 251, 256–257, 260, 270, 272–273, 291, 293  
   premaxilla, 25, 29–30  
   premolars, 157  
   primary forest, 50, 193, 221  
   primates  
     ecology, 157  
     energetics, 211  
     evolution, 2, 43, 75, 124–125, 129, 174, 210  
     milk, 258  
     specialists, 364  
     vision, 177  
   primitive, xix, 1, 30, 34, 36, 45, 67, 97–98, 100, 108  
   products, 351, 357, 366, 393  
     animal, 342  
     dairy, 166  
     forest, 327

**484 Index**

- products (cont.)  
 leather, 393  
 luxury, 393  
 slow loris, 343  
 wildlife, 344, 347, 352, 357, 393
- profile, 362  
 activity, 323  
 behavioural, 260–261  
 buyer, 347  
 consumers, 347  
 higher-profile primates, 65  
 nutrition, 159  
 public, 362  
 social media, 362  
 user, 375
- progesterone, 268
- promiscuity, 136–137
- Propithecus verreauxi*, 115, 118–119, 126
- Propotto*, 36
- prosecution, 355
- Prosimian Regional Collection Plan, 241
- prosimians, 50, 52, 274  
 body temperature, 188  
 nocturnal, 50, 129–130  
 thermoregulation, 188
- protected area, 195–196, 331
- protoconid, 30
- proximity, 55, 195, 204, 243, 247, 251, 259, 261, 311, 347  
 changes, 247, 259
- Proximity Index, 249, 254
- pseudogenes, 102
- Pseudopotto*, 21, 64, 236
- psychological, 180, 244, 259, 370
- public, 236, 293, 338, 360, 365, 374, 380  
 attitude, 375, 379  
 awareness, 363  
 domain, 354  
 education programmes, 333  
 interest, 365  
 perception, 360, 363, 373, 380  
 profile, 362  
 reactions, 356  
 spaces, 345  
 viewing, 264
- quadrupedalism, 44, 53, 140, 150, 213  
 climbing, 50, 308
- locomotion, 43, 144, 154  
 sitting, 214  
 standing, 211  
 walking, 10, 213, 216
- qualitative data, 347
- questionnaires, 347, 352, 367, 400  
 online, 351
- R software, 105, 176, 182, 230, 322–323
- radio tracking, xix  
 collars, 215, 221, 228, 230–231, 285, 291, 293, 319–320, 398  
 frequency, 221  
 receivers, xix, 221, 230  
 telemetry, 209  
 transmitters, xix
- Raghnandan Hill Reserve Forest, 195
- rain, 222, 224, 320
- rainfall, 196, 212, 229, 308, 320, 359
- rainforest, xix, 4, 8, 31, 63, 175, 185, 204, 263, 279, 320
- records, 15, 235–237, 241, 270, 274, 353–354  
 captive, 14  
 cards, 235  
 CITES, 360  
 distribution, 333  
 fossil, 3  
 historical, 236, 393  
 medical, 247  
 non-digital, 237  
 sight, 296  
 software, 235–236  
 studbook, 263, 267  
 trade, 354, 360  
 written, 269  
 ZIMS, 237  
 zoo specimens, 235  
 zoological, 14, 235, 241  
 ZSL, 237–238
- red light, 279, 281–282, 296, 314  
 filter, 196, 212, 229, 281, 296, 327
- regional languages, 343
- regulation, 259, 261, 364, 370, 394, 396
- rehabilitation, 219–221, 227, 338, 399  
 centre, 397–398  
 facility, 16
- period, 398  
 process, 398  
 programmes, 217
- reintroduction, 9, 11, 228, 234, 243, 275, 293, 398
- release, 12, 15, 65, 219, 227, 229, 235, 243, 247, 257, 261, 293, 332–333, 338, 398–399
- animals, 10, 15  
 area, 398  
 confiscated animals, 65  
 feeders, 171  
 Javan slow loris, 219  
 lorises, 221  
 monitored, 399  
 pair, 221  
 Philippine slow loris, 220, 225–226  
 post-release monitoring, 219, 226, 398  
 programmes, 243  
 site, 221  
 slow loris, 10, 227, 261
- reproduction, 11, 167, 187, 226–228, 236, 240, 263, 265, 267, 275  
 biology, 263  
 condition, 266  
 costs, 220  
 cycles, 268, 270, 275, 346  
 efforts, 268  
 interactions, 129  
 management, 264, 268  
 monitoring, 268  
 patterns, 268  
 phase, 270  
 pressures, 225  
 stages, 270  
 status, 269  
 success, 11, 268, 317
- rescue, 243  
 and rehabilitate, 16, 338, 397–398  
 centre, 167, 189, 242–243, 257, 263–264, 275, 326, 354, 397  
 context, 244  
 mothers, 243  
 pet trade, 219  
 populations, 243  
 programme, 398  
 slow loris, 10, 266, 338  
 trade, 243, 261, 266, 332

- resting, 194, 196, 199, 212, 250, 325  
metabolism, 188
- retia mirabilia, 30, 58, 77
- retina, 176–177, 179, 181–183, 186, 314  
all-rod retinas, 181  
ganglion cell, 176, 179  
*Loris*, 182  
magnification, 179  
morphology, 181  
response, 282  
summation, 176, 182
- retroposons, 57, 59
- reverse day–night cycles, 264
- rhinarium, 98
- rice puller, 358
- Robb, Rev. Alexander, 21
- rubber, 195, 291, 319, 328, 333
- Russia, 20, 363
- Saguinus*, 157
- Saharagalago*, 3, 36, 38, 59  
*misrensis*, 38
- sale, 339, 342–343, 346–347, 355, 358–360, 363, 393–394
- saliency, 368, 384, 387, 390  
Smith's saliency index, 384  
Smith's saliency model, 368
- saliva, 11–13, 266  
salivary venom, 12
- sampling, 62, 183, 304, 307, 310  
*ad libitum*, 222  
distance, 295, 302  
effects, 26  
fixed-point, 308  
focal, 320  
focal scan, 222, 230  
genetic, xx  
geographic, 61  
instantaneous, 196, 212  
recapture, 295  
scan, 247  
sites, 310  
transect, 308
- sanctuaries, 242, 261, 263  
sanctuary-born infants, 244, 261
- scaling, 111, 115, 117, 119, 125, 149
- scapular shield, 6, 10, 24, 53, 208
- scars, 231
- SCC. *See* semicircular canals
- scent gland, 6, 53  
scent marking, xix–xx, 103, 110, 271
- scrotum, 196, 270
- seasons, 8, 171, 210, 220, 226, 370  
breeding, 233  
cold, 187–188  
dry, 175, 228  
hot and cold, 187  
mating, 206, 229, 267  
monsoon, 196  
peak, 169  
rainy, 196, 199, 228  
tourist, 375  
wet, 202, 226, 229  
winter, 203
- seasonality, 155, 169, 197, 219, 239, 257, 267, 346, 354  
body weight, 188  
breeding, 233, 238, 257, 264, 267, 274–275  
change, 265  
consumption, 156, 158  
data, 158  
environments, 187  
fruit, 266  
movements, 279  
patterns, 359  
pelage, 62, 191  
weather, 264
- Seba, Albertus, 19–20, 23, 25
- second digit, 6, 76, 79, 90, 93–94
- secondary forest, 50, 196, 208, 219
- seed dispersal, 193
- seizure, 354, 360
- self-mutilation/trauma, 267
- sellers, 332, 343, 345, 359–360, 394
- semicircular canals, 43
- sensory, 53  
ecology, 47, 56  
epithelium, 99, 102, 110  
function, 54  
hairs, 10, 49, 54  
information, 6  
modality, 51  
nerves, 47  
neuroepithelium, 98  
organs, 49, 103  
sensory-end organs, 47  
studies, 111  
systems, 97, 103, 111
- touch ecology, 49  
trade-offs, 52
- sex  
dimorphism, 37, 137, 220, 225, 228, 231, 291  
maturity, 11, 268, 275  
receptivity, 6  
selection theory, 228  
size dimorphism, 220  
sex differences, 10, 220, 222, 225–226  
theory, 227
- short-wavelength sensitivity, 179, 181, 185
- SINEs, 59
- Sivaladapinae, 37
- Siwaliks, 39
- skull size, 62, 105, 113–114, 117, 122, 281
- sleeping, 19, 137, 194, 196, 199, 202, 207, 212, 231, 234, 259, 265, 316–317, 322  
sleep site, 137, 205, 226, 228, 230–231, 234, 281, 293  
sleep stage, 322
- slender loris, 1–2, 8, 15, 20, 23, 57, 60, 113, 127, 129, 131, 133, 142, 144–145, 153, 155, 165, 188, 191–192, 202, 215, 217, 234, 263, 266, 270, 288, 296, 304, 310, 312, 314  
beliefs, 357  
calls, 312  
Ceylonese, 23  
detectability, 312  
distribution, 59, 304  
gestation, 272  
grey, 60, 132, 272, 274, 304, 307, 310, 357  
highland, 61, 357  
home states, 359  
Horton Plains, 61  
infants, 272  
local names, 358  
Malabar, 61, 357  
Malabar range, 357  
Mysore, 61, 195, 215, 281, 312, 357  
Mysore range, 357  
northern, 357  
predators, 10

**486 Index**

- slender loris (cont.)  
 pregnancy, 272  
 protection, 357  
 red, 5, 25, 60, 132, 140, 215, 217,  
 272, 274, 310, 312  
 species, 194  
 Sri Lankan grey, 217  
 trade, 358–360  
 trafficked, 357
- slow loris, 1–2, 7, 11, 15, 23, 27, 57,  
 60, 65, 131, 142, 144, 153,  
 157, 168–169, 192, 196, 221,  
 242, 263, 289, 307, 375, 400
- activity budget, 202  
 activity patterns, 203  
 adaptation, 7, 155, 219  
 anaesthesia, 293  
 ashy, 26  
 Bangka, 344  
 behaviour, 257, 391  
 beliefs/folklore, 342  
 Bengal, 5, 9, 166, 194, 199,  
 201–202, 211, 213, 215, 217,  
 314, 326–327, 331, 343, 357  
 Bengal home range, 201  
 bite, 12, 242, 291  
 Bornean, 5  
 breeding, 270, 274  
 captive, 79, 217, 243, 259, 326  
 collaring, 279  
 confiscated, 258, 397–398  
 conservation, 15, 327, 334, 382,  
 397, 399  
 defence, 10  
 density, 332  
 derivatives, 343  
 development, 259  
 diet, 166, 169, 247, 364, 403  
 dimorphism, 220  
 distribution, 59, 326–327, 332,  
 334  
 ecological function, 195  
 education, 382, 386, 389, 391  
 elbow, 144  
 evolution, 11, 13–14, 127  
 faecal scoring, 170  
 fat, 343  
 feeding, 202, 222  
 foraging, 220  
 fragmentation, 333  
 fur, 191  
 gestation, 272  
 gouging, 14  
 greater, 5, 11, 233, 242–243, 247,  
 256, 259, 261, 344, 394,  
 397–398  
 habitat, 203, 218  
 Hiller's, 344, 397  
 hunting, 332  
 infants, 182, 244, 259, 261,  
 273–274  
 Javan, 5, 55, 132, 166, 168, 189,  
 192, 194, 202, 216–217, 219,  
 234, 281, 312, 314, 344, 382  
 Kayan, 5, 344  
 kinetic data, 145  
 knee flexors, 147  
 local names, 358  
 mother–infant pairs, 247  
 mothers, 258, 261  
 movement, 217  
 muscles, 145  
 Mysore, 216  
 nails, 343  
 nocturnal, 127  
 North Sumatran, 395  
 obligate, 155, 242  
 oil, 343  
 online, 343, 377  
 ontogeny, 26  
 pet, 363  
 Philippine, 5, 219–220, 227, 288,  
 334, 344  
 photo prop, 375  
 poached, 242, 244  
 population decline, 332  
 populations, 12, 14, 266, 327,  
 333, 397, 400  
 predation, 191  
 pregnant, 243  
 protected, 357  
 pygmy, 5, 9, 27, 131, 133, 145,  
 165, 188, 190–192, 220, 231,  
 267, 326–327, 331, 343, 356,  
 363, 382  
 range, 271  
 range states, 359  
 rehabilitation, 219, 399  
 reintroduced, 332  
 release, 10, 219–220, 227, 261, 398  
 rescue, 10, 243, 261, 266, 338  
 research, 334  
 saliva, 13  
 skin, 343  
 Slow Loris Protector, 403  
 social behaviour, 259  
 social organisation, 391  
 Sody's, 5  
 solitary, 257  
 stereotypic behaviour, 243  
 studies, 212, 334, 364  
 Sumatran, 5, 397  
 Sunda, 79, 166, 188, 192, 333  
 survey, 337  
 temperature, 188, 190  
 threat, 332  
 torpor, 189  
 toxin, 12  
 trade, 12, 15, 242, 337, 342–343,  
 355–357, 364, 375, 396–397,  
 399  
 traditional medicine, 16  
 trafficked, 355, 357  
 translocations, 261  
 venom, 11–14, 233  
 video, 365, 375  
 wild, 12, 220  
 wounds, 266  
 zoo-housed, 243
- small mammals, 139, 145, 288, 317  
 small-bodied animals, 57, 127, 295  
 primates, 15, 28, 155  
 strepsirrhines, 126  
 SNS. See social networking sites  
 social, 204  
 associations, 136  
 behaviour, xix, 6, 8, 53, 204, 207,  
 212, 234, 251, 259  
 campaigns, 373  
 change, 373  
 communication, 205  
 complexity, 130, 137  
 contexts, 110  
 cues, 98  
 engagement, 373–374  
 groups, 55, 154, 202  
 housing, 268  
 human social factors, 400  
 interactions, 129, 205, 259, 391  
 isolation, 364  
 lives, 8, 391  
 media, 16, 242, 343, 345, 356,  
 362, 365–368, 372–373, 375

- monogamous association, 137  
 monogamy, 8, 130–131, 134, 137  
 neighbourhoods, 195  
 networks, 103, 129, 136, 343,  
     366, 368, 380  
 networking sites, 357, 362, 366,  
     370, 374, 380  
 organisation, 8, 129–130,  
     132–133, 136, 234, 243, 279,  
     391  
 partners, 364  
 platforms, 368  
 play, 251  
 proximity, 247  
 reality, 366  
 relationships, 8  
 requirements, 364  
 science, 362  
 settings, 268  
 spacing, 209  
 status, 394  
 structure, 204, 209  
 system, 62, 129, 234  
 traits, 137  
 sociality, 8, 19, 130, 181, 259  
 sociocultural, 400  
 socioecology, 129  
 socioeconomic, 339  
 solitary, xix, 129, 137, 188, 202,  
     204, 231, 243, 256–257,  
     260–261  
 South Asia, 202, 357  
 South India, 289, 357  
 South Sulawesi, 343  
 South-east Asia, 1, 11, 25, 31, 33,  
     40, 59, 61, 187, 202, 211,  
     333, 342, 400  
 spatial, 129  
     analysis, 230  
     area, 234, 301  
     distribution, 303  
     level, 302  
     overlap, 136, 234  
     patterns, 65  
     proximity, 204  
     requirements, 234  
     variation, 308  
 spatiotemporal  
     characteristics, 142  
     data, 140, 144  
     features, 140, 142  
     gait, 140  
     studies, 142  
 species 360, 236  
     identification, 61, 347, 356  
     presence, 346  
 spine, 64, 207  
     cervical, 10  
     nuchal, 24  
     vertebral, 53  
 SPSS, 222, 249, 376  
 Sri Lanka, 25, 60, 289, 304, 307,  
     314, 357  
 stereoscopic vision, 115, 126  
 stereotypic behaviours, 243, 261  
     pacing, 251  
 strepsirrhines, 6–7, 20, 28, 33, 37,  
     45, 68, 97, 99, 101, 120, 125,  
     127, 130, 144, 149, 181, 185,  
     205, 210, 243, 259  
     acuity, 182  
     allometric factors, 126  
     altricial, 98  
     ancient, 75  
     convergence, 120, 123, 125  
     crown, 34, 38, 67  
     data, 115  
     dental features, 157  
     divergence, 37  
     diversity, 103  
     evolution, 37, 155  
     extant, 3, 67, 97, 115–116, 122,  
     153  
     extinct, 115, 122  
     fossil, 67, 69  
     fossil record, 3  
     frontation, 118, 122, 125  
     genes, 102–103  
     gum-feeding, 160  
     gummivory, 160  
     insectivory, 160  
     lemuriform, 113  
     MorphoSpace, 127  
     movement patterns, 217  
     muscles, 78  
     nocturnal, 2, 8, 51, 99, 126,  
     136, 181, 184–185, 211, 234,  
     326  
     odorant detection, 98  
     olfaction, 102  
     olfactory bulb, 101, 106, 110  
     olfactory cues, 103  
     olfactory recess, 101  
     olfactory system, 97, 103  
     olfactory turbinals, 108  
     ontogeny, 117, 120, 124–125,  
     127  
     primitive, 102  
     scent marking, 110  
     small-bodied, 126  
     social association, 137  
     species, 115  
     stem, 34, 36, 67  
     suspensory, 216  
     taxa, 2, 36, 120  
     trait, 36  
     visual acuity, 182  
     visual ecology, 185  
     VNO, 98  
     vomeronasal organ, 111  
 Strepsirhini, 1, 22, 36, 67, 69, 98,  
     153, 161  
 studbook, 235–236, 263, 267, 274  
 subadult, 230–231, 234  
 sub-Saharan Africa, 31, 57, 59  
 substrate, 9, 76, 139, 144–145, 150,  
     208, 210–212, 217, 265, 289,  
     312  
     angle, 144  
     availability, 218  
     diameters, 139, 142, 148  
     discontinuous, 150  
     grasping, 77, 208  
     height, 213  
     horizontal, 214  
     orientation, 140, 142, 145,  
     149–150  
     size, 9–10, 138, 211, 217  
     soft, 273  
     vertical, 139, 145, 218  
 Sumatra, 26–27, 31, 242, 344, 355,  
     364, 394, 397  
     North, 344, 397, 399–400  
     South, 344  
     West, 344  
 Sunda pangolin, 354, 395  
 superficial digital flexor, 91, 93  
 supernatural, 357–358, 360  
 survey techniques, 295, 301  
 survival, 14, 16, 64, 209, 219, 243,  
     259, 263, 293–294, 322, 341,  
     343, 365, 381, 393  
 suspension, 211, 217

**488 Index**

- suspensory locomotion, 138, 140, 144
- suspensory postures, 215, 218
- sustainability, 339, 398
- sympatric, 9, 40, 207, 285, 295, 312
- Systema Naturae*, 20, 23
- systematics, 57
- taboos, 351
- tactile
- cues, 47
  - function, 54
  - hairs, 53
  - information, 47
  - receptors, 56
  - stimulation, 56
- tail, 10, 23, 28, 52, 231
- absent, 30
  - external, 29, 31
  - length, 24, 76
  - long, 7, 64
  - missing, 23
  - reduced, 2, 6–7, 25, 58
  - short, 25, 76
  - stump, 27
- talismans, 357
- talonid, 30
- tarsal bone, 7, 19
- tarsal region, 30
- tarsier, 49, 55, 127, 160, 185, 211, 221, 312, 316, 325
- taxa, 2, 5, 11, 25, 27, 29–30, 36, 38, 40, 43, 61, 64, 73, 79, 92, 101, 104, 106, 108, 110, 113, 120, 124, 127, 209–210, 216, 264, 266, 273–275
- frugivorous, 7
  - gracile, 30
  - gummivorous, 157
  - insectivorous, 159
  - Malagasy, 30
  - mammalian, 13
  - non-gouging, 69
  - non-primate, 14
  - primate, 190
  - sister taxa, 31, 62, 64, 115–116, 122, 130
  - splitting, 2
- taxonomy, 2, 23, 49, 57, 60, 65, 78, 153, 188, 237, 263, 285, 338, 389, 391, 398
- Asian lorises, 23–24
- assessment, 64
- Bengal slow loris, 5
- categorisation, 2
- data, 4
- diversity, 4, 65
  - expansion, 2
  - groups, 6
  - history, 2
  - lorisids, 2–3, 64, 66
  - lorisiforms, 60
  - name, 237
  - note, 1
  - rank, 61
  - revisions, 1, 153
  - status, 291
  - validity, 58
- technology, 2, 15, 235, 380
- bio-logging, 316
  - cloud-based, 236
  - record keeping, 241
  - remote sensing, 320
  - trapping, 339
- teeth, xx, 28, 157, 230, 266
- anterior, 36, 67–68
  - cheek, 28
  - clipping, 242
  - damage, 243, 364
  - intact, 243
  - lower, 68
  - lower cutting, 24
  - molar, 36, 68
  - specialisations, 157
  - upper, 68
- television, 363, 366, 370
- temperature, 191, 196, 212, 308
- ambient, 187, 189–190, 264
  - body, 10, 187, 189–190, 314, 316
  - control, 264
  - extreme, 264
  - high, 188
  - increasing, 190
  - outdoor, 264
  - rectal, 188
  - season, 187
  - skin, 189
  - studies, 188
  - threshold, 190
  - tissue, 77
  - warmer, 264
- testes, 228, 231, 268, 270, 296
- Thailand, 26, 31, 39, 42, 61, 66, 194, 203, 230, 395
- thermoregulation, 10, 188–189, 191–192
- lorises, 187
  - primates, 189
  - prosimians, 188
  - pygmy slow loris, 189
  - slow loris, 191
  - Sunda slow loris, 188
- Thevangu*, 358
- threatened species, 194, 203
- threats, 208, 311, 350, 352, 374, 391, 403
- habitat loss, 293
  - mitigating, 65
  - population, 327
  - slow loris, 397
  - survival, 381
- toothcomb, 12, 25, 36, 45, 67, 69, 74–75, 157–158
- appearance, 69, 74–75
  - fossil, 7, 67
  - Karanisia*, 7
  - mandibular, 12
  - primate, 45, 69, 74–75
  - reduced, 67
  - six-toothed, 67
- topographic
- analysis, 45, 68
  - maps, 179
  - methods, 45
  - metrics, 68
- torches, 281, 288, 301
- torpor, 10, 187–189, 191–192, 264
- bouts, 189–190
  - duration, 189
  - trade-off, 191
- touch, 47, 49, 52
- acuity, 47, 49, 52
  - cells, 47, 52
  - ecology, 49–50, 56
  - hand, 47, 52
  - sensitivities, 47
  - sensory-end organ, 47
- tourism, 328, 332
- industry, 374
  - wildlife, 374
- toxicity, 12, 266–267
- toxins, 11–12



- trade, 16, 228, 339, 342, 344, 346–348, 352–355, 357–358, 361, 363, 393, 396
- animal, 395
- bushmeat, 347–348, 350, 353–354
- chain, 352
- commercial, 339, 355, 396
- consumption, 347
- global, 242
- highly traded species, 235
- hubs, 359
- illegal, 12, 15, 234, 242, 332, 339, 344, 347, 354, 357, 363, 374, 393, 397
- illegal pet, 15, 337
- international, 242, 393, 396
- laws, 394
- live animals, 242, 347, 362
- lorises, 341, 360
- lorisids, 353, 361
- market, 347
- market survey, 346
- medicinal, 293, 347, 352–353
- monitoring, 345
- networks, 345
- online, 344–345, 356–357
- parts, 347
- pets, 15–16, 219, 242, 293, 332, 341–342, 347, 353, 397
- practices, 364
- primates, 339, 347, 363
- records, 354, 360
- reducing, 65
- regulation, 356
- research, 344, 347–348, 351, 356, 361
- routes, 346, 355
- seasonality, 346
- slender loris, 358, 360
- slow loris, 15, 242, 342, 344, 356, 375, 397
- species, 397
- surveys, 353
- trade, 242
- traditional medicine, 15, 332
- wildlife, 15, 61, 64, 219, 243, 249, 257–258, 261, 266, 338–339, 341–342, 345–346, 350, 352, 355–356, 361–362, 374, 380, 393–395, 397, 399
- traders, 19, 242–243, 343–344, 346, 351, 354, 356, 359, 394–395
- interviews, 353
- surveys, 351
- traditional
- accounts, 12
- belief, 12
- face touch, 55
- medicine, 15–16, 64, 228, 242, 332, 341, 393–394
- methods, 314
- narrative, 381
- practices, 350, 395
- transect, 295, 302, 314, 327
- belt, 303
- line, 295, 302–303, 314, 334
- line and strip, 307
- non-linear path, 334
- sampling, 308
- techniques, 307
- zero length, 308
- translocation, 221, 234, 243, 261
- transpedicular foramina, 58
- transportation, 332
- trapping, 15, 279, 288, 293–294, 337, 339, 351, 359
- trauma, 241–243, 247, 259, 272
- events, 266
- injuries, 244, 258
- trichromatic, 103, 191
- tropical, 196
- almonds, 195
- area, 189
- climate, 187
- forest, 41, 59, 63, 175, 193, 333, 393
- rainforest, 320
- Tunisia, 37
- turbinal, 99, 103–104, 108
- Turkey, 375, 377
- Twitter, 362
- UDOI. See utilisation distribution overlap index
- Uganda, 29, 38, 42, 45, 158, 206
- ulnocarpal articulation, 58
- ultrasonic
- auditory cues, 55
- calls, xix
- communication, 55, 209
- components, 273
- range, 209
- sounds, xx, 56
- tactile stimulation, 56
- vocalisations, 6, 55
- waves, 56
- UN Environment World Conservation Monitoring Centre, 360
- undergrowth, 9–10, 186, 199, 208, 211, 308
- UNEP-WCMC. See UN Environment World Conservation Monitoring Centre
- unethical, 293
- urine, 6
- marking, 6, 205, 271
- samples, 272
- secretions, 205
- trails, 205
- washing, 103
- user-friendly software, 321
- user-generated content, 363
- username, 345
- utilisation distribution overlap index, 230, 234
- V1R. See vomeronasal receptor type 1
- V2R. See vomeronasal receptor type 2
- vegetation, xix, 207, 215, 219, 221, 225, 231, 265, 301, 327, 334
- venom, 11–14, 233, 242, 266
- administration, 12
- bite, 12, 291, 364
- component, 12–13
- definition, 13
- function, 13
- mammals, 12
- primate, 6, 12, 242
- properties, 13
- vertebrae, 24, 28
- cervical, 24, 28–29
- chest, 64
- lumbar, 30, 58, 138, 267
- postcervical, 58
- thoracic, 24
- vertical climbing up, 140
- vertical descent, 140
- vertical peak force, 138, 145
- vestigiality, 6, 76, 90, 93

**490 Index**

- vibrissae, 48, 50, 53, 56  
*Aotus*, 52  
 capsule, 54  
 count, 48, 51  
 facial, 51  
 immobile, 54  
 length, 48, 52–53  
 mammals, 54  
 morphology, 52, 54  
 movement, 47–48, 53  
 reduction, 53  
 sensitive, 50  
 touch, 47  
 variation, 53
- video, 291, 356, 359, 362, 364,  
 368–369, 375  
 animals, 367, 369  
 camera, xix, 212  
 content, 370  
 sharing, 366  
 viral, 242, 272, 362, 367  
 wildlife, 375
- videography, 320
- Vietnam, 15, 25–26, 31, 62, 66, 188,  
 191, 228, 326, 332, 382,  
 390–391  
 Vietnamese film, 363  
 Vietnamese forests, 191
- views/viewers (online), 362–363,  
 365
- villagers, 327, 332
- villages, 201, 230, 234, 327, 348,  
 350, 352, 354, 382, 395,  
 399
- viral content, 362
- vision, 6, 47, 52, 97, 174, 180, 184,  
 208, 247, 269  
 abilities, 174  
 acuity, 9, 51–52, 55, 174,  
 176–177, 179–180, 182–183  
 human, 15  
 adaptations, 174, 176  
 anatomy, 174, 182  
 angle, 177, 179  
 arc, 177  
 barrier, 265  
 cues, 50, 111, 184  
 deficiencies, 50  
 descriptions, 78  
 details, 116  
 ecology, 177–178, 180, 185
- fields, 126, 178  
 function, 9, 113, 174, 176, 178,  
 180, 186  
 low-light, 181  
 nocturnal, 176, 181  
 orientation, 144  
 performance, 174  
 predation, 126–127  
 predators, 113, 181, 185  
 resolution, 182  
 sensitivity, 176, 181, 281  
 sighting, 295  
 systems, 52, 97, 174, 177, 180  
 tasks, 177  
 trichromatic, 191  
 world, 174
- visual-evoked potentials, 178
- visually oriented mammals, 177
- visually oriented predators, 50
- VNO. *See* vomeronasal organ
- vocalisation, 9, 13, 155, 176, 209,  
 233, 271, 273, 295, 312
- vomeronasal  
 function, 99  
 neuroepithelium, 53, 98  
 neuron axons, 110  
 organ, 6, 98, 102, 111  
 receptor neurons, 98  
 receptor type 1, 102–103  
 receptor type 2, 102–103
- Vosmaer, Arnout, 20, 23, 26
- wavelength, 177–178  
 medium, 182  
 red, 175
- WAZA. *See* World Association of  
 Zoos and Aquariums
- weaning, 182, 206
- weather conditions, 221–222, 224,  
 264, 307
- website, 237, 356, 358, 366,  
 399
- welfare, 294, 375  
 animal, 165, 173, 257, 261, 364,  
 370, 372, 374  
 captive, 364  
 conditions, 394  
 lorisiforms, 173  
 officers, 364  
 primate, 366  
 reduced, 244, 259
- violations, 372
- West African potto, 19, 64
- Western countries, 344
- wet season, 202, 226, 229
- whisker, 6, 47–49, 53  
 count, 49  
 mobile, 6  
 morphology, 6  
 moveable, 49  
 movement, 53  
 pad, 48  
 touching, 53
- whisking, 48  
 vibrissae, 48
- white light, 281–282, 296, 314  
 exposure, 281  
 harm, 314
- wild-born, 238
- wild meat, 339
- wild population, 65, 219, 228, 235,  
 333, 339, 363, 395, 397
- wild-caught, 79, 237, 356, 364–365,  
 374
- wildlife, 279, 281, 339, 345,  
 350–351, 357, 369, 374, 381,  
 393, 400  
 alternatives, 352  
 business, 396  
 collectors, 394  
 conservation, 382, 397  
 crimes, 360  
 customs and seizure, 360  
 diversity, 337  
 economies, 348, 350  
 encounters, 374  
 endemic, 382  
 exploitation, 382  
 goods, 347  
 human conflict, 400, 403  
 human interactions, 350, 363  
 hunting, 350, 353, 397  
 import, 393  
 Indonesian laws, 396  
 law enforcement, 360  
 legally protected, 344  
 local, 381  
 market survey, 345  
 markets, 65, 242, 342, 345–347,  
 396  
 native, 390  
 photographs, 375

- population, 304, 400  
 products, 347, 352, 357  
 protected, 344  
 sales, 347, 356, 360  
 stolen wildlife, 399  
 tourism, 374  
 trade, 15, 61, 64, 219, 243, 249,  
     257–258, 261, 266, 338–339,  
     341–342, 345, 350–352,  
     355–356, 358, 361–362, 374,  
     380, 393–395, 397  
 trade monitoring, 356  
 traders, 243, 394  
 value, 346  
 videos, 375  
 Wildlife Conservation Enactment  
     1997, 334  
 Wildlife Conservation Society, 307  
 Wildlife Protection Act, 357  
 wire cage, 265, 269  
 wire mesh, 247, 285, 290, 293  
 World Association of Zoos and  
     Aquariums, 236  
 YouTube, 242, 360, 362–364, 367  
 Yunnan, 326–327, 332–333  
 ZIMS. *See* Zoological Information  
     Management Systems  
 zoos, 235  
     American Zoo, 238  
     archives, 236  
     database, 236  
     enthusiasts, 236  
     exhibits, 264  
     Hodonin Zoo, 399  
     International Zoo Yearbook, 236  
     Jersey Zoo, 239  
     Liberec Zoo, 399  
     London Zoo, 237–238  
     Olomouc Zoo, 399  
     Ostrava Zoo, 399  
     populations, 263  
     professionals, 241  
     records, 235, 237, 241  
     San Diego Zoo, 264  
     specimens, 235  
     websites, 237  
     Wroclaw Zoo, 399  
 Zoological Information  
     Management Systems,  
         236–237, 239–240  
 Zoological Society of London, 24,  
     235–237  
 zoology  
     collections, 237, 241  
     gardens, 399  
     institutions, 167, 241  
     International Board of  
         Zoological Nomenclature,  
         31  
     London Zoological Societies,  
         237  
     nomenclature, 22  
     records, 14, 235–236  
     Zoological Garden of Hamburg,  
         237  
 Zootierliste, 236–237  
 ZSL. *See* Zoological Society of  
     London