

Index

- accidents and major spills
 - coal ash dam failure, TVA, 331
 - coal ash, TVA, 171
 - coal slurries, Kentucky, 170
 - cyanide and metals into Danube, 7
 - Deepwater Horizon blowout, 2010, 210
 - Exxon Valdez*, 210
 - cleanup using microbes, 308
 - impacts on wildlife, 210
 - Minamata Bay tragedy, 341
 - pesticides into Rhine, 7
 - Texas fertilizer explosion, 33
 - Tianjin China, cyanide explosion, 32
- acid deposition
 - Acid Deposition Monitoring Network, 128
 - high emission stacks, 123
 - history, 128
 - introduction, 119
 - Hubbard Brook Experimental Forest, 121
 - wet and dry aerosols, 123
- acid deposition, acid precursors and their sources
 - ammonia, 125
 - carbon dioxide, 123
 - fertilizer and livestock, 125
 - fossil fuel power plants, 125
 - SO₂ and NO_x, 122, 125
- acid deposition, ill effects
 - acid surface water, 124
 - Al solubilized, 122
 - aluminum toxicity, 121
 - basic soil protects from, 122
 - dying aquatic life, 124
 - dying forests, 123
 - Europe, 105, 125
 - fewer impacts in Asia, 126–127
 - haze affects visibility and health, 124
 - lost Ca and Mg, 121
 - material damage, 125
 - soil metal loss, 121
- acid deposition, recovery from, 126–127
 - slow, 126
 - using lime, 127
- acid deposition, reducing precursors
 - ammonia, 126
 - cap and trade, 125
 - NO_x, 125, 126
 - SO₂, 125
- acid deposition, transboundary transport
 - SO₂ and NO_x, 123
- aerosol. *See* global warming: aerosol aerosols, 92
 - dust major component of, 109
 - sizes of, 92
- aflatoxin
 - carcinogen, natural, 55
- agriculture
 - adverse impacts, 268
- air pollutants
 - categories, 91
 - gas vs. particulates, 92
 - primary and secondary, 90
- air pollutants, criteria
 - black carbon, PM_{2.5}, 92
 - carbon monoxide, 98–100
 - an introduction, 90, 98, 328
 - concerns, 99
 - reducing levels, 100
 - sources, 99
- ground-level ozone, 96–98
 - precursors of, 96
 - health impacts, no safe dose, 96, 98
 - ongoing problems, 98
 - reducing levels, 97
 - sources, 97
 - toxicity compared to particulates, 96
- introduction, 96
- lead, 102
 - an introduction, 102
 - reducing, 102
 - sources, 102
- nitrogen oxides, NO_x, 101–102
 - impacts, 101
 - sources, 102
- ozone
 - an introduction, 91
 - damage to plants, 97
 - dangerous pollutant, 101
- particulate
 - an introduction, 113
 - atmospheric loading, 91
 - black carbon, 91
 - PM_{2.5} poses special health issues, 92
 - haze, 94
 - haze, explained, 101
 - health impacts of particulates, 93
 - non-health damages, 93
- PM and disease
 - introduction, 100
 - PM and international efforts, 95
 - PM and workplaces, 93
 - reducing PM quantities, 90
 - sizes, coarse, fine, ultrafine, 92
 - sources, 94
 - sulfur dioxide (SO₂), an introduction, 174
 - SO₂ and acid particulates, concerns, 100
- SO₂ and its aerosols, 100
- SO₂ sources, 101
- SO₂, reducing emissions, 101
- SO₂, why important, 90
- air pollutants, criteria and others
 - long range transboundary air pollution, 106
- air pollutants, HAPs
 - comparison to criteria pollutants, 104
 - examples, 103
 - exposure to, 104
 - introduction, 103
 - metal HAPs, why of concern, 104
 - no individual standards for HAPs, exception, 104
- PAHs
 - bioavailability, 105
 - in environment, 105
 - introduction, 105
 - sources, 104, 105
- exposure to, 105
- fate of, 105, 141
- reducing emissions, 105
- reducing mercury emissions, 104
- some HAPs indoor air pollutants, 104
- toxicity, 105
- why of concern, 104
- why so named, 103
- air pollutants, VOCs, 103
 - introduction, 102
 - relationship to ozone, 103
 - sources, 103
 - why regulated, 103
- air pollution, global
 - atmospheric brown clouds (ABCs), 107
 - described, 108
 - reducing, 108
 - sources of, 108
 - China building many coal plants, 107
 - India vs. China, 106
 - millions of children badly impacted, 106
 - ozone deaths up sharply, 106
 - PM_{2.5} and ozone, 106
 - sand and dust storms (SDSs), an introduction, 108–111
 - SDS, composition of, 109
 - SDS, how to reduce, 110
 - SDS, one benefit, 109
 - SDS, human caused, 109
 - pathogenic microbes, 110
 - transboundary, 108
 - UN Convention to Combat desertification, 110
 - State of Global Air, an introduction, 106

- air pollution, transboundary
 atmospheric brown clouds, 107–108
- ammonia, 94
- Anthropocene, 2
 signal event, 20
- antidote, antagonistic action, 49
- Aral Sea, direly impacted, 110
- Arrhenius, Svante, 134
- arsenic
 poisoning, 5
- asbestos
 carcinogen, natural, 55
 exposure, 5
- atmospheric deposition. *See* acid deposition
 aerosol loading, 120
 DDT and PCBs, 120
- automobiles, design for disassembly, 277
- bauxite ore, aluminum, 275
- bees
 impacts on population, 358
 wild bee pollinators, 359
- bioaccumulation, definition, 50
- biomagnification, definition, 50
- biodegradation, 339
 when process overwhelmed, 9
- biosolids. *See* wastewater
 treatment: sludge, how used
- bisphenol A, hard plastic, 53
- blue baby syndrome, 246
- BPTs and POPs
 PCBs cycling in environment, 321
 POPs and Stockholm Convention,
 319–320
- calcium oxide (lime), 328
- cancer, 54–57
 cancer villages, 56
 causes of, PM_{2.5} involved, 57
 China, 55
 complete carcinogen, 55
 DNA copying errors, 55
 genotoxic, mutate DNA, 55
 initiating and promoting, 55
 introduction, 54
 liver cancer, 57
 risk of, increasing, 56
- carbon isotope, 138
- carbon, black, 2
- Carson, Rachel
Silent Spring, 356
- chemical exposure, 27
 body burden of xenobiotics, 69
 CDC study, 68
 epidemiologic studies, 70
 meaning of results, 70
- Percival Pott
 safety, 68
- and scrotal cancer, 70
- chemical paradoxes, 43–44
- chemical pollution
 environmental justice, 79
- chemical risk
 BPA, 53
 hazard × exposure, 68
 high-risk chemicals, 27
 multiple chemicals, 27, 49
 possible impact, 49
 risk vs. hazard, 27
 tested one at a time, 49
 tiny amounts, 4
 whole effluent toxicity, 49
- chemical risk assessment
 factors of 10, why, 74
 four-step process, 73
 most highly exposed population, 75
 multiple chemicals, 75, 76
 risk characterization, 75
 no observed adverse level, 81
 risk characterization, BPA, 75
 safety factor, 73
 why do, 73
 worst-case assumptions, 75
- chemical risk reduction
 actions taken, 76
 EPA's IRIS system, 77
 EU's REACH program, 77
 international efforts, 77
 managers, who are they?, 76
 public pressure, 76
 using law, 77
- chemicals
 acids, 427
 strong, 427
 weak, 427
 acids and bases, 427
 bases, 427
 biochemicals, natural and synthetic, 423
 combustion, incomplete products,
 examples, 426
 formula as representations of, 418
 inorganic, definition, 423
 introduction
 organic, 423
 organic, synthetic, 423
 organometallic, 423
 radioactive, types of radiation, 420
- reactive
 example, fluorine atom, 421
 reactive, lithium, 420, 421
- chemistry
 atomic mass, 418
 atomic nucleus
 protons and neutrons, 418
 atomic number, 419
 atoms, 418
 Avogadro's constant, 425
 balancing chemical reactions, 425
 chemical bonds, 421
 combustion, incomplete products, 426
 covalent bonds, 421
 electron
 configuration, 420
 electrons, 420
 electrostatic forces, 422
 elements, 418
 deuterium, 420
 electronegative, 420
 electropositive, 420
 hydrogen, 421
 lithium, 419
 noble, 420, 421
 tritium, 420
- introduction
- ionic bonds, 422
- isotopes
 definition, 420
 environmental chemistry, 420
 mercury, 340
 oxygen, 420
 radioactive, 420
 stable, 420
- molecular mass, 422
- molecular mass, calculating, 422
- neutralization, 427
- oxidation and reduction reactions, 426
- oxidation by losing electrons, 425
- oxidation of hydrocarbons, 424
- periodic table, 419
- pH definition, 427
- radical, free, 424
- radical, hydroxyl, 424
- redox reactions, 425
- stable octet, 420
- stoichiometry, 425
- subatomic particles, 418
- valence electrons, 420
- vanishing zero, 31
- chemistry, analytical
 sensitivity of, 10
- children and infants
 avoiding home poisonings, 388
 exposure to
 air pollutants, protective standards, 90
 aspirin, 44
 CDC study of exposure, 69
 cigarette smoke, 380
 contaminated fish, neglecting fish advi-
 sories, 342
 contaminated soil, eating, 75
 electronic waste (e-waste), 61
 excess vitamin A, 44
 fire retardants, 322
 fluoride in drinking water, 252
 indoor carpets with contaminants, 390
 methylmercury, 50
 neurotoxins, prenatal, 58
 nitrate in drinking water, 227
 ozone, susceptibility, 96
 PCBs in contaminated fish, 322
 pesticides, less-developed countries,
 364
 phthalates, 53

- polluted air, reduced lung capacity, 7
 toxicant, children's greater exposure, 48
 toxicants, sensitivity may be greater, 48
 UV-B radiation, 199
 water-borne disease, 246
 indoor air pollutants, 377
 smoke in poorer countries, 386
 food wastage, meanwhile malnutrition, 268
 handling household hazardous waste, 267, 389
 hazardous product alternatives, 389
 hazardous products, protection from, 387
 keep out of children's reach, 388
 immune system less developed, 47
 lead
 blood lead levels, 69, 336
 blood levels needing intervention, 250
 childhood exposure, 335
 eating leaded paint, 62
 exposure, no safe level, 69
 legacy lead in homes, 389
 living near lead smelter, 303
 water pipes, 102
 less-developed countries
 greater risk, 48
 greater smoke exposure, 386
 pesticide exposure
 train parents in IPM, 365
 unsafe drinking water, 255
 legacy mercury, 345
 living near hazardous waste sites, 304
 pesticide
 exposure, migrant workers, 54
 exposure, Yaqui children, 54
 exposure, safety factors, 78, 361
 heavy exposure to spraying, 53
 lawns treated with, 359
 reducing pesticide risk, 78
 protecting from, 390
 Poison Prevention Act, 388
 polluted air and reduced lung capacity, 106
 sulfonamide poisonings, 74
 toxicants, safety factors, 74
 chloracne, 47
 China and a circular economy
 China and industrial ecology, 398
 China looking at tools for circular economy, 398
 China's High-Tech Zone, 400
 leads in mitigating SDSs, 110
 circular economy (CE)
 Advanced Life Support System, 400
 Amazon and the Closed-Loop Fund, 399
 biodegradable materials, 400
 closed-loop system, 397
 cradle to cradle, 400
 efficient recycling necessary, 273
 EU action for a CE, 278
 factor-10 efficiency in resource use, 278, 401
 factor-10, computers fulfill criterion, 401
 factor-10, dematerialization, 398
 how EU works toward, 398
 how Renault works toward, 399
 industrial ecology, 397, 400
 Japan tracks material flows, 398
 more value, less waste, 397
 needs highly recycled materials, steel, 399
 other terms that describe, 397
 personal actions, 401
 recovering waste raw materials, 311
 reject linear economy, 396
 remanufacturing, 399
 renewable energy, 412
 similar terms, 38
 steel recycling important to, 399–400
 sustainable food production, 412
 take back, 269
 tools needed to reach CE, 396
 umbrella term, 400
 wastes and by-products as nutrients, 397
 wastes to resources, 37
 wastewater, value in, 220
 Wastewater, the Untapped Resource, 259
 zero waste
 city efforts, 403
 corporate efforts, 402–403
 countries working toward, 404
 introduction, 401
 personal actions, 401
 zero waste movement, 401
 zero waste network, e.g., Zero Waste Europe, 401
 circular economy, Earth's boundaries operating within, 411–412
 circular economy, tools used
 design for the environment (DfE), 270, 277, 406
 DfE examples, 270
 DfE to develop recyclables, 278
 EPR, extended producer responsibility, 269. *See also* product stewardship making it work, 269
 popular in Japan, 270
 should recover product components, 270
 used worldwide, 270
 green chemistry
 12 principles, 409
 designing chemical products, 409
 doing it nature's way, 409
 examples, 409–410
 make recycling simpler, 410
 natural systems, work to use, 411
 recycling rare earths, 410
 LCA how it's done and information provided, 405
 lifecycle assessment (LCA), 277, 405
 product stewardship. *See* EPR and take-back laws
 product stewardship and extended producer responsibility, 407
 remanufacturing convertibility, 407
 remanufacturing metal products, 271
 remanufacturing. *See also* circular economy, tools used: design for disassembly: DfD examples
 servicizing, 408
 chemical products, 408
 Consumer Product Safety Commission (CPSC), 379
 corporate use of, 408
 dead zone
 Gulf of Mexico, 228
 Delhi, most polluted capitol, 106
 dental caries
 why fluoride added to water, 252
 design for the environment, DfE. *See also* WMH: pollution prevention
 development leads to greater nonpoint source runoff, 212
 drinking water
 bottled, 254
 drinking water disinfection
 alternative disinfectants, 247
 chlorine chemicals, 247
 disinfection by products (DBPs), 247
 how reduce need for, 247
 reducing DBPs, 247
 trihalomethane byproducts (THMs), 247
 drinking water, municipal
 contaminant examples, 245
 introduction, 243
 maximum contaminant level (MCL), 245
 nitrate, reactive nitrogen, 245
 potential chronic effects, 243
 Safe Drinking Water Act (SDWA), 243
 treatment, 245
 drinking water safety
 alternative toilets, 256
 arsenic
 developed countries, 78
 health impacts, 249
 many natural sources, 249
 mass poisoning, 247
 clean water, a medical milestone, 254
 emerging contaminants, 253
 removing, 253
 triclosan, 253
 fluoridated water, contaminant or safe?, 252
 fluoride at high levels, 252
 future, revolutionize wastewater management, 259
 important problems in drinking water safety, 252
 lead
 corroding pipes, 251
 description of Flint crisis, 250–251
 Flint and environmental justice, 249

- drinking water safety (*cont.*)
 Flint correcting problem, 251
 Flint crisis develops, 249
 introduction to, 249
 Legionnaire's disease in Flint, 251
 poisoning by lead defined, 250
 nitrate and methemoglobin, 246
 pathogens, 246
Legionella, 246
 sources, 246
 well and irrigation water, 246
 private wells, 247
 problems with drinking water, 252–253
 tainted with many contaminants, 253
 toilets, 256–257
Wastewater, the Untapped Resource, 259
 drinking water safety, less-developed countries, 255
 an improved source, 257
 arsenic, ongoing poisoning, 248
 billions lack clean water, 254
 chlorination, 258
 exposure to pathogens, 255
 fecal pathogens, 258
 home water treatment, 257
 household water treatment and safe storage, 257
 pathogens, 254–255
 point of use (POU), 257–258
 purification, 257
 safely recycling feces, 258
 sanitation and pathogens, 254
 toilets and water, 258
 use of EcoSan, 258
 water scarcity, 255
 world's dearth of, 242
 drinking water standards
 lead standard, 250
 pathogen standard, 245
 primary standard, 243
 secondary, 251
 secondary, purpose of, 251
 drinking water, bottled
 why people drink, 254
 endocrine disruptors, 51–53
 energy, sources of, 179
 electric grid
 introduction, 178
 batteries
 handled five sources of energy, 179
 lifecycle of batteries, 178
 major grid rule, 178
 recycling batteries, 181
 storing energy, 178
 storing energy, controversy, 178
 fossil fuel
 acid gas emissions, 154–155, 156, 170
 ash recycling, 171
 building new plants, 171
 carbon capture and storage, 171
 coal wastes, 170
 is clean coal possible?, 169–171
 lifecycle of coal, 169
 mining and health, 170
 geothermal
 renewable, 182
 what is it, 181
 hydroelectric is sometimes renewable, 183
 hydrogen fuel-cell
 nuclear power
 greatly lowers carbon pollution, 185
 pro and con, 184–185
 introduction, 184
 safety, 185
 introduction
 renewables
 end-of-life waste, 180
 international use of, 179
 solar
 concentrated solar, 175
 introduction, 174
 life cycle of photovoltaics, 176–177
 passive, 175
 recycling panels, 181
 Solar Scorecard, 176
 ultrapure polysilicon, 177
 tidal, 177
 waste biomass, 169, 180–181, 182, 184
 wind
 introduction, 177
 life cycle of wind, 178
 offshore, 177
 onshore, 177
 wood
 183
 can grow wood sustainably, 182
 Europe uses a loophole, 183
 when is wood a renewable fuel?
 energy use
 efficiency at home, 172
 efficient use in industry, 172–173
 using motor vehicles
 adverse impacts, 168
 green score card, 169
 lifecycle of, 168
 lowering impact, 168
 very low emission, 169
 using waste energy, 173
 environmental catastrophe
 dust bowl, 11
 environmentally preferable products,
 purchasing, 271
 EPA standards, air pollutants
 criteria, each has standard, 90
 HAPs, most lack individual standards, 90
 HAPs exception, Mercury and Air Toxics
 Standards, 90
 health-based standards, 90
 EPA standards for other pollutants
 drinking water, primary and secondary
 standards, 243
 hazardous waste standards, 304
 pesticide standards, special for children,
 78
 epidemiology, meaning and use, 70–72
 cluster, meaning of, 71
 community studies, 71
 confounding factors, 71
 and EMF exposure, 72
 folic acid study, 72
 judging studies, 72
 limits of, 72
 meta-analysis, 71
 vitamin A study, 72
 epigenetic factors
 changes in DNA, 57
 epoch, 2
 extinction
 sixth event, 2
 fishable and swimmable, 30
 Flint, Michigan
 lead drinking-water crisis, 249
 fluoride
 in drinking water, 252
 fluorosis, 252
 gasoline
 hydrocarbons and composition, 5
 global warming issues and terminology
 adaptation in the Netherlands, 152, 153
 adaptation to warming and its impacts,
 342
 adapting to rising sea, 152
 Emissions Gap, 155
 greenhouse warming potential, 135
 helping emerging nations to adapt, 156
 ice core studies of past conditions,
 137–138
 impact of population growth, 148
 major solutions being proposed, 157
 National Climate Assessment, 145
 oceans
 carbon dioxide sink, 139
 Paris Agreement, 155
 storing warmth, 139
 reversing warming, 157
 terminology used, 156
 global warming and aerosols
 aerosol, 143
 aerosol, compare to a gas, 143
 albedo of, 142
 black carbon, 136, 144
 Arctic warming, 144
 reducing black carbon, 145
 warming aerosol, 143
 cooling aerosol, sulfate, 143, 144
 global warming and solar engineering
 with aerosols
 global warming and greenhouse gases
 (GHGs)
 carbon dioxide (CO₂), 136
 carbon capture and storage, 153

- carbon dioxide sources, 137–138
 - carbon dioxide, reducing, 139
 - halogens, 142
 - methane, 140
 - nitrous oxide, 142
 - ozone, 141
 - water vapor, 142
 - global warming impacts
 - changing the seasons, 147–148
 - coastal flooding, 147
 - melting ice and glaciers, 145
 - ocean temperature rising, 146
 - permafrost thawing, 146
 - sea-level rising, 146
 - storm intensity increasing, 147
 - worse-case possibilities, 148
 - grasshopper, global distillation, 8
 - green chemistry
 - basics of green chemistry, 409
 - green dot trademark, 275
 - green roof, 223
 - greenfield
 - undeveloped land, 306
 - Gulf of Mexico
 - dead zone, 228
 - Haber–Bosch process
 - produces reactive nitrogen (fixed nitrogen), 224
 - synthetic fertilizer, 225
 - hazardous products, home
 - alternatives to, 389
 - asbestos, legacy hazard, 389
 - concerns relating to, 387
 - combustible, 387
 - corrosive, 387
 - emergency room visits, 387
 - flammable, examples, 387
 - gasoline, multiple hazards, 387
 - hazardous characteristics, 387–388
 - Hazardous Substances Act, 388
 - reactive, examples, 387
 - toxic, examples, 387
 - labeling of products, 388
 - lead paint, legacy hazard, 389
 - legacy hazards, 389
 - more than one hazard, 387
 - Read The Label First campaign, 388
 - recommendations to follow when using, 388
 - reducing exposure to, 388–389
 - signal words that indicate, 387
 - Toxics Use Reduction (TUR), 388
 - hazardous products, household hazardous waste (HHW), 389–390
 - community collection program, 390
 - how handle specific hazardous wastes, 390
 - how to reduce HHW, 389
 - introduction, 389
 - pesticides, how reduce use, 390
 - hazardous products, principal hazard
 - introduction, 388
 - word definitions, 388
 - hazardous waste, business and industrial
 - introduction, 298
 - Basel Convention objectives, 308
 - characteristics, 298
 - cradle to grave, tracking, 300
 - EPA exposure standards, 304
 - green chemistry reducing generation, 309
 - international transport. *See* Basel Convention
 - managing HW using WMH's four steps, 298
 - recycling methods, 299
 - stabilize before disposal, 300
 - treatments for, 300
 - who generates hazardous waste?, 298
 - hazardous waste sites, 299
 - definition, 301
 - describing brownfield, 306
 - funding cleanup, 306
 - health risk, 304–305
 - if imminent hazards, 306
 - lead and cadmium are common, 332
 - living close to HW site, 305
 - many thousands of abandoned mining sites, 303, 329
 - mining sites, abandoned, but “forever” cleanup, 330
 - underground storage tanks, 301
 - hazardous waste treatment
 - bioremediation, 307
 - metal cleanup, 307
 - methods, 300
 - haze
 - PM2.5, 94, 101
 - heat islands, 157
 - Holocene, 134
 - hormones
 - estrogens, androgens, others, 53
 - hydroxyl radical, 9, 94
 - atmospheric cleanser, 141
 - destroy VOCs, 103
 - indoor air pollutants
 - attached garages as sources, 380
 - biological contaminants
 - biological contaminants, examples and sources, 381
 - biological contaminants, reducing, 379, 381
 - combustion pollutants, examples, 377
 - carbon monoxide and CO detectors, 379
 - difficult to avoid pollutants and possible impacts, 381–383
 - dust and dirt
 - carpets, 381
 - reducing, 381
 - particulates, 379
 - health effects, potential
 - acute, 377
 - chronic, 378
 - introduction, 376, 381
 - less-developed countries, particulates and smoke, 379
 - multiple chemical sensitivity, 377
 - nitrogen oxides, 379
 - particulates, 380, 381
 - possible reactions, 379
 - moisture, mold, and bacteria, 380
 - mold growth, 379
 - reducing indoor pollutants, a how-to summary, 379
 - reducing moisture levels of, 381
 - smoking and it impacts, 379
 - sources of moisture, 380
 - VOCs, health concerns, 380
 - reducing exposure, 380
 - VOC sources almost ubiquitous, 380
- indoor air pollutants, ones difficult to avoid
 - benzene, properties and toxicity, 382
 - benzopyrene, properties and toxicity, 382
 - formaldehyde, properties and toxicity, 382
 - how to minimize exposure, 383
 - introduction, 381
 - PAHs, properties and toxicity, 382
 - paradichlorobenzene, properties and toxicity, 383
 - PERC, properties and toxicity, 382
 - radon
 - detecting and reducing, 385
 - how exposure occurs, 383
 - properties and toxicity, 385
 - scientific uncertainty, 385
 - solid radioactive daughters, 384
 - toxicity and action level, 383
- indoor air pollutants, poorer countries
 - introduction, 386
 - reducing smoke, clean cookstoves, 387
 - reducing smoke, examples, 386
- industrial ecology: moving toward closed loop, 399
- industrial symbiosis, 37–38 *See* inorganic chemicals
 - fate, 9
- International Agency for Research on Cancer (IARC)
 - WHO cancer research, 360
- ionizing radiation
 - damage to DNA, 384
 - introduction, 384
 - sources, anthropogenic, 385
 - sources, natural, 384
- iron oxide, 328
- Kalundborg
 - eco-industrial park, 37
- Keeling, David, 136
- Lake Chad: pumps out dust, 110
- law, EC
 - Waste Electrical and Electronic Equipment Directive, 311

- law, US
 CERCLA or Superfund, 303
 Clean Air Act. *See* NAAQS, 90
 Clean Water Act (CWA), 206, 221
 Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), 365
 Food Quality Protection Act (FQPA), 78, 361
 Hazardous Substances Act, 388
 Hazardous Substances Labeling Act, 388
 Mercury and Air Toxics Standards, 333
 Poison Prevention Act, 388
 Resource Conservation and Recovery Act (RCRA), 268, 298
 right-to-know law, 31
 right-to-know: toxic release inventory (TRI), 31–33
 Safe Drinking Water Act (SDWA), 206, 243
 Toxic Substances Control Act (TSCA), 77
- laws, natural, 4
- leachate, 280
- lead pollution
 many sources, 249
- lethal dose LD₅₀, 45
- lifecycle assessment, automobiles, 277
- Mauna Loa Observatory, 136
- maximum available control technology
 MACT, 104
- mega-cities, 15
 examples of, 90
 dramatic mobilization, 328
 emissions to atmosphere, 328
 human exposure to, 332
 particulates, 328
 reducing risk, 333, 365–366
- mining, 329
 lifecycle assessment of mining, 329
 mining operations, 329
 mining wastes produced, 329
- metals and metal pollutants
 abandoned mines and “relentless pollution”, 329, 330
 acid mine drainage, 329
 ancient mining, 332
 folk remedies, lead, mercury, cadmium, arsenic, 334
 heavy metals, 328
 introduction, 327
 soils, maximum-loading rate, 332
 sources of metal pollutants, 329–332
 coal-burning power plants, 330
 metal mining and processing, 329
 toxicity of, 333
 treating disease with, 334
 tributyltin, 333
 water, soil, agricultural soil, 332
- metals, arsenic
 all crop plants, 344
 drinking water, 344
 introduction, 344
 natural and human sources, 345
 poisoning with, 345
 power plant emissions, particulates, 345
 toxicity of inorganic arsenic, 345
 uses of arsenic, 344
- metals, cadmium
 by-product, zinc mining, 327
 excreted very slowly, 343
 exposure to, cereal crops and smoking, 343
 exposure to, reducing, 344
 exposure to, shellfish and smoking, 332
 hyperaccumulators and cadmium, 308
 introduction, 343
 itai itai disease, 343
 phosphate rock, 259
 sources, uses, transport, 343
 toxicity, kidney, 343
- metals, lead
 common at Superfund sites, 335
 exposure, work and beyond, 334
 lead exposure
 banning lead from gasoline, 336
 banning products with lead, 336
 introduction, 334
 legacy lead, 335, 336
 reducing exposure, 91–95
 reducing leaded gasoline, Mexico City, 336
 reducing legacy sources, 337
 sources, 334
 toxicity, 335
 babies and children, 335, 336
 eagles, 337
 mother’s early exposure, 336
 no safe blood level, 336
 reference level, CDC, 336
 small children absorb more, 336
 transport in environment, 334
 in winter haze, 334
- metals, mercury
 atmospheric concentrations, 338
 complex cycling in environment, 340
 isotopes help trace travels, 340
 elemental, inorganic, and methylmercury, 337
 elemental mercury
 emitted by incinerators, 340
 long atmospheric life, 340
 introduction, 337
 sources, 338
 artisanal mining largest worldwide source, 338
 fossil fuel burning largest US source, 338
 sources of possible exposure
 consumer products, now mostly banned, 338
 dental amalgams, 342
 exposure of humans and wildlife, 342
 exposure of loons, eagles to fish, 342
 fish, are many fish advisories, 342
 mercury emissions in Arctic high, 342
 Mad Hatter, 337
 Minamata, 342
 Minamata and international action, 341
 Minamata Convention, 338, 341
 Minamata Convention, how it works, 342
 Minamata emissions by Chisso Corp, 341, 342
 Minamata, poisoning disaster, 47
 toxicity
 conversion to methylmercury, toxicity high, 339
 methylmercury biomagnifies in food chain, 338, 339
- metals, metalloid. *See* metals, arsenic
- methane (swamp gas), 9
- methanotrophs, 140
- microplastics
 physical degradation, 9
 plastics, broken down, 2
- Minamata Convention
 purpose of, 342
- mineralize, definition, 9
- mining overburden and tailings, 266
- movement
 transboundary, 126
- MSW
 recycling
 terminology, 273
- MSW and gross pollution
 start trash pickup, 288
- nature’s services
 algae, 226
 algae and oxygen production, 226
 categories of services, 13
 defining services, 10
 desertification prevention, 13
 filtering water, 11
 glaciers, 12
 microbes, 12
 Ogallala aquifer, 12
 soil, 11, 13
 trees, 12
- NIMBY, not in my backyard, 281
- nutrients
 toxicity, 45
- ocean acidification, 149–152
 calcium carbonate shells, 150
 CO₂ leads to acid, 149
 on coral reefs, 151
 decreased seawater pH, 149
 definition, 149
 example, 151
 in future, 152
 impacts of acidification
 less shell-friendly water, 150
 on marine life, 151
- organic chemicals

- can biodegrade, 9
- degradation, factors impacting, 9
- orthophosphate
 - reacts with lead, 251
- Owens Lake
 - dried up, 110
- ozone
 - ground level compared to stratospheric, 96
 - ozone, ground level
 - transport, 7
- Paracelsus, 43
- particles
 - inorganic and nitrogen, 2
- PBTs and POPs, 316
 - bioaccumulation vs. biomagnification, 316, 317
 - chemical description, 318
 - definitions. *See also* POPs
 - long-range transport, 318
 - many are pesticides, 319
 - many emitted dispersively, 318
 - many volatilize, 318
 - PBDEs, a brominated chemical family, 322
 - PCBs
 - biomagnify in food chain, 321
 - bioaccumulated high level in whales, 321
 - polychlorinated chemical family, 321
 - toxicity and exposure, 322
 - PFAS chemicals in drinking water, 323
 - in human blood, 323
 - polyfluorinated chemical family, 323
 - PFOA and PFOS, no natural sources, 323
 - POPs
 - all POPs are organic, no metals, 316
 - all POPs are PBTs, 316
 - found in fatty food and breast milk, 319
 - POPs and most BPTs bioaccumulate in fat, 317
 - POPs EPA has identified to date, 316
 - POPs are PBTs, but not all PBTs are POPs, 316
 - why a concern, 317
 - why persistence a concern, 317
 - widespread contamination, 319
- pesticides
 - almost everyone uses them, 355
 - broad and narrow spectrum, 356
 - examples, e.g., chlorine chemicals, 356
 - heat, ionizing radiation, 356
 - disinfectants, 356
 - example, fumigants, 356
 - phenol since 1867, 356
 - categories of, 355
 - exposure, air, water, food, 361
 - historical
 - early hazardous waste pickups, 355
 - what was used, 355
 - impacts on honey and bumble bees, 359
 - inert ingredients, 366
 - International Code of Conduct, FAO
 - administered, 364
 - introduction, 353
 - less-developed countries, 364
 - 200,000 killed /year, 364
 - FAO statistics, 364
 - FAO teaching organic and IPM, 365
 - indigenous knowledge “old customs, examples”, 365
 - lack of safe management, 365
 - National Pesticide Information Center, 355
 - obsolete, what happens to them, 364
 - pest resurgence, 362
 - philosophies regarding pesticide use, 366
 - reducing risk, integrated pest management (IPM), 212
 - Rotterdam Convention controls, 364–365
 - metals, pesticides containing them, 355
 - transport in air, water, 340
 - what biopesticides are, 363
 - what characteristics are desirable in pesticides, 366
 - why used, many reasons, 354–355
- pesticides, beyond just pesticides
 - biodiversity loss, 362
 - major habitat loss, 363
 - sixth extinction event, 363
- pesticides, combinatorial
 - how impact bees, 359
- pesticides, herbicides
 - broad spectrum, 360
 - glyphosate overview, 359–361
 - impacts bee immune system, 360
 - introduction, 359
 - Roundup-ready controversies, 360
 - USA and EU disagree on use, 360
 - used worldwide, 360
- pesticides, insecticides, 357
 - 3 families of insecticides, 357
 - carbamate family, 357
 - neonicotinoid family (neonics), 358
 - exposure, 75% from food, 358
 - EU severely restricts use, 359
 - found in 75% of honey samples, 358
 - still used in USA, 359
 - systemic action, 358
 - worldwide use, 358–359
 - organophosphate family, 357
 - polychlorinated, DDT history, 357
 - DDT, how used when new, 356
 - polychlorinated, POPs, 357
 - rotenone, 356
- pesticides, monitoring
 - FDA aided by safety factors, 362
 - foreign produce seldom checked, 362
- pesticides plus other human actions
 - damaging biodiversity, 363
- pesticides, pollinators
 - bees, what impacts them, 358
 - colony collapse disorder, 358
 - hive dwellers, 358
 - impacts, pesticides plus other human actions, 358
 - importance, 358
- pesticides, public involvement. *See* REACH
 - EU’s socioeconomic analysis, 360
 - growing demand for organic produce, 362
 - what is needed in registration process, 360
- pesticides, reducing their risk
 - alternative pesticides, 371
 - Amsterdam increases bee diversity, 368
 - Amsterdam, urban agriculture, 368
 - biocontrol agent examples, 371–372
 - biopesticides, characteristics of, 371
 - biopesticides, may expedite registration, 366
 - can agriculture be sustainable?, 367
 - crop protectant, 366
 - desirable characteristics in pesticides, 366
 - France’s major efforts, 368–369
 - GEOs, legitimate to use?, 371
 - green chemistry examples, 366
 - integrated pest management (IPM), 366
 - characteristics, 366
 - common features, 367
 - organic farming, 367
 - characteristics, 367
 - Rachel Carson’s advice, 366
 - urban agriculture, 368
 - using law, FIFRA, 365
- pesticides, registration
 - setting tolerance, 78
 - tolerance and no-harm, 361
- pesticides, resistance to
 - continues to grow, 362
 - how resistance develops, 362
- pH impacts on water life, 121
- pH, defined, 120
- phosphorus
 - nutrient, sewage as a source, 231
 - sources of this nutrient, 231
- phosphorus pollution
 - its impacts, 232
 - introduction, 231
 - reducing its pollution, 232
 - sources, 231
- phytoestrogens
 - plant estrogens, 53
- pig-pen, 381
- planet’s boundaries
 - living within, 17
 - nine risks, 18
 - what they are, 17
- plastic lumber, 284
- plastic pollution, reducing
 - ban single-use plastic, 289
 - Basel Convention, 290
 - beat plastic pollution, 289
 - cutting use with pollution prevention, 289
 - EU action, 289

- plastic pollution, reducing (*cont.*)
 National Geographic's actions to reduce use, 289
 Ocean Conservancy, 288
 recycling plastic packaging, 289
 recycling, needs to be improved, 290
 UN Clean Seas campaign, 290
- plastic pollution, in ocean
 absorbs chemicals, 286
 becoming microplastics, 286
 can it be removed?, 286
 colossal amounts, 285
 entering food chain, 286
 how plastic kills wildlife, small and large, 286
 low percentage ocean pollution from USA, 285
 low percentage in gyres, 285
 high percentage from coastal countries, 285
 mammoth problem, 286
 microplastics
 defining microplastics, 286
 in food chain, 286
 in human bodies, 286
 now ubiquitous, 286
 most found in open sea, 285
- plastic, solid waste
 a huge problem, 283
 developing better plastics, 284
 landfilling plastic, 284
 plastic uses, 283
 pyrolysis as option to destroy, 285
 recycling difficulties, 284
 recycling PET and HDPE, 284
 searching for plastic replacements, 284
 thermoplastic recyclable, 284
 using waste-to-energy to burn, 279, 284
 using incineration, 284
 worldwide production, 283
- plutonium 239, 2
- PM_{2.5} composition, 92
- pollinators
 honey bees and others, 358
- pollutant transport, 6–8
 of acid particulates, 7
 in air, 7, 96–98
 in air, dioxin, 6
 in air, transboundary, 7
 of DDT, grasshopper effect, 8
 in sediment, 7
 in soil, 8
 in water, transboundary, 6, 7
 transport, biotransport, 8
 transport, POPs in Arctic, 8
- pollutants
 Arctic, land-based bioaccumulation, 8
 categories of, 6
 concentrations of, 4
 definition, 2
 degradation, hydroxyl radical, 9
 fate of, 9
 gases becoming particulates, 7
 lead at Superfund site, 62
 natural chemicals, 4
 POP hotspots in Arctic, 8
 synthetic and industrial pollutants, 4
- pollution
 blatant, 3
 deaths attributed to pollution, 60
 is a design failure, 3
 devastating amounts of pollution, 10
 lead in old houses, 62
 poverty and pollution, 78
 tiny amounts, 10
 waste electronics, 61
 where pollution occurs, 5
 why pollution happens, 3
 is zero pollution possible?, 31
- pollution prevention or source reduction, 35
- pollution, severe and cancer, 60
- POPs
 in soil, water, food, 24, 238, 325, 326
 reducing by P², 319
- population, human, 15
- population momentum, 15
- radical, nitric oxide
 stratospheric ozone, 142
- radionuclides, 2
 plutonium 239, 2
- radon
 carcinogen, natural, 55
 outdoor air, 4
- reactive nitrogen
 crossed planetary boundary, 228
 dead zone
 Gulf of Mexico, 228
 Haber–Bosch process, 228
 human sources, 228
 reducing agricultural runoff, 207
 some natural sources, 228
- Reilly, William, 16
- risk
 definition, 72
 zero to one, 72
- risk assessment
 comparative, 27
 comparative, how to do, 29
 planetary, 29
- risk assessment, cancer. *See also* cancer risk assessment
 cancer potency, 81
 dioxin most potent carcinogen, 81
 hazard identification, its importance, 80
 identifying carcinogens, 80
 lifetime studies, 80
 maximum tolerated dose (MTD), 81
- risk assessment, chemical. *See also* chemical risk assessment
 alternative new methods rapidly developed, 79
 cancer. *See* cancer risk assessment
 Tox21
 example, BPA, 80
 high throughput, 79
 less animal testing, 80
 more predictive, 79
 robotics and technology, 79
- risk assessment, chemical, alternatives to. *See* chemical risk assessment, alternatives
- risk reduction
 educating public, 78
 for children, pesticide standards, 78
 public pressure, 77
 using law, 29–30
- risk reduction, chemical. *See* chemical risk reduction, *See* chemical risk reduction
 for children in poor countries, 78
 international efforts, 77
 using non-regulatory programs, 77
 using precautionary principle, 78
 for wildlife and natural resources, 79
- road building
 pollution and other damage from, 6
- Rockström, Johan, 411
- root causes
 environmental problems, 14
 consumption, 15
 PAT, 14
 population, 14
 uncontrolled technology, 16
- salinization
 how it happens, 14
- sanitary landfill, 280
- sensitive populations, response to, 253
- Shanghai, 3
- signal event, 2
- silicosis, 47
- sink, 123
 algae as carbon sink, 226
 sequestering carbon dioxide, 139
 sinks for POPs, 190, 223
- smog, 95
 air you can see, 95
 Delhi, India, 106
 photochemical, 95
 pollutants, 95
- soil
 sends environmental messages, 14
- solid waste, municipal
 beaches in less-developed countries, 289
 Chinese ban, 274
 food waste, 267–268
 challenges, 268
 worldwide, 268
 great quantities of many wastes, 266
 how food becomes waste, 267
 introduction, 265
 landfill monitoring, 280
 less-developed countries, 266
 food waste, 268

- product's history of waste, 266
- promoting recycling to lessen quantity, 278
- what is in MSW, 266
- why is MSW a concern, 267
- source reduction. *See* WMH: pollution prevention
- Stockholm Convention. *See also* persistent organic pollutants
 - dirty dozen, 319
 - effectiveness of Convention, how seen, 320
 - exceptions to banning a chemical, 320
 - PBTs and POPs, eliminating, 342
 - safer alternatives, 320
- stratosphere atmospheric layer
 - contains most ozone, 193
 - normal chemical reactions, 195
 - ozone screens out UV radiation, 193
 - reactions with and without chlorine, 195
- stratospheric ozone-depleting chemical reactions
 - Antarctic, shows most ozone depletion, 96
 - how ozone destroyed, 195–196
 - ice clouds, role of, 196–197
 - ozone “hole” formation, 197
 - polar vortex, role of, 142–144, 197
 - volcanic eruptions, 198
- stratospheric ozone-depleting chemicals
 - CFCs and halons, 194
 - chemicals causing, 194–195
 - had been useful chemicals, 194
 - meaning of ozone-depleting potential (ODP), 195
 - Montreal Protocol, 194
 - natural halocarbons, 195
 - stratospheric ozone depletion
 - assist less-developed countries, 201
 - eliminating depleting substances
 - global warming and ozone depletion, 201
 - HCFCs, substitutes for CFCs, 200
 - HFC substitutes, potent greenhouse gases, 200
 - Montreal Protocol, 200–201
 - compliance with, 202
 - remaining problems, 201–202
 - substances that deplete the ozone layer, 200–201
 - UV exposure, its impacts on Earth, 199–200
- stratospheric ozone layer
 - absorbs UV-B radiation
 - introduction, 198
 - history, 193–194
 - measuring UV-B, 198
 - Montreal Protocol accomplishments, 194
 - more UV reaches earth when ozone depleted, 198
 - protects earth from UV-B radiation, 198
 - seasonal ozone depletion, 194
 - UV exposure
 - impacts on health, 199
 - impacts on sea organisms, 200
- UV radiation monitored planetwide, 199
- Superfund
 - purpose of, 303
- Superfund sites
 - cleaned up
 - energy generation use, 306
 - site-specific-standards, 306
 - Coeur-d'Alene, very large mining site, 302
 - Love Canal, a history, 302
 - National Priority List, 303, 304
- sustainable
 - agriculture, 368, 369
 - cities, 283
 - clean water and sanitation, 255
 - forestry, 138, 185
 - land management, 110, 111
 - materials use, 299
 - phosphorus source, 231
 - societies, 38
 - future, 14
 - UN Sustainable Development Goals, 220
- sustainable chemistry. *See* green chemistry
- sustainable development
 - agriculture, 353
 - excess garbage, barrier to development, 282
 - maintaining nature's services, 395
 - population growth hinders, 15
 - UN Clean Seas campaign, 290
- take-back law. *See* EPR and product stewardship
- Tox21. *See* chemical risk assessment
- toxic, definitions, 43
- toxicant, 31
 - acetylcholine, 357
 - arsenic, 247
 - asbestos, 80, 389
 - aspirin, 44
 - atrazine, an herbicide, 359
 - benzene, 80, 104, 382
 - benzopyrene, 48, 105, 382
 - biotransformation, 47
 - botulinum toxin, 45
 - cadmium, 104
 - caffeine, 45
 - carbon monoxide, 44
 - children's greater exposures, 48
 - chloroform, 104
 - DDT, 317, 355
 - as environmental estrogens, 52
 - definition. *See* xenobiotic
 - diethylstilbestrol, 52
 - dimethyl sulfoxide, 46
 - dioxins, 47, 68, 317
 - bonding to soil and sediment, 49
 - exposure, 68
 - in fat, 6
 - poisoning, 47
 - sources, 319
- transport. *See* pollutant transport, fallout
 - toxicity among species, 47
 - why cannot eliminate dioxins, 320
- endocrine disruptor. *See* environmental hormones
- environmental estrogen, an endocrine disruptor, 51
- formaldehyde, 104, 382
- glyphosate, 359
- hydrogen cyanide (fumigant), 355, 356
- iron, can kill children, 328
- lead, 335
- lead arsenate, 355
- lead shot, 337
- mercury, 104, 342
- methyl bromide (fumigant), 356
- methyl isocyanate (MIC), 31
- methylene chloride, 377
- methylmercury, 104, 342
- neonicotinoid (neonic), 358
- nicotine sulfate, 355
- nitrate, 245
- organophosphate, 45, 357
- oxalic acid, 45
- PAHs, 382
 - sources, 319
- paradichlorobenzene, 383
- paraquat, still manufactured, 364
- parathion, skin absorption, 357
- PCBs, 321
 - chloracne, 322
 - human exposure, 322
 - remediating Hudson River, 322
- PERC, 382
- pesticides, 319
- PFAS chemicals, 323
- phthalates, leaching from plastic, 52
- polysilicon and polysilicon tetrachloride, 176
- radon, 383
- rotenone and borax, 356
- Roundup, 360
- secondary poisoning, 363
- smog, 95
- solanine, 45
- tetraethyl lead, 328
- thalidomide, 48
- tributyltin, 333
- trichloroethylene, 214
- triclosan, 253
- vinyl chloride, 80
- vitamin A, 43, 44
- toxicants and system impacting immune system, 58
- kidneys, 58
- liver, 57
- lungs, 59
- nervous system, 58
- pesticides action on children, 53
- reactive gases, 59
- skin, local and systemic, 58

- toxicity
 absorption, how occurs, 46
 acute and chronic effects, 44
 arsenic symptoms of poisoning, 248, 249
 children's sensitivity, 47
 comparing chemical toxicities, 45
 direct entry into body, 46
 dose and response, 44
 dose per time, 45
 excretion, 47
 factors affecting toxicity, 47–49–51
 lethal dose (LD₅₀), 45
 movement of toxicant within body, 49
 nutrients, dose per time, 45
 protection, most sensitive populations, 47
 systemic and local effects, 46
 toxicity, lead shot not banned, 337
 toxics use reduction (TUR). *See* pollution prevention
 transport
 transboundary, definition, 7
- UN Convention on Long-Range
 Transboundary Air Pollution, 126
- US Geological Survey (USGS), 214
- waste management hierarchy (WMH), 268
 introduction, 268
- waste to product ratio, 266
- waste electronics, 309–311
 Basel Action Network, 309
 China banned e-waste imports, 310
 EPA's actions and proposals, 311
 Europe's program, 311
 four steps in recycling, 309, 310
 introduction. *See* waste, electronics
 life cycle of electronics, 311
 poor recycling, 309
 proper recycling, 310
 quantity of electronics up, quality down, 311
 raw materials overused, 311
 shorter life spans, 309
 “smash and bash recycling”, 309
- wastewater
 less-developed countries, 255–256
 recovering needed phosphorus, 259
 reusing gray water, 219
 reusing wastewater, 219
 uses of wastewater, 411
- wastewater treatment, 411
 introduction, 216
 primary treatment, 216
 reduces pollution on beaches, 218
 reducing point pollution, 218
 secondary treatment, 216
 septic systems and septage, 218, 219
 sewer terminology, 215
 sludge
 industrial, 217
 metals contaminants, 217
 uses of, 216–217
 small or private treatment systems, 218
 steps in treatment, 216
 treatment plants and combined sewer overflow, 218
- wastewater, untreated, 220, 331
 cities, 220
 commonly used on crops, 255
 contaminates Indian food chain, 256
 great quantities, 220
 killing a river, 220
 reducing amounts, 221
 some Indian rivers, 255
 UN goal, cut in half, 220
- water body
 coastal, 214
 estuary, 214
 groundwater
 cleanup, 213
 introduction, 212
 reducing pollution, 213
 sources, 213
 VOCs, 213–214
- river
 compare to other water bodies, 214
- wetlands
 sequester pollutants, 214
- water pollutants
 reactive nitrogen, 224–226. *See also* fixed nitrogen
 beyond planetary boundaries, 225
 bioavailable to plants, 224
 China project to reduce, 229
 confronting reactive nitrogen, 225
 dead zones and legacy nitrate, 228
 defining fertilizer overuse, 227
 eutrophication, an introduction to, 226
 eutrophication also occurs naturally, 226
 eutrophication, harmful algae blooms (HABs), 226
 increasing number of dead zones, 226
 International Nitrogen Management System, 225
 introduction, 224
 reducing agricultural runoff, 228
 reducing livestock runoff, 229
 why use has soared, 226
- water pollutants, banned discharges, 212
- water pollutants, conventional
 BOD, 209
 BOD and hypoxic water, 209
 introduction, 208, 211
 nutrients, 209
 nutrients, reactive nitrogen and eutrophication, 209
 oil and grease, 210–211
 pathogens, 209
 pH beyond normal range, 209
 suspended solids (SS), 209
- water pollutants, nonconventional
 examples, 212, 366
 freshwater-salinization syndrome, 212
 salinizing North American waterways, 212
 salt and alkali, 43, 212
 water pollutants, priority, 208–212
 introduction, 211
 pesticides, 211
 water pollutants, toxic. *See* water pollution:-
 pollutants, priority
- water pollution
 Chesapeake Bay, 232–234
 closed shellfish beds, 215
 coastal beaches, 216
 eutrophication
 red tide, an HAB, 227
 red tide, Florida, 226–227
 red tide, wildlife massacre, 227
 red tide with powerful toxins, 227
 fishable and swimmable, 206
 hypoxia and dead zone, 226, 228
 introduction to reactive nitrogen, 209, 224, 226
 nonpoint source pollution
 atmospheric deposition, 222
 best management practices to reduce, 221
 difficult to identify source, 207
 how point source differs, 207
 NPS runoff, 207
 overuse of water, 224
 preventing NPS runoff, 222
 reducing NPS runoff, 222
 reducing storm runoff, 221
 stormwater runoff, 224
 point source and how identified, 207, 221
- water pollution, falling ocean oxygen, 228
 climate change and more, 228
 reasons for fall, 228
- watershed
 definition, 207
 wellhead, 213
- WMH or waste management hierarchy
 incineration, 280
 can be misused, 280
 how differs from waste-to-energy, 279, 284
 incineration or combustion, 279
 mass burn, 282
 preferred by China, 282
 products banned from incinerator, 279
 what it is, 279
 why used, 279
- landfilling, an introduction, 280
 bioreactor landfill, 281
 landfill ecosystem, 283
 landfilling and methane production, 280
 landfilling, disposal (lowest step on hierarchy), 37
 much used in China, 282
 sometimes a first option, 282
 stabilization of landfill, 281
 P², design for the environment, 35

- P³, environmentally preferable products, 271
 P³, source reduction, 34
 P², purpose of, 34
 P², use
 in industry, 34
 P², when not enough, pollution prevention (P²), 34–35, 37
 apex of hierarchy, 34, 268
 environmentally preferable purchasing.
 See also Green procurement
 French law reduces food waste, 268
 green procurement program, 273
 personal actions to practice P², 273
 Pollution Prevention Act, 35, 409
 source reduction equates to pollution prevention, 268, 270
- toxics use reduction (TUR), 35
- recycling
 advantages (second step in hierarchy), 36
 China's role, 274
 composting considered recycling, 274, 276
 contaminants in recyclables, 274
 common products recycled, 274, 276
 construction and demolition debris, 276
 end-of-life cars, 277
 fills vital need, 273
 packaging presents problems, 36, 275
 problems that recycling presents, 36
 promoting its use, 278–279
 products from landfills, recycling, 276
- projects in Curitiba, 283
 saves energy and material, 275
 uncommon examples, 276
- reuse
 reuse examples, 36
 reuse of industrial, 271
 reuse similar to pollution prevention, 35
- treatment (third step in hierarchy), 36
 energy recovery, 36
 purposes of, 268
 treatment, reasons for, 36
- xenobiotic and natural chemicals, 46
- zero waste, zero emissions
 an introduction, 395