

Index

- $(df)_x$, 39
- C^∞ -ring, 161
 - finite type, 162
 - finitely presented, 162
 - point, 172
 - point determined, 172
- $C_0^g(R^n, R^m)$, 106
- D_r , 34
- $D_r(n)$, 35
- D_∞ , 34
- $T_x M$, 39
- $\mathcal{A}_{FP}$, 162
- $\mathcal{A}_{FT}$, 162
- $\Delta(n)$, 107
- $\Lambda_{p,q}$, 72, 76
- $\mathcal{M}^\infty$, 169
- $\mathcal{O}(X)$, 13
- Ω , 10, 11
- α_f , 131
- β_f , 132
- γ_f , 130
- $\mathcal{O}_k f$, 148
- $\text{Crit}(\Lambda_{p,q})$, 78
- $\text{Geod}(\Lambda_{p,q})$, 78
- $\text{Sh}(X)$, 12
- $f \upharpoonright_x N$, 117
- $C_p^\infty(M)$, 172
- $\mathcal{A}$, 161
- $\mathcal{B}$, 173
- $\mathcal{C}$, 165
- almost a geodesic, 81
- atom
 - relative, 25
- Axiom
 - C, 77, 199
 - Choice, 23
- G, 107, 203
- I, 77, 196
- J, 31, 193
- Kock-Lawvere, 32, 74
- M, 107, 204
- P, 77, 197
- Reyes-Fermat, 36
- SDT, 118
- W, 36, 193
- X, 77, 198
- Barr's theorem, 23
- basic model of SDT, 108
- calculus of variations
 - classical, 71
 - Fundamental Lemma, 80
 - in SDG, 73
- cancellation lemma, 201
- category
 - slice, 15
- connection
 - geodesic, 59
 - torsion free, 58
- connection map
 - torsion free, 58
- critical path, 72
- critical point, 75
- critical value of f , 116
- D, 32
- derivative, 32
- $\dim(N)$, 48
- Dubuc topos, 183, 192
- Ehresmann, Charles, 8, 30, 35
- energy of a path, 77
- Euclidean R -module, 53
- Euler-Lagrange equations, 73, 85

222

exponentiation, 11
 field
 in the sense of Kock, 37
 geometric, 21
 of fractions, 22
 residue, 22
 finite limits, 9
 flow
 D, 40
 global, 41
 infinitesimal, 40
 formula
 extension, 11
 frame, 90
 interior operator, 91
 subframe, 90
 functor
 Π_f , 16
 Σ_f , 16
 f^* , 15
 global sections, 3
 germ
 almost V-infinitesimally stable, 145
 equivalence, 129
 finitely determined, 146
 generic property, 150
 infinitesimally stable, 130
 stable, 127, 130
 transversally stable, 148
 unfolding, 178
 V-infinitesimally stable, 142
 germ determined ideal, 173
 Hadamard's lemma, 200
 Hessian, 153
 Heyting algebra, 11
 I.F.T., 162
 image factorization, 12
 stable, 12
 immersion, 119
 with normal crossings, 151
 indep (N), 48
 independent functions, 120
 infinitesimal exponential map property, 63
 infinitesimal path, 42
 infinitesimally invertible, 129
 infinitesimally linear object, 42
 infinitesimally surjective, 129
 intrinsic open, 24
 j W, 192
 Kock, Anders, 30

Index

Kripke-Joyal semantics, 12
 L.H.L., 162
 Lagrangian, 82
 Lawvere theory
 C^∞ , 161
 Lawvere, F. William, 8, 30
 local homeomorphism, 12
 section, 13
 logic
 coherent, 20
 geometric, 21
 Heyting, 11, 18
 deductive system, 20
 not universally valid deductions, 18
 rule of induction, 19
 rules for equality, 19
 rules of inference, 19
 intuitionistic, 11
 Mather's theorem, 127
 via preparation, 137
 without preparation, 149
 metric
 canonical, 76
 definition, 76
 Morse germ, 153
 Morse theory, 155
 Nakayama's lemma, 48
 Nullstellensatz, 187
 object
 A^* , 37
 $\mathfrak{M}_{n \times p}(R)$, 36
 atom, 25
 discrete, 26
 infinitesimal, 25
 N, 10
 Q, 22
 tiny, 25
 Z, 22
 P.U., 162
 Paré's theorem, 10
 paths
 geodesic, 78
 Penon open, 24
 Positivstellensatz, 197
 Postulate
 D, 118, 211
 E, 202
 F, 36, 201
 I.I, 113, 204
 K, 37, 195

- O, 37, 196, 202
- PT, 136, 208
- S, 110, 208
- WA2, 108, 205
- power objects, 10
- Rank (N), 48
- regular value of f , 116
- ring
 - of fractions, 22
 - Archimedean ring, 37
 - integral domain, 21
 - invertible element, 46
 - local, 22, 37
 - ordered, 37
- Sard's theorem, 210
- SDG, 1
- SDT, 3, 118
- Sets, 12
- sheaf, 12
- sheaf morphism, 12
- short path lifting property
 - vector bundle, 56
- singularity, 152
 - non-degenerate, 153
- sites, 14
- spray, 59
 - geodesic, 60
 - local flow, 62
- stage (of definition), 13
- submanifold
 - cut out by independent functions, 121
 - submanifold of dimension n , 116
- submersion, 112
- Submersion theorem, 113
- subobjects classifier, 10
- tangent bundle, 39
- tangent vector, 39
 - principal part, 39
- Taylor's formula, 34
- theorem
 - Ambrose-Palais-Singer, 53
 - Preimage, 116, 122
 - Thom's Transversality, 123
 - Wassermann, 180
- theory
 - coherent, 22
- time-dependent systems, 110
- topological structure
 - $S_X(X)$, 92
 - T_1 , 92
 - T_2 , 92
- basis, 90
- covering principle, 92
- Euclidean, 97
- intrinsic, 93
- neighbourhood, 93
- S, 90
- subintrinsic, 93
- weak, 102
- well contained, 93
- topology
 - Grothendieck, 14
 - double negation, 20
 - Lawvere-Tierney, 16, 17
 - subcanonical, 28
- topos, 9
 - alternative definition, 11
 - diagrammatic categories, 14
 - Grothendieck, 14
 - elementary, 17
 - morphism
 - logical, 15
 - geometric, 16
 - surjective, 12
 - object
 - compact, 100
- transversal pullback, 169
- universal colimits, 16
- variable set, 13
- variation, 72
- vector bundle
 - connection, 55
 - connection map, 56
- vector field, 40
 - infinitesimal deformation, 131
- vectors
 - linearly free, 46
 - linearly independent, 46
- velocity field, 76
- Weil algebra
 - $\text{Spec}_R(W)$, 31
 - $A \otimes W$, 31
 - W , 30
- Weil, André, 8, 30, 35
- well adapted model
 - of SDG, 38
 - of SDT, 169
 - of ringed toposes, 38