

INDEX

SPSS commands are emboldened.

- American National Election Study (ANES), 30
- average (Excel dice roll), 43
- bar graphs, 11–15
- binomial logit model, 76–77
- binomial probit model, 75–76
- bivariate hypothesis testing, 46–49
- box-whisker plot, 36, 50
- categorical variables, 32–35
- causal relationships, 21
- Chart Builder
 - bar graph, 12–15
 - line graph, 16–17
 - scatter plots, 52
- Chart Editor, 15
- chi-squared test, 48
- concepts of interest measurement, 29
- connected plot time-series, 16–17
- continuous variables, 35–38
- Correlate command**, 53
- correlation coefficients, 51–54
- cross-section variation, 11–15
- Crosstabs command**, 47, 48
- data basics
 - computer preparation, 2
 - exiting, 9
 - launching, 2–3
 - output window, 5
 - pull-down menus, 4–6
 - saving output, 9
 - screen navigation, 7–9
 - workbook preparation, 1–2
- dependent variable, 78
- descriptive statistics, 32–38
- Descriptives command**, 36
- dice rolling (Excel), 40–45
- difference of means generation, 50–51
- documents (SPSS)
 - statistical output, 38
 - tabular results into, 49
- dummy variables
 - creating, 64–66
 - defined, 64
 - dependent, 73–77
 - estimating multiple regression model with, 66–67
 - in interactions, 67–68
- Excel, 40–45
- first difference (variable), 80
- Frequencies command**, 34, 35
- frequency tables, 32–34
- Google Scholar, 18–21
- Graph command**, 12
- graphs
 - bar, 11–15
 - difference of means, 50
 - line, 16–17
 - two-variable regression models, 57–58
- histogram, 37
- hypothesis testing, 46–54
- Index of Consumer Sentiment, 81
- interaction variables, 67–68
- JStor, 18
- Koyck regression, 82
- lagged values (variable), 80
- limited dependent variables, 73–77
- line graph, 17
- linear probability model, 74
- literature searches, 18–21
- logit models, 74, 76, 77

- manual data entry, 7
 mean
 defined, 43
 difference of, 50–51
 measurement (variable), 16, 32
 multiple regression basics
 estimating, 59–60
 standardized coefficients, 63
 tabular output, 60–63
 multiple regression specification (dummy), 64–68

 null hypothesis, 46

 ordinal variables, 32–35
 ordinary least-squares regression (OLS)
 influential case identification, 70–71
 multicollinearity, 71
 outlier identification, 70–71
 post-estimation diagnostics, 69–71
 output window, 5

 pie chart, 34, 35
 presentations (output), 38
 probability and statistics (Excel), 40–45

 recoding variables, 66
 regression models
 dummy variables, 64–68
 estimation, 55–57
 ordinary least-squares, 69–71
 standardized coefficients, 63
 two-variable, 55–58
 research design, 26
 root mean-square error, 57

Save as command, 9
Save command, 9
 scatter plots, 52
 selecting cases, 61
 SPSS commands
 Correlate command, 53
 Crosstabs command, 66
 Descriptives command, 36
 Frequencies command, 37
 Graph command, 12
 Save as command, 9
 Save command, 9
 SPSS software
 binomial logit model, 76–77
 binomial probit model, 75–76
 box-whisker plot, 36, 50
 dice rolling probability, 40–45
 dummy variables, 64–66
 first difference (variable), 80
 histogram, 37
 lagged values (variable), 80
 limited dependent variables, 73–77
 linear probability model, 74
 multicollinearity, 71
 multiple regression basics, 59–63
 multiple regression specification, 64–71
 pie chart, 34, 35
 post-estimation diagnostics for ordinary
 least-squares regression, 69–71
 recoding variables, 66
 root mean-square error, 57
 selecting cases, 61
 time-series data cautions, 77–82
 time-series data set up, 78–79
 time-series regression analysis, 81–82
 two-variable regression models, 55–58
 SPSS software hypothesis testing
 correlation coefficients, 51–54
 difference of means, 50–51
 tabular, 46–49
 SPSS software variable description
 cardinal and ordinal, 32–35
 continuous, 35–38
 standardized coefficients, 63
 statistical output
 difference of means, 50–51
 generating, 48–49
 statistical output choices, 38

 tables
 frequency, 32–34
 hypothesis testing, 46–49
 multiple regression output, 60–63
 outputting, 38
 test statistic generation
 correlation coefficients, 52–54
 difference of means, 50–51
 tabular, 48–49
 theory building (political science)
 causal relationships, 21
 concepts of interest measurement, 29
 cross-section variation, 11–15
 hypothesis testing, 46–54
 literature search, 18–21
 multiple regression specification, 64–71
 post-estimation diagnostics for ordinary
 least-squares regression, 69–71
 probability and statistics, 40–45
 research design, 26
 statistical data variables, 32–38
 statistical output, 38
 time-series variation, 16–17
 two-variable regression models, 55–58
 time-series data
 cautions, 77–82
 connected plot, 16–17
 setting up, 78–79
 time-series regression analysis, 81–82
t-test, 50–52

-
- two-variable regression models
 - estimation, 55–57
 - graphs, 57–58
 - variables
 - categorical, 32–35
 - continuous, 35–38
 - dummy, 64–68
 - first difference, 80
 - interaction, 67–68
 - lagged values, 80
 - limited dependent, 73–77
 - ordinal, 32–35
 - recoding, 66
 - variables in multiple regression
 - same data sample, different specifications, 61–62
 - same specifications, different data samples, 63