

Index

Locators in **bold** refer to tables; those in *italic* to figures

- 5HT* gene family; *see also* serotonin receptor commercially available tests **168** single-nucleotide polymorphisms **92, 167**
- ABCB1* gene **165, 167**
abrupt cessation of drugs **172, 174, 184**; *see also* drug discontinuation absolute risk reduction, epidemiology **156** acamprosate **24, 77, 86, 429, 430-431, 441** acetylcholinesterase inhibitors (AChIs), cognitive function **376, 489-490, 492, 499** acne, adverse drug effects **193** active comparators, research studies **66** acute dystonia, adverse drug effects **203** acute stress disorder **452**; *see also* trauma and PTSD adaptogens, nutraceuticals **228, 243** addiction **439**; *see also* alcohol abuse/dependence behavioral **438-439, 446** cannabis **436** case vignettes **438** contingency management **426** drug toxicology screens, false positives **441** measures/assessment **427** methamphetamine use disorder **436** opiates **437, 437, 445** post-acute withdrawal syndrome **437** reward pathway disorders **425-427, 426** stimulant and cocaine addiction **434-436, 443** substances of abuse/detection windows **440**
- ADHD (attention deficit hyperactivity disorder); *see also* psychostimulants children and adolescents **268, 269** cognitive function in adults **493-497** comorbidity **32, 33** diagnostic complexity/symptom overlap **27** effect sizes of differing pharmacotherapies **493** heritability **150** off-label drug uses **13** placebo effects **86, 87** adherence to treatment long-acting injectable drugs **368** outcome mediators **99-100** polypharmacy **109** racial/ethnic differences **246** sex differences **247** therapeutic drug monitoring **130** adjustment disorders, antidepressants **283** adolescents *see* children and adolescents *ADRA2A* gene **161** adrenochrome hypothesis of schizophrenia **224** adverse drug effects **192-193, 213, 214** acne **193** alopecia **193-194** α receptor binding affinities in SGAs **196** bleeding **194-205** blood dyscrasias **195, 215** bruxism **195** cardiovascular **195-197** case vignettes **195, 209** cause-and-effect relationships **192** definitions **198** dementia **198** differentiating from lack of efficacy **504-505** differentiating from natural course of illness **287, 309, 310, 501** discontinuation syndrome **170, 198** dopamine receptor binding affinities in SGAs **204** dry mouth **199** extrapyramidal side effects **202-203, 203**
- FGAs vs. SGAs **357-378** gastrointestinal upsets **199** hepatic dysfunction **199-200** histamine receptor binding affinities **212** histamine receptor binding affinities of SGAs **205** hyperhidrosis **200** hyperparathyroidism **200, 200** hyperprolactinemia **200-201, 201** kidney damage **197-198** lupus erythematosus **198-199, 199** nephrogenic diabetes insipidus **202** neuroleptic malignant syndrome **202** nocebo effect **192, 193** nutraceuticals **231** polypharmacy **108** QTc interval prolongation **196-197, 196, 197** sedation/somnolence **205** seizures **205** serotonin receptor binding affinities **212-213** serotonin syndrome **205** sexual dysfunction **206, 216** sialorrhea **206** tolerance optimization **219, 220** suicidal ideation **206-207** SIADH **207** tardive dyskinesia **207-209, 208, 208** tics **210** tremor **210** weight gain/obesity **210-213, 213, 217, 218**
- affect, negative symptoms **389-390** affective disorders *see mood disorders* affective instability/lability **308** borderline personality disorder **470-471** differential transdiagnostic treatment **31** psychostimulants **495-497** transdiagnostic treatment **31, 36, 41** age factors/age at onset diagnostic complexity/symptom overlap **2** outcome moderators **94** aggression, impulsive **336-346, 347**; *see also* anger anticonvulsants **338, 349** antipsychotics **338, 339, 350** beta-blockers **340** intermittent explosive disorder **340-341** lithium **337-338** serotonergic drugs **348** aggressive dosing *see* high-dosing regimes agitated depression **301** agitation, anxiety disorders signs/symptoms **401** akathisia **202, 401** alanine aminotransferase (ALT) biomarker **427** alcohol abuse/dependence **426, 427-428** acamprosate **429, 430-431, 441** addiction **427** anticonvulsants **429-433** antidepressants **433, 442** antipsychotics **434** anxiety disorders **433** baclofen **432** comorbidity **33** definitions and terminology **428** detection windows **440** disulfiram **429, 431** diversity across subpopulations **253** gabapentin **429, 431-432** hallucinogens **434** heritability **150**

- moderation management 428
 nalfemene 431
 naltrexone 429-430, **441**
 novel pharmacotherapies 434
 off-label drug uses 13
 ondansetron 432
 placebo effects **86**
 Sinclair method 431
 topiramate 431
 type A vs. type B alcoholism 428
 withdrawal effects, treating 428-429
 allele, definition 151-152
 all-or-nothing thinking, clinician 466
 alopecia, adverse drug effects 193-194
 alpha agonists
 anxiety disorders 402, **413**
 cognitive function 496
 trauma/PTSD 457
 alpha level corrections, false positives 54, **69**
 alpha nicotinic acetylcholine receptors **376**, 492-493
 alpha receptor binding affinities, antipsychotics **196**
 ALT (alanine aminotransferase) biomarkers 427
 alternative medicine 221; *see also* nutraceuticals
 amantadine
 adverse drug effects **216**
 cognitive function 488, 496
 counteraction of iatrogenic weight gain **217**
 hepatically impaired patients **275**
 OCD 344
 polypharmacy 117
 renal patients **278**
 ambivalence, negative symptoms 389-390
 amino acid supplements, depression **237**
 amino acids, NMDA receptors 394-395
 amisulpride **469**, **490**
 amitriptyline
 dosage conversions **184**
 dosing recommendations **322**
 protein binding **262**
 serotonin receptor binding affinities **490**
 therapeutic drug monitoring **141**, **143**
 amoxapine 248-249, **490**
 amphetamine
 avoiding polypharmacy **128**
 children and adolescents **269**
 cognitive function 493-494
 detection windows **440**
 dosage conversions **188**
 drug toxicology screens, false positives **441**
 hepatically impaired patients **275**
 mechanism of action **21**
 negative symptoms 394
 polypharmacy 118
 protein binding **262**
 renal patients **278**
 schizophrenia 375-376
 stimulant use disorder 434-436
 therapeutic drug monitoring **143**
 amygdala 334, 426; *see also* limbic system
 analysis of variance (ANOVA) statistic 61-62
 ancestry, definition 245; *see also* racial differences
 anger 336, 471-472, **472**; *see also* aggression
 anhedonia **43**, **106**, 289, **390**
 anorexia nervosa 32, **150**, **236**
 antepartum depression 253-254; *see also* reproductive psychopharmacology
 anterior cingulate cortex (ACC), impulsivity 334-335
 anterior insular cortex 335, 426
 anterior nuclei, thalamus 335
 anticholinergics; *see also* specific drugs
 adverse drug effects 198, 199
 cognitive function 488
 FGAs 359
 geriatric psychopharmacology 248-249, 251
 anticipation, addiction 426
 anticonvulsants; *see also* specific drugs
 adverse drug effects 193-194, **199**, 206
 alcohol use/dependence 429-433
 as antipsychotic adjuncts 371-372
 anxiety disorders **402**, **411**, **420**-**422**
 borderline personality disorder **481**-**482**
 children and adolescents **267**
 drug discontinuation 177, **183**, **187**
 hepatically impaired patients **272**
 impulsive aggression 338
 lactation **272**
 mechanism of action **21**
 multiple pharmacodynamic effects **125**
 nomenclature/classification **23**
 nonsuicidal self-injury **352**
 pharmacokinetic drug interactions **121**
 pregnancy **271**
 psychotropic profiles **330**
 renal patients **275**
 skin excoriation **351**
 strategies to optimize tolerance **219**
 suicidal ideation 206
 trauma/PTSD 458, **463**
 antidepressants; *see also* MAOIs; SNRIs; SSRIs; tricyclic antidepressants
 abrupt cessation issues **172**-**184**
 ADHD 496
 adjustment disorders 283
 adverse drug effects 193-194, 194-205, 206, 207
 alcohol abuse 433, **442**
 antidepressant discontinuation syndromes 172-173
 as antipsychotic adjuncts 372
 anxiety disorders **302**, **402**, **410**, **416**, **417**, **418**
 augmentation vs. switching strategies 288-289
 augmentation strategies 289-291, 291-293, **325**
 bipolar disorder 309, **327**
 borderline personality disorder **472**, 473-474, **480**
 bupropion 286, **324**
 children and adolescents **266**
 choice of 284-286
 cocaine addiction **444**
 cognitive function 489
 dosage conversions 176-177, **184**
 dosing recommendations **319**, **320**, **321**, **322**, **323**, **324**
 drug discontinuation **183**
 efficacy 284
 efficacy pharmacogenetics 155
 geriatric psychopharmacology 248-249, 250-252, **270**
 hepatically impaired patients **273**
 lactation **272**
 multiple pharmacodynamic effects **126**
 negative symptoms 392, 393
 nomenclature/classification **23**
 outcome moderators 93
 pharmacokinetic drug interactions **120**, **121**
 pregnancy **271**
 psychotic depression 300
 renal patients **276**
 sex differences 247
 strategies to optimize tolerance **220**
 suicidal ideation 206
 supratherapeutic dosing 286-288, **324**
 switching vs. augmentation strategies 288-289
 therapeutic drug monitoring 135, **142**
 tolerability 285
 use of SGAs as augmentation strategy 289-291, **325**
 antihistamines; *see also* specific drugs
 adverse drug effects 205
 anxiety disorders **402**, **412**
 cognitive function 488
 nomenclature/classification **23**
 antihypertensives, nomenclature/classification **23**
 anti-inflammatories, as adjuncts 372-373, 373

INDEX

- antipsychotics; *see also specific drugs*
 adverse drug effects 196, 197, 201, 205
 alcohol use/dependence 434
 alpha receptor binding affinities 196
 antidepressant augmentation/adjuncts 289–291, 325
 anxiety disorders 402, 411–412, 423–424
 atypical antipsychotics 356–357
 augmentation strategies 369, 367–370, 387, 373, 374, 370–375
 bipolar depression 317
 bipolar disorder 309–310, 331, 332
 borderline personality disorder 472, 473, 474–475, 483–484
 children and adolescents 266
 cocaine addiction 435–436
 cognitive rigidity/inflexibility 364
 conversion to long-acting injectable 186
 dopamine receptor binding affinities 204, 362–363, 363
 dopaminergic system 355–356
 dosage conversions 177, 185
 dose-response relationships 367
 dosing recommendations 378, 379–380, 382–385
 drug discontinuation 183
 drug interactions 110
 efficacy of different drugs 364, 365–366
 extrapyramidal side effects 202–203, 203
 FGAs vs. SGAs 357–378
 geriatric psychopharmacology 248–249, 252
 hepatically impaired patients 274
 high-dosing regimes 365, 381
 histamine receptor binding affinities 205, 212
 HIV/AIDS patients 263
 impulsive aggression 338, 339, 350
 lactation 272
 long-acting injectable 368, 369, 386–387
 mania 305–306
 multiple pharmacodynamic effects 127
 negative symptoms 391, 391–392, 398–399
 nomenclature/classification 23
 nonsuicidal self-injury 352
 vs. placebo 366
 polypharmacy 116–117, 118, 370
 pregnancy 271
 psychotic depression 300
 racial/ethnic differences 246
 renal patients 277
 serotonin receptor binding affinities 212–213
 short-acting intramuscular injection 367–368
 strategies to optimize tolerance 220
 tardive dyskinesia 207–209, 208
 therapeutic drug monitoring 147, 148
 trauma/PTSD 458, 464
 weight gain and obesity 213
 antisocial personality disorder *see borderline, histrionic, narcissistic and antisocial personality disorder (cluster B)*
 anti-switch vs. anti-recurrence drugs, bipolar disorder 306–308, 307
 anxiety/GAD 400–401, 414; *see also panic disorder; social anxiety disorder*
 abortive relief vs. preventative therapy 402–407
 alcohol use/dependence 433
 alpha agonists 413
 anticonvulsants 411, 420–422
 antidepressants 302, 410, 416, 417, 418, 419
 antihistamines 412
 antipsychotics 411–412, 423–424
 benzodiazepines 402, 403, 404–407, 416
 beta-blockers 402, 412–413
 bupropion 418
 buspirone 402, 403, 407–408
 cannabidiol 413–414
 case vignettes 405, 412
 children and adolescents 268
 definitions and terminology 355
 drug discontinuation 177, 187, 191
 GABAergic system 402–403, 403
- gepironone 408
 geriatric psychopharmacology 252
 HIV/AIDS patients 263
 lactation 272
 maintenance vs. drug discontinuation 191
 measures/assessment 415
 mineral deficiencies 236
 mirtazapine 302, 419
 with mood disorders 301–302, 302, 317
 nefazodone/trazodone 418
 off-label drug uses 13
 outcome moderators 96
 pharmacotherapy 402, 403
 placebo effects 86, 87
 probiotics 243
 serotonin receptor binding affinities 407–410, 408
 signs and symptoms 401, 401–402
 symptoms vs. formal disorders 400–401
 vilazodone and vortioxetine 408–410
 Yerkes-Dodson law 400
 anxiolysis, off-label drug uses 13
 Apollonian alcoholism 428
 arginine supplements 237
 aripiprazole
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 anxiety disorders 423–424
 augmentation strategies 373
 bipolar disorder 331
 borderline personality disorder 472, 483–484
 dopamine receptor binding affinities 204
 dosage conversions 185, 186
 dosing recommendations 382
 geriatric psychopharmacology 251–252
 hepatically impaired patients 274
 high-dosing regimes 381
 histamine receptor binding affinities 205, 212
 impulsive aggression 350
 long-acting injectable 186, 368, 369, 386–387
 multiple pharmacodynamic effects 127
 negative symptoms 398–399
 protein binding 262
 renal patients 277
 research studies 67
 serotonin receptor binding affinities 212–213, 290, 408, 490
 short-acting intramuscular injection 367–368
 therapeutic drug monitoring 143, 148
 trauma/PTSD 464
 armodafinil 143, 205
 arousal states
 alpha agonists 413
 biomarkers 105–106
 PTSD 449
 transdiagnostic treatment 38, 41
 asenapine
 α receptor binding affinities 196
 bipolar disorder 332
 borderline personality disorder 483–484
 dosage conversions 185
 dosing recommendations 382
 hepatically impaired patients 274
 histamine receptor binding affinities 205, 212
 negative symptoms 398–399
 serotonin receptor binding affinities 212–213, 290, 408, 490
 therapeutic drug monitoring 148
 trauma/PTSD 464
 aspartate aminotransferase (AST) biomarker 427
 assay sensitivity, research studies 55
 assessment *see measurement instruments*
 association, genetic 151–152
 association, negative symptoms 389–390
 astrological *post hoc* analyses 103

- atomoxetine
 children and adolescents **269**
 cognitive function **495-496**
 drug interactions **110**
 schizophrenia **375-376**
 therapeutic drug monitoring **143**
 attention deficit hyperactivity disorder see ADHD
 attentional processing **485, 498**
 depression **303**
 diagnostic complexity/symptom overlap **27**
 impairments across psychiatric conditions **499**
 transdiagnostic treatment **36, 41**
 attrition/study dropout, research studies **60-61, 70**
 atypical depression **301**
 atypical antipsychotics **356-357**
 autism spectrum disorders
 heritability **150**
 negative symptoms **389-390**
 probiotics **243**
 autonomic arousal see arousal states
 avoidance states, PTSD **449**
 avoidant personality disorder (cluster C) **478**
- B vitamin deficiencies **224, 227-228**
 baclofen, alcohol use/dependence **432**
 Bacon, Sir Francis **192**
 barbiturates **248-249, 440, 441**
 Bartter-Schwartz criteria, SIADH **207**
 baseline severity
 law of initial value **93**
 outcome moderators **93-94, 97**
 placebo effects **80-81, 81, 93**
 baseline variables, research studies **55**
 Bayesian analysis, research studies **57-60**
BDNF gene **167, 168**
 behavioral addictions **438-439, 446**
 benign ethnic neutropenia (BEN) **246**
 benzodiazepines
 adverse drug effects **198, 205**
 alcohol withdrawal **428-429**
 as antipsychotic adjuncts **375**
 anxiety disorders **402, 403, 404-407, 416**
 borderline personality disorder **476**
 children and adolescents **268**
 cognitive function **488**
 detection windows **440**
 dosage conversions **187**
 drug discontinuation **177**
 drug interactions **123**
 drug toxicology screens, false positives **441**
 effect sizes **403**
 factors associated with long-term use **416**
 geriatric psychopharmacology **248-249**
 impulsive aggression **339**
 pregnancy **271**
 tapering drugs **407, 411, 438**
 trauma/PTSD **455-456**
 bespoke treatment see precision medicine
 beta-blockers
 anxiety disorders **402, 412-413**
 and depression **338**
 impulsive aggression **340**
 trauma/PTSD **456-457**
 β level corrections, type II errors **54**
 bias, cause-and-effect relationships **4**
 binge eating disorder **32, 32, 86**
 binge-intoxication **426**
 biomarkers of disease
 alcohol use/dependence **427**
 diagnostic complexity/symptom overlap **26**
 outcome moderators **90-91, 98, 105-106**
 bipolar disorder **305; see also depression (bipolar); lithium; mania (bipolar)**
- affective instability/lability **308**
 antidepressants **309, 327**
 antipsychotics **305-306, 309-310, 331, 332**
 anti-switch vs. anti-recurrence drugs **306-308, 307**
 case vignettes **13, 129-130, 170, 174**
 children and adolescents **266**
 cognitive function **490-491, 499**
 combination therapy **310-312, 328**
 complex/comorbid presentations **32, 33, 33, 317, 329**
 confounding factors **51-52**
 cyclothymic disorder **308**
 diagnostic complexity/symptom overlap **27**
 differential transdiagnostic treatment **31**
 drug discontinuation **170, 174, 190**
 efficacy of lithium for subsequent episodes **11**
 heritability **150**
 lamotrigine **312-314, 314**
 maintenance vs. drug discontinuation **180-181, 181, 191**
 measurement-based care **129-130**
 mood stabilizers **306-308, 312-314**
 off-label drug uses **13**
 outcome moderators **96, 106**
 overlapping features with personality disorders **467, 467**
 placebo effects **81, 81, 86, 87**
 polypharmacy **108**
 premature study dropout levels **70**
 psychostimulants **312**
 rapid cycling **314-315, 329**
 relapses **255-256**
 research studies **62, 66**
 suicidal ideation **50**
 transdiagnostic treatment **31**
 treatment-emergent affective switch **309-310, 309, 327**
 tweaking drug regimens **9**
- bitoperin **396**
 bleeding, adverse drug effects **194-205**
 blood dyscrasias, adverse drug effects **195, 215**
 blood-brain barrier (BBB), nutraceuticals **225-226, 227-228**
 body dysmorphic disorder (BDD) **465**
 Bonferroni corrections, statistical significance **69**
 borderline, histrionic, narcissistic and antisocial personality disorder (cluster B) **470-471, 479**
 affective instability/lability **470-471**
 anger **471-472, 472**
 anticonvulsants **481-482**
 antipsychotics **474-475, 483-484**
 benzodiazepines **476**
 case vignettes **477-478**
 coping skills **476**
 depression/antidepressants **473, 473-474, 480**
 diagnostic complexity/symptom overlap **27**
 distress intolerance **472**
 memantine **476**
 methylphenidate **477**
 mood stabilizers **472, 473, 474**
 omega-3 fatty acids **476**
 oxytocin **477**
 self-injurious behavior (SIB) **472**
 suicidal ideation **472-473**
 yi-gan san (Chinese herbal medicine) **476**
- bottom-up cognition **101, 334**
 bound drug fractions **264**
 bradycardia, adverse drug effects **195**
 brain-gut interactions **229, 243**
 brain regions/connectivity,
 addiction **426**
 impulsivity/compulsivity **334-335, 334, 342**
 negative symptoms **389, 390**
 psychosis **118**
 trauma **447**
 brain volume, trauma/PTSD **447**
 Bradford Hill criteria, cause-and-effect relationships **4**

INDEX

- breast cancer, drug contraindications 247
 brexipiprazole
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 anxiety disorders 423-424
 bipolar disorder 331
 dopamine receptor binding affinities 204
 dosage conversions 185
 dosing recommendations 382
 geriatric psychopharmacology 251-252
 hepatically impaired patients 274
 high-dosing regimes 381
 histamine receptor binding affinities 205, 212
 impulsive aggression 350
 negative symptoms 398-399
 protein binding 262
 renal patients 277
 serotonin receptor binding affinities 212-213, 408, 490
 therapeutic drug monitoring 143
 bruxism, adverse drug effects 195
 bulimia nervosa 32, 86, 87
 buprenorphine 437, 440, 445
 bupropion 286
 adverse drug effects 205, 216
 anxiety disorders 418
 avoiding polypharmacy 128
 behavioral addictions 446
 children and adolescents 269
 cocaine addiction 444
 dosage conversions 184
 dosing recommendations 324
 drug interactions 110, 120, 123, 124
 geriatric psychopharmacology 270
 outcome moderators 97
 protein binding 262
 renal patients 276
 supratherapeutic dosing 324
 therapeutic drug monitoring 142
 buspirone
 adverse drug effects 216
 anxiety disorders 402, 403, 407-408
 children and adolescents 268
 depression 291
 effect sizes 403
 serotonin receptor binding affinities 212, 408, 407-408, 490
 therapeutic drug monitoring 143
CACNA1C gene, efficacy pharmacogenetics 167
 calcium, psychiatric utility of supplements 236
 calcium channel blockers, adverse drug effects 199
 candidate gene studies 151-153; *see also* pharmacogenetics
 cannabidiol (CBD) 226-227
 anxiety disorders 413-414
 definition 227
 drug toxicology screens, false positives 441
 negative symptoms 397
 opiate addiction 445
 schizophrenia 375
 trauma/PTSD 459
 cannabis addiction 436
 carbamazepine
 adverse drug effects 207, 215
 alcohol use/dependence 429
 as antipsychotic adjunct 387
 anxiety disorders 420
 avoiding polypharmacy 128
 bipolar mania 316
 borderline personality disorder 481-482
 children and adolescents 267
 contraindications 170
 drug interactions 121
 efficacy pharmacogenetics 155
 hepatically impaired patients 272
 impulsive aggression 349
 indications for 316
 pregnancy 271
 protein binding 262
 psychotropic profiles 330
 renal patients 275
 strategies to optimize tolerance 219
 therapeutic drug monitoring 139, 143
 trauma/PTSD 463
 tweaking drug regimens 8
 carbohydrate deficient transferrin (CDT) biomarker 427
 Cardenas, Diane 221
 cardiovascular adverse drug effects 195-197
 cariprazine
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 anxiety disorders 423-424
 bipolar depression 328
 bipolar disorder 331
 dopamine receptor binding affinities 204
 dosage conversions 185
 dosing recommendations 382
 hepatically impaired patients 274
 high-dosing regimes 381
 histamine receptor binding affinities 205, 212
 impulsive aggression 350
 long-acting injectable 368
 negative symptoms 398-399
 renal patients 277
 serotonin receptor binding affinities 212-213, 408, 490
 therapeutic drug monitoring 143, 148
 carnosine, cognitive function 492
 carry-over effects, research studies 52
 catatonia 301
 catecholamine hypothesis of mood disorders 12
 categories vs. dimensions *see transdiagnostic treatment*
 CATIE trial 89, 364, 365, 491
 cause-and-effect relationships 3-4
 adverse drug effects 192
 Bradford Hill Criteria 4
 case vignette 5
 observed effects/outcomes 4-5
 CBD *see* cannabidiol
 CDT (carbohydrate deficient transferrin) biomarker 427
 celiac disease, patients with 261
 cessation of drugs, abrupt 172, 174, 184; *see also* drug discontinuation
 changes in drug regimens *see* tweaking drug regimens
 chemical imbalance hypothesis 12
 children and adolescents 248
 anticonvulsants 267
 antidepressants 266
 antipsychotics 266
 anxiolytics 268
 lithium 266
 psychostimulants 268, 269
 trauma outcome moderators 97
 Chinese herbal medicine 221, 476; *see also* nutraceuticals
 chirality, drug 178
 chlorpromazine
 adverse drug effects 196, 199
 dosage conversions 185
 dosing 379-380
 usefulness 358-359
 choline, nutraceuticals 241-242
 cholinergic drugs, schizophrenia 376
 cholinergic rebound, abrupt cessation of drugs 172
 cholinergic neurotransmitter systems 16
 chromium, psychiatric utility of supplements 236
 chronic major depression 174, 190, 300
 chronic obstructive pulmonary disease (COPD), and depression 259-260

- chronicity, outcome moderators 94–95
 Church, George M. 149
 Churchill, Sir Winston 107
 cigarette smokers, diversity across subpopulations 252
 citalopram
 adverse drug effects 196
 alcohol use/dependence 442
 compulsive shopping/buying behavior 346
 dosing recommendations 319
 geriatric psychopharmacology 270
 histamine receptor binding affinities 212
 impulsive aggression 348
 protein binding 262
 renal patients 276
 serotonin receptor binding affinities 212–213
 supratherapeutic dosing 324
 therapeutic drug monitoring 140, 143
 clonidine 397, 436
 classification functions, research studies 67, 67; *see also* nomenclature
 Clinical Antipsychotics Treatment Intervention Effectiveness *see* CATIE trial
 clinical assessment approach, cognitive function 487–488
 clinical equipoise, research studies 52
 Clinical Institute Withdrawal Assessment for Alcohol revised (CIWA-Ar) 427
 Clinical Opiate Withdrawal Scale (COWS) 427
 clinically meaningful results, research 54, 56–57
 Clinician-Administered PTSD Scale (CAPS) 450
 clomipramine
 anxiety disorders 417
 dosage conversions 184
 dosing recommendations 322
 drug interactions 110, 123
 serotonin receptor binding affinities 490
 therapeutic drug monitoring 141, 143
 trichotillomania 345
 clonazepam, anxiety disorders 404–405
 clonidine **269, 445, 457–458**
 clozapine
 abrupt cessation issues **172–184**
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 augmentation strategies 373–374, 374
 borderline personality disorder **483–484**
 dopamine receptor binding affinities 204
 dosage conversions 185
 dosing recommendations 383
 drug interactions **121, 122, 123**
 high-dosing regimes 381
 histamine receptor binding affinities **205, 212**
 impulsive aggression 350
 negative symptoms **398–399**
 polypharmacy 116–117
 protein binding 262
 racial/ethnic differences 246
 renal patients **277**
 serotonin receptor binding affinities **212–213, 290, 408, 490**
 therapeutic drug monitoring **148**
CNTN4 gene **167**
 cocaine addiction 434–436
 antidepressants **444**
 antipsychotics 435–436
 detection windows **440**
 topiramate **443**
 Cochrane's Q parameter 63
 codeine 155, **440**
 coefficient of variation, measurement-based care 132
 co-enzyme Q10 **241–242**
 cognitive function 485, 497; *see also* attentional processing; disorganized thinking;
 executive function
 ADHD 493, 493–497
 affective instability/lability 495–497
 antidepressants 489
 biomarkers **105–106**
 bipolar disorder 490–491
 case vignettes 491
 clinical assessment approach 487–488
 dementia **497, 499**
 impairments across psychiatric conditions **499**
 lithium 315–316
 major cognitive domains **498**
 measurement instruments 486–487
 memory 485
 mood disorders 488–490
 outcome mediators 101
 practice effects 488
 as primary treatment target in schizophrenia 375–376
 procholinergics 489–490
 pseudospecificity 488–489
 PTSD 449
 pyramid model 486, 487
 schizophrenia 491–493
 serotonin receptor **489–490, 490**
 subtypes of long-term memory 487
 therapeutic drug monitoring **144**
 cognitive rigidity/inflexibility, antipsychotics 364
 Cohen's d, research studies 56, 58–59
 cold cognition *see* top-down cognition
 collinearity 92
 combination therapy *see* polypharmacy/combination therapy
 comorbidity 32–34; *see also* diagnostic complexity
 ADHD 32, 33
 alcoholism 33
 anorexia nervosa 32
 binge eating disorder 32, 32
 bipolar disorder 33, 33, **329**
 bulimia nervosa 32
 genetics 33–34, 34
 psychosis 32, 32
 substance use disorders 35
 complementary medicine, anxiety disorders **403**; *see also* nutraceuticals
 completely missing at random (MCAR), research studies 60
 completer analyses, research studies 60, 61
 complex combination therapy 107; *see also* polypharmacy/combination therapies
 complex presentations *see* diagnostic complexity
 compulsions, definitions 333; *see also* impulsivity/compulsivity
 compulsive shopping/buying behavior 346
 COMT gene 78, 152, 160–161
 Conan Doyle, Sir Arthur 3, 91
 confidence intervals (CIs) 51, 258
 confounding by indication, defined 50; adverse drug effects 198
 confounding factors
 cause-and-effect relationships 4
 outcome moderators/mediators 92
 research studies 51–52
 CONSORT (CONsolidated Standards of Reporting Trials) diagrams, research
 studies 49, 49
 context processing 470
 contingency management (CM) 426
 controlled drinking, moderation management 428
 Cooper's nomogram **134**
 coping skills, borderline personality disorder 476; *see also* resilience
 core mood symptoms 289
 corticolumbic circuitry *see* limbic system
 cortico-striatal-thalamo-cortical circuitry 342
 course of illness
 diagnostic complexity/symptom overlap 27, 29
 differentiating adverse effects from 287, 309, 310, 501
 longitudinal stability 30–31, **43**
 course of treatment 7–9
 drug maintenance vs. discontinuation 179, 180–182
 two week/20% rule 8
 COVID-19 pandemic, trauma/PTSD 452–453
 Cox proportional hazard models, research studies 65
 creatine 459, 491
 credible intervals, Bayesian analysis 58

INDEX

- crime scene investigation (CSI) psychiatry 5–6, 26
 crossover designs, research studies 52, 53
 cross-tapering 170–171; *see also* tapering drug regimes
 curvilinear dose-response curves 132
 cyclothymic disorder 308
CYP gene family 161, 165
 cytochrome P450 system
 drug interactions 100
 efficacy pharmacogenetics 155
 nutraceuticals 231
 pharmacokinetic pharmacogenetics 154, 155
 pharmacokinetics 263
 therapeutic drug monitoring 143
- D-cycloserine, cognitive function 492
 D-serine, trauma/PTSD 459
 D vitamin deficiencies 223–224
 case vignettes 223
 depression 223–224, 232
 physiological role 233
 schizophrenia 223
 treating low serum levels 224
 dasotriline, ADHD 496
 data mining, research studies 63
 Davidson Trauma Scale 451
 davunetide (novel neuropeptide) 368
 deficit states *see negative symptoms*
 delirium 31–32, 401
 delusional parasitosis, pimozide 359
 dementia
 adverse drug effects 198
 agitation and aggression 260–261
 anxiety disorders signs/symptoms 401
 cognitive function 497
 differential transdiagnostic treatment 31–32
 therapeutic drug monitoring 144
 demographic factors, adherence to treatment 100
 dependent personality disorder (cluster C) 478
 dependent (outcome) variables, research studies 55
 deprescribing *see drug discontinuation*
 depression, bipolar 308–309, 310
 antidepressants 309, 327
 antipsychotics 317
 evidence-based medicine 310, 311, 328
 lamotrigine 312–314, 313
 treatment flow diagram 310
 depression/MDD; *see also* antidepressants; postpartum depression; treatment-resistant depression
 agitated 301
 amino acid supplements 237
 with anxiety disorders 301–302, 302, 401
 attentional processing 303
 atypical 301
 and beta-blockers 338
 borderline personality disorder 473–474
 children and adolescents 266
 chronic/persistent 300
 cognitive function 499
 D vitamin deficiency 223–224, 232
 drug discontinuation 174, 190
 drug maintenance vs. discontinuation 181, 191
 geriatric psychopharmacology 250–252, 270
 heritability 150
 indications for pharmacotherapy 283
 inflammatory-state 303
 L-methylfolate 228
 maintenance phase 304–305
 mineral deficiencies 236
 noradrenergic symptom cluster 302
 nutraceuticals 241–242
 off-label drug uses 13
 one-carbon donor molecules 227, 227–228
- outcome moderators 96, 106
 and physical illness 258–260, 259, 263
 placebo effects 86, 87
 premature study dropout levels 70
 premenstrual/premenstrual dysphoric disorder 256–257
 probiotics 243
 psychedelic drugs 304
 psychotic 300
 relapse-prevention post ECT 304, 326
 sex differences 247
 serotonergic system 291
 transdiagnostic treatment 31, 41
 descriptive statistics, research studies 61
 desipramine
 alcohol use/dependence 442
 anxiety disorders 417
 cocaine addiction 435, 444
 dosage conversions 184
 dosing recommendations 322
 protein binding 262
 therapeutic drug monitoring 141, 143
 desvenlafaxine
 dosing recommendations 320
 geriatric psychopharmacology 250
 protein binding 262
 renal patients 276
 supratherapeutic dosing 324
 therapeutic drug monitoring 136–137, 141
 deutetetrabenazine
 protein binding 262
 tardive dyskinesia 208
 therapeutic drug monitoring 143
 dextroamphetamine
 half-life of drugs 178
 OCD 344
 therapeutic drug monitoring 143
 dextromethorphan 143, 248
 DHEA (dehydroepiandrosterone)
 cognitive function 492
 negative symptoms 396
 psychotropic relevance of 238
 diagnostic complexity 6; *see also* comorbidity; differential diagnosis; *form fruste* conditions; transdiagnostic treatment
 bipolar disorder 329
 evidence-based medicine 7
 heritability of psychiatric disorders 150–151
 overlapping symptoms domains 41
 PTSD 449–450
 and symptom overlap 26–27
 diagnostic criteria, research studies 48
 diagnostic errors 30, 466; *see also* differential diagnosis; *form fruste* conditions
 diazepam 143, 187
 dietary restrictions, MAOs 296
 Dietary Supplement Health and Education Act (DSHEA) 222
 dietary supplements, definition 222; *see also* nutraceuticals
 differential diagnosis; *see also* diagnostic complexity
 affective instability/lability vs. bipolar disorder 31
 cognitive disorganization 31–32
 diagnostic complexity/symptom overlap 27, 41
 negative symptoms vs. depression 31
 diffusion tensor imaging (DTI) 91
 digit symbol substitution test (DSST) 487, 487, 488–489
 dimensions vs. categories *see* transdiagnostic treatment
 Dionysian alcoholism 428
 diphenhydramine 143, 255
 discontinuation syndrome 172, 198; *see also* drug discontinuation
 disorganized thinking 31–32, 41
 dispositional optimism, placebo effects 77
 dissociation, trauma/PTSD 459–460
 dissociative identity disorder (DID) 460
 distress, and trauma 448–449
 distress intolerance

- borderline personality disorder 472
- post-traumatic 39
- and recovery 10
- transdiagnostic treatment 38-39
- withdrawal effects 438
- disulfiram **146**, 429, 431
- divalproex
 - adverse drug effects **215**
 - alcohol use/dependence 429
 - as antipsychotic adjunct **387**
 - anxiety disorders **420**
 - bipolar mania 316
 - borderline personality disorder **481-482**
 - children and adolescents **267**
 - contraindications 170
 - hepatically impaired patients **272**
 - impulsive aggression 338, **349**
 - indications for 316
 - polycystic ovarian syndrome 257
 - pregnancy **271**
 - protein binding **262**
 - psychotropic profiles **330**
 - renal patients **275**
 - research studies 66
 - strategies to optimize tolerance **219**
 - therapeutic drug monitoring **139**
 - trauma/PTSD **463**
 - tweaking drug regimens 8
- diversity across subpopulations 244-245, 265; *see also* children and adolescents; geriatric psychopharmacology; physical illness; reproductive psychopharmacology
 - alcohol use 253
 - cigarette smokers 252
 - racial/ethnic differences 245-247
 - sex differences 247-248
- donepezil **278**, 488, 489-490, **499**
- dopamine receptor binding affinities 362-363, **363**
 - antipsychotics **204**, **363**
 - anxiety disorders **423-424**
 - bipolar disorder **331**, **332**
 - dosing recommendations **382**
 - polypharmacy 117-118
- dopaminergic system **17**
 - addiction 426
 - drug interactions 110
 - negative symptoms 389, 393-394
 - psychosis 355, 355-356, 360, 361-362
 - and serotonergic system 356-357, 391, 391
- DORAs (dual orexin receptor antagonists) **21**
- dorsolateral prefrontal cortex (DLPFC) 334-335
- dose-response relationships 9-10; *see also* high-dosing regimes
 - placebo effects 77
 - lurasidone 367
 - therapeutic drug monitoring 132
- doxepin
 - dosage conversions **184**
 - dosing recommendations **322**
 - hepatically impaired patients **274**
 - protein binding **262**
 - therapeutic drug monitoring **143**
- DRD4* gene **167**, **168**
- dronabinol, addiction 436
- dropout rates, research studies 60-61, **70**
- drug discontinuation 169, 182; *see also* tapering drug regimes; withdrawal effects
 - abrupt cessation advantages 174
 - abrupt cessation issues **172**, **184**
 - ain't broke don't fix 175, 503
 - alcohol withdrawal 428-429
 - anticonvulsants 177, **187**
 - antidepressant discontinuation syndromes 172-173
 - antidepressant dosage equivalents 176-177, **184**
 - antipsychotic dosage equivalents 177, **185**
 - art of deprescribing 114-115, 178-179
 - axioms 178-179
 - benzodiazepines 177, **187**, 407
 - case vignettes 170, 174-175, 175-176
 - chirality 178
 - conversion to LAI antipsychotics **186**
 - cross-tapering vs. switching to another drug 170-171
 - exponential half-life elimination 176
 - half-life of drugs 178
 - lack of efficacy 169-170
 - vs. maintenance 179, 180-182, **181**, **191**
 - MAOIs 173
 - placebo effects 84
 - polypharmacy 114-115
 - prior to starting ECT 173-174
 - psychostimulants 177-178, **188**, **189**
 - randomized controlled trials **190**
 - situations requiring 170, **183**
 - switching serotonergic agents 175
 - drug interactions; *see also* pharmacokinetic interactions
 - outcome mediators 99-100
 - pharmacodynamic **123**
 - polypharmacy 108-125, **120**, **121**, **122**
 - therapeutic drug monitoring 130
 - drug intolerance *see* adverse drug effects
 - drug level monitoring *see* therapeutic drug monitoring
 - drug response, heritability 150
 - drug treatments, general information 3, 15, 500
 - avoiding changes where possible 175, 503
 - backup plans 502-503
 - case vignettes 5, 13, 505
 - cause-and-effect relationships 3-4, **4**
 - caution in use of high-dosing regimes 506
 - changing one variable at a time 500
 - course of treatment 7-8
 - defining goals of treatment 14-15
 - defining recovery 10
 - differentiating effects from lack of efficacy 504-505
 - differentiating effects from natural course of illness 287, 309, 310, 501
 - dose-response relationships 9-10
 - efficacy for subsequent episodes 11
 - gyroscope analogy 10
 - humility in practice 507
 - learning from past experience 503-504
 - mechanism of action 11-12, **21**
 - nomenclature/classification 13-14, **23**
 - objective measures of symptom severity 500-501
 - observed effects/outcomes 4-5
 - "on-label/off-label" uses 12-13
 - patient individuality 7-8
 - pharmaco-archaeology 504
 - phases of drug development 22
 - recognising need to move beyond pharmacological solutions 507
 - retracing steps if problems arise 503
 - risk-benefit analysis of aggressive pharmacology 506-507
 - role of placebo/nocebo effects 505
 - sliding scale approach 505
 - treatment rationale 502
 - tweaking drug regimens 8-9
 - two week/20% rule 8
 - wise use of technology 506
 - dry drunk 426
 - dry mouth, adverse drug effects 199
 - DSM-5 (*Diagnostic and Statistical Manual of Mental Disorders*), transdiagnostic treatment 36
 - duloxetine
 - anxiety disorders **302**, 407, 419
 - cigarette smokers 252
 - dosing recommendations **320**
 - geriatric psychopharmacology 250, **270**
 - impulsive aggression **348**
 - renal patients **276**

INDEX

- duloxetine (*cont.*)
 serotonin receptor binding affinities 212-213
 therapeutic drug monitoring 141, 143
- duration of untreated illness (DUI) outcome moderators 95-96
- dysthymic disorder 300
- dystonia, acute 203
- early response to treatment, outcome mediators 101-102
- EBM see evidence-based medicine
- ecological fallacy, definition 81
- Ectasy 440, 459
- ECT (electroconvulsive therapy) 173-174, 304, 326, 375
- Edison, Thomas 485
- EEG (electroencephalography) 105-106
- effect sizes, research studies 53, 56
- efficacy, and drug discontinuation 169-170
- efficacy pharmacogenetics 153, 155-158, 167
- efficacy vs. effectiveness, research studies 65, 89
- Einstein, Albert 129
- elderly patients see geriatric psychopharmacology
- electroconvulsive therapy see ECT
- emotional lability see affective instability/lability
- emotional processing, outcome mediators 101
- endophenotypes, definition 152
- end-organ monitoring 137, 146
- enduring response to treatment, outcome mediators 101-102
- enriched study designs 66-67, 103
- epidemiology, absolute risk reduction 156
- errors see diagnostic errors
- escitalopram
 anxiety disorders 302, 407, 416, 419
 dosage conversions 184
 dosing recommendations 319
 efficacy pharmacogenetics 156
 geriatric psychopharmacology 270
 histamine receptor binding affinities 212
 inflammatory-state depression 303
 protein binding 262
 renal patients 276
 serotonin receptor binding affinities 212-213, 408
 skin excoriation 351
 supratherapeutic dosing 324
 therapeutic drug monitoring 140, 143
- estrogen, negative symptoms 396
- eszopiclone
 drug-drug interactions 123
 hepatically impaired patients 274
 protein binding 262
 renal impairment 278
 therapeutic drug monitoring 143
- ethnicity, definition 245; *see also* racial differences
- euphoria, transdiagnostic treatment 41
- evidence-based medicine (EBM) 6-7; *see also* randomized controlled trials; research studies and statistical analysis
 bipolar depression 310, 311, 328
 vs. compassionate care/pragmatic solutions 500
 levels of evidence 7
 nutraceuticals 221-222, 225
 polypharmacy 108, 111
 research studies 48
 exaggerated incentive salience 426
 executive function 37, 41, 486, 494-495; *see also* cognitive function
 expectation bias, placebo effects 76
 exponential dose-response curves 132
 exponential half-life elimination 176
 expressed emotion (EE), outcome mediators 101
 extensive metabolizers (EMs) 154
 external locus of control, placebo effects 77
 externalizing vs. internalizing dichotomy, transdiagnostic treatment 30, 43
 extraction ratio 264
 extrapyramidal side effects (EPS) 202-203, 203; *see also* tardive dyskinesia
 FGAs vs. SGAs 357-378
 racial/ethnic differences 246
- failed trials, research studies 66
- false discovery statistic 69
- false negatives, research studies 54, 74, 103
- false positives, research studies 54
- familiality, definition 150; *see also* pharmacogenetics
- family history, diagnostic complexity 27
- family-wise error rate (FWER) 55
- fast-on/fast-off hypothesis, atypical antipsychotics 356
- fat-soluble vitamins 232, 233
- fear, vs. anxiety disorders 355
- fight-or-flight response 354; *see also* hot cognition
- FINISH mnemonic, antidepressant discontinuation 172-173
- first order kinetics, dose-response curves 132
- five-factor model of personality 35-36, 45
- fixed-dose research studies 64, 177
- fixed effects, meta-analyses 63
- fixed tapering dose regimen (FTDR), alcohol 429
- flexible dose research studies 64
- fluoxetine
 adverse drug effects 196
 alcohol use/dependence 442
 anxiety disorders 302, 416, 419
 borderline personality disorder 480
 cigarette smokers 252
 dosing recommendations 319
 drug interactions 121
 geriatric psychopharmacology 270
 histamine receptor binding affinities 212
 impulsive aggression 348
 multiple pharmacodynamic effects 126
 outcome moderators 96
 protein binding 262
 renal patients 276
 schizotypal personality disorder 470
 serotonin receptor binding affinities 212-213
 skin excoriation 351
 therapeutic drug monitoring 140, 143
- fluphenazine
 conversion to long-acting injectable 186
 dosage conversions 185
 dosing 379-380
 therapeutic drug monitoring 147
- fluvoxamine
 alcohol use/dependence 442
 behavioral addictions 446
 borderline personality disorder 480
 cigarette smokers 252
 dosage conversions 184
 dosing recommendations 319
 drug interactions 110, 123
 impulsive aggression 348
 multiple pharmacodynamic effects 126
 protein binding 262
 renal patients 276
 serotonin receptor binding affinities 212-213
 skin excoriation 351
 therapeutic drug monitoring 140, 143
- fMRI (functional magnetic resonance imaging) 91, 105-106
- folic acid, nutraceuticals 228
- food, medications best absorbed with/without 131
- form fruste conditions 5, 25, 29-30
- formal thought disorder (FTD) 31-32
- fornix, impulsivity/compulsivity 335
- 4 As (affect, association, ambivalence and autism), negative symptoms 389-390
- fraction excreted unchanged (Fe) 264
- frequentist statistics, research studies 57
- funnel plots, meta-analyses 64, 71
- g factor (general cognitive ability) 487; *see also* cognitive function
- GABAergic system
 adverse drug effects 205
 anxiety disorders 402-403, 403, 411
 neurotransmitter systems 19

- polypharmacy 118, 118
 psychotropic relevance of supplements 237
- gabapentin**
 adverse drug effects 205
 alcohol use/dependence 429, 431–432
 anxiety disorders 41, 422
 avoiding polypharmacy 128
 borderline personality disorder 481–482
 children and adolescents 267
 drug discontinuation 177, 187
 drug interactions 110
 hepatically impaired patients 272
 high-risk subgroups 248
 OCD 344
 off-label uses 13
 pregnancy 271
 protein binding 262
 psychotropic profiles 330
 renal patients 264, 275
 stimulant use disorder 435
 strategies to optimize tolerance 219
 trauma/PTSD 463
- GAD (general anxiety disorder) *see* anxiety/GAD
- galantamine 16
 cognitive function 376, 489–490, 492
 effect sizes 499
 hepatically impaired patients 275
 renal patients 278
- gambling, pathological 446
- gaslighting 353, 354
- gastric bypass, patients with 261
- gastrointestinal disorders, patients with 261
- gastrointestinal upsets, adverse drug effects 199
- gatekeeping procedures, research studies 55
- gender dysphoria, diversity across subpopulations 247–248
- general anxiety disorder *see* anxiety/GAD
- general cognitive ability 487; *see also* cognitive function
- generalized estimating equations (GEE) 60, 61
- genetics *see* pharmacogenetics
- Genome-Based Therapeutic Drugs for Depression (GENDEP) project 157
- genome-wide association studies (GWAS) 152–153; *see also* pharmacogenetics
- Genomics Used to Improve Depression Decisions (GUIDED) trial,
 pharmacogenetics 156–157
- genotype, definition 151–152
- gepironone, anxiety disorders 408
- geriatric psychopharmacology 248
 adjunctive strategies 251–252
 antipsychotics 252
 anxiolytics 252
 depression/antidepressants 250–252, 270
 other safety considerations 249–250
 sleep aids 249
 specific drugs/conditions 248–249
- Ginkgo biloba*, effect on cognitive function 497
- glaucoma, patients with 261–262
- glutamate supplements 237
- glutamate receptors 297, 360, 361, 362
- glutamatergic system; *see also* NMDA receptors
 negative symptoms 394–395, 395, 396
 neurotransmitter systems 19
- polypharmacy 118, 118
 psychosis 359–362, 371–372
- glutamyl transferase (GGT) biomarker 427
- glycine, cognitive function 492
- goals of treatment, defining 14–15
- GR1A* gene family, commercially available tests 168
- grandiosity, transdiagnostic treatment 41
- GRIN2B* gene, efficacy pharmacogenetics 167
- guanfacine 23, 24, 413
 cognitive function 496
- efficacy pharmacy 167, 269
- safety considerations 268
- schizotypal personality disorder 470
 tics 210
 trauma/PTSD 457–458
- gut flora 229, 243
- gyroscope analogy, resilience 10
- H2 blockers, geriatric psychopharmacology 248
- hair pulling 345
- half-life of drugs 176, 178, 385
- hallucinogens 434, 438
- haloperidol
 conversion to long-acting injectable 186
 dosage conversions 185
 schizotypal personality disorder 470
 serotonin receptor binding affinities 490
 therapeutic drug monitoring 143, 147
- haplotype, definition 151–152
- Hardy-Weinberg equilibrium (HWE), definition 151–152
- Hawthorne effect 75, 76
- Hedges' g, research studies 56, 58–59
- hedonic capacity 101; *see also* anhedonia
- hedonistic behavior, transdiagnostic treatment 41
- Hemingway, Ernest 281
- hepatically impaired patients 261
 adverse drug effects 199–200
 anticonvulsants 272
 antidepressants 273
 antipsychotics 274
 other medications 275
 psychostimulants 275
 safety pharmacogenetics 164
 sedatives 274
- Heraclitus 333
- herbal medicines 221, 239, 240, 476; *see also* nutraceuticals
- heritability; *see also* pharmacogenetics
 definition 150
 drug response 150, 153
 psychiatric disorders 150, 150–153
- heroin, detection windows 440
- heterogeneity, meta-analyses 63
- heterozygote, definition 151–152
- high sensitivity C-reactive protein (hs-CRP) biomarkers 105–106
- high-dosing regimes 10
 antidepressants 286–288
 antipsychotics 365, 381
 caution in use of 506
 risk-benefit analysis 506–507
- hippocampus 334, 447; *see also* limbic system
- Hippocrates 221
- histamine system 20
 adverse drug effects 212
 antipsychotics 205
- historical perspectives, nutraceuticals 221
- histrionic personality disorder *see* borderline, histrionic, narcissistic and antisocial personality disorder (cluster B)
- hit and run drugs, therapeutic drug monitoring 131
- HIV/AIDS, patients with 262–263
- HLA* gene family 161, 168
- hoarding behavior, compulsive 346
- Holm–Bonferroni corrections 69
- Hommel-based gatekeeping 55
- homotypic comorbidity 30
- homozygote, definition 151–152
- hope induction, placebo effects 76
- hot cognition 101, 334
- HTR2A* gene 160
- human growth hormone (hGH), supplements 238
- humility, principles of psychopharmacology 507
- Hunter's triad, serotonin syndrome 205
- hydralazine 165, 199
- hydrocortisone, trauma/PTSD 458–459

INDEX

- hydromorphone, detection windows 440
- hydroxyzine 23
- anxiety disorders 402, 403, 412
 - bruxism 195
 - cognitive function 488
 - safety considerations 268
- hyperarousal see arousal states
- hyperhidrosis, adverse drug effects 200
- Hypericum perforatum* (St. John's wort) 231, 240
- hyperparathyroidism, adverse drug effects 200, 200
- hyperprolactinemia, adverse drug effects 200–201, 201, 247, 357–378
- hypersalivation, adverse drug effects 206
- hypersensitivity reactions, discontinuation of drugs 170
- hypertension, abrupt drug cessation 172
- hypotension, orthostatic 195–196
- hypothalamus, impulsivity/compulsivity 334
- hypotheses, research studies 49, 91, 103
- Icarus pharmacology 118–119, 506; *see also* high-dosing regimes
- illness course *see* course of illness
- illness severity *see* baseline severity
- illness subtype outcome moderators/mediators 98–99, 103
- iloperidone
- α receptor binding affinities 196
 - bipolar disorder 332
 - dopamine receptor binding affinities 204
 - dosage conversions 185
 - dosing recommendations 364–383
 - hepatically impaired patients 274
 - high-dosing regimes 381
 - histamine receptor binding affinities 205, 212
 - impulsive aggression 350
 - negative symptoms 398–399
 - protein binding 262
 - renal patients 277
 - serotonin receptor binding affinities 290, 408
 - therapeutic drug monitoring 136, 143, 148
- imipramine
- alcohol use/dependence 442
 - anxiety disorders 417
 - dosage conversions 184
 - dosing recommendations 322
 - geriatric psychopharmacology 270
 - outcome moderators 96
 - protein binding 262
 - serotonin receptor binding affinities 490
 - therapeutic drug monitoring 141, 143
- Impact of Events Scale (IES) 451
- impulsivity/compulsivity 333–334, 336–346, 347; *see also* aggression (impulsive); OCD
- in affective and psychotic disorders 336
 - brain regions/networks 334–335
 - case vignettes 340
 - corticolimbic loop 334
 - cortico-striatal-thalamo-cortical dysfunction 342
 - definitions and terminology 333, 335
 - non-suicidal self-injury 345, 352
 - obsessive-compulsive phenomena 341–344, 351
 - other disorders of 345–346
 - salience network 335
 - serotonergic drugs 337, 342–344, 348
 - skin excoriation 344–345, 351
 - somatic marker hypothesis 335
 - top-down/bottom-up cognition 334
 - transdiagnostic treatment 37, 41
 - trichotillomania 345
 - working memory 335
- independent variables, research studies 55
- indication bias, adverse drug effects 198
- indications for pharmacotherapy 6
- individuality, response to medication 7–8; *see also* precision medicine
- inferential statistics, research studies 61
- inflammatory biomarkers, outcome moderators 98
- inflammatory-state
- depression 303
 - psychosis 372–373, 373
- insight loss, psychosis 38
- insomnia *see* sleep aids
- insula (anterior insular cortex) 335, 426
- intent-to-treat (ITT) samples, research studies 60
- interaction effect, analysis of variance 61
- interleukin-6 (IL-6) biomarkers 105–106
- intermittent explosive disorder (IED) 340–341; *see also* aggression (impulsive)
- internalizing vs. externalizing dichotomy, transdiagnostic treatment 30, 43
- internet use disorder 439; *see also* behavioral addictions
- interpersonal factors, outcome mediators/moderators 98, 101
- intramuscular injection (IM) antipsychotics 367–368
- intrinsic clearance 264
- intrusive thoughts, PTSD 449
- ionotropic glutamate receptors 297
- iron supplements 236
- irritability 41, 336; *see also* impulsivity/compulsivity
- irritable bowel syndrome 261
- isocarboxazid 24, 142, 321
- isotretinoin, suicidal ideation 206–207
- izoniazid 165, 199, 234
- Jadad Scale, research studies 53
- Kava kava (*Piper methysticum*) 231, 240
- ketamine
- detection windows 440
 - mechanism of action 11, 21
 - NMDA receptors 360
 - randomized controlled trials 326
 - trauma/PTSD 458
 - treatment-resistant depression 296–300, 299, 326
- Ketter's hypothesis 312
- kidney damage 197–198; *see also* renal patients
- kindling paradigm 95
- kleptomania 346
- Kruskal-Wallis test, research studies 61–62
- L-arginine 237
- L-carnosine 492
- L-methylfolate 228
- L-theanine 237, 396
- laboratory drug monitoring *see* therapeutic drug monitoring
- lactation 255, 272; *see also* reproductive psychopharmacology
- LAIs *see* long-acting injectable antipsychotics
- Laing, R. D. 389
- lamotrigine
- abrupt cessation issues 172–184
 - antidepressant augmentation/adjuncts 292
 - as antipsychotic adjunct 371
 - anxiety disorders 420
 - bipolar depression 312–314, 313, 314, 328
 - bipolar disorder 307, 312–314, 314
 - borderline personality disorder 481–482
 - children and adolescents 267
 - cognitive function 490
 - drug interactions 121
 - hepatically impaired patients 272
 - impulsive aggression 349
 - OCD 344
 - off-label uses 13
 - placebo effects 81, 81
 - pregnancy 271
 - psychotropic profiles 330
 - renal patients 275
 - skin excoriation 351
 - strategies to optimize tolerance 219
 - therapeutic drug monitoring 134–135, 139

- trauma/PTSD **463**
 tweaking drug regimens **8**
 last observation carried forward (LOCF) **60, 61**
 lavender, herbal medicines **240**
 law of initial value **93**
 leukopenia, adverse drug effects **215**
 levetiracetam **421, 463**
 levomilnacipran
 dosing recommendations **320**
 geriatric psychopharmacology **250**
 protein binding **262**
 renal patients **276**
 therapeutic drug monitoring **141, 143**
 levothyroxine, outcome moderators **96**
 life events, stressful **10, 448**
 likeability, pharmacotherapy **406**
 likelihood-based models, research studies **60**
 limbic system; *see also* amygdala, hippocampus
 impulsivity/compulsivity **334–335**
 negative symptoms **389, 390**
 psychosis **118, 354–356**
 linear dose-response curves **132**
 linear pharmacokinetics **131–132**
 linear regression models **62**
 Linehan, Marsha **465**
 linkage disequilibrium (LD), definition **152**
 lisdexamfetamine **111, 494**
literature of psychopharmacology *see* research studies
 lithium **200, 315**
 abrupt cessation issues **184**
 adverse drug effects **193, 197–198, 199, 200**
 as antidepressant adjunct **291**
 as antipsychotic adjunct **387**
 anti-switch vs. anti-recurrence drugs **307**
 avoiding polypharmacy **128**
 behavioral addictions **446**
 case vignettes **5, 174**
 children and adolescents **266**
 cognitive effects **315–316**
 confounding factors **51–52**
 drug discontinuation **174, 183, 190**
 drug interactions **111, 123, 124**
 efficacy for subsequent episodes **11**
 geriatric psychopharmacology **250**
 HIV/AIDS patients **263**
 impulsive aggression **337–338**
 increased WBC production **215**
 indications for **315**
 low-dose **316**
 maintenance vs. discontinuation **180–181, 181**
 mechanism of action **21**
 multiple pharmacodynamic effects **125**
 number of episodes **95**
 outcome moderators **98**
 practical considerations **330**
 pregnancy **271**
 relapse-prevention post ECT **326**
 renal patients **264, 275**
 strategies to optimize tolerance **219**
 therapeutic drug monitoring **131, 134, 139**
 tweaking drug regimens **8**
 lithium orotate **225**
liver problems *see* hepatically impaired patients
 LOCF (last observation carried forward) **60, 61**
 locus, definition **152**
 logical fallacy phenomenon **4**
 long-acting injectable (LAI) antipsychotics **67, 186, 368, 369, 386–387**
 longitudinal stability **30–31, 43; see also** course of illness
 long-term memory, subtypes **487**
 loraserin **211**
 lorazepam, dosage conversions **187**
 low-dose lithium **316**
 loxapine **185, 379–380, 490**
- LSD (lysergic acid diethylamide) **434, 440, 441**
 lumateperone
 α receptor binding affinities **196**
 bipolar depression **328**
 bipolar disorder **332**
 dosing recommendations **383**
 hepatically impaired patients **274**
 high-dosing regimes **381**
 histamine receptor binding affinities **205**
 protein binding **262**
 psychosis **363**
 renal patients **277**
 lupus erythematosus, adverse drug effects **198–199, 199**
 lurasidone
 α receptor binding affinities **196**
 antidepressant augmentation/adjuncts **325**
 anxiety disorders **423–424**
 bipolar depression **328**
 bipolar disorder **332**
 cognitive function **489, 490–491**
 dosage conversions **185**
 dose-response relationships **367**
 dosing recommendations **384**
 high-dosing regimes **381**
 histamine receptor binding affinities **205, 212**
 off-label uses **13**
 renal patients **277**
 serotonin receptor binding affinities **212–213, 290, 408, 490**
 therapeutic drug monitoring **143**
 luteal phase dosing **256, 257**
- magnesium supplements **236**
 main effect, analysis of variance **61**
 maintenance medication **180–182, 191**
 bipolar disorder **181**
 depression **304–305**
 schizophrenia **376, 388**
 major depressive disorder *see* depression/MDD
 major depressive disorder with mixed features (MDD-MF) **13, 317–318**
 mamillary bodies **334**
 manganese supplements **236**
 mania, bipolar **305–306; see also** lithium
 anxiety disorders signs/symptoms **401**
 carbamazepine **316**
 divalproex **316**
 other anticonvulsants **316, 330**
 MAO-A gene **78**
 MAOIs (monoamine oxidase inhibitors)
 abrupt cessation issues **172–184**
 anxiety disorders **418**
 borderline personality disorder **473–474**
 dietary restrictions **296**
 dosing recommendations **321**
 drug discontinuation **173**
 drug interactions **112–113, 124**
 hepatically impaired patients **273**
 outcome moderators **106**
 renal patients **276**
 strategies to optimize tolerance **220**
 therapeutic drug monitoring **142**
 treatment-resistant depression **294, 295, 295–296**
- maprotiline **24, 490**
 marijuana, detection windows **440**
 Maslow's hierarchy of needs **452**
maxims of psychopharmacology *see* drug treatments
 MBC *see* measurement-based care
 MC4 gene **168**
 MDD-MF *see* major depressive disorder with mixed features
 MDMA(3,4-methylenedioxymethamphetamine) **440, 459**
 medication, stopping *see* drug discontinuation
 measurement-based care (MBC) **129–130, 138**
 case vignettes **129–130**
 definitions **130–131**

INDEX

- measurement-based care (MBC) (*cont.*)
 experimental measures 137–138
 objective measures of symptom severity 500–501
 secondary outcomes 137, 144
 serum drug monitoring see therapeutic drug monitoring
 measurement instruments
 addiction 427
 anxiety disorders 415
 cognitive function 486–487
 negative symptoms in schizophrenia 390
 PTSD 450–451
 mechanism of drug action 11–12, 21; *see also* neurotransmitter systems
 Medawar, Peter 73
 mediators of treatment outcomes *see outcome moderators/mediators*
 medically unexplained physical symptoms (MUPS) 258
 melatonin
 neurotransmitter systems 20
 psychotropic relevance of supplements 238
 memantine
 alcohol use/dependence 434
 borderline personality disorder 476
 cognitive function 492, 496, 499
 OCD 344
 schizophrenia 376
 memory 485, 487; *see also* working memory
 mesocortical circuitry *see* limbic system
 meta-analyses 63–64
 funnel plots 64
 network 63–64
 pitfalls 71
 metabolic dysregulation, drug effects 210–213, 213
 metabotropic glutamate receptors 297, 360, 361, 362
 methadone
 adverse drug effects 196
 detection windows 440
 drug toxicology screens, false positives 441
 opiate addiction 437, 445
 therapeutic drug monitoring 143
 methamphetamine use disorder 436
 methylenedioxymethamphetamine *see* MDMA
 methylphenidate
 borderline personality disorder 477
 children and adolescents 269
 cognitive function 493–494
 dosage conversions 189
 drug interactions 111
 geriatric psychopharmacology 251–252
 half-life of drugs 178
 hepatically impaired patients 275
 long-acting formulations 494
 protein binding 262
 renal patients 278
 schizophrenia 375–376
 methylfolate supplements 228
 microbiome, brain-gut interactions 229, 243
 mineral deficiencies 225, 236; *see also* nutraceuticals
 Mini-Mental Status Exam (MMSE) 486
 minocycline 199, 303, 396
 mirtazapine
 adverse drug effects 216
 alcohol use/dependence 442
 antidepressant adjuncts 292
 anxiety disorders 302, 419
 cigarette smokers 252
 cognitive function 488
 dosage conversions 184
 dosing recommendations 323
 drug interactions 111, 123
 geriatric psychopharmacology 270
 hepatically impaired patients 273
 histamine receptor binding affinities 212
 impulsive aggression 348
 multiple pharmacodynamic effects 126
 OCD 344
 protein binding 262
 renal patients 276
 serotonin receptor binding affinities 212–213, 408, 490
 sex differences 247
 supratherapeutic dosing 324
 therapeutic drug monitoring 142, 143
 missing at random (MAR), research studies 60
 mixed effect models, meta-analyses 63
 mixed models for repeated measures (MMRM) 60, 61
 MMSE (Mini-Mental Status Exam) 486
 mod cloberemide
 dosage conversions 184
 dosing recommendations 321
 geriatric psychopharmacology 270
 therapeutic drug monitoring 142, 143
 modafinil
 avoiding polypharmacy 128
 children and adolescents 269
 cognitive function 492, 494–495
 to counter sedation 205
 drug interactions 111, 124
 hepatically impaired patients 275
 off-label uses 13
 protein binding 262
 renal patients 278
 schizophrenia 376
 moderation management, controlled drinking 428
 moderator analyses, research studies 62–63
 moderators of treatment outcomes *see outcome moderators/mediators*
 monoamine oxidase inhibitors *see* MAOIs
 Montreal Cognitive Assessment (MoCA) 486
 mood disorders 281–283, 318; *see also* bipolar disorder; depression; major depressive disorder with mixed features
 adjustment disorders 283
 with anxiety disorders 301–302, 302, 317
 catatonia 301
 cognitive function 488–490
 cyclothymic disorder 308
 dimensions of 282
 emotional lability/affective instability 308
 impulsivity/compulsivity 336
 PTSD 449
 mood stabilizers
 as antipsychotic adjuncts 370–371, 387
 anti-switch vs. anti-recurrence drugs 306–308
 borderline personality disorder 472, 473, 474
 mood swings
 see affective instability/lability
 morphine, detection windows 440
 MTHFR gene 162, 168
 multiple diagnoses, cause-and-effect relationships 5
 multiple imputation methods, research studies 60
 multiple regression models 62
 multivariate analyses, research studies 61
 muscarinic procholinergics 293
 myocardial infarction, and depression 258
 myocardiitis, adverse drug effects 195
 nabilone 436
 N-acetyl-cysteine (NAC)
 addiction 436
 behavioral addictions 446
 cognitive function 492
 nutraceuticals 241–242
 skin exoriation 351
 trauma/PTSD 459
 nadolol 340
 nalmefeme 431, 446
 naltrexone
 addiction 426

- alcohol use/dependence 429, 441
 behavioral addictions 446
 dysphoria 430
 kleptomania 346
 opiate addiction 445
 Sinclair method 431
 narcissistic personality disorder see borderline, histrionic, narcissistic and antisocial personality disorder (cluster B)
 NaSSAs (noradrenergic and specific serotonergic antidepressants) 372
NAT2 gene 165
 natural course of illness see course of illness
 naturalistic designs, research studies 50
 necessary clinical adjustments (NCAs) 9; *see also* tweaking drug regimens
 needs hierarchy, Maslow's 452
 nefazodone
 anxiety disorders 302, 418
 dosage conversions 184
 dosing recommendations 323
 protein binding 262
 serotonin receptor binding affinities 408
 therapeutic drug monitoring 142, 143
 negative affect, addiction 426
 negative predictive value (NPV), research studies 67
 negative symptoms in schizophrenia 389, 397
 4 As of 389–390
 amphetamine 394
 antidepressants 392, 393
 antipsychotics 391–392, 398–399
 cannabidiol 397
 citicoline 397
 corticolimbic circuitry 389, 390
 dehydroepiandrosterone 396
 dopaminergic system 389, 391, 391, 393–394
 estrogen 396
 measures/assessment 390
 NMDA receptors 394–395, 395
 other medications targeting glutamatergic system 396
 oxytocin 396
 pregnenolone with L-theanine 396
 pro-dopaminergic drugs 393–394
 serotonergic system 391, 391, 397
 testosterone 397
 transdiagnostic treatment 31
 negative trials, research studies 66
 nephrogenic diabetes insipidus (NDI) 202
 network meta-analyses 63–64
 neurobiological perspectives
 pharmacogenetic test results 158
 placebo effects 78
 transdiagnostic treatment 35–36
 neuroimaging biomarkers 105–106
 neuroleptic malignant syndrome (NMS) 202
 neuroscience-based drug nomenclature (NbN) 14, 24
 neuroticism, placebo effects 77
 neurotoxicity/neuroprotection, FGAs vs. SGAs 357–378
 neurotransmitter systems
 cholinergic system 16
 dopaminergic system 17
 GABA/glutamate System 19
 histamine system 20
 mechanism of drug action 11–12
 melatonin and orexin systems 20
 noradrenergic system 19
 placebo effects 78
 psychotropic relevance of supplements 237
 serotonergic system 18
 Newtonian laws of psychopharmacology 9, 82, 180
 niacin deficiency, schizophrenia 224
 nicotinic acetylcholine receptors 376, 492–493
 Nietzsche, Friedrich 47, 447
 NIMH Collaborative Depression Study 180
 NIMH Research Domain Criteria (RDoC) 35, 44
- NMDA receptors
 alcohol use/dependence 434
 cognitive function 492
 drugs targeting 376, 394–395; *see also* ketamine
 negative symptoms 394–395
 psychosis 359–362
 placebo effect 76, 77–78, 82–84, 87, 192, 193, 505
 nomenclature
 case vignettes 13
 drug treatments 13–14, 23
 neuroscience-based 14, 24
 nominal p-values, statistical significance 55
 nomograms, therapeutic drug monitoring 133–134, 134
 nonadherence to treatment see adherence to treatment
 noninferiority, research studies 55, 56
 nonlinear pharmacokinetics 131–132
 non-nucleoside reverse transcriptase inhibitors 263
 nonparametric tests, research studies 50–51, 69
 nonsuicidal self-injury (NSSI) 345, 352
 borderline personality disorder 472
 transdiagnostic treatment 41
 noradrenergic symptom clusters, depression 302
 noradrenergic system 19
 norepinephrine reuptake inhibitors *see* SNRIs
 normal distribution, research studies 50, 50
 nortriptyline
 anxiety disorders 417
 cognitive function 488–489
 dosage conversions 184
 dosing recommendations 322
 geriatric psychopharmacology 251, 270
 inflammatory-state depression 303
 lactation 255
 protein binding 262
 relapse-prevention post ECT 326
 therapeutic drug monitoring 141, 143
 not otherwise specified (NOS) diagnosis 29
 novelty seeking, placebo effects 77
 NSSI *see* nonsuicidal self-injury
 nucleus accumbens, impulsivity/compulsivity 335
 number needed to treat (NNT) 57
 number of episodes, outcome moderators 95
 nutraceuticals 221–222, 229, 230; *see also* vitamin deficiencies
 adaptogens 228, 243
 anxiety disorders 403
 blood-brain barrier 225–226, 227–228
 cannabidiol 226–227
 case vignettes 229
 definitions 227, 229
 dietary supplements definition 222
 evidence-based medicine 221–222, 225
 herbal medicines 239, 240
 historical perspectives 221
 L-methylfolate 228
 mineral deficiencies 225, 236
 negative symptoms 396, 397
 neurotransmitters 237
 one-carbon donor molecules 227–228
 other compounds 241–242
 probiotics 229, 229, 243
 racial/ethnic differences 246
 repletion/replenishment concept 223
 safety concerns 222–223, 231
 serotonin synthesis 226
 sleep aids 228
 steroid supplements 238
- obesity *see* weight gain and obesity
 objective measures of symptom severity 500–501; *see also* measurement-based care
 observational designs, research studies 6, 50
 observed cases, research studies 60, 61

INDEX

- observed effects, cause-and-effect relationships 4-5
 observer effect 75
 obsessions; *see also* impulsivity/compulsivity; OCD
 anxiety disorders signs/symptoms 401
 definitions 333
 vs. psychosis 38
 Obsessive-Compulsive Drinking Scale 427
 obsessive-compulsive personality disorder (cluster C) 478
 OCD (obsessive-compulsive disorder) 341-344; *see also* impulsivity/compulsivity
 with bipolar disorder 317
 placebo effects 87
 predictors/risk factors for postpartum depression 254
 skin excoriation 344-345, 351
 odds ratios (ORs), research studies 51
 olanzapine
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 anxiety disorders 423-424
 behavioral addictions 446
 bipolar disorder 332
 borderline personality disorder 483-484
 cigarette smokers 252
 conversion to long-acting injectable 186
 dopamine receptor binding affinities 204
 dosage conversions 185
 dosing recommendations 384
 hepatically impaired patients 274
 high-dosing regimes 381
 histamine receptor binding affinities 205, 212
 impulsive aggression 350
 long-acting injectable (LAI) 386-387
 negative symptoms 398-399
 protein binding 262
 renal patients 277
 serotonin receptor binding affinities 212-213, 290, 408, 490
 sex differences 247
 short-acting intramuscular injection 367-368
 therapeutic drug monitoring 143, 148
 trauma/PTSD 464
 olanzapine/fluoxetine combination (OFC) 295
 old age/older adults *see* geriatric psychopharmacology
 omega-3 fatty acids 241-242, 476
 omnibus test, research studies 51
 "on-label/off-label" drug treatments 12-13
 ondansetron 397, 426, 432
 one in ten rule, regression models 62
 one-size-fits-all approach, efficacy vs. effectiveness 89
 one-carbon donor molecules 227-228
 one-tailed tests, research studies 55-56
 open-label placebos 82
 opiates
 addiction 437, 445
 drug toxicology screens, false positives 441
 metabolism 437
 opioid antagonists
 nonsuicidal self-injury/self-injurious behavior 352
 skin excoriation 351
 optimism, dispositional 77
 oral loading strategies, therapeutic drug monitoring 133-134
 orbitofrontal cortex (OFC) 335
 orexin neurotransmitter system 20
 orthostatic hypotension, adverse drug effects 195-196
 Osler, Sir William 89
 osmotic-release oral delivery system (OROS) formulation, methylphenidate 494
 outcome measures *see* measurement instruments
 outcome moderators/mediators 89, 99, 104
 adherence to treatment 99-100
 age factors/age at onset 94
 baseline anxiety disorders 97
 bespoke treatment 90, 93
 biomarkers as moderators 90-91, 105-106
 case vignettes 99
 changing one variable at a time 500
 childhood trauma 97
 chronicity 94-95
 cognitive function/emotional processing 101
 confounding factors 92
 definitions 90
 diffusion tensor imaging 91
 drug interactions 99-100
 duration of untreated illness 95-96
 early and enduring response to treatment 101-102
 efficacy vs. effectiveness 89
 expressed emotion 101
 genetics 98
 hedonic capacity 101
 illness severity 93-94
 illness subtype 98-99
 inflammatory biomarkers 98
 number of episodes 95
 past treatment responses 97-98
 patient preferences 98
 post hoc analyses 103
 pregnancy 101
 psychosocial factors 98
 racial/ethnic differences 96
 resilience 97
 sex differences 96
 for specific conditions 106
 suicidal ideation 96
 substance misuse 101
 tweaking drug regimens 102-103
 Wilder's law 93
 outcome variables, research studies 55
 outcomes, primary/secondary 64-65, 72
 overdose, toxicity states 170
 oversimplifications, chemical imbalance hypothesis 12
 oxcarbazepine
 alcohol use/dependence 429
 borderline personality disorder 481-482
 children and adolescents 267
 hepatically impaired patients 272
 impulsive aggression 349
 psychotropic profiles 330
 renal patients 275
 trauma/PTSD 463
 oxytocin
 borderline personality disorder 477
 negative symptoms 396
 schizophrenia 376
 trauma/PTSD 458
 paliperidone
 α receptor binding affinities 196
 antidepressant augmentation/adjuncts 325
 bipolar disorder 332
 borderline personality disorder 483-484
 conversion to long-acting injectable 186
 dosage conversions 185
 dosing recommendations 384
 hepatically impaired patients 274
 high-dosing regimes 381
 histamine receptor binding affinities 212
 impulsive aggression 350
 long-acting injectable 386-387
 negative symptoms 398-399
 protein binding 262
 renal patients 264, 277
 serotonin receptor binding affinities 212-213, 290, 490
 panic attacks 412
 panic disorder; *see also* anxiety/GAD
 anxiety disorders signs/symptoms 401
 buspirone 408
 heritability 150

- maintenance of pharmacotherapy 181–182
 MAOIs 418
 outcome moderators 96, 99
 placebo effects 86, 87
 research studies 61
 PANSS Negative Symptom Factor 390
Papez circuit 354; see also limbic system
 parachutes analogy 222
 paradoxical injunction, placebo effects 77–78
 paralimbic structures, impulsivity/compulsivity 335
 parallel designs, research studies 52
 parametric tests, research studies 50–51, 69
 paranoia
 anxiety disorders signs/symptoms 401
 transdiagnostic treatment 41
 paranoid personality disorder 468–470
 Parkinsonism, adverse drug effects 202
 Parkinson's disease 248, 264
 paroxetine
 alcohol use/dependence 442
 anxiety disorders 302, 416, 419
 behavioral addictions 446
 cognitive function 488
 dosing recommendations 319
 geriatric psychopharmacology 250, 270
 histamine receptor binding affinities 212
 lactation 255
 personality features 465
 renal patients 276
 serotonin receptor binding affinities 212–213, 408
 therapeutic drug monitoring 140, 143
 trauma/PTSD 452–453
 parsimonious drug regimens 115–116, 125, 126, 127, 128
Passiflora incarnata, herbal medicines 240
 past treatment responses, outcome moderators 97–98
 pathological gambling 446
 patient individuality, response to medication 7–8; see also precision medicine
 patient preferences, outcome moderators/mediators 98
 Pearson, Karl 47
 peer review, research studies 47
 perceptual distortions see psychosis
 per protocol analyses, research studies 60, 61
 perphenazine 358
 anxiety disorders 411
 dosage conversions 185
 dosing 379–380
 therapeutic drug monitoring 147
 persistent depressive disorder 174, 190, 300
 personality
 correlates, placebo effects 77–78
 structural components, transdiagnostic treatment 36
 personality disorders 465–467, 479; see also borderline, histrionic, narcissistic and antisocial personality disorder (cluster B)
 cluster A 468–470, 479
 cluster C 478, 479
 case vignettes 469, 477–478
 classification 467–468
 overlapping features with other conditions 466, 467
 pharmacotherapy 468–470
 personalized medicine see precision medicine
 PET (positron emission tomography) 105–106
 pharmaco-archaeology 504
 pharmacodynamic drug interactions 123
 pharmacodynamic pharmacogenetics 154, 155, 159
 pharmacogenetics 149, 162–163; see also SNPs
 and see specific genes
 candidate gene studies 151–153
 commercially available tests 165, 168
 comorbidity 33–34, 34
 controversies 150, 151, 155, 156, 157
 cytochrome P450 metabolism 154, 155
 definitions 149, 150, 151–152, 158, 159, 161
 efficacy 153, 155–158, 167
 GENDEP project 157
 genome-wide association studies 152–153
 GUIDED trial 156–157
 heritability of drug response 150, 153
 heritability of psychiatric disorders 150–153
 neurobiological perspectives 158
 outcome moderators 98
 placebo effects 78
 results interpretation 158, 159, 159–162
 safety pharmacogenetics 153, 164, 166
 schizophrenia 158
 pharmacogenomics, definition 149
 pharmacokinetic pharmacogenetics 154
 cytochrome P450 metabolism 154, 155
 enzymes in phase I/phase II hepatic metabolism 164
 interpretation of test results 161
 pharmacokinetics 122
 antidepressant combinations 120
 antidepressant/anticonvulsant combinations 121
 cytochrome P450 system 263
 linear and nonlinear pharmacokinetics 131–132
 non-nucleoside reverse transcriptase inhibitors 263
 outcome mediators 99–100
 protease inhibitors 263
 therapeutic drug monitoring 135–137
 pharmacotherapy see drug treatments
 phases of treatment see course of treatment
 phencyclidine 440, 441
 physical illness, psychological sequelae
 chronic obstructive pulmonary disease 259–260
 dementia 260–261
 drug protein binding 262
 gastrointestinal disorder 261
 glaucoma 261–262
 HIV/AIDS 262–263
 myocardial infarction 258
 Parkinson's disease 264
 post-stroke depression 258, 258–259
 psychosis due to 374
 renal patients 263–264
 sleep apnea 264–265
 pimavanserin
 adverse drug effects 196
 antidepressant augmentation/adjuncts 325
 dosing recommendations 384
 hepatically impaired patients 274
 protein binding 262
 renal patients 277
 serotonin receptor binding affinities 290
 therapeutic drug monitoring 143
 pimozide 359, 378, 490
Piper methysticum, herbal medicines 231, 240
 placebo-controlled trials 66
 placebo effects 8, 73–74, 85
 active vs. inactive 82
 antipsychotics 366
 bipolar depression 311, 314
 case vignettes 77–78
 cause-and-effect relationships 3
 dosing frequency 77
 drug discontinuation effects 84
 early and enduring response to treatment 102
 illness severity 80–81, 81, 93, 93
 neurobiological correlates 78
 nocebo effect 76, 77–78, 82–84, 87
 open-label placebos 82
 patient-specific response characteristics 75–76, 76
 persistence/transience 81–82
 pharmacogenetic correlates 78
 prevalence across disorders 80–81, 86
 principles of practical psychopharmacology 505

INDEX

- placebo effects (*cont.*)
 psychological and personality correlates 77–78
 regression to the mean 74–75
 response rates 78–79
 study designs to minimise 84, 85, **88**
 trial duration 79–80
 plasma drug level monitoring 130–131; *see also* therapeutic drug monitoring
 pleiomorphic heterogeneity 34
 PMDD *see* premenstrual dysphoric disorder
 Poe, Edgar Allan 425
 polycystic ovarian syndrome 257
 polypharmacy/combination therapies 107, 119
 adherence to treatment 109
 aggressive dosing 118–119
 antipsychotics 116–117, 118, 370
 bipolar disorder 310–312, **328**
 complex dopamine model 110
 continual review of regimens 114
 definition 107
 discontinuation of individual components 114–115
 dopamine agonism/antagonism 117–118
 drug interactions 108–125, 120, **121**, 122, **123**
 drug-related problems 108
 extensive regimens 107–108
 GABergic system 118
 MAOIs plus TCAs 112–113, 124
 parsimonious regimens 115–116, **125**, **126**, **127**, **128**
 serotonin agonists 113
 serotonin syndrome 111–112
 therapeutic drug monitoring 135–137
 unusual combinations 110–111
 Pomaglumetad 362
 poor metabolizers (PMs) 154
 population stratification 152
 positive predictive value (PPV) 67, **67**
 post hoc analyses
 outcome moderators/mediators 103
 research studies 51, 62–63
post hoc ergo propter hoc phenomenon 4
 post-acute withdrawal syndrome (PAWS) 437
 posterior probabilities, Bayesian analysis 57
 postpartum depression 253–254, **254**, 255, 256; *see also* reproductive psychopharmacology
 post-stroke depression 258–259
 post-traumatic distress intolerance 39
 post-traumatic stress disorder *see* trauma and PTSD
 power, statistical 53–55
 practical psychopharmacology *see* drug treatments
 practice effects, cognitive function 488
 pramipexole
 cognitive function 491
 polypharmacy 118
 protein binding **262**
 treatment-resistant depression 295
 prebiotics 227
 precision medicine; *see also* diversity across subpopulations
 outcome moderators/mediators 90, 93
 pharmacogenetics 149–150, 155
 response to medication 7–8
 predictors of treatment outcome 90; *see also* outcome moderators/mediators
 Preferred Reporting Items for Systematic Reviews and Meta-analyses (PRISMA) 63
 prefrontal cortex, addiction 426
 pregabalin
 alcohol use/dependence 429
 anxiety disorders 403, 407, **422**
 children and adolescents **267**
 drug discontinuation 177, **187**
 drug interactions 110
 hepatically impaired patients **272**
 off-label uses 13
 protein binding **262**
 renal patients 264, 275
 strategies to optimize tolerance **219**
 tapering drugs 411
 trauma/PTSD **463**
 pregnancy; *see also* reproductive psychopharmacology
 drug contraindications **170**
 outcome mediators **101**
 pharmacotherapy during **254–255**, 271
 opiates 255
 pregnenolone
 addiction 436
 cognitive function 492
 negative symptoms 396
 psychotropic relevance of supplements **238**
 premenstrual dysphoric disorder (PMDD) 256
 preoccupation, addiction 426
 primary outcomes, research studies 64–65, 72
 principles of practical psychopharmacology *see* drug treatments (general information)
 prior probability, Bayesian analysis 59
 probiotics **227**, 229, 243
 problem-solving impairments **499**
 processing speed impairments **499**
 procholinergics *see* acetylcholinesterase inhibitors
 pro-dopaminergic drugs, negative symptoms 393–394; *see also* psychostimulants
 progesterone supplements **238**
 proof-of-concept studies 6
 propranolol **128**, 340
 prospective research studies 50
 protease inhibitors, pharmacokinetics **263**
 protein binding, psychotropic medications **262**
 protopathic bias **198**
 pseudobulbar affect (PBA) 249
 pseudospecificity
 cognitive function 488–489
 research studies 63
 pseudotranssexualism 248
 psilocybin, substance use disorders 438
 psychedelic drugs, depression 304
 psychological correlates, placebo effects 77–78
 psychopharmacology, practical *see* drug treatments
 psychosis 353–356, 377; *see also* schizophrenia
 case vignettes 374
 children and adolescents **266**
 cognitive rigidity/inflexibility 364
 comorbidity 32
 delusional parasitosis 359
 differential transdiagnostic treatment 31–32
 dimensional model 38
 dopaminergic system 355–356, 360, 361–363, 363
 due to physical illness 374
 fear vs. anxiety disorders 355
 gaslighting 353, 354
 glutamatergic system/NMDA receptors 359–362, 371–372
 impulsive aggression 338, **350**
 impulsivity/compulsivity 336
 limbic system **118**, 354–356
 vs. obsessions 38
 placebo effects 366
 top-down/bottom-up cognition 353–354
 transdiagnostic treatment 37–38, 41
 treatment goals 353
 treatment-resistant 373–374, **374**, 377
 psychosocial factors, outcome mediators/moderators 98, 101
 psychostimulants; *see also* amphetamine; methylphenidate
 adverse drug effects 193–194
 affective instability/lability 495–497
 antidepressant augmentation/adjuncts 293
 bipolar disorder 312
 borderline personality disorder 477
 children and adolescents 268, 269
 cognitive function 493–494

Cambridge University Press & Assessment

978-1-108-45074-4 — Practical Psychopharmacology

Joseph F. Goldberg, Stephen M. Stahl, Foreword by Alan F. Schatzberg

Index

[More Information](#)

INDEX

- dosage conversions **188, 189**
 drug discontinuation **177–178**, 183
 drug interactions **110, 111, 124**
 executive function **494–495**
 geriatric psychopharmacology **251–252**
 hepatically impaired patients **275**
 lactation **272**
 long-acting formulations **494**
 negative symptoms **393–394**
 pharmacological tolerance **495**
 pregnancy **271**
 renal patients **278**
 stimulant use disorder **434–436**
 therapeutic drug monitoring **142**
 psychotherapy, borderline personality disorder **476**
 psychotic depression **300**
 PTSD (post-traumatic stress disorder) *see* trauma and PTSD
 PTSD Checklist (PCL) **451**
 pyramid model, cognitive function **486, 487**
- QTc interval prolongation **196, 196–197, 258**
 antipsychotics **365**
 pimozide **378**
 quantitative measures *see* measurement-based care
 quercetin, nutraceuticals **241–242**
 quetiapine
 α receptor binding affinities **196**
 antidepressant augmentation/adjuncts **325**
 anxiety disorders **302, 423–424**
 bipolar depression **328**
 bipolar disorder **332**
 borderline personality disorder **483–484**
 dopamine receptor binding affinities **204**
 dosage conversions **185**
 dosing recommendations **385**
 geriatric psychopharmacology **251–252**
 half-life **385**
 hepatically impaired patients **274**
 high-dosing regimes **381**
 histamine receptor binding affinities **205, 212**
 multiple pharmacodynamic effects **127**
 negative symptoms **398–399**
 off-label uses **13**
 renal patients **277**
 research studies **62**
 serotonin receptor binding affinities **212–213, 290, 408, 490**
 therapeutic drug monitoring **143, 148**
 trauma/PTSD **464**
- racial differences
 antipsychotics **246**
 definitions **245**
 diversity across subpopulations **245–247**
 outcome moderators **96**
 rage attacks **41, 336**; *see also* aggression (impulsive)
 raloxifene **238, 492**
 ramelteon **249, 274**
 random effects, meta-analyses **63**
 randomization, research studies **51–52**
 randomized controlled trials (RCTs) **6–7**; *see also* evidence-based medicine
 drug discontinuation **190**
 ketamine **326**
 racial/ethnic differences **245**
 rapid cycling, bipolar disorder **314–315, 329**
 rapid initial dose escalation (RIDE) strategy **365**
 rapid neuroleptization **365**
 rating scales *see* measurement instruments
 reality-testing, psychosis **353–354**
 reasoning impairments **499**
 rebound hypertension, abrupt drug cessation **172**
 receiver operating characteristic (ROC) curves **68**
 recovery, and life stresses **10**
- redundancy of treatment effects **4, 15, 107, 123, 171, 288, 502–503**
 regression models, research studies **62**
 regression to the mean **74–75**
 rejection sensitivity **92**
 relapses
 course of treatment **180–182**
 post ECT **304, 326**
 schizophrenia **388**
 reliability of diagnosis **27–28, 42**
 relief-seeking, addiction **425**
 renal patients **263–264**
 adverse drug effects **197–198**
 anticonvulsants and lithium **275**
 antidepressants **276**
 antipsychotics **277**
 definitions and terminology **264**
 other medications **278**
 psychostimulants **278**
 sedatives **278**
 repeated measures, analysis of variance **61**
 repletion/replenishment concept, nutraceuticals **223**
 reproductive psychopharmacology **253–254**
 brexanolone **256**
 divalproex and polycystic ovarian syndrome **257**
 opiates **255**
 pharmacotherapy during lactation **255, 272**
 pharmacotherapy during pregnancy **254–255, 271**
 postpartum depression **253–254, 254, 255, 256**
 predictors/risk factors for depression **254**
 premenstrual dysphoric disorder **256–257**
 relapses of existing mood disorders **255–256**
 research studies and statistical analysis **47–48, 68**
 α/β level corrections **54, 69**
 analysis of variance **61–62**
 attrition and study dropout **60–61, 70**
 Bayesian analysis **57–60**
 classification functions **67**
 clinically meaningful results **54, 56–57**
 Cohen's d/Hedge's g **56, 58–59**
 confounding factors **51–52**
 CONSORT diagrams **49, 49**
 effect sizes **53, 56**
 efficacy vs. effectiveness **65**
 enriched designs **66–67**
 evidence-based medicine **48**
 flexible vs. fixed-dose studies **64**
 funnel plots **64**
 Jadad Scale **53**
 meta-analyses **63–64, 71**
 moderator analyses **62–63**
 noninferiority/superiority/sensitivity **55, 56**
 normal distribution **50, 50**
 number needed to treat **57**
 observational vs. naturalistic designs **50**
 odds ratios/confidence intervals **51**
 one-tailed/two-tailed tests **55–56**
 parallel vs. crossover designs **52, 53**
 parametric vs. nonparametric tests **50–51, 69**
 placebo effects **78–84, 85, 88**
 placebo-controlled trials/active comparators **66**
 post hoc analyses **51, 62–63**
 primary/secondary outcomes **64–65, 72**
 prospective vs. retrospective designs **50**
 pseudospecificity **63**
 randomization **51–52**
 receiver operating characteristic curves **68**
 regression models **62**
 sample size **54**
 sensitivity and specificity **67**
 single-group open trials **52–53**
 statistical significance and power **53–55**
 study design **49–50**

INDEX

research studies and statistical analysis (*cont.*)

- study group/study population 48, 49
- time until event analyses 65
- type I error/false positives 54
- type II error/false negatives 54
- univariate/multivariate analyses 61
- resilience
 - borderline personality disorder 476
 - gyroscope analogy 10
 - outcome moderators 97
 - transdiagnostic treatment 38–39
 - trauma/PTSD 447, 452
- retrospective research designs 50
- reverse causality 198
- reward pathway disorders 335, 425–427
- reward-seeking 425; *see also* addiction
- risk-benefit analysis, aggressive pharmacology 506–507
- risky behaviors, transdiagnostic treatment 41
- risperidone
 - adverse drug effects 201
 - antidepressant augmentation/adjuncts 325
 - anxiety disorders 423–424
 - bipolar disorder 332
 - conversion to long-acting injectable 186
 - dopamine receptor binding affinities 204
 - dosage conversions 185
 - dosing recommendations 385
 - drug interactions 111
 - hepatically impaired patients 274
 - histamine receptor binding affinities 205, 212
 - impulsive aggression 350
 - long-acting injectable 386–387
 - multiple pharmacodynamic effects 127
 - negative symptoms 398–399
 - renal patients 277
 - schizotypal personality disorder 469
 - serotonin receptor binding affinities 212–213, 290, 490
 - therapeutic drug monitoring 143, 148
 - trauma/PTSD 464
- ROC *see* receiver operating characteristic curves
- rumination 333, 401
- SAD (seasonal affective disorder), placebo effects 87
- s-adenosylmethionine (SAME) 96, 227–228
- safety concerns, nutraceuticals 222–223, 231
- safety pharmacogenetics 153, 166
 - cytochrome P450 metabolism 154, 155
 - enzymes in phase I/phase II hepatic metabolism 164
 - St. John's wort, herbal treatments 231, 240
- salience network, impulsivity/compulsivity 335
- saturation kinetics 131–132
- Sayers, Dorothy L. 25
- Schedule for the Assessment of Negative Symptoms (SANS) 390
- schizoid personality disorder 468–470
- schizophrenia; *see also* negative symptoms
 - adrenochrome hypothesis 224
 - augmentation strategies 372, 372–373, 375
 - benzodiazepines 375
 - cannabidiol 375
 - case vignettes 175–176
 - cognition as primary target 375–376
 - cognitive function 491–493, 499
 - D vitamin deficiency 223
 - diagnostic complexity/symptom overlap 27
 - drug discontinuation 175–176
 - drug interactions 111
 - efficacy of different drugs 365–366
 - electroconvulsive therapy 375
 - heritability 150
 - maintenance vs. discontinuation of therapy 191, 376, 388
 - outcome moderators 106
 - pharmacogenetics 158

placebo effects 86, 87

- probiotics 243
- schizotypal personality disorder 468–470, 491
- scopolamine, antidepressant augmentation 293
- Screen for Cognitive Impairment for Psychiatry (SCIP) 486
- secondary outcomes, research studies 64–65
- sedation, adverse drug effects 205
- sedatives; *see also* benzodiazepines; Z-drugs
 - hepatically impaired patients 274
 - pregnancy 271
 - renal patients 278
- seizures
 - abrupt cessation of drugs 172
 - adverse drug effects 205
- selective serotonin reuptake inhibitors *see* SSRIs
- selenium supplements 236
- self-efficacy, placebo effects 77
- self-injurious behavior (SIB) *see* nonsuicidal self-injury
- sensitivity, research studies 67
- SEP-363856 investigational drug 357
- sequential parallel comparison design studies 85, 88
- serotonergic drugs; *see also* SNRIs; SSRIs
 - adverse drug effects 199
 - borderline personality disorder 480
 - histamine receptor binding affinities 212
 - impulsive aggression 337, 348
 - impulsivity/compulsivity 342–344
 - serotonin receptor binding affinities 212–213
 - switching serotonergic agents 175
- serotonergic system 18; *see also* 5HT gene family
 - anxiety disorders 355
 - atypical antipsychotics 356–357
 - serotonin synthesis 226
- serotonin receptor
 - adverse drug effects 212–213
 - antipsychotic adjuncts 372
 - anxiety disorders 407–410, 408
 - cognitive function 489–490
 - depression 291
 - and dopaminergic system 356–357, 391
 - negative symptoms 397
 - OCD 344
 - polypharmacy 113, 113
 - psychotropic relevance of supplements 237
 - SGAs 290
- serotonin syndrome 111–112, 205
- sertraline
 - adverse drug effects 195
 - alcohol use/dependence 442
 - anxiety disorders 302, 416, 419
 - behavioral addictions 446
 - cocaine addiction 444
 - cognitive function 488–489
 - dosage conversions 184
 - dosing recommendations 319
 - drug interactions 121
 - efficacy pharmacogenetics 156
 - geriatric psychopharmacology 250, 270
 - histamine receptor binding affinities 212
 - impulsive aggression 348
 - lactation 255
 - multiple pharmacodynamic effects 126
 - outcome moderators 96, 99
 - postpartum depression 255
 - protein binding 262
 - renal patients 276
 - serotonin receptor binding affinities 212–213, 408
 - skin excoriation 351
 - supratherapeutic dosing 324
 - therapeutic drug monitoring 140
 - trauma/PTSD 452–453
- serum drug level monitoring, definition 130–131; *see also* therapeutic drug monitoring

- Seuss, Dr. 244
 severity of illness *see baseline severity*
 sex differences
 diversity across subpopulations 247–248
 outcome moderators 96
 PTSD 450
 sexual dysfunction, adverse drug effects 206, 216
 Shakespeare, William 400
 SIADH, adverse drug effects 207
 sialorrhea, adverse drug effects 206
 SIB (self-injurious behavior) *see nonsuicidal self-injury*
 sigmoidal dose-response curves 132
 Sinclair method, alcohol use/dependence 431
 single-group open trials 52–53
 single-nucleotide polymorphisms *see SNPs*
 skin excoriation 344–345, 351
SLC gene family 159–160, 167, 168
 sleep aids
 geriatric psychopharmacology 249
 nutraceuticals 228
 transdiagnostic treatment 41
 sleep apnea, patients with 264–265
 sliding scale approach to psychopharmacology 505
 SMD *see standard mean difference*
 SNPs (single-nucleotide polymorphisms) 151–153, 152; *see also pharmacogenetics*
 biomarkers 105–106
 commercially available tests 165, 168
 comorbidity 34
 definition 152
 efficacy pharmacogenetics 167
 SNRIs (serotonin-norepinephrine reuptake inhibitors); *see also specific drugs*
 anxiety disorders 417, 419
 avoiding polypharmacy 128
 dosing recommendations 320
 drug interactions 110, 123
 geriatric psychopharmacology 250
 hepatically impaired patients 273
 mechanism of action 21
 multiple pharmacodynamic effects 126
 strategies to optimize tolerance 220
 therapeutic drug monitoring 141
 social anxiety disorder; *see also anxiety/GAD*
 buspirone 408
 drug discontinuation 190
 MAOIs 418
 placebo effects 80, 86
 social cognition 498
 impairments across psychiatric conditions 499
 transdiagnostic treatment 37
 sodium benzoate 376, 492
 somatic marker hypothesis 335
 somatic symptom disorder 258
 somatosensory amplification 83
 somnolence, adverse drug effects 205
 special populations *see diversity across subpopulations*
 specificity, research studies 67
 spectrum diagnoses, transdiagnostic treatment 29–30
 SSRIs (selective serotonin reuptake inhibitors); *see also specific drugs*
 abrupt cessation issues 172–184
 adverse drug effects 195, 199
 anxiety disorders 403, 416, 419
 bipolar disorder 311
 cause-and-effect relationships 3
 dosing recommendations 319
 drug interactions 110, 120, 123
 effect sizes 403
 hepatically impaired patients 273
 impulsive aggression 348
 impulsivity/compulsivity 336
 mechanism of action 21
 multiple pharmacodynamic effects 126
 nonsuicidal self-injury/self-injurious behavior 352
 outcome moderators 96, 98
 placebo effects 76
 research studies 61
 strategies to optimize tolerance 220
 therapeutic drug monitoring 140
 trauma/PTSD 452–455, 462
 trichotillomania 345
 stability over time 30–31, 43; *see also course of illness*
 standard mean difference (SMD), effect size 56, 58–59
 STAR*D MDD trials 97, 288–289, 292, 293–294, 301, 336
 State-Trait Anxiety Inventory (STAI) 451
 statins, as antipsychotic adjuncts 373
 statistical power 53–55
 statistical significance 53–55
 statistical tests 50–51, 69
 statistics, measurement-based care 132–133; *see also research studies and statistical analysis*
 stellate ganglion block, trauma/PTSD 459
 steroid drugs/supplements 238, 396
 stimulants *see psychostimulants*
 stopping psychotropic medication *see drug discontinuation*
 stratification, confounding factors 52
 stress; *see also distress intolerance*
 life events 448
 and recovery 10
 and trauma 448–449
 stroke, post-stroke depression 258–259
 Stroop effect, pharmacogenetics 159
 structural components of personality, transdiagnostic treatment 36
 study design *see research studies and statistical analysis*
 Study to Predict Optimised Treatment in Depression (iSPOT-D) 91
 subpopulations *see diversity across subpopulations*
 substance misuse; *see also addiction*
 detection windows 440
 outcome mediators 101
 transdiagnostic treatment 35
 subtherapeutic doses, polypharmacy 108
 suicidal ideation
 adverse drug effects 206–207
 borderline personality disorder 472–473
 outcome moderators 96
 racial/ethnic differences 246
 research studies 50
 transdiagnostic treatment 39–40, 41
 superiority, research studies 55
 supratherapeutic dosing *see high-dosing regimes*
 surface under the cumulative ranking curve (SUCRA), meta-analyses 63–64
 suvorexant
 hepatically impaired patients 274
 protein binding 262
 sleep aids 249
 therapeutic drug monitoring 143
 sweating, adverse drug effects 200
 symptom-based treatment approaches 28
 symptom overlap 26–27, 41
 symptom subcomponents, categorical disorders 34–35
 symptom triggered regimen (STR), alcohol withdrawal 429
 syndrome of inappropriate antidiuretic hormone secretion (SIADH), adverse drug effects 207
 synergistic effects, polypharmacy 108, 130
 Syrus, Publilius 169
 Szasz, Thomas 353
 tachyphylaxis 11, 131
 tamoxifen 122, 155
 tapering drug regimes *see also drug discontinuation*
 alcohol withdrawal 428–429
 benzodiazepines 407
 cross-tapering vs. switching to another drug 170–171
 tardive dyskinesia 207–209, 208
 case vignettes 209
 FGAs vs. SGAs 357–378
 VMAT2 inhibition/dopamine supersensitivity 208

INDEX

- taurine supplements 237
- TDM *see* therapeutic drug monitoring
- TEAS see treatment-emergent affective switch
- temazepam, dosage conversions 187
- teratogenic risks of pharmacotherapy 254
- testosterone
- negative symptoms 397
 - supplements 238
- theanine 237, 396
- theory of mind, transdiagnostic treatment 37
- therapeutic alliance, role in placebo effect 74–75, 83
- therapeutic drug monitoring (TDM) 129, 130–131, 138, 139; *see also* measurement-based care
- antidepressants 135, 142
 - antipsychotics 147, 148
 - case vignettes 136
 - CYP450 inducers and inhibitors 143
 - definition 131
 - dose-response curves 132
 - end-organ monitoring 137, 146
 - lamotrigine 134–135
 - linear and nonlinear pharmacokinetics 131–132
 - nomograms 133–134, 134
 - oral loading strategies 133–134
 - other antidepressants 142
 - polypharmacy 135–137
 - psychostimulants 142
 - secondary outcomes 137, 144
 - SNRIs 141
 - SSRIs 140
 - tricyclic antidepressants 141
 - useful statistics 132–133
- therapeutic index, pharmacokinetics 132
- therapeutic range, pharmacokinetics 132
- therapeutic window, pharmacokinetics 131–132
- thiopurine methyltransferase, SNPs 165
- thioridazine 196, 379–380
- thiothixene 379–380, 469, 470
- thrombocytopenia, adverse drug effects 215
- thyroid hormone, antidepressant augmentation 292–293
- tiagabine 421, 435, 463
- tics, adverse drug effects 210, 496
- timecourse of illness
- see* course of illness
- time until event analyses, research studies 65
- TNF (tumor necrosis factor) biomarkers 105–106
- top-down (cold) cognition 101, 334
- corticlimbic loop 334
 - psychosis 353–354
- topiramate
- alcohol use/dependence 431
 - as antipsychotic adjunct 371–372
 - anxiety disorders 420
 - avoiding polypharmacy 128
 - behavioral addictions 446
 - borderline personality disorder 481–482
 - children and adolescents 267
 - cocaine addiction 443
 - cognitive function 488
 - counteraction of iatrogenic weight gain 217
 - hepatically impaired patients 272
 - impulsive aggression 338, 349
 - OCD 344
 - off-label uses 13
 - pregnancy 271
 - protein binding 262
 - psychotropic profiles 330
 - renal patients 264, 275
 - skin excoriation 351
 - stimulant use disorder 435
 - strategies to optimize tolerance 219
- trauma/PTSD 463
- toxicity states 130, 170
- TPH1* gene 78, 167
- TPH2* gene, commercially available tests 168
- tramadol, drug interactions 112
- transdiagnostic treatment 25–26, 40
- affective instability/lability 31, 36, 41
 - arousal states 38, 41
 - attentional processing 36, 41
 - bipolar disorder 31
 - case vignettes 26
 - cognitive disorganization/differential treatment 31–32
 - comorbidity 32–34, 34, 35
 - core transdiagnostic treatment 28–29
 - diagnostic complexity/symptom overlap 26–27, 41
 - distress intolerance 38–39
 - executive function 37, 41
 - externalizing vs. internalizing dichotomy 30, 43
 - first/subsequent episode correlations 30–31, 43
 - five-factor model of personality 35–36, 45
 - form fruste* conditions/spectrum diagnoses 29–30
 - homotypic comorbidity 30
 - impulse control 37, 41
 - negative symptoms vs. depression treatment 31
 - neuroscience-based 35–36
 - NIMH Research Domain Criteria 35, 44
 - psychosis 37–38
 - reliability/validity 27–28, 42
 - social cognition/theory of mind 37
 - stability over time/longitudinal stability 30–31
 - structural components of personality perspective 36
 - substance use disorders 35
 - suicidal ideation 39–40, 41
 - symptom subcomponents 34–35
 - symptom-based treatment approaches 28
 - Tridimensional Personality Questionnaire 36, 46
- transgender individuals 247–248
- trauma and PTSD 447–448, 460, 461
- acute stress disorder 452
 - alpha agonists 457
 - anticonvulsants 458, 463
 - antipsychotics 458, 464
 - benzodiazepines 455–456
 - beta-blockers 456–457
 - case vignettes 449
 - as categorical construct 449–450
 - cognitive therapy 452
 - combination therapy 462
 - COVID-19 pandemic 452–453
 - diagnostic complexity/symptom overlap 27
 - dissociative illnesses 459–460
 - ketamine 458
 - life events 448
 - Maslow's hierarchy of needs 452
 - measures/assessment 450–451
 - novel pharmacotherapies 458–459
 - and personality disorders 466
 - pharmacotherapy 454
 - placebo effects 86, 87
 - PTSD construct 449–450
 - resilience 447, 452
 - SSRIs 452–455, 462
 - stellate ganglion block 459
 - stress, distress and trauma 448–449
 - trauma/PTSD 447
- trazodone
- adverse drug effects 196, 216
 - anxiety disorders 418
 - cigarette smokers 252
 - cognitive function 488
 - dosage conversions 184

- drug interactions 111, 123
 geriatric psychopharmacology 270
 histamine receptor binding affinities 212
 postpartum depression 255
 protein binding 262
 therapeutic drug monitoring 143
 treatment adherence see adherence to treatment
 treatment course see course of treatment
 treatment outcomes see outcome moderators/mediators
 treatment-emergent affective switch (TEAS), bipolar disorder 309–310, 309, 327
 treatment-resistant conditions
 and accuracy of transdiagnostic treatment 30
 diagnostic errors 466
 GUIDED trial 156–157
 therapeutic drug monitoring 130
 treatment-resistant depression 293–294
 ketamine 296–300, 299, 326
 MAOIs 294, 295, 295–296
 olanzapine/fluoxetine combination 295
 pramipexole 295
 staging model 294
 tree-structured gatekeeping procedures 55
 tremor, adverse drug effects 210
 triazolam, dosage conversions 187
 trichotillomania 345
 tricyclic antidepressants; *see also specific drugs*
 adverse drug effects 196, 205
 anxiety disorders 417
 bipolar depression 308–309
 cognitive function 488
 dosing recommendations 322
 drug interactions 110, 112–113
 efficacy for subsequent episodes 11
 hepatically impaired patients 273
 irritable bowel syndrome 261
 multiple pharmacodynamic effects 126
 racial/ethnic differences 246
 renal patients 276
 strategies to optimize tolerance 220
 therapeutic drug monitoring 141
 Tridimensional Personality Questionnaire (TPQ) 36, 46
 trifluoperazine, anxiety disorders 411
 triptans, drug interactions 111
 tryptophan, nutraceuticals 241–242
 tumor necrosis factor (TNF) biomarkers 105–106
 tweaking drug regimens 8–9
 ain't broke don't fix 175, 503
 bipolar disorder 9
 necessary clinical adjustments, bipolar disorder 9
 Newtonian psychopharmacology 9
 one variable at a time 500
 outcome moderators/mediators 102–103
 twin studies, heritability of psychiatric disorders 151
 two week/20% rule, course of treatment 8
 two-tailed tests, research studies 55–56
 type A vs. type B alcoholism 428
 type I errors, research studies 54
 type II errors, research studies 54, 74, 103
UGT gene family 161, 165
 ultra-rapid metabolizers (URMs) 154
 unbound drug fractions 264
 univariate analyses, research studies 61
 valbenazine
 protein binding 262
 tardive dyskinesia 208
 therapeutic drug monitoring 143, 143
Valeriana officinalis, herbal medicines 231, 240
 validity of diagnosis 27–28, 42
 valproic acid, HIV/AIDS patients 263
 variable number of tandem repeat (VNTR) 152
 venlafaxine
 anxiety disorders 302, 403, 407, 419
 dosage conversions 184
 dosing recommendations 320
 geriatric psychopharmacology 270
 outcome moderators 97
 protein binding 262
 relapse-prevention post ECT 326
 renal patients 276
 supratherapeutic dosing 324
 therapeutic drug monitoring 141, 143
 ventral striatum 426
 ventral tegmentum 335
 ventrolateral prefrontal cortex (VLPFC) 335
 ventromedial prefrontal cortex (VMPFC) 335
 verbal fluency, major cognitive domains 498
 verbal learning impairments 499
 vilazodone
 anxiety disorders 408–410
 dosing recommendations 323
 geriatric psychopharmacology 250
 protein binding 262
 renal patients 276
 serotonin receptor binding affinities 408–410
 therapeutic drug monitoring 142, 143
 visual learning impairments 499
 vitamin deficiencies; *see also* B vitamin deficiencies; D vitamin deficiencies
 adrenochrome hypothesis of schizophrenia 224
 case vignette 223
 dosing recommendations 235
 fat-soluble vitamins 232, 233
 psychiatric disorders 232, 234
 water-soluble vitamins 234, 235
 VNTR (variable number of tandem repeat) 152
 Voltaire (François-Marie Arouet) 73, 500
 volume of distribution 264
 vortioxetine
 adverse drug effects 199
 anxiety disorders 408–410
 cognitive function 488–489
 dosing recommendations 323
 geriatric psychopharmacology 250
 hepatically impaired patients 273
 protein binding 262
 serotonin receptor binding affinities 408–410, 490
 therapeutic drug monitoring 142, 143
 water-soluble vitamins 234
 weight gain and obesity
 adverse drug effects 210–213, 213
 pharmacological strategies 217, 218
 Wilder's law 93
Withania somnifera, cognitive function 491
 withdrawal effects; *see also* drug discontinuation
 abrupt cessation of drugs 172
 addiction 426
 alcohol use/dependence 428–429
 withdrawal syndromes 172
 within-group effect sizes, research studies 53
 working memory 335, 498, 499
 xenobiotics 161
 xerostomia, adverse drug effects 199
 Yerkes-Dodson law, anxiety disorders 400
 yi-gan san (Chinese herbal medicine) 476
 yohimbe, adverse drug effects 216
 yohimbine, serotonin receptor binding affinities 408
 Z-drugs 403, 488; *see also* zolpidem
 zero order kinetics 131–132

INDEX

- zinc supplements **236**
- ziprasidone
 - α receptor binding affinities **196**
 - antidepressant augmentation/adjuncts **325**
 - anxiety disorders **423-424**
 - bipolar disorder **332**
 - borderline personality disorder **483-484**
 - dopamine receptor binding affinities **204**
 - dosage conversions **185**
 - dosing recommendations **385**
 - hepatically impaired patients **274**
 - high-dosing regimes **381**
- histamine receptor binding affinities **205, 212**
- negative symptoms **398-399**
- renal patients **277**
- serotonin receptor binding affinities **212-213, 290, 408, 490**
- short-acting intramuscular injection **367-368**
- therapeutic drug monitoring **143, 148**
- trauma/PTSD **464**
- zolpidem
 - hepatically impaired patients **274**
 - protein binding **262**
 - sex differences **247**
 - therapeutic drug monitoring **143**