

, Anna Pierson, Natish Bindal
Index

[More Information](#)

Index

Answers denoted in **bold** face

- abdomen
 - anterior wall 114, **151**
 - inguinal canal 115, **152–153**
 - pathology 115, **153**
 - surface anatomy 114, **151–152**
- abdominal aortic aneurysms 411, 422–423, **527, 543**
- accidental awareness 339–340, **433**
- ACE inhibitors 197–198, **243**
- acetylcholine 11, 18, **59, 72**
- receptors 20, **75**
- acetylcholinesterase inhibitors 180, **213**
- acid–base balance 15, **66–67**
- acromegaly 340, 355–356, 385, **434, 456, 493**
- action potential, nerve cells 11, **57–58**
- acute fatty liver of pregnancy (AFLP) 337, **430–431**
- acute kidney injury (AKI) 407–408, **523**
- acute lung injury (ALI) 9, **53–54**
- acute respiratory distress syndrome (ARDS) 357–358, 401, **457–458, 514–515**
- acute respiratory failure 9, **53, 54**
- Addison's disease 401, **515**
- adenosine 198, **244**
- adrenal cortex 28, **92**
- adrenal medulla 29, **92–93**
- advance directives 362, **463–464**
- adverse drug reactions 181, **214**
- afterload 3, **41**
- agonists/antagonists 179, **211–212**
- airways
 - assessments 347, **443–444**
 - burns 368, **471–472**
 - difficulties 349, **447**
 - fire during laser surgery 385, **494**
- alcohol consumption 209, **262–263**
- alfentanil 192, **233**
- allergies, to anaesthesia 31, **96–97. see also** anaphylaxis
- altitude
 - anaesthesia 293, **326–327**
 - environmental changes 25, **84**
 - physiological changes 7, 24, **49–50, 83**
- alveolar ventilation/gas equation 7, **48**
- γ-aminobutyric acid (GABA) receptors 12, **59–60**
- amiodarone 198–199, **244**
- amniotic fluid embolisms 343, **439**
- anaerobic respiration 13, **61**
- anaerobic threshold 345, **441**
- anaesthesia. *see also* local anaesthesia
 - mechanisms 188, **226**
 - monitoring 275, **310**
 - total intravenous 184, **220–221**
- analgesics 189–193, **228–229**
- anaphylaxis 344, **440**
 - causes 366, 403–404, **468–469, 518**
 - management 370, 383, **492**
- angiosarcoma excisions 341, **435–436**
- ankle
 - anatomy 129, **172**
 - nerve blocks 131, **175**
- antacids 205, **256**
- antecubital fossa 124–125, **166–167**
- antiarrhythmic drugs 180, 198, **213, 244**
- antiemetic drugs 205, **256**
- antiepileptic drugs 203, **253**
- antifungal drugs 206, **258**
- antineuropathic drugs 419–420, **538–539**
- antiplatelet agents 201, **249**
- antisialagogue drugs 205, **257**
- antistatic footwear 269, **305**
- antibiotics 206–207, **258–259**
- antibodies 30, **96**
- antidiuretic hormone (ADH) 15, **67–68**
- antifreeze ingestion 423, **544**
- aprotinin 201, **250**
- arm. *see also* upper limb
- arrhythmias, postsurgical 380, **488**
- arterial cannulae 270–271, **306**
- arterial trace, damping 271–272, **307**
- arterioles, constriction 4, **43–44**
- aspiration risk factors 338–339, 374, **432, 479**
- aspirin 190, **229**
- asthma 400, **513**
 - acute severe 204, **255**
 - anaesthesia 418–419, **537–538**
 - life-threatening 388, **498**
- atenolol 198, **243–244**
- atlantoaxial subluxation 358, **458–459**
- atmosphere 264, **299–300**
- atracurium 193, **235**
- atrial fibrillation 352, 407, 421, **450–451, 522–523, 540**
- atrioventricular node (AVN) 1, **35**
- atropine 194–195, **237–238**
- auditory evoked potentials 19, **74**
- awake craniotomy anaesthesia 360, **460–461**
- awake fiberoptic intubations (AFOI) 370, **474–475**
- axilla 124, **164–165**
- axillary nerve blocks 125, **167**

, Anna Pierson, Natish Bindal

Index

[More information](#) **548** **Index**

- bendroflumethiazide 199, **246–247**
- benzodiazepines 186, **224–225**, 393
- bile salts 27, **87–88**
- bilirubin 27, **88**
- bioavailability, drugs 182, **216–217**
- biological signals 295, **329**
- bispectral index (BIS) 19, **74–75**
monitoring 358–359, **459**
- blood–brain barrier 17, **70**
drugs 182, **215–216**
- blood donation screening 370–371, **475**
- blood flow
arterioles/capillaries 5, **45**
cerebral 17, **70–71**
coronary 3, **41**
lungs 7, **48–49**
- blood groups 30, **95**, 374, **479–480**
- blood plasma 31, **96**
- blood pressure
automated non-invasive measuring 272, **307**
intra-arterial monitoring 272, **307**
measurement 271, **306**
physiological control 3, **42–43**
- blood products 202, **251–252**, **349–350**, **447–448**
transfusion 202, **252**
- blood supply
foot 129–130, **173**
lower limb 128, **171**
placenta 131–132, **176**
upper limb 123, **163–164**
uterus 131–132, **176**
- blood transfusions 366, **373–374**, 378, **469**, **479**, **485**
- bodily fluids 13, **62**
- body temperature 265, **300**
perioperative 278, 363, **464–465**
measurement 278, **312**
physiological changes 25, **84**
- bone cement implantation syndrome (BCIS) 381, **489**
- Bourdon gauges 271, **307**
- bowel tumours 346, **443**
- Bowman's capsule 14, **64**
- brachial plexus 121–122, **160–161**
blocks 345, **441**
nerves 122, 124, **161**, **165**
- brain
anatomy 16, **70**, 119–120, **157–158**
blood flow 17, **70–71**
blood supply 120, **158–159**
injury, intubation/ventilation 382–383, **491**
ischaemia 420, **539**
neurotransmitters 16, **69–70**
- brainstem death 386–387, **496**
- breast milk 387, **497**
- breathing systems, in anaesthesia 281–283, **316–317**
- bronchi 106–107, **142**
anatomy 363, **465**
blood supply/lymph drainage 107, **143**
- buffers 14, **65–66**
- Bunsen's solubility coefficient 290–291, **325**
- burn centres/units 346, **443**
- burns 379, 387, **486**, **496**
children 383, 403, 420, **491**, **517**, **539**
thermal 360, **461**
total body surface area percentage 336, **428–429**
- caesarean section 369, 376, **380**, **488**
- calcitonin 29, **93**
- calcium homeostasis 29, **93–94**
- carbimazole 207–208, **261**, **373**, **478**
- carbocysteine 204, **255–256**
- carbon dioxide transport, blood 10, **55**
- cardiac. *see also* heart
action potential 1, **34–35**
cycle 2, **35–39**
- cardiopulmonary exercise testing (CPET) 355, 367, **455**, **470**
- cardiovascular changes
elderly 32, **98**
pregnancy 21, **78**
- carotid arteries
endarterectomy 103, **138**
sheath 103, **138**
stenosis 371, **476**
- categorical data 268, **303**
- cell salvage 381, 382, **490**
- cellular respiration 13, **61–62**
- central neuraxial block (CNB) 200, **248**, 334–335, 419, **426**, **538**
- central venous catheter (CVC) 402, 410, **516**, **526**
- central venous pressure (CVP) 2, **39–40**
- cerebral hyperperfusion syndrome 379, **486**. *see also* brain
- cerebral palsy (CP) 340–341, 381, **435**, **489**
- cerebrospinal fluid (CSF) analysis 342–343, **438**
- cervical plexus 99, **133–134**
deep blocks 103, **138**
- chemistry laws 269, **305**
- chemoreceptors 10, **55–56**
- chi-squared tests 268, **303**
- children. *see* paediatrics
- Child–Pugh score 380, **487**
- chlorhexidine 356, **456**
- chronic obstructive pulmonary disease (COPD) 416, **534**
- chronic postsurgical pain (CPSP) 411, **526–527**
- chronic respiratory failure 9
- cisatracurium 193, **234**
- Clark electrodes 289, **323**
- cleft lips/palates 362–363, **464**
- clopidogrel 200, **248–249**
- closed/sealed systems 291–292, **326**
- coagulation
drugs 200, **248**
pathways 30, **95–96**
- cocaine 209, **263**
- codeine 191, **231**
- coeliac plexus blocks 115, **153**, **360**, **460**
- cognitive dysfunction, elderly 32, **97–98**
- colligative properties, solutions 291, **325**
- combined spinal–epidural anaesthesia (CSE) 375, **481–482**
- complete heart blocks 402, **516**
- complex regional pain syndrome 345–346, 382, **441–442**, **490–491**
- compliance, lungs 5, **45–46**

, Anna Pierson, Natish Bindal

Index

[More Information](#)

Index

549

- computerized tomography (CT) 283–284, **318**
 conduction, heart 1, **33–34**
 congenital heart diseases 359, **459–460**
 context-sensitive half-life 184, **220**
 contractility 3, **41**
 coronary arteries. *see also* heart
 blood flow 3, **41**
 stents 397, **510**
 corticosteroids 208, **261**
 COX-2 inhibitors 191, **230**
 CPEX testing, thoracic surgery patients 337–338, **431**
 cranial nerves 116–117, **154–156**
 craniopharyngioma 392, **503**
 croup 377, **484**
 Cushing's syndrome 395, **507**
 CVP waveform, abnormalities 393, **504**
 cyanotic heart disease 334–335, **348, 426–427, 446**
 cytochrome P450 enzyme inhibitors 181, **214**
 cytochrome P450 inducers 412, **528**
- damping 272, **307–308**
 arterial trace 271–272, **307**
 day-case units 372, **477**
 day surgery 361, **461**
 dead space 5, **46**
 defibrillators 276, **310–311**
 dementia 405, **519–520**
 dental damage under
 anaesthesia 408, **523–524**
 dermatomes, arm 122, **161–163**
 desflurane 292, **326**
 diabetes 207, **259–260**
 medications 342, **437–438**
 mellitus 379–380, **487**
 perioperative considerations 384, **492**
 preoperative considerations 365, 375–376, 398, **467–468, 482, 511**
 dialysis dependence 357, **457**
 diamorphine 192, **232–233**
 diaphragm 108–109, **144–145**
 diaphragmatic hernia, congenital 394, **505**
 diet 14, 28, **64–65, 90–91**
 diffusion, gas 9, **54**
- dipyridamole 200–201, **249**
 direct arterial line pressure monitoring 275, **310**
 direct current cardioversion 368, **472–473**
 discharge, day-surgery patients 375, **482**
 distributions, statistical 267, **302, 303**
 diuretics 199, **246**
 diving 25, **83–84**
 dopexamine 195, **239**
 Doppler effect 297, **331**
 dorsal column 18, **72**
 dose–response curves 178–179, **211**
 double lumen tube (DLT) 376, **420, 539–540**
 Down's syndrome 381–382, **417, 535–536**
 anaesthesia 407, **522**
 doxapram 208–209, **262**
 drug–receptor interactions 179, **212**
- drugs
 action mechanisms 180–181, **213–214, 215**
 adverse reactions 181, **214**
 antiepileptic 203, **253**
 bioavailability 182, **216–217**
 blood–brain barrier 182, **215–216**
 combinations 181, **214–215**
 crossing placenta 182–183, **217**
 delivery to cells 178, 183, **210–211, 218**
 elimination 183, **219–220**
 genetic differences in metabolism 184–185, **221–222**
 interactions 181, **215**
 metabolism 182, 183–184, **217–218, 352, 451–452**
 repeated doses 180, **212–213**
 Duchenne muscular dystrophy 365–366, **468**
 ductus arteriosus 354, **454**
 dyspnoea, severe 424, **545**
- ECT (electroconvulsive therapy) 350, 408–409, **448, 524**
 EEG (electroencephalography) 19, 73–74
 Eisenmenger's syndrome 374, **479**
 elderly patients
 anaesthesia 395–396, **508**
 anaesthetics 413, **529–530**
 physiology 31–32, **97, 98**
 electrical currents, direct/alternating 281, **314–315**
 electrical equipment
 class I 269–270, **305**
 class II 270, **305**
 components 280, **314**
 plugs 280, **314**
 transformers 280, **314**
 electrical nerve stimulation 390, **500**
 electromagnetism 280, **313–314**
 end tidal carbon dioxide monitoring 279–280, **313**
 endocarditis, infective 424, **545**
 endocrine system. *see* hormones
 endovascular aneurysm repair 400–401, **513–514**
 energy 285
 energy metabolism 26, **84–86**
 enoximone 407, **522**
 enteral feeding 400, **513**
 epidural analgesia
 abdominal surgery 361, **462**
 catheter removal 419, **538**
 labour 189–190, **228, 405, 520**
 physiological effects 416, **534–535**
 postoperative management 419, **538**
 pregnancy 365, **468**
 epidural space 117, **156**
 epiglottitis 369–370, 373, **474, 478**
 epilepsy/epileptic seizures 346, **365, 442–443, 468**
 erythropoietin 30, **94**
 etomidate 185, **223**
 exercise, healthy 24, **83**
 exomphalos 403, **517–518**
 explicit recall 354, **453**

, Anna Pierson, Natish Bindal

Index

[More information](#) **550** [Index](#)

- exponential functions 275–276, **310**
- extracorporeal shock-wave lithotripsy (ESWL) 389–390, **499**
- facial nerves 117, **155–156**
- female sterilization 391, **502**
- femoral triangle 127, **169–170**
- femoral vein, anatomy 389, **499**
- fentanyl 192, **233**
- fetal/fetus
- circulation 132, **176**
 - haemoglobin 24, **82**
 - term 24, **82–83**
- Fick principle **40–41**, **495**
- Fick's law of diffusion 291, **325**
- flap surgery 406–407, **522**
- free tissue 417, **535**
 - microvascular 422, **542–543**
- flow
- laminar 269, 273–274, **304**, **309**
 - pressure 294, **328**
 - tube 5, **45**
 - turbulent 4, **44**, 269, 274, **304**, **309**
- flowmeters 269, 274–275, **304–305**, **310**
- fluid manometers 271, **306–307**
- fluid resuscitation, burns patients 364, **466–467**
- foot
- anatomy 129, **172–173**
 - blood supply 129–130, **173**
 - muscles 129, **173**
 - nerves 130, **173**
- foreign body aspiration, children 385, **493–494**
- forest plots 268, **303**
- Frank–Starling law 2, **40**, **43**
- fresh frozen plasma (FFP) 359–360, **460**
- functional residual capacity (FRC) 6, **46–47**, 277–278
- furosemide 199, **244–246**
- G proteins 12, **60–61**, 179–180
- gallbladder 112–113, **149**
- gas 266, **301**
- chromatography 287–288, 295–296, **329–330**
 - concentrations 288, 289, **322–323**
 - cylinders 296, **330**
 - diffusion 9, **54**
 - ideal 266, **301**
 - laws 265–266, 293–294, **301**, **327**
 - pipelines 296–297, **330**
- gastric secretions 27, **88–89**
- gastrointestinal tract 113, **150–151**
- gastroschisis 397–398, **510–511**
- genetic differences, drug handling 184–185, **221–222**
- glomerular filtration rate (GFR) 14, **65**
- glomerulus 14, **64**
- glucocorticoids, exogenous 208, **261**
- glycopyrrolate 195, **238**
- goitre 104, **139–140**
- Goldman cardiac risk index 347, **444–445**
- Guillain–Barré syndrome (GBS) 53, 340, 356, 365, 387, **433–434**, **456**, **467**, **497**
- haemofiltration 183, **218–219**
- haemoglobin 8, **50–51**, **52**
- fetal **82**
- haemorrhage 16, **69**
- half-life, context-sensitive 184, **220**
- halothane 187–188, **226**
- hand muscles 124, **165–166**
- heart 1–4. *see also* cardiac; coronary arteries
- anatomy 109–112, **145–148**
 - blocks 343, **438**
 - congenital diseases 359, **459–460**
 - disease in pregnancy 348, **445**
 - ischaemic disease 401, **514**
 - muscle structure 1, **33**
 - output formulae 3, **40–41**
 - output monitoring 273, 275, **308**, **309**, **310**
 - rate 3, **41**
 - risk index scoring 376–377, **483**
 - surgery 361, **462**
- heat 264–265, **300**. *see also* temperature
- capacity 285–286, **320**
 - latent 265, **300–301**
- heparin 200, **247–248**
- high-frequency oscillatory ventilation (HFOV) 401, **514–515**
- high-impact interventions, guidance/tools 391, **501**
- high spinal anaesthesia 121, **160**, 377, **484**
- hip hemiarthroplasty 410–411, **526**
- Hirschsprung's disease 367, **470**
- hormones 29, **93**
- pituitary glands 28, **91–92**
 - placenta 23, **80**
 - thyroid 29, **94**
- humidifiers 287, **322**
- humidity
- absolute 287, **321–322**
 - relative 287, **322**
- hyoscine 195, **238–239**
- hyperbaric gases 25, **83–84**
- hyperglycaemia 412, **528–529**
- hypertension
- guidelines 391, **502**
 - uncontrolled 387–388, **497**
- hypertrophic obstructive cardiomyopathy (HOCM) 417, **536**
- hypocalcaemia 353, **452–453**
- hypoglycaemic agents 207, **260**
- hypoplastic left heart syndrome 378, 382, **485**, **489**
- hypothalamus 19, **74**
- hypothermia 27, **89–506**, 368, 394
- perioperative 278, 363, **464–465**
- hypoxaemia 9, **54–55**, 394–395
- hypoxic pulmonary vasoconstriction 362, **463**
- hysterectomy, Pfannenstiel incision 379, **486**
- ICU-acquired weakness 372, 404, 477, **518**
- ideal gases 266, **301**
- ilium 114, **151**
- infraclavicular blocks 125, **167**
- infrared spectrophotometry 288, **322**
- inguinal canal 115, **152–153**
- inhalational anaesthetic potency 187, **226**
- inhalational induction, children 358, **459**

, Anna Pierson, Natish Bindal

Index

[More Information](#)

Index

551

- inotropic agents 195–196, **239–240**
- insulin **94–260**, 207
- intercostal chest drain (ICD) 415, **532**
- intercostal spaces 106, **141–142**
- nerve supply 106, **142**
- intermittent positive pressure ventilation (IPPV) 7, **49**
- internal jugular vein (IJV) 422, **542**
- interosseous needles 132, **176–177**
- interscalene blocks 125, **167**, 352, **451**
- intraabdominal compartment syndrome 364–365, **467**
- intra-arterial blood pressure monitoring 272, **307**
- intracranial pressure waveforms 351, **449**
- intralipids 189, **228**
- intraocular pressure 397, **510**
- drugs 203, **253–254**
- intrathecal opioids 371–372, 396, **476–477**, **508**
- intravenous fluids 201–203, **252–253**, 377, **484**
- intubation difficulties 336–337
- ionizing radiation 293, **327**
- ischaemic heart disease, preoperative assessment 401, **514**
- isoflurane 186–187, **225**
- isotopes, medical 293, **327**
- Jehovah's Witnesses
- advance directives 362, **463–464**
 - alternatives to blood transfusion 360–361, **461**
 - consent for children 408, **524**
 - unacceptable products 404–405, **519**
- jejunum 114, **151**
- joule 268–269, **304**
- jugular vein, internal 103, **138**
- ketamine 185, **222–223**
- kidney 15, **66**
- anatomy 112, **148–149**
 - blood flow 13–14, **63–64**
 - disease 361, **461–462**
 - failure 396, **508–509**
 - physiology 13, **62–63**
 - sodium handling 16, **69**
- transplants 339, **432**
- laminar flow 273–274, **309**
- laparoscopic cholecystectomy 353–354, 374, **453**, **480**
- laparoscopic surgery 342, **437**
- laryngospasm 400, **513**
- laryngotracheobronchitis 377, **484**
- larynx 100–101, **134–136**
- nerve injury 104, **140**
- lasers 286–287, **321**
- latent heat 265, **300–301**
- laxatives 205, **256–257**
- leakage current standards 270, **305–306**
- left ventricular end diastolic volume (LVEDV) 4, **43**
- leg. *see* lower limb
- levosimendan 196, **240**, 420, **540**
- limb amputation 416–417, **535**. *see also* lower limb; upper limb
- linear regression 266, **301**
- liver 26, **87**
- anatomy 112–113, **149**
 - functions 388, **497**
 - pregnancy 22, **79–80**
 - transplantations 357, **457**
- Lloyd–Davis position 348–349, **446**
- local anaesthesia
- bolus volume 339, **432–433**
 - improved absorption 370, **475**
 - maximum doses 188, **227**
 - metabolism 188, **227**
 - nerve function 189, **227–228**
 - speed of onset 188, **226–227**
 - strengths/preparations 188–189, **227**
 - toxicity 189, 354–355, 373, 396, 410, **454–455**, **478–479**, **508**, **526**
- loop of Henle 15, **68**
- low-frequency jet ventilation (LFJV) 349, **446–447**
- lower limb
- blood supply 128, **171**
 - fascia 126, **168–169**
 - femoral triangle 127, **169–170**
 - muscle groups 126, **169**
 - muscles 127, **169**
- nerves 127–128, **170–171**
- reflexes 130, **173–174**
- thigh muscles 126–127, **169**
- 3-in-1 blocks 131, **175**
- lumbar dermatomes 130, **174**
- lumbar plexus 118, **156–157**
- blocks 131, **175**
- Lund–Browder chart 437
- lung-volume reduction surgery (LVRS) 358, **458**
- lungs. *see also* respiration
- borders 107, **143**
 - compliance 5, **45–46**
 - non-respiratory functions 8, **50**
 - surfaces 107, **142**
 - surfactant 24, 47, **82**
 - volumes 5, **45**, 277, **312**
- lymphatic system 4, **44–45**
- upper limb 123–124, **164**
- magnesium ions 203–204, **254**
- magnesium sulfate 203, **254**
- magnetic resonance imaging (MRI) 283, **317**, 367–368, **471**
- malignant hyperpyrexia (MH) 334, 338, 348, 358–359, **431–432**, **446**, **459**
- mass spectrometry 288–289, **322**, **323**
- maxillary nerve blocks 104, **138–139**
- MDMA 209, **263**
- mechanical work 284, **318**
- median nerve injuries 125–126, **167–168**
- meningitis, children 346–347, **443**
- mercury thermometers 278, **312–313**
- metabolic equivalents (METs) 335, **427**
- metaraminol 196, **240–241**
- microcytic anaemia 344, **439–440**
- microshocks 270, **305**
- midazolam **504**
- migraines 341, **436**
- minimum alveolar concentration (MAC) 187, **225**
- minute ventilation 8, **51–52**
- miscarriages 368, **472**

, Anna Pierson, Natish Bindal

Index

[More information](#) **552** [Index](#)

- mivacurium 194, **236**
 moorLD12-BI 351, **449–450**
 morphine 191, **231–232**
 motor control 19, 73
 motor evoked potentials (MEP)
 339, **433**
 mouth 102, **137**
 muscles
 composition 20, 76
 foot 129, 173
 hand 124, **165–166**
 movement 20, 76
 myasthenia gravis (MG) 335,
 350–351, 379,
 448–449, 486
 associated conditions
 418, **537**
 myasthenic syndrome
 378–379, **486**
 myotonic dystrophy 340,
 388–389, **434–435, 498**
 perioperative management
 350, **448**
 myxoedema coma 356–357,
 456–457

 neck veins 99, **133**
 necrotizing enterocolitis
 (NEC) 414, **531–532**
 necrotizing fasciitis
 391–392, **502**
 negative exponential processes
 268, **303–304**
 neonates
 apnoea 390, **500**
 cyanosis 363, **465**
 glucose metabolism 406, **521**
 hypocalcaemia 414, **531**
 intracranial haemorrhage
 386, **495**
 kernicterus 396, **509**
 nervous system 23, **81–82**
 postoperative apnoea
 393, **504**
 respiratory distress
 syndrome 345, **441**
 resuscitation 344, **440**
 suxamethonium 353, **453**
 thermogenesis 23, **81**
 tracheo-oesophageal fistula
 425, **546**
 neostigmine 194, **237**
 Nernst equation 10, 57
 nerves
 brachial plexus 122, 124,
 161, 165
 cranial 116–117, **154–156**
 facial 117, **155–156**
 foot 130, 173
 lower limb 127–128,
 170–171
 orbit 102, **136–137**
 spinal 121, **159–160**
 upper limb 122–123, **163**
 neuraxial adjuvants, obstetric
 anaesthesia 384, **493**
 neuromodulation techniques
 18, 72
 neurolytic agents 397, **509**
 neuromuscular blocks 194,
 236
 nerve stimulator 273,
 308–309
 non-depolarizing 272, **308**
 neuronal action potentials 11,
 57–58
 neuroreceptors 12, **60**
 neurosurgery positioning
 341–342, **436–437**
 neurotransmitters 11–12, 16,
 58–59, 69–70
 Never Events 363–364,
 465–466
 newborns. *see* neonates
 nicotine 209, **262**
 nifedipine 198, **243**
 nitrates 197, **242**
 nitrous oxide 187, **225**
 non-parametric tests
 267–268, **303**
 noradrenaline 414–415,
 532
 normal distributions 267,
 303
 nose 102, **137**
 NSAIDs 190–191, **229–230**
 nutritional support, critically ill
 patients 361–362, **462–463**

 obesity 380–381, **488**
 anaesthetic drugs 545,
 423–424
 android fat distribution
 424, **545**
 bariatric surgery 336, **429**
 intubation difficulties
 395, **507**
 in pregnancy 395, **506–507**
 oesophageal Doppler cardiac
 output monitoring
 418, **537**
 Ohm's law 281, **315**

 one-lung ventilation (OLV)
 356, 384–385, **456, 493**
 ophthalmic needle blocks
 414, **531**
 ophthalmic surgery,
 anaesthesia 403, 422,
 517, 542
 opioids
 long-term use 406, **521**
 patches, dose equivalence
 355, **455–456**
 postoperative 423, **543–544**
 optical isomers 178, **210**
 orbital nerves 102, **136–137**
 orbital cavity 101, **136**
 osmosis 291, **325**
 osteoarthritis (OA) 401–402,
 409–410, **515, 525**
 oxygen concentration analysis
 289, 290, **324**
 oxygen therapy 8, **52–53**
 oxyhaemoglobin dissociation
 curve 10, 55

 pacemakers 276–277, 343, 394,
 415, **438–439, 506, 532**
 indicators for insertion
 417, **536**
 perioperative management
 404, **518**
 paediatrics
 airways 132, **176, 338, 431**
 body surface area 342, **437**
 calculations 132, 177
 day-case services 336, **429**
 regional anaesthesia 357,
 457
 pain measurement scales
 390, **500**
 pain, physiology 17, **71–72**
 pancreas 30, **94–95**
 anatomy 113, **149–150**
 paracetamol 190, **228–229**
 overdose 399, **512**
 paramagnetic analyzers
 287, **322**
 parasympathetic nervous
 system 116, 117, **154,**
 156
 parathyroid hormone 103,
 137–138
 parathyroid surgery,
 anaesthesia 423, **544**
 paravertebral nerve blocks 337,
 429–430
 parenteral nutrition 400, **513**

, Anna Pierson, Natish Bindal

Index

[More Information](#)

Index

553

- Parkinson's disease 364,
374–375, **480–481**
clinical features 413, **529**
drugs 415, **533**
- patient-controlled analgesia
drugs used 192–193, **234**
in labour 189–190, **228**
safety features 192, **233–234**
- Penaz technique 270, **306**
- pericardium 112, **148**
- pethidine 21, **78**
- pH balance 15, **66–67**
- pH electrodes, arterial blood
gas analyzers 278–279, **313**
- phaeochromocytoma 398, 423,
511, 544
- phenylephrine 196–197, **241**
- phenytoin 203, **253**
- phosphodiesterase inhibitors
195, **239**
- Pierre Robin syndrome
366, **468**
- pituitary glands 28, **91–92**
- pituitary surgery 355–356, **456**
- placenta
blood supply 131–132, **176**
drugs crossing 22, **78–79**,
182–183
hormones 23, **80**
membrane 21, **77**
- plasma, blood 31, **96**
- plasma potassium 16, **68–69**
- plenum vaporizers
292–293, **326**
- pleurae 108, **144**
nerve supply 107–108,
143–144
- pneumonectomy 369, **473**
- pneumotachograph 274,
309–310
- popliteal fossa 128–129,
130–131, **171–172, 174**
nerve blocks 131, **174–175**
- positron emission tomography
(PET) 284, **318**
- post-dural-puncture headaches
401, 419, **515, 538**
- postherpetic neuralgia (PHN)
335–336, 378,
427–428, 485
- postoperative cognitive
dysfunction (POCD)
415–416, **533–534**
- postoperative nausea and
vomiting (PONV)
383, **492**
- postoperative ventilation
391, **502**
- postpartum bleeding 408, **524**
- power 284–285, **318**
- pre-eclampsia 22, **80**, 404, 421,
518–519, 541
- predicted postoperative FEV1
percentage (ppoFEV1%).
343–344, **439**
- prednisolone 204, **255**
- pregnancy
acute fatty liver 337, **430–431**
anatomical changes
131–132, **175–176**
blood flow 21, **77**
cardiac arrests 358, **458**
cardiac disease 348, **445**
cardiovascular changes
21, **78**
ECG 22, **79**
eclampsia 21, **77–78**
epidural analgesia 365,
468
hepatobiliary changes 22,
79–80
massive haemorrhage/
transfusion 405, **520**
mechanical heart valve
412–413, **529**
non-obstetric surgery
392, **502**
obesity 395, **506–507**
physiological changes
372–373, **477–478**
pre-existing neurological
diseases 388, **498**
pre-existing spinal cord
injury 352–353, **452**
regional anaesthesia 418,
536–537
related diabetes 362, **463**
renal tract changes 23, **80–81**
respiratory changes 22, **79**
sepsis 415, **532–533**
thromboembolic disease
398–399, **512**
trauma 425, **546**
- preload 3, **41**
- pressure
cylinders 294–295, **328–329**
flow 294, **328**
- preterm infants
apnoeic changes 23, **81**
assisted ventilation 349,
447
prokinetics 204–205, **256**
- prolonged depolarizing
neuromuscular blockade
184, **221**
- prone positioning
344–345, **440**
- propofol 185, 186, **222, 224**,
399, **512**
- prostaglandin infusion
339, **432**
- pterygopalatine fossa 104,
138–139
- pulmonary artery catheters
(PAC) 289–290, **324**,
386, **495**
- pulmonary function tests 277,
421–422, **541–542**
- pulmonary hypertension (PH)
351, **450**
- pulmonary resection 353, **452**
- pulmonary vascular resistance
(PVR) 197, **242**
- pulse oximetry 290, **324–325**
- pyloric stenosis 411, **527–528**
- pyridostigmine 421, **541**
- racemic mixtures 178, **210**
- radial nerve injuries 126, **168**
- radiofrequency (RF)
denervation, lumbar spine
364, **466**
- Raman effect 288, **323**
- randomization, treatments
266–267, **301–302**
- rapid sequence induction (RSI)
334, 354, **453–454**
- reflexes
lower limb 130, **173–174**
stretch 20, **76–77**
upper limb 122, **161**
- regional anaesthesia
children 357, **457**
contraindications 416, **534**
- religious objections, naturally
occurring fluids/drugs
385–386, **494**
- remifentanyl 191–192, **232**
- renal replacement therapy
(RRT) 380, 407–408,
417–418, **487, 523, 536**
- renal tract, changes in
pregnancy 23, **80–81**. *see*
also kidney
- respiration. *see also* breathing
systems; lungs
acute failure 9, **53, 54**
acute injury 9, **53–54**

, Anna Pierson, Natish Bindal

Index

[More information](#) **554** **Index**

- respiration (cont.)
 blood flow 7, **48–49**
 blood supply/lymph drainage 107, **143**
 conditions 277, **312**
 dead space 5, **46**
 high altitude 24, **83**
 mechanics 6, **47**
 nerve supply 107–108, **143–144**
 old age 32, **98**
 pregnancy 22, **79**
 work of 6, **46**
- respirometer, Wright's 274, **309**
- resting membrane potential (RMP) 10, **56–57**
- retinopathy, premature infants 403, **517**
- rhabdomyolysis, acute 421, **540–541**
- rheumatoid arthritis 392, **503**
- ribs 106, **141–142**
- risk, perioperative 347, **444–445**
- rocuronium 193, **234–235**
- rotameters 274–275, **310**
- sacral dermatomes 130, **174**
- sacral plexus 118, **157**
- sacrum 118, **156**
- salbutamol 204, **254–255**
- saline, perioperative use 202, **251**
- scavenging systems 281, **315–316**
- sciatic nerve blocks 355, **396–397, 455, 509**
- second messengers 12, **60**
- sedation 382, 402–403, 409, **490, 516, 525**
 adults 345, **440–441**
 children 388, 405–406, **520–521**
- sepsis 347–348, 411–412, **445, 528**
 children 389, **499**
 pathophysiology 352, **452**
- septic shock 376, **482–483**
- sevoflurane 187, **225–226**
- SI units 264, **299**
- sickle cell disease 338, 369, **473–474**
- sinoatrial node (SA node) 1, **35**
- skeletal myofibrils 20, **76**
- skin flaps 399, **512**
- skull, anatomy 118–119, **157**
- smoking, ill-effects 209, **262, 351–352, 383–384, 450, 492**
- sodium ion channels 11, **58**
- somatosensory evoked potential (SSEP) 339, **433**
- sound, properties 297, **331**
- space travel, physiological changes 26, **84**
- spinal anaesthesia 413, **530**
- spinal blood supply 121, **159**
- spinal cord 120, **159**
 acute injury 406, **521–522**
 levels 393–394, **505**
 neurotransmitters 16, **69–70**
 stimulation 371, **475–476**
- spinal nerve blocks, high 121, **160, 377, 484**
- spinal nerves 121, **159–160**
- spinal pathology red flags 386, **495–496**
- spinothalamic tract 18, **72–73**
- spironolactone 199, **247**
- starvation 26, **86–87**
- starvation times, preoperative 343, 372, **438, 477**
- statistics 266–268, **301–304**
- stimulants 208, 209, **261–262, 263**
- subarachnoid haemorrhage (SAH), grading systems 390–391, **500–501**
- sub-Tenon's blocks 104, 375, **394, 399–400, 513**
- sugammadex 194, **236–237**
- superior laryngeal nerve blocks 386, **494**
- supraclavicular nerve blocks 125, **167**
- supraglottic airway devices 413–414, **530–531**
- surfactants 6, **47**
- suxamethonium 193–194, **235–236**
- suxamethonium apnoea 184, **221, 363, 389, 464, 499**
- swallowing 28, **90**
- Swan-Ganz technique 275, **310**
- sympathetic nervous system 115, **153–154**
- temperature. *see also* body temperature; heat critical 293, **327**
 measurements 264–265, **300**
 and pressure 292, **326**
- thalassaemia 348, **445–446**
- therapeutic index 179, **212**
- thermal burns 360
- thiazide diuretics 197, **242–243**
- thigh
 muscles 126–127, **169**
 nerves 127–128, **170–171**
- thiopentone 182, 185–186, **223–224**
- third-degree heart blocks 412, **528**
- thoracic spinal cord injuries 368–369, **473**
- thoracotomy, pain relief 409, **524–525**
- 3-in-1 blocks, lower limb 131, **175**
- throat 100, **134**
- thromboelastography (TEG) 201, **250–251**
- thyroid
 glands 102, **137**
 goitre 104, **139–140**
 hormones 29, **94**
 surgery 104, **140**
- thyroidectomy
 intraoperative management 393, **505**
 marked stridor 420–421, **540**
 partial 104, **139**
- thyrotoxic storm 351, **450**
- thyroxine 207, **260–261**
- tobacco smoking *see also* smoking
- tocolytics 206, **257–258**
- total intravenous anaesthesia 184, **220–221**
- total spinal blocks 424–425, **545–546**
- trachea 105, **140**
- tracheostomies 105–106, **140–141, 377–378, 384, 484, 492**
 percutaneous 409, **525**
- train-of-four stimulation 273, **308**
- tramadol 191, **230–231**
- tranexamic acid 201, **249–250**
- transcutaneous oxygen measurement 289, **323**
- transducers 294, **328**
- transfusion-related acute lung injuries (TRALI) 370, **474**
- transplantable organs 336, **428**

transthoracic impedance 273, 309, 406, 521	antecubital fossa 124–125, 166–167	veins, neck 99, 133
transversus abdominis plane (TAP) blocks 367, 470–471	axilla 124, 164–165	venous air embolism 371, 410, 525–526
trauma, regional anaesthesia 372, 477	blood supply 123, 163–164	ventilation, minute 8, 51–52
trigeminal neuralgia (TN) 350, 448	dermatomes 122, 161–163	ventilation/perfusion ratio 6, 47–48
turbulent flow, tube 4, 44, 274, 309	lymphs 123–124, 164	ventilator-associated pneumonia 398, 511
TURP syndrome 354, 359, 366–367, 469–470	nerves 122–123, 124, 161, 163, 165	ventricular fibrillation (VF) 337, 392–393, 430, 503
type I errors, statistics 267, 302–303	reflexes 122, 161	visceral pleura, nerve supply 107–108, 143–144
type II errors, statistics 267, 303	small muscles 124, 165–166	vision control 101, 136
ulnar nerve injuries 126, 168	upper muscles 124, 165	vitamin B12 deficiency 377, 483
ultrasound-guided regional blocks 347, 444	upper respiratory tract infections 413, 530	vomiting 27, 89
ultrasound imaging 297–298, 331–333, 341, 436	ureters 112, 148–149	warfarin 199–200, 247
underwater physiology 25, 83	uterotonic drugs 205–206, 257	Wilson’s criteria 347, 443–444
upper limb	uterus, blood supply 131–132, 176	work and power 285, 318–319
	vacuum insulated evaporators 297, 331	Wright’s respirometer 274, 309
	Valsalva manoeuvre 3, 41–42	X-rays 283, 317–318
	vascular smooth muscles 4, 44	zero-order kinetics 181–182, 215
	vasodilators 197, 241–242	
	vasopressin 196, 241	
	Vaughan-Williams classification 198, 244	