

Index

- 1PI
 - amplitude, 553–557
 - diagram, 556
- 4π detector, 513
- 21 centimeter radiation, 273
- ABJ anomaly, 716
- additive quantum number, 230
- adjoint, *see* Hermitian conjugate
- adjoint irrep, 353, 357
- Aharonov-Bohm effect, 110
- algebra, Clifford, 266, 274
- α decay, 329
- Ampere’s law, 100
- analytical mechanics, 38
- angular momentum
 - intrinsic, 179–181
 - tensor, 176–179, 181
- annihilation operator, 369
- anomalies, 715–719
- anomalous dimension, 661
 - mass, 661, 685, 703, 704
- anomalous magnetic moment, 271, 681
- anomaly, 327, 386, 661, 742
 - Adler-Bell-Jackiw, 742
 - axial, 742
 - chiral, 716, 742
 - gauge, 716
 - scale, 715
- antilinear operator, 212
- antineutrino, 54
- antiparticle, 236–239
- antiquark, 315–319, 322–329, 336
- antisymmetric tensor, *see* Levi-Civita tensor
- antiunitary operator, 213
- Appelquist-Carrazzone theorem, 705
- asymptotic condition, 547, 564
- asymptotic freedom, 323, 686, 704
- asymptotic states, 523–527
- axial current, partial conservation (PCAC), 331
- axions, 329
- β -function, 661
- background field method, 631
- bare mass, 506
- barn, 516
- baryogenesis, 316
- baryon, 315, 326
 - number, 315
- Belinfante-Rosenfeld tensor, 182–183
- β decay, 318
 - inverse, 329
- β -function, 685
 - QCD, 703, 704
 - QED, 683, 684
- Bethe-Heitler cross-section, 583
- Bhabha scattering, 582
- Bianchi identity, 101
- black hole, 319
- blueshift, 31
- bootstrap theory, 586
- Born approximation, 679
- Bose-Einstein condensate, 227
- Bose-Einstein statistics, 233, 369
- boson, 233
 - gauge, 332
 - Goldstone, 325, 688
 - Higgs, 315, 334, 720
 - massive vector, 333, 484–498
 - Nambu-Goldstone, *see* Goldstone boson
 - pseudo-Goldstone, 326
- boundary conditions
 - Dirichlet, 112
 - Neumann, 112
 - periodic, 158
 - spatial, 158
 - vanishing, 158
- BPHZ theorem, 648, 671
- bra-ket notation, 212
- branching ratio, 239, 517
- Breit-Wigner distribution, 594–596
- Bremsstrahlung, 583
- BRST invariance, 706–708
- C -parity, 238, 360, 608
- Cabibbo angle, 331, 335
- Cabibbo matrix, 335
- Callan-Symanzik equation, 661
- canonical commutation relations, 39, 89
- canonical coordinates, 79
- canonical momentum, 70
- canonical quantization, 151, 210
 - fields, 201
 - electromagnetic field, 201
 - scalar, 371
- canonical transformations, 86
- Cartesian product, 58
- Casimir effect, 690

- Casimir invariants, 748
 - Lorentz group, 34
 - Poincaré group, 43
 - quadratic, 750
- Casimir trick, 588
- Cauchy sequence, 206
- Cauchy's integral theorem, 396, 730
- center of mass, 178
- center-of-momentum frame (CM), 178, 529
- central charges, 217
- charge conjugation, 236–239, 291–295
 - operator, 608–613
- charge parity, *see also* C -parity
 - of the photon, 239
 - of the π^0 , 239
- charge universality, 650, 701
- chiral fermions, 301
- chiral projector, 722
- chiral symmetry, 325
- chiral symmetry breaking
 - dynamical, 325
 - explicit, 326
 - spontaneous, 325
- chirality, 325
 - projectors, 301
- CKM matrix, 229, 315, 332, 335–338, 725
- class conjugacy, 745
- class number, 745
- Clebsch-Gordan coefficients, 45, 357
- Clebsch-Gordan series, 355
- cluster decomposition principle, 504
- CM, *see* center-of-momentum frame
- coherent state, fermion, 434
- Coleman-Mandula theorem, 54
- collinear inertial frame, 523
- color, 323
 - evidence for, 706
 - singlet, 323
- color confinement, *see* confinement
- complex conjugation operator, 214
- Compton effect, 312
- Compton scattering, 312, 583, 591
- Compton wavelength, 312
- configuration space, 58
- confinement, 324, 505
- conformal group, 56
- conjugate momentum, 70, 79
- conjugate representation, 349
- connected Feynman diagram, 538, 625
- connected Green's function, 625
- conservation law, 69
- conservative forces, 62
- conserved quantity, 69
- constant of the motion, 69
- constraint, 58
 - first-class, 134
 - holonomic, 59
 - primary, 129
 - regularity conditions, 139
 - rheonomic, 59
 - scleronomic, 59
 - second-class, 134
 - secondary, 131, 133
 - semi-holonomic, 69
- constructive quantum field theory, 415
- contraction, 404
 - fermion, 456
- contravariant, 6
- convexification, 628
- Correspondence Principle, 92, 371, 442, 445
- cosmic rays, 54
 - primary, 54
 - secondary, 54
- Coulomb force, 103
- Coulomb potential, 584–585
- counterterms, 649
- covariant, 8
- covariant derivative, 203, 262
- cover, universal, 747
- CP
 - conservation, 329
 - transformation, 236, 329, 339
 - violation, 316, 317, 329
- CPT, 600–623
 - theorem, 618–623
 - transformation, 618
- creation operator, 369
- cross-section, 511–527
 - differential, 513
 - exclusive, 517
 - fiducial, 517
 - inclusive, 517
 - production, 517
 - total, 512
- crossed reactions, 586
- crossing symmetry, 586–587
- current density, conserved, 102
- current operator, symmetrized, 449
- cyclic coordinate, 69
- d'Alembertian, 397
- d'Alembert's principle, 60
- dark energy, 315
- dark matter, 315
- De Donder-Weyl formalism, 160, 163–164
- decay rate, 54, 345, 527–528
- decoupling theorem, 705
- deep inelastic scattering, 323
- delta function, 729
 - longitudinal, 199
 - transverse, 199, 201
- detailed balance, 709
- dilatations, 56
- dimensional regularization, 739–742
- dimensional transmutation, 684
- Dirac algebra, 741
- Dirac bra-ket notation, 211

- Dirac bracket, 150, 201
 - fundamental, 150
 - Dirac conjecture, 142
 - Dirac equation, 267
 - Dirac representation, 267
 - Dirac spinor, 267–300
 - Dirac-Bergmann algorithm, 144–149, 190–201, 496
 - disconnected Feynman diagram, 538
 - disconnected subdiagram, 538
 - dispersion relation, 250
 - dispersive medium, 251
 - distinguishable particles, 232
 - divergence
 - logarithmic, 741
 - quadratic, 741
 - divergence theorem, 112, 158
 - divergence-curl uniqueness theorem, 115
 - divergent subdiagrams, 647
 - Doppler effect, 31
 - double beta decay, 344–346
 - down-type quark, 335
 - dynamical variable, 81
 - first-class, 134
 - second-class, 134
 - Dynkin coefficients, 353
 - Dyson formula, 241
 - Dyson-Schwinger equation, *see* Schwinger-Dyson equations

 - effective action, 625–631
 - effective potential, 631
 - effective theory, 318
 - Ehrenfest theorem, 90, 209
 - eightfold way, 322
 - electric dipole moment, 229
 - electromagnetic field, 100, 185–201
 - Hamiltonian formulation, 188–201
 - Lagrangian formulation, 185–188
 - electromagnetic waves, 105
 - electromagnetism, 99–117
 - electron, 54
 - electroweak symmetry breaking, 719–725
 - electroweak theory, 329–346
 - energy
 - kinetic, 60
 - potential, 62
 - energy density, electromagnetic, 102
 - energy function, 70
 - energy-momentum tensor, *see* stress-energy tensor
 - ensemble, 709
 - equality, 131
 - strong, 131
 - weak, 130
 - equilibrium, 73
 - stable static, 75
 - static, 73
 - ergodicity, 709
 - ether, 3
 - Euclidean action, 415
 - Euclidean generating functional, 415

 - Euclidean space, 244, 328, 736–738
 - Euler angles, 22, 58
 - Euler homogeneous function theorem, 70
 - Euler-Lagrange equations, 62
 - Euler-Mascheroni constant, 741
 - evolution operator, 207
 - explicit symmetry breaking, 627
 - exterior algebra, *see under* vector space
 - exterior product, 732–733

 - factors over hooks rule, 352
 - Faddeev-Popov determinant, 472
 - Faddeev-Popov ghosts, 699
 - Faddeev-Popov matrix, 472, 698
 - Faraday's law, 100
 - Fermi coupling constant, 329, 331
 - Fermi four-point interaction, 329
 - Fermi-Dirac statistics, 233
 - fermion, 233
 - annihilation and creation operators, 418
 - antiperiodic in time, 428, 433
 - bilinear, 287, 451
 - canonical anticommutation relations, 431
 - canonical quantization, 436
 - chiral, 734
 - coherent state, 434
 - Dirac, 428
 - doublers, 709
 - Fock space, 419
 - functional integral, 432
 - fundamental, 326
 - Majorana, 734
 - path integral, 427
- fermion loop, 570
- Feynman boundary conditions, 395
- Feynman diagram, 320, 537–546
 - amputated, 554
- Feynman parameterization, 738–739
- Feynman path integral, *see* path integral
- Feynman prescription, 395
- Feynman propagator
 - fermion, 451–453
 - massive vector, 492
 - photon, 466, 470, 473, 474, 476
 - scalar, 394
 - transverse, 466
- Feynman rules, 539, 544, 569–572, 699
- Feynman-Stueckelberg interpretation, 257, 279, 299, 397
- field
 - abelian, 323
 - classical, 156–201
 - electromagnetic, *see* electromagnetic field
 - nonabelian, 323
 - Yang-Mills, 323
- field-strength renormalization, 509
- fine structure, 273
- fine-structure constant, 103, 583
- fine-tuning, 317
- first quantization, 210

- fixed point
 - infrared, 686
 - ultraviolet, 686
- flavor
 - eigenstate, 335
 - physics, 338
- flux tube/string, 324
 - breaking, 324
- Fock space, 232–236
- Foldy-Wouthuysen transformation, 311
- forest, 648
- forest diagram, 320, 555
- form factors, 678
- forward scattering, 513, 549
- four-divergence, 33
- four-force, 97
- four-momentum, 97
- four-vector potential, 100
- functional derivative, 65–66
- functional integral, 407–412
- fundamental modular region, 714
- Furry's theorem, 583, 612, 646, 716
- G -parity, 360
- Galilean invariant, 3
- Galilean relativity, 2–4
- Galilean transformation, 2
- gauge
 - axial, 475
 - boson, 317
 - Coulomb, 111, 196
 - covariant, 473–475
 - Feynman, 473, 477
 - field, 110
 - field theory, 320
 - fixing, *see* gauge fixing
 - ghost-free, 700
 - invariant, 109, 142, 575
 - Landau, 473
 - light-cone, 476
 - Lorenz, 110, 473
 - orbit, 471
 - parameter, 472
 - R_ξ , *see* gauge, covariant
 - radiation, 117
 - symmetry, 231
 - temporal, 475
 - theory, *see* gauge theory
 - transformation, 109, 142, 146, 575
 - transverse, 117
 - unitary, 720
 - Yennie, 473
- gauge fixing, 110, 149–476
 - ideal, 110, 196, 471
 - partial, 110, 471
- gauge theory, 317, 575
 - chiral, 722
 - nonabelian, 693–697
- Gauss' law, 100
- Gauss' magnetism law, 100
- Gell-Mann–Nishijima formula, 359
- generalized coordinate, 58
- generalized force, 61
- generalized momentum, 69
- generating functional, 245–248
 - boson, 413–417
 - fermion, 453–455
- Georgi-Glashow model, 358
- ghost particle, 663
- GIM mechanism, 324
- global symmetry, 174, 693
- gluon, 315, 317, 322–329, 359
- Goldstone boson, 325, 688
- Goldstone's theorem, 325, 688–689
- Gordon identity, 736
- grand unified theory (GUT), 318
- Grassmann algebra, 235, 419–422, 428–733
- Grassmann complex conjugation, 423
- Grassmann generator, 419
- Grassmann number, 311, 420, 439
- Grassmann variable, 419–422
- Green's function, 241, 397
- Green's theorem, 115
- Gribov copies, 471
- Gribov region, 714
- group, 743
 - abelian, 743
 - automorphism, 744
 - Casimir invariant, *see* Casimir invariants
 - center, 744
 - compact, 744
 - continuous, 744
 - covering, 745
 - cyclic, 223
 - direct product, 745
 - double cover, *see* map, double cover
 - homomorphism, 744
 - isomorphism, 744
 - Lie, *see* Lie group
 - Little, 48–53
 - Lorentz, *see* Lorentz group
 - nonabelian, 743
 - orthogonal, 10, 58
 - Poincaré, 11, 36–40, 47–53
 - pseudo-orthogonal, 10
 - representation, *see* representation
 - rotation, 16
 - semidirect product, 11, 745
 - semisimple, 744
 - simple, 744
 - subgroup, *see* subgroup
 - symplectic, *see* symplectic group
 - topological, 744
- group velocity, 251
- Gupta-Bleuler formalism, 476–575
- $\hbar$ -expansion, 632
- Haag's theorem, 536
- Haar measure, 710

- hadron, 322
- hadronize, 325
- half-life, 54
- Hamiltonian, 78, 160–163
 - constrained, 126
 - time-dependent, 210
 - total, 129
- Hamilton’s equations, 79
- Hamilton’s principle, 64–66, 157
 - covariant form, 159
- Heisenberg picture, 90
- helicity, 50–53, 325
- Helmholtz’s theorem, 116
- hermetic detector, *see* 4π detector
- Hermitian, 14
- Hermitian conjugate, 213
- Hessian matrix, 78, 190
- hierarchy problem, 317, 672
- Higgs boson, 315, 334, 720
- Higgs doublet, 334, 719
- Higgs mass, 672
- Higgs mechanism, 643
- Higgs multiplet, 719
- Higgs potential, 334
- Higgs vacuum expectation value (VEV), 334, 720
- higher spin, 505
- Hilbert space, 92, 201, 205–239
 - completion of, 234
- homomorphism, 744
- hook length, 348
 - formula, 348
- hypercharge, 359
- hyperfine splitting, 273
- hypersurface, 158
- identical particles, 232–236
 - final state, 555
- impact parameter, 513
- importance sampling, 709
- improved action, 715
- in state, 548
- indistinguishable particles, 232
- inertial frame, comoving, 6
- inertial observer, 1
- inertial reference frame, 1
- infrared cut-off, 374
- infrared divergences, 583, 591
- integrating factor, 731
- interaction
 - charged-current, 332
 - neutral-current, 333
 - picture, 239–241, 533–537
- intrinsic parity, 236, 290, 294
- intrinsic spin, 181
- invariant amplitude, 511, 546–557
- invariant matrix element, *see* invariant amplitude
- inverse β decay, 329
- ionic lattice, 366
- irrelevant interaction, 645
- isolated system, 504
- isomorphism, 744
- isospin
 - strong, 322
 - violation, 327
- Jacobi identity, 81, 747
- Jacobian, 729
- Jacobian matrix, 71, 86, 729
- Jarlskog invariant, 337
- jets, QCD, 325
- Jordan canonical form, 422
- Källén-Lehmann representation, 507–510
- Klein paradox, 272, 311
- Klein-Gordon equation, 164
- Klein-Nishina formula, 593
- Kramers’ theorem, 227
- ladder operator, 369
- Lagrange multiplier, 67–69, 131
- Lagrangian, 61–69
 - density, 156
 - equivalent, 64, 159
 - natural, 70
- Lamb shift, 273, 675
- Λ CDM, 317
- Landé g -factor, 681
- Landau pole, 322, 684
- Laplace transform, 663
- Laplace’s equation, 111
- Large Hadron Collider (LHC), 335, 518, 597
 - high-luminosity (HL-LHC), 520
- lattice field theory, 328
- lattice gauge theory, 324
- lattice QCD, 324, 708–715
- Legendre transform, 78, 160, 163
- length contraction, 24
- leptogenesis, 316
- lepton, 315, 323, 722–725
 - number, 316
- Levi-Civita tensor, 33, 729
- LHC, *see* Large Hadron Collider
- Lie algebra, 217, 746, 752
 - ideal, 747
 - simple, 748
 - subalgebra, 747
- Lie bracket, 747
- Lie correspondence, 748
- Lie group, 745–752
 - complex, 748
 - generators, 746
 - real, 748
 - $SU(3)$, 752
 - $SU(N)$, 751–752
 - semisimple, 748
 - simple, 748
 - topology, 746
 - unitary representation, 748–751

- lifetime mean, 54, 527
- light cone, 4, 96
- light-by-light scattering, 583
- lightlike displacement, 4
- linear operator, 212
- linear potential, 324
- linear sigma model, 687
- linked cluster theorem, 625
- Liouville equation, 85
- Liouville's theorem, 84
- LIPS, *see* Lorentz invariant phase space
- Little Group, 48–53
- loop expansion, 632–633
- Lorentz boost, 23
- Lorentz covariant, 118
- Lorentz force, 63, 80, 93, 264, 681
- Lorentz group, 10, 14–36
 - representations, 45–47
 - restricted, 11
- Lorentz invariant, 9
- Lorentz invariant phase space (LIPS), 522
- Lorentz Lie algebra, 34
- Lorentz transformation, 6
 - orthochronous, 11
 - proper, 11
 - special or proper, 11
- LSZ for fermions, 557–564
- LSZ for photons, 564–569
- LSZ reduction formula, 546–553
- luminosity, 516
 - integrated, 516
- Lund string model, 325
- macroscopic limit, 88
- magnetic moment, 229
- Majorana equation, 306
- Majorana fermions, 306–307
- Majorana representation, 306
- Mandelstam plane, 586
- Mandelstam variables, 528–532, 578
- manifold, 745
- map
 - covering (cover), 745
 - double cover, 45, 745
- marginal interaction, 645
- Markov chain, 709
- mass eigenstate, 335
- massive vector boson, 333, 484–498
 - renormalizability, 643
- matrix, 752
 - adjoint, 752
 - BCH formula, 753
 - determinant, 753
 - Hermitian, 752
 - Hermitian conjugate, 752
 - Hessian, 127
 - normal, 752
 - Pfaffian, 132
 - rank, 753
 - real antisymmetric, 132
 - self-adjoint matrix, 752
 - similar, 734
 - transpose, 752
 - unitarily equivalent, 734
- Maxwell-Boltzmann statistics, 232
- Maxwell's equations, 99, 102
- mechanics, classical, 57–152
- meson, 327
 - exotic, 360
- method of steepest descent, 244
- metric tensor, 4
- Milky Way galaxy, 54
- minimal coupling, 574
- Minkowski space, 1, 244
- Møller flux factor, 522
- Møller scattering, 582, 584, 585
 - scalar QED, 587
- monogenic system, 63
- Monte Carlo integration, 709
- MSW effect, 344
- multiplet, 349, 352, 359
- multiplets of $SU(N)$, 346–358
- multiplicative quantum number, 223
- muon, 54
- naturalness, 317
- neutrino, 53, 54, 300, 329
 - active, 339
 - Majorana, 315, 344–346
 - mass, 315
 - mixing, 315, 338–344
 - mixing matrix, *see* PMNS matrix
 - oscillations, 315, 340–344
 - sterile, 339
- Newton's laws, 57
- no interaction theorem, 152
- Noether current, 168, 386
 - generalized, 169
 - improved, 170
- Noether's theorem, 71, 88, 166–174
- nondispersive medium, 251
- normal coordinates, 76
- normal-dependent term, 497
- normal matrix, 422
- normal modes, 76, 366–369
- normal-order, 374, 606–607
 - fermion, 430, 448
- nucleon, 322
- number operator, 368, 373
- occupancy number basis, 369
- off-shell, 97, 169
- on-shell, 97, 169
 - renormalization, 656
- one-loop diagram, 320
- one-particle irreducible, *see* 1PI
- operator product expansion, 328
- Optical theorem, 532–533

- Osterwalder-Schrader theorem, 415
- out state, 548
- overlapping divergences, 647–648
- parity
 - conservation, 330
 - intrinsic, 236, 290
 - inversion, 300
 - maximally violating, 331
 - operator, 600–608
 - transformation, 289–291
 - τ - θ puzzle, 330
- partition function, 244–245, 413
- partition of unity, 140
- parton, 323
- path connected, 746
- path integral, 241–245, 320
 - fermion, 427–428
- Pauli equation, 270
- Pauli exclusion principle, 233, 323, 418
- Pauli-Lubanski pseudovector, 43–44
- PCAC, 716
- perturbation theory, 321
- phase space, 79
- phase transformation
 - global, 174
 - local, 575
- phase velocity, 248
- phonon, 366
- photon polarization tensor, 567
- physical spectrum, 503–506
- pileup, 520
- Planck energy scale, 319
- Planck mass, 319
- plaquette, 711
- PMNS matrix, 315, 338–344
- Poincaré group, 11, 36–40, 47–53
- Poincaré lemma, 84, 100, 116, 731
- Poincaré Lie algebra, 40–42
- Poincaré transformation, 7, 388
- Poisson bracket, 81, 86, 161
 - fundamental, 82, 162
 - theorem, 83
- Poisson’s equation, 111
- polar decomposition, 35
- polarization, 572, 587
 - circular, 108
 - elliptical, 109
 - linear, 106, 107
 - longitudinal, 479
 - scalar, 479
 - transverse, 479
- pole mass, 650, 656, 668
- pomeron, 516
- positronium, 239
- Poynting vector, 102, 187
- primitively divergent, 647
- Proca equation, 485
- process, exclusive/inclusive, 517
- projective representation, 216–221
- propagator, *see* Feynman propagator
- proper diagram, *see* 1PI diagram
- proper length, 6
- proper rotation, 58
- proper time, 6, 23
- proper time regularization, 663–664
- pseudorapidity, 28
- pseudoscalar nonet, 328
- QCD, 322–329, 698–708
 - Feynman rules, 699–700
 - functional integral, 698–701
 - jets, 325
 - lattice, 328
- QED, 319–322, 574, 581–584
 - Lamb shift, 319
- quantum mechanics, 16
- quark model, 358–363
- quark(s), 315–319, 322–329, 335, 722–725
 - condensate, 325
 - constituent, 326, 359
 - sea, 323, 326, 359
 - valence, 323, 326, 359
- quasiparticles, 366
- quenched approximation, 713
- rapidity, 24
 - modified, 28
- Rearrangement Lemma, 501
- redshift, 31
- reduced Compton wavelength, 312
- reference frame, 1
- reflection positivity, 415
- Regge trajectories, 586
- regularization, 661–666
- relativistic kinematics, 98
- relativistic mechanics, 118–126, 152
- relevant interaction, 645
- renormalizable theory, 320
- renormalization, 317, 642–686
 - point, 660
 - scale, 660
- renormalization group, 328, 660
 - fixed points, 685–686
 - flow, 685–686
 - equations, 661
- renormalization scheme, 659
 - mass-independent, 682
 - minimal subtraction, 681–685
- MOM, 659
- $\overline{\text{MOM}}$, 659
- MS, 669, 681–685
- $\overline{\text{MS}}$, 669, 681–685
- on-shell, 650, 668–681
- representation, 743
 - adjoint, 750
 - completely reducible, 743
 - conjugate, 750
 - defining, 744
 - fundamental, 744

- irreducible, 743
- projective, 216–221
- real, 750
- reducible, 743
- trivial, 744
- unitary, 744
- representation (quantum mechanics), 213
- resonance, 594–596
- resonance region, 595
- rigid body, 58
- running
 - coupling, 684, 705–706
 - mass, 685, 704
- Rutherford scattering, 591
- s*-channel, 528
- S*-matrix, 506, 510, 520
 - unitarity, 532
- saddle-point method, 244
- Sakharov conditions, 316
- scalar field, 156, 370
 - charged, 174, 399–403, 406
 - complex, 173, 202, 399
 - free, 164–165, 371
 - self-interacting, 165
- scalar particle, 371
- scalar QED, 576–578, 584–585
- scattering
 - channel, 516
 - diffractive, 516
 - elastic, 516
 - inelastic, 516
 - kernel, 655
 - matrix, *see S*-matrix
 - quasielastic, 516
 - two-body, 528–532
- Schrödinger functional, 411
- Schur's Lemma, 501, 750
- Schwarzschild radius, 319
- Schwinger-Dyson equations, 633
- Schwinger functions, 415
- Schwinger model, 692
- Schwinger parameterization, 663–664
- seagull diagram, 578
- second quantization, 210
- selection rule, 220, 612
- self-adjoint, 14
- self-conjugate, 306
- self-energy
 - fermion, 563
 - scalar, 556
- series, asymptotic, 321
- signal velocity, 251
- simply connected, 746
- singular system, 127
- Singular Value Decomposition, 135, 724
- Slater determinant, 236
- Slavov-Taylor identities, 707
- spacelike, 5
- spacetime
 - displacement, 4
- event, 1
- interval, 5
- translation, 7
- special conformal transformations (SCT), 56
- spectral density function, 508
- spectral function, 244–245, 411, 413, 453, 469
- spectral representation, *see* Källén-Lehmann representation, 508
- spectroscopic notation, 236
- sphaleron, 316
- spin-statistics connection, 233, 619, 620, 623–625
- spin vector, 286
- spinor
 - chiral, 46
 - Dirac, 267–300
 - map, 47
 - Weyl, *see* Weyl, spinor
- spontaneous symmetry breaking (SSB), 627, 686–689
- SSB, *see* spontaneous symmetry breaking
- Standard Model, 315–346, 681
 - minimal, 315
 - minimally extended, 315
- standard spin basis, 224
- stationary phase approximation, 244
- statistical mechanics, 244–245
- stress-energy tensor, 174–176
 - canonical, 175
 - electromagnetic, 187
- strong CP problem, 329, 695, 725
- structure constants, 747
- subdiagram, 647
- subgroup, 744
 - diagonal, 327
 - normal, 12, 744
 - proper, 744
- subset, 744
 - proper, 744
- substitution rules, 586
- summation convention, Einstein, 4
- super Hilbert space, 434
- super-renormalizable, 645
- superficial degree of divergence, 642–648
- supernumber, *see* Grassmann number
- superselection rule, 220
- superspace, 439
- symmetric group (S_n), 347
- symmetrization postulate, 233
- symmetry
 - of the action, 71
 - factor, 540–541
 - global, 174, 693
 - of the Hamiltonian, 88
 - internal, 168, 181
 - in quantum mechanics, 93
 - quantum system, 215
 - spacetime, 168
- symmetry breaking
 - explicit, 326
 - spontaneous, 325
- symmetry factor, 539

- symplectic group, 86
- symplectic notation, 82
- t -channel, 528
- T -matrix, 511, 679
- T parity, 226
- tadpole diagram, 628
- τ - θ puzzle, 330
- tensor, 8
 - dual field strength, 101
 - field strength, 100
- tensor product, 732
- theory of everything, 318
- theta term, 695
- Thomson cross-section, 593
- time dilation, 23
- time-ordering bosons, 394
- time-ordering fermion, 452
- time reversal, 11, 223–229, 295–298
 - operator, 613–617
- topology
 - Cauchy sequence, 206
 - universal cover, 219
- trace class, 425
- trace identities, 587
- trajectory, 1
- transformation, active and passive, 13
- transition (or transfer) matrix, *see* T -matrix
- tree diagram, 320, 555
- tree-level calculations, 578–585
- trivial orbit, 472
- trivial theory, 321
- $U(1)$
 - compact, 231
 - global symmetry, 231
 - non-compact, 231
- u -channel, 528
- Uehling potential, 675
- ultraviolet cut-off, 374
- uncertainty relation
 - Schrödinger, 89
 - Heisenberg, 89
 - Robertson, 89
- unitarity
 - loss of, 332
 - triangles, 337
- unitary operator, 213
- units
 - cgs-Gaussian, 102
 - Lorentz-Heaviside, 102
 - SI, 102
- unstable particles, 594–596
- up-type quark, 335
- $V - A$ interaction, 331
- vacuum, 374
 - nonperturbative or full, 534
 - perturbative, 414, 534
 - polarization, 675
 - state, 414
 - subdiagram, 538
- vacuum expectation value (VEV), 334, 375, 508, 627, 687, 720
- van der Waals force, 324
- vector operator, 225
- vector space
 - exterior algebra, 235, 733
 - tensor product, 224, 732
- VEV, *see* vacuum expectation value
- virtual displacement, 59
- virtual particle, 97
- virtual work, 59
- Ward identities, 567, 591, 636–642
 - original, 657
- Ward-Takahashi identities, 636–642, 653
- wave-function renormalization, *see* field-strength renormalization
- weak hypercharge, 333, 719
- weak interactions, 329–346
- weak isospin, 333, 719
- weak unitarity conditions, 337
- wedge product, *see* exterior product
- Weinberg angle, 721
- Weyl equations, 303
- Weyl fermions, 301
- Weyl spinor, 46, 303
 - notation, 307–311
- Weyl's unitarian trick, 748
- Wick contraction, *see* contraction
- Wick rotation, 243, 397, 737
- Wick's theorem, 482, 536
 - boson, 404–406, 416
 - fermion, 455–456
- Wick-ordering, *see* normal-order
- Wightman axioms, 415
- Wightman function, 415, 510
- Wigner's theorem, 216
- Wilson action, 712
- Wilson line, 696–697
- Wirtinger calculus, 202, 436, 731
- Wolfenstein parameterization, 336
- worldline, 5
- Yand-Feldman equations, 548
- Yang-Mills theories, 664, 694
- Young conjugate diagram, 352
- Young diagram, 346
- Young semistandard tableau, 346
 - standard tableau, 346
- Young symmetrizer, 348
- Young tableau, 346
- Yukawa coupling, 334
- Yukawa interaction, 573
- Yukawa potential, 324, 579, 730
- Yukawa theory, 573, 665, 671–672
- Z_2 symmetry, 223, 226, 231
- zero-point energy, 368, 690