

Index

Page numbers in **bold** refer to tables; those in *italic* to figures.

- β-tubulin, 72
- γ-actin (actA), 72
- 1-(4-ethylphenyl)-ethanone, 240
- 16S rRNA, 171, 173, 176, **176**, 178, 215, 221, 238
- 1-aminocyclopropane-1-carboxylate (ACC)
 - deaminase, 216
- 2,3-butanediol, 378
- 2,4-diacetylphloroglucinol (2,4-DAPG), 241
- 2,4-dichlorophenoxyacetic acid (2,4-D), 243
- 2-(methylthio) benzothiazole, 240
- 2-butenic acid, 240
- 4-methoxyindole, 240

- abscisic acid, 33–34, 49, 376
- ACC deaminase, 10, 217, **236**, 236–237, 376
- Accrosidius*, 348
- Acephala*, 144
- acetoin, 378
- acid phosphatases, 151
- Acido*, 96
- Acidobacteria, 234, 239
- Aconitum*, 287, 297, 299, 308
- Acremonium*, 10, 53, 71, 99, 101, 285, 292, 333, 335
- Actinoallomurus*, 168, 182, 185
- Actinobacteria, 96, 167–173, 174, 175, **176**, 177–179, *181*, **181**, 181–182, **182**, 213, 215, 219, 234, 239
- Actinomyces*, 241
- Actinoplanes*, 234
- adhesion aids, 56
- Adoryphorus*, 348
- Aegicerus*, 215, 219
- Aegle*, 282–283, 302
- Aereobasidium*, 259
- African black beetle, 193, 348, 355–356
- Agaricomycetes, 96
- Agaricomycotina, 125
- Agrobacterium*, 223, 234, 313
- agroecosystems, 9, 12, 89, 240, 274
- Alcaligenes*, 212, 230, 236
- Aleppo pine, 266
- alfalfa, 57, 147, *148*, 148–149, 151, 371–372, 377–378, 380, *381*, **382**, 386
- alkaline phosphatase, 151
- alkaloids, 10, 35, 37, 192–193, 282, 299, 313, 343–344, 345, 345–348, 351, 353, 356
- Alphaproteobacteria, 213
- Alternaria*, 37, 198, 201, 259–260, 282–286, 291, 294, 297, 301, 306, 308
- Alzheimer's disease, 291
- AMF, *see* arbuscular mycorrhizal fungi
- ammonia-oxidizing bacteria, 375
- Ammophila*, 106, 108
- Amoora*, 287, 297, 303
- Ampelomyces*, 331, 376
- amplicon sequencing, 29–31, 221, 239, 241
- Ancylobacter*, 96
- Andropogon*, 96
- angiosperms, 125, 144
- antagonism, 11, 39, 90, 156, 205, **236**, 306, 313, 315
- antibiosis, 11, 39, 73–75, 94, **98**, **99**, **102**, 109–112, 157, 192, 216
- antibiotic resistance, 234, **236**
- antibiotics, 9, 75, 192, 208, 225, 228, 277, 307, 311
- anticancer, 9, 277–278, 281, 290, 297, 299–300, 302–305, 313
- antidiabetic, 278
- antifungal, 43–44, 75, 77–78, 90, 172, *181*, **181**, 186, 219, 226, 247, 278, 323–324, 327, 377, 403
- anti-inflammatory, 278, 291, 296–297

412 INDEX

antimalarial, 220
antimicrobial, 9, 26, 30, 37, 73, 75, 78, 185, 240, 295, 297
anti-obesity, 278
antioxidant, 9, 110, 156, 277–278, **286**, 291, 295–296, 313
apigenin, 242
apoplast, 33, 71, 218, 225, 238
AR1 endophyte, 345, 348–349, 351, 354–356, 359–360, 366, 368
AR37 endophyte, 345, 348–349, 352, 354, 356, 362, 364, 366
AR542 endophyte, 354, 370
AR584 endophyte, 354
Arabidopsis, 34, 110, 126, 149, 153, 215, 217, 238
Arachis, 294
arbuscular mycorrhizal fungi, 11, 96, 120, 122, 159, 202
Argentine stem weevil, 346, 348, 349, 354–356, 363–364, 367
Armillaria, 330
aromatics, 9
Arthrobacter, 96
artichoke, 57
Ascomycota, 11, 53, 68, 70, 85, 87, 90, 96, 120, 131, 188, 196, 200, 329
ash, 10–11, 40, 328–335, 337–340
 dieback disease, 10–11, 40, 328–330, 337
asiaticoside, 310–311, 315–316, 319, 320, 320–321
Aspergillus, 43, 105, 196, 266, 274, 285–286, 290–291, 295, 303, 314
Atkinsonella, 96
Aureobasidium, 258, 260, 271, 332, 335
auxin, 10, 33–34, 149, 153, 376–378
 IAA indole acetic acid, 16, 33–34, 153, 173, 181, **182**, 182–183, 217, 237, 319
Avr4, 33
azadirachtin, 312, 324
Azospirillum, 10, 212, 223
Azotobacter, 377–379, 383, **384**, **386**, 386–389

Bacilli, 96, 213
Bacillus, 101, 114, 213, 215, 228–229, 231, 234–236, 241, 245, 325, 371–372, 376–380, **380**, **382**, 382–383, **384**, **386**, 386–388
Bacopa, 319, 321
Bacterial nitrification, 375
Bacteroidetes, 234, 239
Balansia, 319
Balansiaceae, 192
banana, 60, 71, 84, 168, 183, 219, 318
barcoding, 12, 188, 193–196, **197**, 200, 202, 205–206, 312, 328, 334, 338, 398

barley, 5, 11, 28, 34, 38, 40, 93–95, 97, **98**, **104**, **108**, 104–112, 126, 128, 128, 191–192, 234, 252, 378, 395, 398–399, 401
 yellow dwarf (*BYDV*), 94
Bartalinia, 282–283, 302
Basidiomycota, 11, 70, 96, 120, 125, 188, 196, 200, 329
Bassiacridin, 73, 90
Bassianin, 73
Bassianolide, 73, 75, 91
BCA, *see* biocontrol agent
bead systems, 59
bean, 57–58, 74, 229, 372, 378–379, **380**
Beauveracin, 73
Beauveria, 10, 42, 53–54, 56–58, 60, 68–69, 71, 73, 76–78, 79, 80, 84–87, 89–92, 206
Beauveriolides, 73
benzopyranones, 35
benzothiadiazole, 26
benzothiazole, 240
Berberine, 286, 296, 307
Berberis, 296
Betaproteobacteria, 213
bioactive compounds, 277–282, **283**, 287, 291, 295, 297, 299, 312, 347
biocontrol, 3, 10–11, 25, 27, 30, 37, 38, 38–39, 42, 54, 58, 67–70, 73, 78, 82–83, 86, 93–97, **98**, **108**, 106–112, 156, **157**, 157–159, 162, 168, 177, 181–182, **182**, 191–192, 208, 215–216, 218, 234, **236**, 241, 243, 328, 331, 335, 337–338, 355, 360, 388–389, 397–398
biocontrol agent, 10, 25, 27, 30, 37, 54, 69, 93, 95–97, **98**, 106, 108, 159, 168, 181, 192, 208, 243, 331
biodiversity, 8–9, 204, 233, 237, 240, 247, 252, 271, 280, 294, 307, 312, 326, 339
bioenergy, 9, 188–189, 202, 213
bioethanol, 189
biofertiliser, 41, 373, 378
biofilm, 216, 218
biofuel, 189, 233
bioinsecticides, 83, 91
biomass, 9, 32, 59, 110, 121, 126, 129, 132, 147, 150, 154, 188–191, 202, 213, 216, 234, **236**, 236–237, 240, 243, 315, 319, 321, 377
biomolecules, 8, 13, 15, 275
biopesticides, 67–70, 80–81, 94, 243
bioprospect, 3
Bipolaris, 46, 98–101, 104–106, 108–109, 111, 115–116
bird cherry-oat aphid, 348
Biscogniauxia, 257, 261, 272
BIV, 295
black cutworm, 348
Blastomyces, 285, 292

- blastospores, 54, 80
- Blumeria*, 35, 48, 94, 98, 100–101, 105–106, 108–111
- Boeremia*, 331–332, 335
- Botryosphaeria*, 259, 261, 267
- Botryosphaeriaceae, 258, 274
- Botrytis*, 48, 76–77, 80, 88, 157, 261, 283, 285, 292, 376
- Bouteloua*, 279
- Bradyrhizobiaceae, 234
- Brassica napus*, 232–235, 235, **236**, 238, 240–241
- Brassicaceae, 49, 125, 233
- Brevibacillus*, 216
- broccoli, 371, 377–378, 380–381, **382**, 386
- brown rust, 94
- bryophytes, 125
- Bucephalagonia*, 212, 225
- Burkholderia*, 88, 96, 117, 212, 224, 234, 246
- Burkholderiaceae, 234
- BVDV, 295
- C₄ grasses, 96
- Cadophora*, 132, 133, 133–134, 144, 145, 148, 151, 154–158, 158, 160, 163
- Camptotheca*, 284, 289, 303–304, 306
- camptothecin, 281, 284, 288, 288–289, 299–300, 303, 305–306, 312, 326
- carbohydrates, 9, 72, 189, 313
- carbon sequestration, 9
- carboxymethyl cellulose, 56
- Cardinium*, 212
- catalase, 156, 158
- Catharanthus*, 212, 282, 300, 303–305, 308, 321, 327
- Cd, 154, **155**, 155–156, 237, 249
- Cd-oxalate complexes, 156
- Centella asiatica*, 310–311, 315, 317, 317–318, 321–323, 325
- Ceriporia*, 286, 292
- CERK receptor-like protein kinase, 33
- Cf4 resistance gene, 33
- Chaetomium*, 98, 101, 105, 109, 117–118, 153, 198, 376, 392, 404–405
- Chaetosphaeriales, 144
- Chalara*, 329, 339–340
- chemoattractants, 211
- Chilean Collection of Microbial Genetic Resources, 76
- chitin, 33, 122, 173
- Chloroflexi, 234, 239
- ciclosporin, 73
- cinnamoyl-CoA reductase, 215
- Cirsium*, 96
- Citrobacter*, 213
- Cladosporium*, 10, 33, 38, 53, 71, 75, 92, 145, 162, 196, 203, 261, 283, 285, 287, 292, 297, 308–309
- Clavicipitaceae, 192, 369
- clavicipitaceous, 3, 53, 71, 96, 257
- climate change, 3, 8, 15, 26, 189, 223, 233, 250, 256, 259, 268, 270–271, 274, 400, 408
- climate change index, 256
- Clonostachys*, 10, 38, 42, 53, 71, 97, 99–102, 111, 115
- Clostridium*, 216
- cockchafer, 348
- Coelomycetes*, 297, 300
- coevolved, 10
- coffee, 57, 65, 68, 90, 118, 192
- Colletotrichum*, 28, 44, 63, 236, 285, 292, 296, 301, 310–311, 317, 316–318, 321
- Comamonadaceae, 235, 241
- Common Agricultural Policy, 374
- community ecology, 165
- conidia, 10, 54, 69, 76, 80, 82, 86–87, 89–90, 109, 111, 115, 117
- Coniothyrium*, 376, 389
- conservation tillage, 237, 239, 239, 241
- consortia, 13, 42
- copiotrophic bacterial families, 240
- Coptis*, 286, 296
- Cordycepin, 73
- Cordyceps*, 62, 206, 333, 335
- cork oak, 10–11, 250–252, 254, 255, 255–259, 266
- corn borer, 10, 53
- Coronamycin, 220
- Corynephorus*, 99, 106
- Coryneum*, 259, 261
- Coscinium*, 286, 296, 307
- Costelytra*, 348, 366
- cotton, 57, 86, **103**, 107
- CRISPR-Cas9, 26
- crop inoculant, 398
- crop resistance, 11
- crop rotation, 13, 26, 232, 234, 237, 240–241, 242, 247
- crop wild relative, 13, 95, 390, 401
- crown gall, 97
- cryogenic preservation, 334
- cryptocandin, 312
- cucumber, 74, 85, 87–88, 114, 138, 168
- Cucumis*, 74, 138, 151, 153, 156–158, 161
- Cucumis sativus*, 74, 138, 153, 161
- cultivation-dependent methods, 29
- cultivation-independent methods, 29, 228
- Curcuma*, 287, 297, 308, 321–322
- curcumin, 287, 297
- Curtobacterium*, 213
- CWR, *see* crop wild relative

414 INDEX

- Cyanobacteria, 235
 cyclopentanonone and 2-pyranone
 derivatives, 219
 cytochalasines, 35
 Cytophagaceae, 240
 Czapek Dox, 188, 194–195
- Dactylis*, 12
Dactylonectria, 196, 333, 335
 dark septate endophyte, 3, 7, 11, 96, 120, 122,
 143–144, 145, 160–164
 denitrification, 375, 388
 Destruins, 73
Devosia, 234
Diapensia, 96
 Diaporthaceae, 196
Diaporthe, 196–197, 199, 202, 284, 299, 332,
 335, 404
 diazotroph, 3, 11, 173, 213
 diffusion pathways, 125
 Dimethomorph, 58
Dioscorea, 314, 324
Diplodia, 251, 257–258, 262
Discula, 257, 262
 diversity, 12–13, 14, 29, 31, 35, 70, 73, 95, 132,
 167–169, 171, 178, 182, 188–189, 194–195,
 200, 202, 208–209, 212, 215, 220–221, 222,
 222–223, 233, 237, 239–240, 250, 252, 259,
 280, 299, 311–312, 329, 345–346, 391–392
 DNA barcoding, 193, 196
 Dothideomycetes, 96, 188, 196, 201
Dracaena, 321, 324
 drought, 18–19, 32, 89, 95, 115, 117, 125, 153,
 164, 205, 237, 251, 256–257, 259, 266–267,
 269, 272, 324, 349, 360, 365, 378, 395, 397,
 400, 402, 407, 409
 drug discovery, 159, 277–278, 299, 326
 drug resistance, 9
 DSE, 7, 11, 96, 122, 131–132, 133, 133–134,
 143–145, 145, 146, 146–147, 148, 148–151,
 152, **155**, **157**, 158, 152–161, 164
Dysoxylum, 287, 297, 303, 324
- ecomycins, 219, 228
 ecosystem services, 9, 254
 Ecp6 effector, 33
 EEPF, *see* endophytic entomopathogenic fungi
 EFes entomopathogenic fungal endophytes,
 71–75, 78, 81–84
 effectors, 29, 32–33, 35
 elicitors, 9, 75, 299, 310, 312, 314, 320–321
 ELISA tests, 351
 embryo culture, 328, 336
 emodin, 293, 295, 299
 endomicrobiome, 28
 endopaths, 3, 6, 7, 11, 13
 endophytic entomopathogenic fungi, 53, 55,
 53–60
 endophytologist, 3, 7, 9
 endosymbionts, 3
 endosyms, 3, 7, 9–10, 12–13
 enhancers, 9
 enniatines, 35
Ensifer, 371, 377–378, 380, 381, **382**, 386
Enterobacter, 10, 117, 211, 213, 216, 236, 249
 enterobacteria, 218
Enterococcus, 213, 219
 entomopathogen, 87, 90
 entomopathogenic, 10, 52–56, 59, 67–69, 71, 83,
 86–87, 89–92, 192
Entrophosphora, 290
 environment, 26–27, 37, 40–42, 68, 78, 83, 96,
 149–150, 156, 177, 190, 210–212, 218, 220,
 222–223, 233, 251, 256, 258, 266, 290, 332,
 338, 347, 376, 390–391, 393–396, 398–401
Epichloë, 10, 14, 36, 40–41, 53, 96, 192, 345,
 343–353, 355, 357, 391
 epichloëcyclins, 347
 Epichloënin A (and B), 347
Epicoccum, 201, 259, 263, 331–332, 392
 epiphyte, 4, 95, 194
 epoxy-janthitrems, 346, 348, 356
 ergopeptides, 346, 348
 ergot alkaloids, 192–193, 351
 ergotamine, 346
 ergovaline, 22, 192, 344, 346, 348, 352, 355–356,
 362, 366
 ericoid mycorrhiza, 125
 ERM, *see* extraradical mycelium
 erosion, 9, 233–234, 237, 241
Erysiphe, 118, 396
Escherichia coli, 218
 ethylene, 33–34, 75, 88, 153, 213, 216, 225, 376
 EU Commission DG SANCO, 373
Eucalyptus, 211, 225
Euphorbia, 319, 321
 Eurotiomycetes, 188, 196
Eutypella, 284, 289
Exophiala, 144, 153–155, 161, 164
 extraradical mycelium, 124, 128, **130**
- faba beans, 371, 377
 fatty acid methyl ester (FAME) profiling, 235
 ferns, 125, 312
 Ferricrocin, 347
 fertiliser, 8, 13, 26–27, 58, 121, 134, 188, 232, 237,
 241, 243, 371–372, 374, 379, 382–384, 396,
 399, 401
 fescue, 20, 205, 322–325, 343, 345, 347–348,
 350–354, 357–370

- Festuca*, *see* fescue
 field crickets, 348
 field trials, 107–108, **236**, 236–237, 371, 376, 378, 394, 402
 fipronil insecticide, 242
 Firmicutes, 215, 234, 239–240
 Flavobacteriaceae, 241
Flavobacterium, 234, 237
 flavonoids, 35, 248, 313–314
 food security, 8, 15, 387
 forage, 10, 12, 190, 352–353, 357, 360, 366
 formulation, 25, 41, 52, 54–55, 57, 59–60, 82, 86, 91, 394–395, 398
 fossil record, 279
 Framework Directive on the Sustainable Use of Pesticides, 373–374
Fraxinus, 40, 328–331, 335
 functional genomic, 13
 fungicides, 19, 26, 38, 57–58, 82, 91, 350, 368, 372, 396, 407
Funneliformis, 126, 160
 funnelling approach, 13
Fusarium, 28–29, 38–39, 71, 74–75, 77, 80, 94, 98–99, 101–103, 105–106, 108–110, 156–158, 191, 196, 219, 282–283, 287, 290, 297, 299, 301–303, 305–307, 314, 318, 321, 324–325, 331, 333, 335, 376–377

Gaeumannomyces, 99, 103, 106, 108, 114, 116–117, 144, 155, 159, 168, 184, 196, 198, 202, 232, 234
 Gemmatimonadetes, 234
 gene editing, 26
 genetic engineering, 26
 genome-wide association study (GWAS), 216
Geomyces, 287, 297
Gibberella, 287, 297
 gibberellins, 21, 33–34, 46, 50, 377, 409
Ginkgo, 283, 287, 299, 306
 globalisation, 9
 Glomeromycota, 96, 329
 Glomeromycotina, 11, 120, 122
Glomus, 123, 126, 135, 137–138
 glutathione reductase, 158
Gossypium, 73
 granules, 52, 53, 55, 55, 58–60, 136
 grapevine, 73, 212, 215, 217, 223, 231
 grasses, 10, 12, 53, 71, 91, 96, 106, 112, 114, 192, 204, 319, 324–325, 339, 343–344, 347, 349, 349, 359–360, 362, 364–365, 368, 391, 405–406
 grassland, 12, 96, 119, 203, 279, 343
 green fluorescent protein (GFP)-labelled strains, 211
 Green Revolution, 9
 greenhouse gas, 8–9, 233
Guarea, 279

 habitat loss, 8
Harpophora, 150, 157–158, 163–164
 Hartig net, 144, 190
 haustorium, 71
 heavy metal, 11, 161, 216, 234, **236**
 Heinrich Friedrich Link, 5, 329
 Helotiales, 144, 151, 164
 hemagglutinin gene, 217
 hemocele, 69
Herbaspirillum, 190, 206, 213, 227
 Herbicide, 61, 245, 378
Heterobasidion, 157, 158, 163
Heterochomium, 156–157
Heteronychus, 348, 358
 hexoses, 122
 HIV, 220, 295
 Hodgkin's disease, 282
 holobiont, 3, 52
Homalodisca, 212, 217
Hordeum, 22, 97, 117, 191, 399, 402
 horizontal transmission, 3, 71–72, 208, 210–211, 396
 host-induced gene silencing
 HIGS, 26
 HSV, 295
Huperzia, 285, 291, 301, 304, 306–309
 huperzine, 281, 293, 301, 304, 306–307, 309
 Huperzine A (HupA), 285, 291, 307–308
Hydrastis, 296
Hymenoscyphus, 40, 328–329, 331, 335, 337–340
Hymenoscyphus fraxineus, 40, 328, 338
 hypericin, 281, 286, 293, 295, 299, 303–304
Hypericum, 287, 295, 303
 hyperparasitism, 192
 Hypocreales, 53, 68, 85, 87, 90, 144, 151, 196
Hypoxylon, 292

 IAA, *see* auxin
in vitro testing, 37, 107
 indole-diterpenoids, 346
 indolosesquiterpene, 220, 225
 induced resistance, 11, 37, 39, 75, **99**, 109, 111, 115
 induced systemic resistance, 73, 75
 influenza A virus, 295
 insecticides, 9, 82, 244
 integrated pest management, 52, 58, 60, 93–94, 373, 396
 IP protection, 357
 IPM, *see* integrated pest management
 iron, 157, 163, 191, 249, 347, 362, 376, 388
 irrigation, 8, 26, 39, 169, 218, 379

416 INDEX

- Isaria*, 10, 53, 56, 81
 ISR, *see* induced systemic resistance
- jasmonate, 34, 75, 230, 313
 jasmonic acid (JA) defense signaling, 215
 Jatropha, 216
Juncus, 96
Juniperus, 285, 291, 303–304
- Kaistobacter*, 234
 kakadumycin compounds, 220
Kennedia, 219
Kineococcus, 168
Klebsiella, 213
Knoellia, 96
 Koch's Postulates, 29
- landraces, 26, 390, 392, 401, 405
 land-use change, 8
Lasiodiplodia, 282–283, 305
 latent pathogens, 28, 38, 95, 258, 278
 latent saprotrophs, 95
 leaf blotch, 94
Lecanicillium, 10, 53, 73–75, 86–88, 103, 333, 335
 lectins, 33
Leptodontidium, 144, 145, 147, 148, 148–149, 151, 152, 155–157, 159
 lesion nematode, 348
 lignins, 158
Lignyodes, 335
Linum, 321–322
 lipopeptides, 219
Listronotus, 348, 363, 366, 368
 liverworts, 312
 locking nucleic acids (LNA), 221
 lolines, 192, 346, 348, 351, 360
 lolitrem B, 192, 344, 348, 355–356, 358, 362
 lolitrems, 192, 351
Lolium, 21, 145, 149, 155, 265, 270, 279, 301, 311, 323, 358, 360, 362, 364–368, 409–410
Lupinus, 252
 luteolin, 242
Lygeum, 99, 106
- Magnaporthaceae, 196
Magnaporthe, 150, 157–158, 196
 maize, 10, 71, 97, 117, 126, 155, 159, 161, 164, 168, 177, 183, 243, 325, 393
 malting, 94
 mammalian mycotoxicosis, 346
 MAMP, *see* microbe associated molecular patterns
 mangrove, 219
Manilkara, 279
 MaxQ, 351–354
 MaxQ II, 352, 354
 Medicine, 9, 303, 308
 Mediterranean, 250, 252
 melanin, 144, 156
Melia, 287, 299, 304
 melon, 57, 161
Mentha, 321, 325
 metabarcoding, 30
 metabolites, 3, 9, 31, 35–36, 41–42, 73, 75, 78, 92, 109, 211, 215, 217–218, 278, 300–302, 305, 311–312, 323–324, 333, 377
 metagenomics, 12, 29–31, 159, 200, 202, 221, 234, 240
 metal hyperaccumulators, 145
 metal transport protein (MTP), 156
 meta-omics, 232
Metarhizium, 10, 42, 53–54, 56–58, 60, 68–69, 71–78, 79, 80, 85–91, 282–283
 meta-transcriptomics, 31
Methylobacterium, 212–213, 216, 225, 227, 235
 Methylophilaceae, 241
 microarrays, 149
Microbacterium, 213, 236
 microbe associated molecular patterns, 33, 35
 microbiome, 3, 6, 12–13, 14, 25, 27, 30, 30–31, 36–38, 82, 95, 97, 202, 209, 211–213, 215, 222–223, 237–238, 241, 243, 267, 310, 328–329, 331, 392, 401
 microbiota, 31, 43, 68, 117, 135, 213, 218, 238–241, 243–245, 390–392, 401, 403, 406, 408
 microbispora, 167–168, 173, 177–178, 182–184
Micrococcus, 213, 237
Microdochium, 96, 100–101, 105–106, 111, 149–150, 153, 160, 196–199
Micromonospora, 104, 177
 micronutrient, 11
 microsclerotia, 54, 131, 143–144, 145
 mineral solubilisation, 378
Miscanthus, 188–191, 193–194, **195**, 195–196, **197**, 200, 200–202, 215
Monochaetia, 282
 monoculture, 234, 241, 282, 313, 372
Morinda, 282–283, 305, 314, 322
 mosses, 125, 312
 mouldboard plough based conventional tillage, 239
Mucilaginibacter, 96
Musa, 71, 84
 mutualism, 3–4, 7, 25, 28, 143, 147, 148, 148–149, 154, 324
 mutualism-parasitism, 5
 mycoacaricides, 56, 85
 Mycobank, 335
 mycoinsecticides, 55, 87
 mycoparasitism, 74, 78, 109, 111, 202

- mycopathogen, 74
- mycorrhizal fungi, 3, 6, 7, 10–12, 32, 42, 95, 120, 122, 124–126, 131, 131–132, 136, 138–139, 144–145, 150, 153–156, 159, 190, 266, 322, 381, 393
- Mycosphaerella*, 29, 219, 223, 286, 296, 332, 335
- mycotoxins, 41, 87
- Nectria*, 330
- Nectriaceae, 196
- Nemania*, 331
- Neonectria*, 333, 335
- Neotyphodium*, 190, 193, 205, 265, 319, 324, 358–362, 364–370
- net blotch, 94, 113
- neuroprotective, 278, 296
- Neurospora*, 191, 207, 284, 290, 306
- neutralism, 149
- Nicotiana*, 216, 229
- Nigrospora*, 37, 289, 300
- nitrification, 375
- nitrifying bacteria, 375
- Nitrobacter*, 375
- Nitrococcus*, 375
- nitrogen, 5, 8, 10, 72, 120, 147, 151, 189–190, 213, 216, 234, 237, 240, 242, 346, 350, 354, 372, 375, 377–378, 386, 399
- nitrogen fixation, 10, 168, 237, 242, 375, 377–378
- nitrogen fixing, 190, 213, 216, 243
- nitrogen fixing rhizobia, 373, 377
- Nitrosococcus*, 375
- Nitrosolobus*, 375
- Nitrosomonas*, 375
- Nitrospira*, 375
- Nitrosovibrio*, 375
- Nitrospina*, 375
- Nitrospira*, 375
- Nocardioides*, 96
- Nocardiopsis*, 219, 227
- Nod D receptors, 242
- Nodulisporium*, 284, 290
- non-ribosomal peptide synthetases (NRPSs), 347
- nrITS, 146, 188, **195**, 194–197, **197**
- nrLSU, 188, 195, **195**, 194–197, **197**
- nutrient media, 30
- nutrient uptake, 5, 32, 110, 147, 150–151, 152, 152–153, 167, 190, 216, 240, 266, 311
- oilseed rape, 12, 57–59, 232–233, 244–247, 249
- oligotrophic bacterial families, 240
- oomycetes, 28, 35, 74, 257
- Oosporein, 73, 92
- Ophiosphaerella*, 196–198
- organic agriculture, 27, 94, 112, 117, 141, 372
- orthophosphate, 121, 126
- Oryza*, 47, 157–158, 168, 170, 185–186, 213, 215, 296, 301
- Ostrinia*, 10, 15, 53
- Oxalobacteraceae, 124, 240–241
- Oxyria*, 96
- Pacific yew, 281, 306, 326
- paclitaxel, 312, 321, 324
- Paecilomyces*, 46, 62, 71, 75, 85, 259, 286, 292, 307
- Paenibacillus*, 96, 138, 216, 228, 236
- Panicum*, 96, 213, 215, 225
- Pantoea*, 105, 113, 184, 213, 219, 223, 225, 229
- Paracoccus*, 96
- parasite, 74, 95, 220, 405
- parasitism, 3–4, 5, 7, 11, 25, 28, 39, 73–74, 94, 109, 143, 147, 148, 148–149, 154, 156, 358, 376, 389, 405
- Passalora*, 33
- passenger endophytes, 6, 391
- pasture mealybug, 348, 366
- pathogen, 4–5, 10–11, 27–29, 32–33, 35, 37, 39–41, 73–75, 77–78, 94, 96, **98**, 107, 109–112, 150, 156–157, 172, 181, 191–193, 216–217, 219, 235, 240, 250–251, 256–257, 259, 266, 313, 315, 328–329, 331, 335, 337–338, 396, 398
- pathogenesis related gene, 111
- pathogenesis related proteins, 75, 110
- pathosystem, 4
- paxilline, 346
- Pb, **155**, 159, 237, 249
- PCR-based DGGE (denaturing gradient gel electrophoresis), 169
- Pedobacter*, 96, 404
- Penicillin, 277
- Penicillium*, 105, 196, 199, 258, 263, 266, 274, 277, 282, 287, 297, 299, 302, 304
- Peniophora*, 331
- peptides, 9, 219, 226, 347
- peramines, 192
- Periconia*, 96, 132, 133, 133–134, 286, 296, 307
- peroxidase, 111, 158
- Pestalotiopsis*, 282–283, 287, 299, 302, 306, 324, 326–327
- pesticide, 10, 13, 26–27, 57, 67, 69, 78, 83, 94, 188, 192–193, 232, 237, 241–243, 374, 383, 396
- Pezizomycotina, 188, 196
- PGP, 7, 9, 11–12, 14, 150–151, 234–235, 241, 321, *see also* plant growth promoting
- PGPB, 242, 371–376, 378, 382–383, *see also* plant growth promoting bacteria
- pharmaceutical, 3, 9, 36, 222, 278, 282, 302, 326

418 INDEX

- Phaseolus*, 84, 213, 215
Phellodendron, 286, 296, 301
 phenolics, 10, 313
 phenotype, 6
 phenotyping, 13, 332
 phenylpropanoids, 35, 313
Phialocephala, 138, 144, 147, 148, 148–151, 154, 157, 160–161, 163–164, 285, 291
Phialophora, 139, 144, 145, 148, 148–149, 151, 152, 152–153, 155, 158, 319, 326, 365
Phlegmarius, 285–286, 292, 308
Phoma, 99, 162, 263, 282–283, 303, 332, 335, 405
Phomopsis, 199, 286, 296, 301, 321
 phosphatase, 124, 127
 phosphate, 10–11, 120–121, 127, 123–129, **130**, 132, 133, 137–139, 141, 167, 170, 173, 181, **182**, 182–183, **236**, 236–237, 290, 320, 377
 phosphate transporter gene, 126
 phosphorus, 8, 120, 378
 phyllosphere, 27, 40, 95, 116, 209, 212, 218, 224, 226, 230
 phytase, 378, 388
 phytoalexins, 35–36
 phytoanticipins, 35–36
 phytohormones, 11, 33, 143, 153, 213, 259, 319, 376, 388
 phytopathogens, 11, 67–68, 74–75, 78, 82–83, 143, 156, 163, 217–218, 323
Phytophthora, 27, 35, 157, 158, 163, 240, 257, 266, 268, 376
 phytoremediation, 208, 329, 404
 phytostimulation, 10, 216
 Pi, inorganic P, 121–124, 127–128, 131, 134
 Pierce's disease (grapevine), 217
Pinus, 65, 81, 138, 147, 151, 161–162
Piper, 286, 296, 301, 307
 Piperine, 286, 296, 301–302, 307
Piriformospora, 5, 34, 97, 113–115, 118–119, 126, 135–136, 139, 141–142, 161, 193, 207, 319, 321–322, 326, 392, 394, 402, 404–406, 409
Pitef1, fungal gene, 129, 136
Pithomyces, 282
 Planctomycetes, 234
Planococcus ficus, 83
 plant breeding, 9, 26, 204, 339, 409
 plant growth promoting, 7, 9, 32, 138, 183, 224, 229, 233, 237, 243–244, 325, 376, 386
 plant growth-promoting bacteria (PGPB), 371
 plant pathogenic bacteria, 208
 plant protection products (PPPs), 372
Plantago, 96
Plasmodiophora, 185, 241
Plasmopara, 73, 215
 Pleosporales, 144, 147, 151
 podophyllotoxin, 281, 285, 288, 290
Podophyllum, 285, 290, 301, 305
 pollution, 8–9, 83, 153, 160, 163, 223
Polygonum, 246, 294
 polyketide synthetases (PKSs), 347
 polyketides, 35, 304, 403
Populus, 43, 155, 215, 215
 Porina, 348
Portulaca, 168
 powdery mildew, 48, 82, 87, 94, 109, 376
 PR, *see* pathogenesis related
Pratylenchus, 348, 358, 370
 probenazole, 26
Prosopis, 97
 protein nucleic acids (PNA), 221
 Proteobacteria, 96, 215, 234, 239
 proteomic, 13
 Pseudomonadaceae, 240–241
Pseudomonas, 97, 100, 102–105, 108, 111, 113–114, 117, 124, 187, 190, 213, 215–216, 219, 223, 226, 228–229, 235–236, 241, 243–245, 248, 330, 339, 376–377, 379–380, **382**, 386, 406, 410
 pteridophytes, 125
Puccinia, 47, 94, 191
 pumpkin, 57
Pyrenophora, 94, 98, 100–101, 103–109, 111, 405
 pyriproxyfen insecticide, 242
 pyrrolizidines, 346
 pyrrolopyrazines, 346
Pythium, 48, 74, 85, 157, 217, 376, 387

Quercus suber, 250–251, 254, 256–257, 260, 268–269, 271–272
 decline, 257
 quinones, 35

Ralstonia, 186, 216
Ramularia, 28, 48, 94, 112
Rathayibacter, 237
 reactive oxygen species, 110, 289
 REBECA policy, 41
 Regulatory processes, 373
 resilience, 9, 117, 387
 Resveratrol, 286, 294–295, 301, 306
 Rhizobia, 10–11, 95, 212, 242, 373, 377–379, 381, **382**, 382–383, **384**, 386, **386**
 Rhizobiaceae, 235, 241
Rhizobium, 96, 234, 242, 244–245
Rhizoctonia, 73, 82, 167–168, 172, 219, 236, 376, 387
 rhizodeposition, 240
Rhizoglossum, 123–124, 141
Rhizophagus, 124, 140
 rhizosphere, 13, 27, 32, 39–40, 95, 97, **103**, 114, 118, 120, 123–124, 127, 134, 137, 150, 160,

- 169, 183, 190, 211–213, 223, 229, 232, 234,
235, 238–239, 239, 241, 242, 244–245, 253,
375, 387, 393, 403, 409
Rhodanobacter, 96
Rhodococcus, 96
Rhodoplanes, 234
Rhodothorula, 188, 196, 199
Rhopalosiphum, 348
Rhynchosporium, 94, 100, 105–106, 111
ribosomal peptide synthesis (RiPS), 347
ribosomal polymerase B, 72
rice, 87, 150, 158, 163–164, 167–170, 173, 174,
175, **175**, **176**, 176–178, 179, 180, **181**,
180–182, **182**, 184–186, 213, 224, 230, **236**,
259, 405, 408
rohitukine, 287, 297, 298, 312
root aphids, 348
root derived polysaccharides, 211
ROS, *see* reactive oxygen species
Roselinia, 196
Rumex, 96, 314, 323
ryegrass, 21, 36, 44, 145, 147, 148, 148–149, 204,
279, 343, 345, 345, 347–348, 350–351, 354–356,
358–359, 361–362, 364, 366–370, 409

Saccharopolyspora, 167, 176, 182–183
Saccharum, 188, 191, 196, 201, 205, 213, 215
salicylic acid, 33, 75, 153, 215
salinity, 70, 153, 257, 404
Salix, 154–155, 160–161
Salmonella, 218, 223, 227, 229
saprophytes, 81–82
SAR, *see* systemic acquired resistance
Schizachyrium, 96
Sclerostagonospora, 331
Sclerotinia, 76–77, 80, 82, 219, 236, 247
Sebacinales, 11, 119–120, 122, 125, 134, 139, 409
secondary metabolite, 3, 9, 36, 53, 73, 153, 157,
168, 192, 217, 278, 297, 299–300, 304, 310–
311, 313, 315, 321–322, 325, 344, 347, 410
seed dressing, 19, 81, 395, 399, 407
seed treatment, 46, 58, 62, 72, 84, 87, 118, 379,
393, 396, 399
Seimatoantlerium, 282
Septoria, 28, 115, 396
Serendipita, 33, 97–99, 109, 122, 125–126, 127,
129, 193, 392, 394, *see also* *Piriformospora*
Serendipitaceae, 126
Serratia, 213, 236–237, 244
Setomelanomma, 331
siderophore production, 173, 181, **182**, 375
silvicultural, 3, 9, 252
soil fertility, 9, 233, 372, 377, 383, 388
soil management, 9, 169
soil structure, 125, 140, 234, 240, 244

Solanum, 65, 97, 127, 157
Sordaria, 259, 264, 269
Sordariales, 144
Sordariomycetes, 188, 196
Sorghastrum, 96
Sorghum, 81, 154
Sphingobacteriaceae, 241
Sphingobacteria, 213
Sphingomonas, 96, 213, 235
Spilanthes, 321, 326
spore formation, 13, 59, 335
Sporormia, 282
Stagonospora, 191, 206
Staphylococcus, 213, 219, 307
Stenotrophomonas, 216, 236
Stereum, 259, 265
steroids, 35, 313
stomata, 18, 124, 210, 212, 218, 396
Streptomyces, 103, 167–169, 173, **175**, 175–178,
182–186, 216, 219, 225, 227, 234, 241,
323–324, 376
superoxide dismutase, 156, 158
Sustainable Development Goals, 8, 15
symbionts, 4, 7, 12, 28, 42, 71, 147, 160, 250,
322
systemic acquired resistance, 75
systemic resistance, 10, 73–75, 91, 110, 158, 168,
216–217, 376–377

take-all fungus, 241
Talaromyces, 284, 287, 289, 299, 305, 308
tall fescue, 344, 348, 351–354, 366, 368
taxol, 279, 281, 288, 299, 301–308, 312
Taxomyces, 279, 281, 283, 306, 326
Taxus, 279, 281, 283, 301–302, 304, 306–308, 321,
324, 326–327
TE, *see* trace element
TEF, *see* translation elongation factor
terminal restriction fragments (TRFs), 172
Terminalia, 282–283, 302
terpenoids, 9–10, 35, 313, 315
tetralones, 35
Theobroma, 65, 90, 114, 259, 266–267
Thielavia, 287, 295, 304
Thiram, 58
tillage, 13, 26, 232, 237–238, 239, 239–241, 242,
245, 248
tissue print-immunoblot technique, 351
tobacco, 148, 153, 162, 212, 216, 219, 226, 228,
240, 326
tobacco-specific nitrosamines (TSNAs), 219
tomato, 33–34, 57–59, 67, 71, 76, 78, 79, 80,
97, 127, 127, 128, 128–129, **130**, 131, 133,
147, 156, 168, 259, 371, 377–379, 383, **384**,
386, **386**

420 INDEX

- toxicity, 11, 69, 75, 154, 156, 192, 243–244, 289, 352, 361, 368, 372
- trace element, 154
- Trametes*, 285, 291, 306
- translation elongation factor, 72, 129, 136, 195
- tremorgens lolitrem B, 346
- TRF, *see* terminal restriction fragments
- T-RFLP profile analysis, 167
- Trichoderma*, 43, 48, 91, 97, 101, 103–104, 259, 265, 267, 284–286, 290, 292, 299, 305, 323, 376, 388
- Trichothecium*, 282
- Triticum*, 97, 183, 215
- Truncatella*, 282
- Tubercularia*, 282–283, 327
- Tuta absoluta*, 83
- Type IV pili gene, 217
- Ulocladium*, 376
- United Nations, 8–12, 15, 28–29, 32–36, 38–39, 113–114
- Ustilago*, 101, 105–106
- UV radiation, 37, 57, 82
- Venturia*, 38, 47, 331
- Verrucomicrobia, 234, 239–240
- vertical transmission, 3, 10, 12, 14, 208, 210, 210–211, 335, 345, 350, 357, 364
- Verticillium*, 71, 74, 85, 87, 91, 156–157, 162, 235–236, 244
- vinblastine, 281–282, 288, 312
- Vinca*, 287, 297, 308
- vincristine, 281–282, 288, 303, 308, 312
- virus, 9, 73–74, 87, 94, 119, 295
- viruses, 4
- Vitis vinifera*, 73, 215, 215, 224, 286, 294, 301
- VOCs, *see* volatile organic compounds
- volatile organic compounds, 11, 94, 143, 148, 153, 162, 278, 313, 378
- wheat, 10, 28, 31, 34, 38, 57–58, 97, 105, 111, 113–115, 117–118, 168–169, 183–184, 229, 234, 240–241, 245, 247, 252, 269, 378, 387, 393, 396, 403–405, 409–410
- white grubs, 348
- whitefly, 83
- Wiseana*, 348
- xanthan, 56, 58
- Xanthomonadaceae, 235, 241
- Xanthomonas*, 73, 226, 236, 325
- xanthonenes, 35
- xenohormesis hypothesis, 281
- Xylariales, 144, 151
- Xyllela*, 212
- yellow Sigatoka disease, banana, 219
- yield losses, 69, 192
- Zizyphus*, 97
- zucchini yellow mosaic virus, 74
- Zygomycota, 70, 329
- Zymoseptoria*, 27–28