
Index

- ∞ -category, 19
 - locally U -small, 242
 - of cofibrant objects, 369
 - of fibrant objects, 369
 - presentable, 415
 - U -cocomplete, 275
 - U -complete, 275
 - U -small, 243
 - with weak equivalences and fibrations, 362
- ∞ -groupoid, 19
- absolute weak equivalence, 69
- adjoint, 262
- adjunction, 262
- anodyne extension, 73
- approximation property, 382
- arrow, 15
- boundary, 15
- Brown's lemma, *see* Ken Brown's lemma
- calculus of fractions
 - left, 329
 - right, 329
 - right putative, 328
- Cartesian square, 306
- categorical anodyne extension, 94
- category of elements, 3
- cellular model, 51
- class
 - of cofibrant objects, 409
 - of fibrations, 357
 - of trivial fibrations, 335
- closed under compositions, 333
- closed under pull-backs, 333
- coCartesian square, 306
- cocomplete, 275
- cocylinder, 36
- cofibrant, 33
- cofibrantly generated, 50
- cofibration, 33, 56
- cofinal, 160
- colimit, 275
- commutative square, 305
- commutative triangle, 16
- complete, 275
- composition, 17
- cone, 274
- contravariant model structure, 138
- coproduct, 300
- covariant model structure, 160
- cylinder, 36, 51
- ∂ -equivalent, 185
- degenerate, 10
- derived functor, 41, 378
- discrete, 396
- dual of a strong deformation retract, 55
- Eilenberg–Steenrod, 401
- Eilenberg–Zilber category, 10
- equivalence
 - absolute weak, 69
 - fibrewise, 138, 160
 - I -homotopy, 55
 - of ∞ -categories, 26
 - S -weak, 69
 - weak, 33, 56, 362
 - weak categorical, 94
 - weak homotopy, 76
- essentially surjective, 132
- exact
 - left, 367
 - right, 367
- exact cylinder, 52

- extension
 - anodyne, 73
 - by colimits, 6, 284
 - categorical anodyne, 94
 - I -anodyne, 53
 - inner anodyne, 88
 - left anodyne, 98
 - right anodyne, 98
- fibrant, 33, 357
 - presheaf, 56
- fibration, 33, 357
 - inner, 91
 - left, 98
 - minimal, 191
 - naive, 56
 - Reedy, 357
 - right, 98
 - trivial, 32, 335, 362
- fibre product, 306
- fibrewise equivalence, 138, 160
- final
 - morphism, functor, 140
 - object, 149
- fully faithful, 132
- functor, 25
- functorial cylinder, 52
- Grothendieck construction, 3, 339
- homology, 401
- homotopical structure, 54
- homotopy Cartesian, 48
- homotopy coCartesian, 48
- homotopy cocontinuous, 393
- homotopy colimit, 47
- homotopy continuous, 393
- homotopy limit, 47
- homotopy U -cocomplete, 393
- homotopy U -complete, 393
- horn, 15
- I -homotopic, 55
- I -homotopy, 55
- identity, 15
- initial, 160
- inner anodyne extension, 88
- inner fibration, 91
- invertible, 26
- isofibration, 95, 97
- join, 101
- Joyal model category structure, 94
- Kan complex, 19
- Kan extension, 290
- Kan fibration, 76
- Kan–Quillen model structure, 76
- Ken Brown’s lemma, 34, 362
- left adjoint, 262
- left anodyne extension, 98
- left calculus of fractions, 329
- left derived functor, 41, 378
- left exact, 367
- left fibration, 98
- left Kan extension, 290
- lifting property, 28
- limit, 275
- localisation, 35, 319
 - cocontinuous, 396
 - homotopy cocontinuous, 395
 - left Bousfield, 413
 - right Bousfield, 413
- locally U -small, 242
- locally constant
 - morphism of simplicial sets, 177
 - object of $RFib(A)$, 178
- map, 15
- mapping space, 411
- minimal complex, 185
- minimal fibration, 191
- minimal model, 185
- model category, 33
 - combinatorial, 418
- morphism, 15
- naive fibration, 56
- natural transformation, 25
- non-degenerate, 10
- object, 15
- opposite, 21
- path homotopic maps, 371
- path object, 36, 370
- presentable, 415
- product, 300
- projective model structure, 44
- proper, 155
- quasi-category, 20
- Quillen adjunction, 43
- Quillen functor
 - left, 43
 - right, 43
- Quillen’s theorem A, 167
- Quillen’s theorem B, 182
- Reedy fibrant, 357
- Reedy fibration, 357

430

representable, 262
 retract, 28
 retract lemma, 30
 right adjoint, 262
 right anodyne extension, 98
 right approximation property, 382
 right calculus of fractions, 329
 right derived functor, 41, 378
 right exact, 367
 right fibration, 98
 right Kan extension, 290
 saturated by monomorphisms, 12
 saturated class, 29
 saturation, 320
 small object argument, 31
 smooth, 160
 spine, 16
 strong deformation retract, 55
 subdivision, 81
 triangle, 16
 trivial cofibration, 33
 trivial fibration, 33
 twisted arrow category, 238
 twisted diagonal, 238
 two-out-of-three property, 33, 335

Index

U-cocomplete, 275
 U-complete, 275
 U-hereditary, 404
 U-small
 ∞ -category, 243
 fibres, 196, 197
 locally, 242
 set, 196
 simplicial set, 242
 V-local, 414
 W-local
 functor, 328
 map in an ∞ -category, 336
 morphism of simplicial sets,
 328
 weak categorical equivalence, 94
 weak equivalence, 33, 362
 weak factorisation system, 31
 weak homotopy equivalence, 76
 weak Kan complex, 20
 Yoneda
 embedding, 3, 248
 lemma, 3, 257
 relative embedding, 312