

Index

- acoustic wave, 259
- action integral, 45
- action principle, 45
- Aharonov–Bohm effect, 26, 28, 70
- Aharonov–Casher effect, 28
- Airy equation, 201
- Airy function, 201
- alpha particle, 191
- Altshuler–Aronov–Spivak effect, 29
- amplifier
 - linear, 220
 - noise-free, 221
 - optical, 220
- Anderson localization, 29
- antiunitary operator, 122
- arrow of time, 122
- autocorrelation function, 225, 228
 - quantum, 233
- Baker–Hausdorff formula, 152
- ballistic transport, 159
- band-bending effect, 218
- Bell state, 54
- Berry phase, 28
- bioluminescence, 125
- blackbody radiation, 9, 11, 21, 93, 124
- Bloch frequency, 196
- Bloch theorem, 9
- Bogoliubov hierarchy, 180
- Bohr model, 13
- Bohr radius, 13
- Boltzmann constant, 9, 13
- Boltzmann distribution, 12, 113, 124, 147
- Born approximation, 68, 137, 138, 150
- Born rule, 23
- Born series, 68
- Born–Oppenheimer approximation, 116, 120, 193
- Bose–Einstein distribution, 91, 92
- Bose–Einstein statistics, 53, 154
- bosons, 79, 91
- Brillouin scattering
 - spontaneous, 259
 - stimulated, 259
 - thermal, 259
- Brownian motion, 228
- Campbell’s theorem, 226
- canonical quantization, 61
- carbon nanotube, 6
- Casimir force, 238
- Cauchy–Schwarz inequality, 58
- causality, 86, 95, 233
- cavity QED, 126
- central limit theorem, 224
- charge transport, 31
 - ballistic, 33
 - diffusive, 34
 - quasi-ballistic, 34
- charging energy, 35, 158
- chemical potential, 9, 89, 119
- chemoluminescence, 125
- CMOS technology, 217
- co-tunneling
 - elastic, 210, 211
 - inelastic, 210, 211
- coherence
 - degree of, 11
 - phase, 11
 - spatial, 11
 - temporal, 11
- coherence length, 11, 33
- coherence time, 11
- coherent state, 258
- collision
 - elastic, 10, 33
- collision time, 10, 31, 156, 226
- commutation relation, 258
- commutator, 58, 63
 - anti-, 58
- conductance, 31, 168, 172
 - generalized, 98
- conductance fluctuations, 28

- conductance quantum, 31, 34, 159, 212
- conduction band, 16
- conductivity
 - frequency dependence of, 110
 - graphene's, 113
- constitutive relations, 41
- contact resistance, 159, 169, 171
- continuity equation, 69
- convolution, 95
- convolution operator, 86
- Cooper pairs, 196
- coordinates
 - Cartesian, 42
 - generalized, 41
 - polar, 42
- correlation
 - classical, 54
 - quantum, 54
- correlation function, 152, 229, 230, 232
 - dynamic, 101
 - symmetric, 102
- correlation time, 225
- correspondence principle, 62, 224, 234
- Coulomb blockade, 36, 158, 173, 203, 210, 212
- Coulomb force, 13, 15–17, 116
- Coulomb gauge, 72, 108
- Coulomb interaction, 12, 15, 204
- Coulomb's law, 13
- cyclotron frequency, 19

- de Broglie wavelength, 7, 8, 199
- Debye length, 11, 12
- decoherence, 123
- degrees of freedom, 43
- density functional theory, 120
- density matrix, 59–61
 - equilibrium, 91
 - reduced, 138
- density of states, 20–23, 88, 92
 - cumulative, 20
 - local, 20
 - of photons, 21
- density operator, 59–61, 90
 - reduced, 139
- dephasing time, 33
- detailed balance, 32, 159
- detailed balance principle, 99
- detailed-balance condition, 102, 105, 136, 236
- dielectric function, 108–114
- diffusion coefficient, 10, 231
- dimensionality of nanostructures, 15
- dipole approximation, 127, 133
- dipole–dipole interaction, 5
- Dirac Hamiltonian, 113
- Dirac point, 113
- dispersion relation, 118
- dissipator, 144, 153

- divergence theorem, 74
- DNA structure, 4
- Drude model, 111, 112
 - limitations of, 112
- Drude theory, 31, 156

- effective mass, 9, 13, 219
- effective-mass approximation, 112
- eigenspectra
 - continuous, 56
 - discrete, 55
- Einstein relation
 - generalized, 231, 248
- Einstein's *A* and *B* coefficients, 124
- Einstein's summation convention, 69
- electromagnetic field
 - quantization of, 68
- electron–phonon collisions, 117
- energy conservation principle, 211
- energy-dispersion curve, 218
- ensemble
 - canonical, 89, 98, 102
 - equilibrium, 87
 - grand-canonical, 89, 175, 182
 - microcanonical, 88, 98
- entanglement
 - classical, 54
 - quantum, 54
- entropy, 2, 121
 - Shannon, 141
 - von Neumann, 141
- EPR paradox, 55
- equipartition law, 231
- ergodicity, 229
- Esaki diode, 217
- Euler–Lagrange equation, 45, 48, 74, 239
- evolution operator, 138
- exciton, 13
 - binding energy of, 17
 - Bohr radius of, 13
 - formation of, 16
 - Frenkel, 13
 - reduced mass of, 13
 - Wannier, 13
- expectation value, 24

- f-sum rule, 115
- Fabry–Perot resonator, 216
- Faraday's law, 30
- Fermi distribution, 167, 170
- Fermi energy, 9, 19, 35, 111, 113, 218
- Fermi function, 186
- Fermi gas, 193
- Fermi Golden Rule, 137
- Fermi level, 215
- Fermi surface, 9
- Fermi temperature, 10

- Fermi velocity, 10
- Fermi’s golden rule, 68, 209, 234
- Fermi–Dirac distribution, 9, 32, 91, 92, 195, 208, 219
- Fermi–Dirac statistics, 53
- fermions, 79, 91
- Feynman diagram, 68
- field-effect transistor, 38
- field-strength tensor, 71
- fluctuation-dissipation theorem, 32, 101, 108, 159, 227, 229, 232, 238
- fluorescence, 125
- Fock space, 78
- force
 - electromagnetic, 4
 - gravitational, 4
 - strong, 4
 - weak, 4
- four-port sensing method, 171
- four-wave mixing, 259
 - spontaneous, 259
- Fowler–Nordheim tunneling, 190, 193
- free-electron gas, 9, 111
- gauge condition, 72
- gauge freedom, 72
- gauge transformation, 25, 71
- gauge-field vector, 71
- Gauss theorem, 74
- Gaussian random process, 225
- Gaussian statistics, 222, 224, 229
- geometric phase, 28
- geometrical-optics approximation, 7
- Gibb’s free energy, 89
- grand-canonical ensemble, 92
- graphene, 113, 119
- gravitational wave, 256
- Green’s function, 67, 108, 174
 - advanced, 181, 183
 - definition of, 181
 - equation of motion for, 184
 - greater, 181, 183
 - higher-order, 185
 - lesser, 180–182
 - mixed, 180
 - nonequilibrium, 172
 - retarded, 181, 183
 - time-ordered, 180, 181
- Gupta–Bleuler quantization, 79
- Hall effect, 31
 - quantum, 159
- Hamilton–Jacobi equation, 51
- Hamiltonian, 47–51, 90, 94
 - coupling, 179
 - Lamb-shift, 153
- harmonic oscillator, 63, 113
 - damped, 146
 - driven, 104
 - noise in, 236
- Hartman effect, 190
- Heaviside step function, 94, 95, 100, 114, 174
- Heisenberg picture, 64, 90, 133, 233, 240
- Heisenberg uncertainty principle, 135
- Hellmann–Feynman theorem, 104, 105
- Hermitian operator, 55
- heterodyne detection, 258
- Hilbert space, 52, 54
- holonomic constraint, 43
- idler wave, 259
- impulse response, 86
- interaction picture, 65, 94, 99, 149, 151, 240
- interband transitions, 112, 113
- intragand transitions, 112, 113
- inverse-square law, 4
- Jaynes–Cummings Hamiltonian, 127, 131, 133, 240
- jellium model, 116, 120
- Johnson–Nyquist noise, 106, 225
- Jordan–Wigner string, 80
- Josephson constant, 197
- Josephson effect, 197
 - AC, 196, 198
 - DC, 196, 197
- Josephson equations, 197
- Josephson junction, 196, 203
- Kadanoff–Baym–Keldysh contour, 175
- Keldysh contour, 174, 175
- Keldysh equation, 186
- Keldysh formalism, 173, 187
- Kelvin probe, 171
- Kelvin sensing method, 171
- kinetic energy, 44, 46
- Kirchhoff gauge, 72
- Kirchhoff’s laws, 169
- Kondo effect, 173
- Kramers–Kronig relations, 95, 116, 255
 - multiply-subtractive, 96
- Kraus map, 145
- Krauss operator-sum representation, 149
- Kronig–Penney model, 217
- Kubo formula, 66, 95
- Kubo gap, 19
- Kubo identity, 98
- Lagrange multiplier, 79
- Lagrangian, 43–46, 74–76, 238
- Lamb shift, 126, 130, 144, 153
- Landau damping, 18, 112, 117
- Landau length, 12
- Landauer formula, 33
- Landauer–Büttiker formula, 32, 33
- Landauer–Büttiker method, 160–172

- Langevin equation, 135
 - c-number, 247
 - quantum, 232, 240
 - standard, 231
- Langevin force, 231, 247, 254, 255
- Langevin formalism, 231, 249
- Laplace transform, 87
- laser
 - bandwidth of, 255
 - line width of, 255
 - quantum theory of, 240
- LC circuit, 238
- Legendre transformation, 47, 62
- Lehmann representation, 99, 182
- length scales, 7–13
- Levi–Civita tensor, 69
- LIGO, 256
- Lindblad equation, 144–148
- Lindblad operator, 145
- line-width enhancement factor, 255
- linear response function, 85, 93–101
 - properties of, 97
 - retarded, 95
 - sum rules for, 114
- Liouville equation, 90, 104, 143, 149, 242
- Liouville space, 146, 148
- Liouvillian, 141
- Lippmann–Schwinger kernel, 67
- local oscillator, 259
- local-density approximation, 120
- local-response assumption, 110, 112
- logic gate, 57
- Lorentz force, 25, 46, 69
- Lorentz invariance, 68, 74
- Lorentz model, 113, 116
- Lorentz transformation, 68, 70
- Lorenz gauge, 72, 78
- luminescence, 125
- Lycurgus Cup, 3
- magnetic flux quantum, 197
- magnetic monopole, 28
- many-body effects, 172, 204
- Markovian approximation, 128, 150
- Markovian process, 229
- master equation, 135
 - first standard form of, 143
 - Markovian, 140, 150
 - Pauli, 137, 145
 - quantum-optics, 153
- Matthiessen’s rule, 31
- Maxwell’s demon, 3
- Maxwell’s equations, 21, 25, 68, 71, 73
- Maxwell–Boltzmann distribution, 9, 92
- mean free path, 10, 31, 33, 111, 156
- mean-field approximation, 241
- mean-field description, 160
- measurement
 - positive operator-valued, 58
 - projective, 57
 - quantum, 56
- Mellin inverse formula, 87
- Michelson interferometer, 256
- momentum
 - canonical, 47
 - definition of, 47
 - generalized, 47
- negative differential resistance, 194, 217
- Noether’s theorem, 211
- noise
 - additive, 222
 - amplifier, 220
 - classical, 220, 224
 - Langevin, 225
 - partition, 254
 - quantum, 220–260
 - relative intensity, 253
 - shot, 227, 258
 - squeezing of, 256
 - thermal, 225
 - white, 222, 225, 227
- noise factor, 223
- noise figure, 223
- noise spectral density, 107
- normal ordering, 66, 179, 242
- Norton theorem, 106
- number-phase uncertainty relation, 221
- Ohm’s law, 31, 106, 107, 110, 156
- operator
 - annihilation, 63, 80
 - creation, 63, 80
 - d’Alembertian, 70
 - density, 59
 - Heisenberg, 77
 - ladder, 79
 - Laplacian, 70
 - number, 63, 78
 - occupation-number, 83
- p–n junction, 226
- Pancharatnam–Berry phase, 28
- parametric gain, 259
- parastatistics, 53
- partial trace, 138
- partition function, 89, 91
- Pauli exclusion principle, 21, 79, 92, 167, 208
- Pauli spin matrices, 132
- Pauli spin matrix, 234
- Pauli spin operators, 132
- permittivity
 - dielectric, 96
 - models for, 111

- vacuum, 69
- permutation symmetry, 53
- perturbation theory
 - first-order, 235
 - Oppenheimer, 208
 - time-independent, 67
- phase coherence, 196
- phase matching, 259
- phase space, 230
- phase transformation, 25
- phase-sensitive detection, 258, 259
- phosphorescence, 125
- photoelectric effect, 7
- Planck constant, 8, 62, 88
- Planck distribution, 147, 148
- plasma frequency, 17, 111, 117
- plasmonic oscillations, 17, 117
- Poincaré invariant, 51
- Poisson bracket, 49, 62
 - properties of, 50
- Poisson equation, 12, 73, 108
- Poisson theorem, 50
- Poissonian statistics, 241
- polarizability, 109
- potential
 - chemical, 168, 170, 175
 - electric, 169
 - electrochemical, 169, 173
 - electrostatic, 168
 - pseudochemical, 170
- potential barrier, 189
- potential energy, 44, 46
- principle of stationary action, 45
- projection operator, 57
- purity function, 60
- quadrature components, 257
- quality factor, 117
- quantum computing, 190
- quantum confinement, 13–23
- quantum dot, 15, 216
- quantum gate, 121
- quantum Hall effect, 31
 - fractional, 31
- quantum interference, 23–29
- quantum localization, 31
- quantum regression theorem, 232
- quantum state, 54
 - evolution of, 64
 - mixed, 59
 - momentum representation, 81
 - position representation, 81
 - pure, 59
 - purity of, 60
 - stationary, 68
- quantum transport, 31–39
- quantum vacuum squeezer, 256
- quantum well, 15, 217
- quantum wire, 15, 217
- quantum-coherence regime, 146
- quasi-bound state, 216
- quasi-static approximation, 108, 117
- qubit
 - amplitude of, 57
 - computational basis of, 57
 - definition of, 57
 - measurement of, 57
- Qubit register, 121
- Rabi frequency, 133, 153
- Rabi oscillation, 123
- radiation gauge, 73, 76
- radioactive decay, 191
- random process
 - ergodic, 228
 - stationary, 228
- rate equation, 135
 - laser, 251
- RC time constant, 217
- Redfield equation, 149–153
 - Markovian, 151
 - rotating-wave approximation for, 153
- refractive index
 - complex, 111, 115
 - models for, 111
- relative intensity noise, 253
- relaxation time, 10
- reservoir model, 134
- rotating-wave approximation, 133, 151, 241
- S-parameter method, 160
- saddle-point method, 215
- scanning tunneling microscope, 214
- scattering
 - elastic, 10, 28, 31, 33, 159
 - inelastic, 10, 34
 - surface, 34
- scattering length, 10
- scattering matrix, 160–163
 - construction of, 169
- scattering theory, 160
- Schottky diode, 227
- Schottky junctions, 193
- Schrödinger equation, 9, 14, 20, 30, 64, 122, 128, 130, 174, 199, 205
- Schrödinger picture, 64, 122, 240
- Schwinger–Keldysh contour, 175
- screening length, 112
- second law of thermodynamics, 121
- second quantization, 79–84
- secular approximation, 149
- semigroup condition, 141
- semigroup formalism, 145
- Shannon entropy, 60

- signal-to-noise ratio, 223
- single-electron box, 36
- single-electron transistor, 38, 157
- single-electron transport, 157
- skin depth, 111
- Sokhotski–Plemelj formula, 183
- space-time metric, 70
- spaser, 113, 116
- spectral density, 225
 - classical, 224
 - quantum, 233
 - shot-noise, 227
 - single-sided, 225
 - two-sided, 225
- spectral function, 184, 186
- spectral representation, 99
- spin
 - half-integer, 53
 - integer, 53
 - particle, 53
- spontaneous emission, 123, 131, 223, 252, 255
 - control of, 126
 - rate of, 130
 - spectrum of, 130
- spontaneous emission factor, 252
- squeezing, 256
 - photon-number, 258
 - quadrature, 257
 - tunnel junction, 260
- SQUID, 190, 198
- state
 - coherent, 257
 - evolution of, 63
 - Fock, 79
 - many-particle, 79
 - purification of, 61
 - squeezed, 256
 - surface, 6
- state vector
 - definition of, 52
- Stenholm method, 133
- Stern–Gerlach device, 59
- stimulated emission, 124, 223, 251
- stochastic process, 229
 - Markovian, 231
- Stoke’s theorem, 26, 27
- superconductivity, 196
- superconvergence theorem, 114, 115
- superlattice, 16
- superluminal speed, 190
- superposition principle, 52
- surface plasmon, 113, 116–120
 - localized, 117
 - propagating, 117
- surface wave, 119
- surface-plasmon polariton, 117
- surface-to-volume ratio, 5
- susceptibility
 - generalized, 95, 98, 103, 104, 114
- symmetrization postulate, 53
- tangent bundle, 44
- Tauc–Lorentz model, 113
- tensor product, 52
- thermal conductivity, 5, 11
- thermal diffusion length, 11
- thermal energy, 13, 158
- thermal equilibrium, 124, 164, 169, 236
- thermal length, 9
- Thevenin theorem, 106
- Thomas–Fermi length, 112
- Thomas–Reiche–Kuhn sum rule, 115
- time ordering, 66
- time reversal, 122
- time’s arrow, 122
- time-evolution operator, 64, 66, 122
- time-invariant system, 86
- time-ordering operator, 66, 174
- time-reversal symmetry, 121, 122
- topological manifold, 44
- transfer Hamiltonian method, 203
- transmission line, 238
- transport
 - ballistic, 169
 - charge, 163
 - in two-port devices, 163
 - phase-coherent, 164
 - quantum, 156–188
- Tsu–Esaki equation, 32, 168
- tunnel diode, 194
- tunnel junction, 194, 227, 260
 - superconducting, 260
- tunneling
 - applications of, 193
 - coupling coefficient for, 206
 - double-barrier resonant, 217
 - elastic, 218
 - Gamow’s theory of, 191
 - in nanostructures, 34
 - physics of, 189
 - probability of, 203
 - quantum, 34
 - quantum description of, 198
 - resonant, 216
 - sequential, 209
 - time for, 189
 - time-dependent theory of, 204
 - WKB approximation for, 202
- tunneling current, 208
- tunneling diode
 - resonant, 216
- tunneling Hamiltonian, 203
- tunneling junction, 34, 157

- Giaever, 198
 - superconducting, 198
- turning point, 200
- two-level atom, 240
- two-level system
 - noise in, 234
- Umklapp scattering, 112
- uncertainty principle, 58, 158, 211, 221, 237
 - general form of, 256
 - Heisenberg, 256, 258
- vacuum fluctuations, 259
- vacuum permeability, 69
- vacuum permittivity, 13
- vacuum tube, 227
- valence band, 16
- van Hove limit, 137
- variational method, 239
- velocity gauge, 73
- von Klitzing constant, 158
- von Neumann entropy, 60
- wave–particle duality, 7, 189
- weak measurement, 23
- Weisskopf–Wigner approximation, 128
- Weisskopf–Wigner theory, 126, 148, 242
- Weyl gauge, 73
- Weyl relations, 62
- Wick ordering, 179
- Wick’s theorem, 67
- Wiedemann–Franze law, 9
- Wiener–Khinchin theorem, 225, 228, 250
- WKB approximation, 203
- WKB method, 199
- work function, 215
- X-parameter method, 160
- Young’s double-slit experiment, 24
- Young’s modulus, 7
- zero-point energy, 132, 222, 237
- zero-point fluctuations, 222