

Index



- $^{40}\text{Ar}/^{39}\text{Ar}$ method, 58
- Acasta Gneiss, 396
- accommodation space, 60
- accommodation zones, 120
- accretionary orogens, 277
- accretionary prism, 247
- accretionary wedge, 247, 278
- achondritic, 374
- acoustic impedance, 68
- Adria, 346
- Alice Springs orogen, 321
- Allende meteorite, 372
- allochthonous, 292
- allochthons, 312
- Alpine Fault, New Zealand, 229
- Alps, 342
- Altai, 321
- Amazon drainage, 300
- Amazonia, 364
- Andes, 285
- apparent polar wander paths, 107
- arc. *See* magmatic arc
- arc collisions, 280
- arc splitting, 208
- Archean lithosphere, 405
- Archean tectonics, 394
- Argand, Émile, 342
- asteroid belt, 374
- asthenosphere, 80
 - melt, 81
 - melting, 182
 - viscosity, 81
- aulacogens, 120
- Australia, 321
- autochthonous rocks, 312
- back-arc region, 251
- backbulge, 330
- backstripping, 167
- back-thrusts, 308
- Baja California, 221, 223–224
- balancing, 310
- Baltica, 359
- basal drag, 30
- basal thrust, 307
- Basin and Range, 62, 131, 296, 337
- basins, 60
 - back-arc, 62
 - collapse, 62
 - fault-bend, 63
 - forearc, 62, 248
 - foreland, 62, 329
 - intermontane, 332
 - intracontinental, 7
 - passive margin, 62
 - rift basins, 61, 141
 - stepover, 63
 - strike-slip, 63
 - supradetachment, 335
 - suprasubduction, 191
 - trench, 62
- bend faults, 245
- black smokers, 186
- Bolivian Orocline, 286
- Borborema Province, 158, 163, 233
- borehole breakouts, 28
- Brazil, 233
- breakup
 - continental, 150
 - sequence, 169
 - unconformity, 168
- Briançonnais microcontinent, 345
- brittle–ductile transition, 27
- brittle–plastic transition, 27
- bulk silicate Earth, 41, 43, 375
- Caledonian–Appalachian orogenic system, 110
- Caledonides, 359
- Canadian shield, 234
- Cascadia orocline, 295
- channel flow, 318, 357
- Chihuahua, 372
- China, 323
- chondrite, 54
- chrons, oceanic crust, 106
- climate and plate tectonics, 108
- collisional orogens, 277
- compatible elements, 54
- compressible materials, 20
- conduction, 44–45
- conjugate margins, 153
- continental drift, 90
- continental freeboard, 38
- Continental growth, 387
- continental margins
 - passive, 150
 - rifted, 150
 - transform, 174, 220
- continental subduction, 315
- contourites, 172
- contraction, uniaxial, 15
- convection, 44, 49
- core, 83
 - inner, 84
 - outer, 84
- core complexes, 131
- cosmogenic isotopes, 59
- coupling, crust–mantle, 163
- critically stressed crust model, 32
- crust
 - ancient shields, 28
 - continental, 77
 - juvenile, 409
 - oceanic, 78
- crustal
 - contamination, 54
 - generation, 388
 - growth, 387, 403, 411
 - recycling, 388
 - reworking, 386, 388, 396
- Dead Sea basin, 228
- Dead Sea transform fault, 228
- décollement, 307
- deformation, 14
 - ductile, 14
 - elastic, 14, 20
 - frictional ductile, 21
 - non-frictional ductile, 21
 - partitioning, 283
 - permanent, 14, 21
 - plastic, 21
 - viscous, 21
- delamination, lithospheric, 80
- Denali, 299
- depleted mantle, 185
- depth-dependent extension, 161
- detachment folding, 309
- detachment zone, 336
- diffusion, 21
 - creep, 21
- dislocations, 21
- downwelling, 323
- drift stage, 150
- ductile, 14
- dunite, 184
- duplex, 308

- dynamic topography, 30, 61
 dynamics, 12
- Earth, 5
 East African rift system, 86, 95, 115, 122, 126, 129, 131, 138, 141
 East Anatolian Fault, 227
 East Pacific Rise, 223
 education, 316, 320
 elastic modulus, 20
 elastic thickness, 20, 244
 electromagnetic method, 75
 Equatorial Atlantic margin, 174
 escape tectonics, 227, 354
 Euler pole, 103
 finite, total, 103
 incremental, 104
 most recent, 104
 present-day, 104
 Euler vector, 103
 exhumation, 60, 281
 extension, uniaxial, 15
 extensional collapse, 319, 355
- fast spreading, 187
 faults, 25
 cementation, 139
 conjugate sets, 233
 continental strike-slip, 215
 dip, 140
 geometry, 140
 gouge, 139
 linkage, 63, 137
 normal, 25
 reverse, 25
 spacing, 133
 strength, 138
 strike-slip, 25, 216
 zone, 25
 feldspar, 27
 fixists, 90
 flexural basin formation, 61
 flexural bulge, 244
 flexural rigidity, 244
 flow, 16
 cataclastic, 21
 flysch, 330
 flysch deposits, 62
 focal mechanism, 29
 fold nappe, 314
 folds, 23
 drag, 24
 fold-thrust belts, 242, 307
 foliation, 22
 footwall uplift, 143
 force, 12
 body, 12
 electromagnetic, 12
 gravity, 12
 nuclear, 12
 surface, 12
- forebulge, 330
 foredeep, 330
 foreland, 307
 pro-foreland, 307
 retro-foreland, 307
 fracture zones, 97, 196, 209
 curved, bent, 209
 seismicity, 211
 fractures, 24
 drilling induced, 28
 extension, 24
 shear fractures, 24
 friction, 12
- geocentric axial dipole (GAD)
 hypothesis, 107
 geodynamics, 2, 12
 geoid, 73
 geophones, 68
 geosyncline theory, 90
 geotectonics, 2
 geotherm, 39
 geothermal gradient, 39
 gliding, 172
 global stress pattern, 30
 Gondwana, 112, 417
 GPS, 101
 granite-greenstone terranes, 394
 Granite-Rhyolite Province, 411
 gravity, 12, 36
 gravity data, 73
 Bouguer anomaly, 73
 free-air anomaly, 73
 gravity spreading, 172
 Great Glen Fault, 220
 Great Slave Lake shear zone, 234
 Greater Himalayan Sequence, 350
 Greater India, 349
 greenstone, 187
 greenstone tectonics, 398
 Grenville orogen, 363
- Hadean, 371, 377–378
 Hadean tectonics, 378
 Hafnium isotopes, 382
 Hawaii, 102
 Hawaiian-Emperor Seamount Chain, 182
 heat
 conduction, 44–45
 convection, 44, 49
 diffusion equation, 49
 global production, 42
 planetary, 42
 primordial, 41, 43
 radiogenic, 41, 43
 heat flux, global, 40
 heat transfer, 44
 Helvetic nappes, 342
 Himalaya-Tibet orogenic system, 349
 collision, 352
 Main Boundary Thrust, 349
 Main Central Thrust, 349
 Main Frontal Thrust, 349
 hinterland, 312
 hotspot trails, 102
 hotspots, 7, 98
 hydraulic fracturing, 29
 hydrophones, 68
 hyperextension, 154
- Iapetus Ocean, 110, 359, 417
 Iceland hotspot, 182
 imbricate structure, 308
 impact craters, 7
 incompatible elements, 54
 incompressible material, 20
 indenter tectonics, 354
 Indian craton, 349–350
 Indus-Tsangpo suture, 349–350
 instantaneous stretching axes, 16
 intracontinental basins, 7
 intracontinental orogeny, 7, 277, 320
 intracrystalline slip, 21
 island arcs, 97
 isostasy, 37, 61
 Airy, 37
 Pratt, 37
 Itsaq, 396
- Jack Hills, Australia, 380
 Japan, 283
 Jason, 83, 100, 418
 Jatobá-Tucano-Recôncavo rift, 174
 J-structures, 199
- Kenorland, 112
 kinematic, 2
- Laramide orogen, 324
 large igneous provinces (LIPs), 99, 129
 Laurentia, 359, 364, 409
 Lebanese Restraining Bend, 229
 Lesser Himalayan Sequence, 349
 lineation, 23
 lithosphere
 continental, 78
 lithospheric mantle, 79
 lower boundary, 80
 oceanic, 78, 180
 strength, 162
 thickness, 80
 thickness, oceanic, 180
 lower plate, 314
 low-*T* thermochronology, 59
 fission-track method, 58
 (U-Th)/He, 59
- magma
 calc-alkaline, 131
 crystal fractionation, 53
 crystallization, 53
 enriched, 54

- magma (cont.)
 fractionation, 126
 mixing, 54, 126
 tholeiitic, 131
 magma ocean, 375
 magmatic arcs, 97, 249
 magnetic anomalies, 74
 magnetic data, 74
 magnetotelluric method, 76
 mantle, 78
 asthenosphere, lower, 83
 asthenospheric, 80
 convection, 52, 90
 depleted, 54
 dripping, 80
 foundering, 80
 lithospheric, 79
 minerals, 82
 plumes, 99, 126
 serpentinization, 154
 wedge, 242
 xenoliths, 76, 220
 mantle dynamics, 2
 Mars, 4
 Mazatzal Province, 411
 McKenzie model, 133, 167
 melt, 53
 juvenile, 383
 melting, 53
 decompression, 183
 fractional, 53
 partial, 183
 Mercury, 5
 mesosphere, 83
 metamorphic core complexes, 336
 metamorphic facies, 56
 meteorites, 372, 374
 microcontinents, 283
 Mid-Atlantic spreading ridge, 182
 Midcontinental rift system, 135
 mid-ocean ridges, 96
 mobilists, 90
 Moho, 78
 geophysical, 78
 petrologic, 78
 reflection, 78
 molasse, 331
 molasse deposits, 62
 Moon, 4, 374
 MORB, 54, 184
 enriched, 184
 Morgan, Jason, 418
 mountain belt, 276
 climate, 298, 326, 328
 drainage, 329
 ecosystem, 300
 erosion, 326
 Mt. McKinley, 299

 nappes, 333
 neptunists, 68

 New Madrid, 320
 North American Cordillera, 291–292,
 295–296
 North Anatolian Fault, 227
 North Sea rift, 135, 141
 Nulliak–Uivak, 396
 Nuna, 112, 408
 Nuvvuagittuq terrane, 396

 obduction, 190–191
 ocean crust
 metamorphism, 187
 ocean-floor metamorphism, 187
 ocean-floor spreading, 187
 fast, 187
 oceanic core complexes, 188
 oceanic crust, 180
 core complexes, 188
 cumulate layer, 184
 dike complex, 184
 formation, 182
 fracture zones, 196
 oceanic plateaus, 182
 olivine, 27
 ophiolites, 78, 181, 190
 metamorphic sole, 191
 Penrose model, 181
 pseudo stratigraphy, 181
 orocline, 342
 orogen
 accretionary, 277
 climate, 328
 collisional, 306
 intracontinental, 320
 plateau development, 318, 367
 orogenic belt, 276
 orogenic heating, 316
 Oslo rift, 129
 overcoring, 29
 oxygen isotopes, 381

 paleomagnetism, 105
 paleopiezometer, 26
 Pan-African orogeny, 417
 Pangea, 92, 95, 418
 Paraná–Etendeka LIP, 174
 par-autochthonous rocks, 312
 particle paths, 16
 passive margins, 149
 asymmetric, 153
 conjugate, 153
 crust–mantle coupling, 163
 distal domain, 153
 divergent, 153
 earthquakes, 164
 gravity-driven deformation, 172
 hyperextended, 154, 159, 163
 magma types, 159
 magma-poor, 153, 155, 159
 narrow, 153, 163
 necking domain, 153

 postrift sediments, 152
 proximal domain, 153
 sedimentation, 166
 sediment-starved, 168
 sequence stratigraphy, 168
 South Atlantic, 173
 subsidence, 167
 symmetric, 153
 synrift deposits, 152
 transform, 153
 transtensional, 153
 volcanic, 153, 155
 wide, 153, 163
 pebble accretion, 373
 Penninic nappes, 344
 Penokean Orogen, 410
 perovskite, 83
 Petermann orogen, 321
 Phanerozoic tectonics, 417
 Piedmont–Liguria, 346
 piggyback basins, 332
 Pilbara granite–greenstone
 terrane, 396
 plagiogranites, 184
 planetary disk, 372
 planetesimal bodies, 373
 plate boundaries, 93, 95
 conservative, 95, 97
 constructive, 95
 convergent, 95–96
 destructive, 95
 divergent, 95–96
 transform, 95
 plate motion, 101
 absolute, 101
 reference frames, 103
 relative, 101
 plate reconstructions, 112
 plate tectonics, 2
 plates
 of the Earth, 93
 tectonic, 93
 plutonists, 68
 Poiseuille flow, 318
 post-perovskite, 83
 postrift, 62
 pressure, 36
 pressure solution, 21
 primordial heat, 41, 43
 Proterozoic tectonics, 406
 provenance analysis, 59, 294
 prowedge, 307
 pseudosections, 56
 pure shear, 15
 Pyrenees, 326

 quartz, 27

 radioactive decay, 41
 radiogenic heating, 41
 recrystallization, 21

- bulging, 22
- dynamic, 22
- grain boundary migration, 22
- static, 22
- subgrain rotation, 22
- Red Sea rift, 153
- relay ramp, 137
- restoration, 310
- retrowedge, 307
- rheology, 19, 26–27
 - banana split model, 27
 - collision zones, 28
 - jelly sandwich model, 27
 - oceanic crust, 28
 - rifted margin, 28
 - rifts, 28
- ridge push, 30
- Riedel shears, 216
- rifted margin. *See* passive margins
- rifting
 - active, 122
 - back-arc, 124
 - breakup stage, 150
 - doming, 122
 - extension rate, 163
 - initial stage, 144
 - initiation, 121
 - intracontinental, 124
 - magmatism, 126
 - McKenzie model, 133, 167
 - oblique, 137
 - orogen-related, 125
 - passive, 122
 - postrift stage, 146
 - pure-shear model, 141
 - simple-shear model, 141
 - South Atlantic, 173
 - structural inheritance, 163
 - subduction systems, 124
 - subsidence, 142
 - synrift stage, 144
 - transform-fault systems, 124
 - uniform stretching model, 167
 - uplift, 142
 - Wernicke model, 141
- rifts, 120
 - aulacogens, 120
 - central graben, 120
 - doming, 143
 - East African rift system, 141
 - extension, 132
 - failed, 120
 - mineral resources, 135
 - narrow, 131
 - Oslo rift, 129
 - postrift, 142
 - prerift, 141
 - Red Sea, 153
 - shoulder, 120
 - synrift, 142
 - terraces, 120
 - transfer zones, 120, 140
 - Tucano rift, 141
 - wide, 131
- rift-to-drift transition, 150
- Rodinia, 112, 415
- rotation, rigid body, 14
- SAFOD, 222
- San Andreas Fault, 98, 220–221
 - creeping central section, 225
- seafloor spreading, 96, 150, 179
- seamounts, 279
- Seattle, 295
- secular cooling, 41
- seismic refraction method, 68–69
- seismic resolution, 69
- seismic tomography, 70
 - passive, 71
- sequence stratigraphy, 168
- serpentinization, 187
- Sevier orogeny, 296
- shear bands, 23
- shear zones, 25
- shear-wave splitting, 72, 217
- shrinkage tectonics, 5
- Sierra Nevada magmatic arc, 296
- simple shear, 15
- slab pull, 30
- slate belts, 312
- slip partitioning, 226
- slow spreading, 187
- sole thrust, 307
- South Atlantic passive margin, 173
- South Tibet Detachment, 350
- spreading centers, 96
- spreading rate, 96
- spreading ridges, 96, 182
 - gabbro layer, 184
 - hydrothermal activity, 185
 - magma types, 184
 - magmatism, 182–183
 - melting, 182
 - mineralization, 186
- stagnant lid, 377
- Storegga slide, 172
- strain, 14
 - ellipse, 14
 - ellipsoid, 15
 - hardening, 21
 - rate, 18
 - softening, 21
 - uniaxial, 15
- stress, 28
 - deviatoric, 13
 - differential, 13
 - inversion, 29
 - mean, 13
 - paleopiezometer, 26
 - principal planes, 13
 - principal stresses, 13
 - stress at a point, 13
 - tectonic, 28
 - traction, 13
- stretching factor, 14
- strike-slip duplexes, 217
 - contractional, 218
 - extensional, 218
- strike-slip faults, 216
 - intracontinental, 232
- strike-slip duplexes, 218
- transform fault, 220
- structural geology, 2
- stylolite, 24
- subduction, 96, 239–240
 - erosion, 389
 - factory, 242
 - initiation, 269
 - metamorphism, 262
 - neutral, 255
 - oblique, 258
 - oceanic, 239
 - partial melting, 265
 - seismicity, 267
 - slab graveyards, 269
- sub-Himalayan fold–thrust belt, 349
- subsimple shear, 15
- Suez rift, 141
- Sumatra, 226
- supercontinents, 95, 407
- suture zone, 95, 344
- synrift, 61
- Taiwan, 281
- tectonic overpressure, 361
- tectonics, 2
- tectonophysics, 2
- teleseismic, 70
- temperature gradient, adiabatic, 51
- terrane, 292
 - affinity, 294
 - dispersed, 292
 - exotic, 292
 - suspect, 293
- Tethyan Himalayan Sequence, 350
- Tethys, 346
- thin-skinned tectonics, 307
- thrust sheets, 333
- Tibetan Plateau, 232, 349
- Tien Shan, 321
- tonalite–trondhjemite–granodiorite TTGs, 394
- traction, 13
- transcurrent faulting, 198
- transform continental margin, 174
- transform faults, 196, 220
 - changes in plate motion, 202
 - hybrid, 220
 - initiation, 205
 - leaky, 205
 - seismicity, 199
 - sense of shear, 198
 - transpressional, 203
 - transtensional, 205

translation, 14	ultraslow spreading	Wadati–Benioff zones, 92, 243
transpression, 16	ridges, 187	Walker Line, 223, 225
transtension, 16	uniform extension, 16	wedge-top basins, 332
trench, 242, 246	uniform flattening, 16	Wegener, Alfred, 90
advancing, 271	U–Pb isotopic system, 58	white smokers, 186
retreating, 271	uplift	Wilson, John Tuzo, 110, 196
trench migration, 253	rock uplift, 281	Wilson cycle, 110, 164
trench outer rise, 244	Surface uplift, 281	
true polar wander, 110	upper plate, 314	
Tucano rift, 141		Yavapai Province, 410
Tuzo, 83, 100, 418	velocity field, 16	Yellowstone, 100
Tuzo, John Wilson, 418	Venus, 4	yield point, 12
	viscosity, 21	Yilgarn craton, 402
	asthenosphere, 81	Young’s modulus, 20
ultrahigh-pressure metamorphism,	volcanic arc, 62, 249	
316, 361	vorticity, 16	Zealandia, 229
ultrahigh-pressure rocks, 315		Zircon, 378