

Index

- acalculia, 24, 246
 accumbens nucleus, 136, 246
 acoustic neuroma, 281
 adduction, 283
 adverb, 76, 126, 132, 162, 226, 231, 246
 aetiology, 1, 21, 44–45, 70, 96, 134, 168, 195, 246
 affective state, 19, 66, 92, 113, 116, 221, 231, 233, 235, 246, 286
 agent, 8, 29, 79, 246. *See also* semantic role
 aggression, 3, 13, 136
 aging, 2, 89
 agnosia, 46, 246
 agrammatism, 27, 247, 269. *See also* aphasia
 agraphia, 46, 58, 247. *See also* dysgraphia
 akinesia, 169–70, 247, 252
 alcohol, 70, 73, 134
 alexia, 46, 58, 247, 258. *See also* dyslexia
 alexithymia, 201, 247
 allele, 44, 69–70, 168, 247
 allocortex, 135, 247
 Alzheimer's
 dementia, 1–19, 52, 55, 84, 86, 247, 270, 284. *See also* dementia
 disease, 1–20, 22, 24, 43, 47–49, 51, 59, 71–72, 74–75, 229, 246–47, 256, 261, 263, 268–70, 272, 277, 279, 285, 287
 ambiguity, 109, 149
 amplification, 118, 247, 263
 amygdala, 73, 248–49
 anaphoric reference, 9, 126, 130, 210, 227, 231, 236, 248, 254. *See also* cataphoric reference
 angular gyrus, 22, 46, 248
 anomia, 3, 15, 24, 28–29, 39, 51, 64, 248, 289. *See also* word-finding difficulty
 anosognosia, 71–72, 248
 antecedent, 57, 248, 278
 antidepressant, 97, 137, 248
 anxiety, 23, 72, 90, 99, 198, 211, 248, 272–73
 anxiety disorder, 198
 apathy, 3, 13, 23, 46, 72, 100–1, 136, 156–57, 170, 198, 248, 272
 aphasia
 agrammatic, 24, 27, 35, 40
 anomic, 20, 248. *See also* anomia
 battery, 143, 146, 154, 184
 Broca's, 248
 conduction, 248
 global, 248
 non-fluent, 20–41, 173, 248
 transcortical motor, 248
 Wernicke's, 248
 apolipoprotein, 2, 44, 70, 85, 249
 apoptotic stress, 135, 249
 apraxia of speech, 4, 12–13, 22, 35–36, 141, 169, 173, 175, 184, 186, 249, 262, 266, 270, 272, 274
 argyrophilic grain, 71, 249
 article
 definite, 51, 164, 231, 249, 256, 262
 indefinite, 77, 164, 232, 249, 262, 265
 articulation, 5, 35, 103, 115, 118, 141, 174, 183, 202–3, 212, 215, 249, 251, 258, 264–65, 271, 281, 288
 articulatory groping, 249, 262
 aspiration
 pneumonia, 65, 101, 138, 153, 171, 249
 silent, 59, 250, 282
 assimilation, 142, 250
 asthenia, 115–16, 250
 astrocyte, 169, 173, 250, 255
 atherosclerosis, 45, 250, 287
 atrophy, 3, 22, 70, 102, 135, 169, 172, 196, 215, 252, 256
 attention, 3, 16, 22–24, 39, 46, 60, 63, 69, 74, 87–90, 100–1, 139, 172, 174, 178, 185, 199–200, 202, 214, 241, 250, 265, 268, 281. *See also* selective attention
 audiometry, 72, 250
 audition, 72, 250
 auditory discrimination, 203, 250

334 Index

- augmentative and alternative communication (AAC), 15, 17, 39–40, 63–64, 155–57, 181, 184, 215, 250, 261
- autoimmune disorder, 195, 251, 261
- autonomic disorder, 99, 251
- autosomal dominant, 2, 44, 168, 251
- axial rigidity, 167, 251. *See also* progressive supranuclear palsy
- axon, 195, 250–51, 256, 271–72
- basal ganglia, 45, 101, 104, 251, 260, 262, 264, 274, 279, 283–84
- biofeedback, 120, 251
- bipolar disorder, 246, 259, 279
- blending, 78, 251
- bolus, 59, 182, 185, 251, 264, 274, 288
- bradykinesia, 95–98, 113, 152, 167, 247, 252, 260, 278
- brain tumour, 263
- brainstem, 45, 97, 135, 173, 175, 200, 212, 252, 255, 260, 264, 269–70, 276, 280–81, 284–85
- breathing, 281
- bulbar symptom, 170, 252
- cancer/carcinoma
 larynx, 267
- cataphoric reference, 113. *See also* anaphoric reference
- category fluency, 52, 60, 85, 108–9, 142, 159, 172, 186, 217, 230, 237, 252. *See also* semantic fluency
- caudate nucleus, 135–36, 251–52, 262, 279, 283
- central nervous system, 260, 262
- cerebellar dentate nucleus, 169, 252
- cerebellum, 45, 135, 174, 252, 276
- cerebral cortex, 1, 97, 252, 255, 276, 285
- cerebral sulcus, 253
- cerebrospinal fluid, 197, 253, 287
- cerebrovascular accident (CVA), 252–53, 282, 284, 288. *See also* stroke
- chorea, 133, 135–36, 140, 152, 253, 264
- circumlocution, 29, 78, 107, 148, 206, 232, 253, 268
- clause, 6, 25–27, 53, 76, 106–7, 132, 144–45, 165, 192, 204, 210, 220, 222–23, 235–36, 238, 253, 255, 257, 272, 284, 287
- cognition, 15, 24, 43, 65, 68, 70, 72–74, 90, 102, 139, 158, 172, 247, 252, 263, 274
- cognitive flexibility, 23, 200, 253
- cognitive set shifting, 23, 253
- cognitive-communication disorder, 14, 90, 253, 260
- coherence, 32, 55, 82, 178, 253
- cohesion, 14, 32, 62, 80, 113, 130, 178–79, 248, 254, 259, 268
- cohesive device, 9, 55, 58, 254
- communication disorder, 12, 17, 58, 158, 204, 214, 253, 272, 275, 281, 286
- communicative
 intention, 16, 83, 113, 254
 partner, 13–17, 24, 30, 40–41, 63–64, 103, 114, 117, 119, 155–57, 184
- compensation, 90, 118, 255
- compound noun, 29, 254
- comprehensibility, 76, 155, 254
- comprehension, 9, 20, 24, 36, 38, 48, 50, 84, 105, 109–10, 173, 175–76, 204, 208
- confrontation naming, 7, 36, 59–60, 88, 108–9, 121, 141–42, 146–48, 152, 159, 176–77, 181, 184, 190, 205–6, 213, 218, 242, 254, 282
- constructional praxis, 3, 254
- content word, 29, 52, 77, 221, 233, 236, 247, 254, 272
- context, 5, 17, 53, 115, 254, 256–57
- conversational
 discourse, 60, 62, 105, 112
 exchange, 112, 188
 partner, 13, 30, 54, 117, 156
 strategy, 119
- cooperative principle, 262
- coordination, 28, 155, 255, 263, 271
- cortical atrophy, 2, 196, 255
- corticobulbar tract, 59, 255, 280
- coughing, 118, 211
- cranial nerve, 153, 252, 255, 269, 273, 287–88
- Creutzfeldt-Jakob disease (CJD), 170, 255. *See also* dementia
- cytoskeletal anchoring, 135, 255
- decoding, 14
- decompensation, 185, 255
- deep brain stimulation, 119, 255
- deictic expression, 9, 256
- deixis, 58, 62, 256
- delayed auditory feedback, 184, 256
- delusion, 3, 138, 198, 256, 279. *See also* schizophrenia
- dementia
 alcohol-related, 256
 frontotemporal, 20–21, 23, 172, 251, 261, 268, 272, 277, 282
 mixed, 47, 59, 270
 multi-infarct, 46, 48, 271
 Parkinson's disease, 96, 110, 268
 semantic, 20, 23, 258, 282
 strategic infarct, 46, 283
 subcortical, 46, 284

- vascular, 43, 58, 84, 249, 261, 271, 277, 287
 with Lewy bodies, 110, 268
- demonstrative pronoun, 10, 58, 178, 227, 256, 278
- demyelination, 195–96, 256, 263, *See also*
 multiple sclerosis
- dendrite, 135, 256, 272
- depression, 23, 72, 97, 99, 136, 138, 170–71,
 198–200, 208, 214, 246, 248, 256,
 272
- diadochokinetic (DDK) rate, 75, 257, 274
- dialect, 77, 105, 144, 257
- diplopia, 170, 197, 257
- direct object, 76, 175, 188, 257
- direct reported speech, 179, 210, 257
- disambiguation, 32–33, 57, 79, 116, 257
- dopamine, 102, 257, 268, 274, 284, *See also*
 Parkinson's disease
- dopaminergic pathway, 102, 257
- drooling, 35, 117–18, 252, 282, *See also*
 sialorrhea
- dysarthria, 4, 12, 48, 104, 140, 153, 174, 183,
 186, 202–3, 212–13, 216, 249, 252, 258,
 264, 266, 270, 272, 275
- dysfluency, 104, 174, 256
- dysgraphia, 41, 58, 181, 247, 258, 267
- dyskinesia, 100, 258
- dyslexia, 21, 247, 258, 267, 282, *See also*
 visual dyslexia
- dysphagia
 oesophageal, 118, 258, 263, 273
 oropharyngeal, 117, 120, 258, 273
- dysphonia, 213, 215, 259, 288
- dystonia, 135–36, 153, 170, 259, 264
- echolalia, 3, 259
- ecological validity, 14, 259
- electrolottography (EGG), 213, 259
- ellipsis, 179, 254, 259
- emotion, 201, 231, 246, 248, 257
- endocytosis, 135, 259
- epidemiology, 1, 20, 43, 69, 95, 133, 168, 186,
 193, 216
- euphoria, 198, 259
- executive
 dysfunction, 3, 46–47, 101, 116, 171, 174,
 184, 201, 260
 function, 3, 9, 24, 47, 63, 69, 74–75, 88, 90,
 101, 103, 116, 139, 171, 184, 186,
 199–201, 213, 233, 247, 250, 253, 259,
 266, 268, 270, 272, 276
- extrapyramidal sign, 22, 260
- eye
 contact, 117, 181
 gaze, 74, 215
 eyelid apraxia, 170, 260
- facial expression, 16, 98, 113, 117, 152, 164,
 181, 246–47, 265, 282
- false belief test, 74, 260
- familial aggregation, 168, 195, 260
- figurative language, 9, 18, 103, 207–8, 214,
 260
- flexible endoscopic evaluation of swallowing,
 114, 260
- fluency, 104, 159, 226, 254, 256, 261
- frontal lobe, 109, 252, 260, 266, 270, 278
- frontotemporal dementia
 behavioural variant, 21, 23, 172, 251, 261
 language variant, 20, 23, 261, 268, 282
- frontotemporal lobar degeneration, 22, 168,
 261
- functional communication, 103, 215, 261
- fundamental frequency, 154, 183, 213, 251,
 261, 267
- gag reflex, 153, 261
- gastritis, 153, 261
- gastroenterology, 118, 261
- gastroesophageal reflux, 273
- generalization, 15, 39, 261
- genetics, 41, 44, 158, 169, 186, 195, 262
- gesture, 16, 58, 64, 84–85, 113, 152, 181,
 261–62, 265
- gliosis, 169, 262–63
- global coherence/connectedness, 55, 111
- globus pallidus, 170, 174, 251, 262, 274, 279
- gnosia, 24
- grammar, 6, 173, 203, 254, 262
- grammatical gender, 28, 262
- Grice, H.P., 262
- groping, 35, 262
- group therapy, 89
- hallucination, 3, 198, 262, 272, 279, *See also*
 schizophrenia
- head injury, 134, *See also* traumatic brain
 injury
- hearing aid, 16, 64, 247
- hemiparesis, 46, 263
- hemiplegia, 263
- hemisensory loss, 46, 263
- hiatal hernia, 182, 263
- high-resolution manometry, 118, 263
- hippocampal sclerosis, 71, 263
- hippocampus, 70, 73, 249, 263
- Hoehn and Yahr scale, 100, 263
- human immunodeficiency virus (HIV), 256
- humour, 31, 54, 179, 208, 264
- Huntington's disease, 104, 133, 158, 170, 246,
 252–53, 258–59, 264, 273, 283
- hyolaryngeal excursion, 59, 264

336 Index

- hyperactivity, 265
 hyperkinetic dysarthria, 140, 264
 hypernasality, 35, 154, 264
 hypertension, 3, 44, 46, 264, 287
 hypokinetic dysarthria, 99, 115, 183, 264, 275
 hypomimia, 98, 265
 hypophonia, 99, 115, 118, 184, 215, 247, 265, 274–75
- ideational praxis, 47, 265
 ideomotor apraxia, 71, 141, 173, 181, 265, 277
 idiom, 9, 260, 265
 impulsivity, 139, 233, 265
 incidence, 1, 21, 44, 69, 96, 133–34, 168, 172, 193–94, 211, 265
 infarction, 46, 252, 265, 286–87
 inferior frontal gyrus, 176, 266
 infinitive clause, 106, 132, 175, 204, 232, 235–36, 266
 information processing, 46, 108, 199, 201, 203–4, 252
 informativeness, 55, 110, 178–79, 208
 inhibition, 139, 200, 224, 233, 266
 inhibitory control, 101, 266
 instrument, 14, 79, 88, 109, 214, 266, 282
 intellectual
 disability, 268, 283, *See also* learning disability
 function, 3, 268, 288
 intelligibility, 102–3, 114–15, 119, 153, 183–84, 202, 212, 215, 249, 254, 266
 intention tremor, 193, 266
 internal auditory canal, 211, 266
 intonation, 116, 183, 267, 278
 irony, 110, 260, 267, 281, *See also* sarcasm
 iteration, 104, *See also* stuttering
- jitter, 213, 267
- lacune, 45, 267, 282
- language
 battery, 184
 development, 4, 267
 encoding, 14, 267
 expressive, 49, 51–52, 184, 204, 235, 247, 271
 pathology, xii, 15, 63, 68, 99, 181
 receptive, 47, 59, 84, 186
 signed, 248
 spoken, 78, 84, 236, 276
 written, 58, 84, 211, 258
 laryngeal penetration, 158, 267
 laryngectomy, 155, 267
 larynx, 259, 261, 264, 267
- learning disability, 21, 267, *See also* intellectual disability
 left hemisphere, 265
 lesion, 47, 59, 64, 143, 169, 195–97, 211, 264, 266, 271, 283, 287
 letter fluency, 48, 75, 85, 104, 172, 186, 216, 268, 287, *See also* phonemic fluency
 levodopa, 169, 268, 289
 Lewy body disease, 22, 71, 268
 lexeme, 7–8, 28–29, 32, 52, 78, 108, 151, 159, 223, 230–33, 257, 268
- lexical
 reiteration, 254
 semantics, 147, 176, 268, 282
 stress, 116, 268
 substitution, 8, 52, 55, 57, 62, 80, 268
 lexical retrieval, 39, 107, 205, 254, 261, 268
 lexical retrieval difficulty, 29, 31, 36, 51, 156, 268, *See also* word-finding difficulty
 lexis, 53, 146, 268
 limb apraxia, 58, 64, 71, 152, 184, 249, 268, 277
 linguistics, 17, 262, 286
 local coherence/connectedness, 110
 logopenic progressive aphasia, 20, *See also* dementia; primary progressive aphasia
- magnetic resonance imaging (MRI), 196, 267, 269
 mandible, 274
 mania, 265
 mastication, 59, 182, 269
 maxil
 manner, 54, 112, 180, 262
 quality, 262
 quantity, 54, 112, 180, 262
 relation, 54, 262
 mean length of utterance (MLU), 105, 144, 269
 medulla, 97, 252, 269, 276, 287
 memory
 autobiographical, 17, 269
 episodic, 2–4, 14, 47, 73–74, 86, 90, 139, 173, 199, 203, 247, 259, 269
 long-term, 269
 semantic, 8, 28, 51, 74, 87–90, 269, 281
 short-term, 3, 87, 199, 238, 269, 282
 verbal, 14, 73, 110, 199
 working, 47, 88, 90, 102, 105, 110, 139, 142, 199
- Mendelsohn manoeuvre, 120, 269
 meningitis, 282
 mental
 flexibility, 260
 state, 4, 18, 32, 66, 75–83, 87, 92, 101, 109, 163–64, 220, 231, 233, 235, 238, 246, 254, 286
 status, 14

- mental state attribution, 83, 213, 269, *See also* theory of mind
 mental state inference, 83
 mental state language, 19, 66, 227
 mentalizing, 74, *See also* theory of mind
 metalinguistic statement, 177
 metaphor, 9, 109, 149, 221, 260, 269
 micrographia, 99, 113, 181, 270
 mild cognitive impairment
 amnesic, 7, 9, 68–75, 77, 84, 90, 139, 247, 270
 non-amnesic, 3, 24, 68–74, 85, 139, 270, 272
 mitochondria, 135, 255, 270
 morphological paraphasia, 26, 270
 morphology
 derivational, 6, 26, 256
 inflectional, 6, 26, 247, 256, 266
 morphosyntax, 120
 motor
 cortex, 270
 development, 270
 motor neurone disease (MND), 252, 261, 274, 281
 motor speech disorder, 4, 12, 24, 35, 41, 140, 142, 183, 203, 216, 249, 264, 270
 motor speech production, 36, 75, 141, 172–73, 186, 202, 212, 271
 multiple sclerosis (MS), 193, 251, 256, 259, 273, 281, 288
 multiple system atrophy, 170–71, 174, 183, 271
 mutation, 2, 12, 21, 44, 97, 105, 134, 137–39, 146, 152, 168, 251, 271
 mutism, 3, 40, 271
 myasthenia gravis, 251
 myelin sheath, 195, 251, 256, 271
- naming, 7, 28, 38–40, 48, 51, 88, 103, 107–9, 141, 154, 173, 176, 185, 201, 203, 205–6, 212, 216
- narrative
 discourse, 14, 32, 39, 105, 110, 179, 271
 fictional, 34, 229, 237
 production, 28, 31–32, 39, 60, 151, 159, 210, 233
 written, 15
- nasometry, 213, 271
- neologism, 26, 78, 269, 271
- nervous system
 central, 44, 193, 195–96, 250, 252, 255, 257
 peripheral, 258
- neurodegenerative
 disease, 48, 68, 70, 197, 252, 255, 259, 261, 264, 272, 274, 276, 281, 288
 disorder, 95–96, 134, 138, 155, 170, 178, 182, 203, 214, 246, 265, 268, 271–73
- neurofibrillary tangle, 2, 71, 169, 173, 272
- neurogenic communication disorder, 36, 272
- neurologist, 24
- neurology, 21, 167
- neurone, 2, 39, 97, 135, 169, 250–51, 255–57, 268, 270–72, 280, 285
- neuropsychiatric symptom, 2, 23, 63, 71–72, 99, 136–37, 156, 198, 248, 256, 262, 272
- neuropsychologist, 13, 272
- non-literal language, 149, 260
- non-verbal communication, 63, 84, 234, 254
- noun phrase, 8, 10, 32, 51, 57, 62, 76, 78–79, 86, 128, 132, 165, 222–23, 227, 231, 238, 248, 257, 272, 277–78, 284, 287
- nystagmus, 193, 273
- obsessive compulsive disorder, 136, 273
- occupational functioning, 200, 202
- oculomotor apraxia, 141, 273
- oesophageal motility disorder, 153, 273
- oesophagitis, 153, 273
- oesophagus, 261, 263–64, 273–74
- olfaction, 72, 262, 273
- ophthalmoparesis, 167, 273
- optic neuritis, 200, 273
- oral
 apraxia, 35, 182, 249, 273
 cavity, 157, 264, 274–75, 280
- orofacial apraxia, 4, 22, 25, 273–74
- overlap, 16, 99, 173
- palate
 hard, 274
 soft, 260
- palilalia, 3, 231, 274
- pallido-nigro-lusian system, 274
- pallidum, 135–36, 274
- paralysis, 263, 273, 287
- paranoia, 138, 274
- paresis, 285
- Parkinson's disease (PD), 14, 71, 88, 95–96, 103, 105, 110, 136, 146, 167, 170, 229, 246–47, 252, 255, 257–58, 263, 265, 268, 270, 272, 274–75, 281, 284, 286, 289
- pars compacta, 174, 257, 275, 284, *See also* substantia nigra
- pars reticulata, 174, 275, 284, *See also* substantia nigra
- passive voice, 175, 203, 235–36, 275
- pathogenesis, 43, 45, 169, 275
- pause, 24, 29, 52, 77, 103, 106, 140, 152, 155, 183, 206, 221, 223–24, 231, 233–34, 236, 286
- PEG feeding, 64, 275
- perception, xi, 117, 139, 142, 203, 271, 279, 288, *See also* visual perception

338 Index

- perseveration, 49, 93, 171, 223, 232, 275
 personal pronoun, 178, 221, 248, 275, 278
 perspective-taking, 282. *See also* theory of mind
 pharynx, 158, 182, 261, 275, 280, 287
 phenotype, 3, 22, 172, 194, 275
 phonation, 99, 116, 120, 142, 183, 202, 212–13, 215–16, 251, 258, 264, 267, 271, 275, 280
 phonatory stenosis, 155, 275
 phonemic
 awareness, 75, 276
 cue, 121, 148, 176, 206, 224, 235, 238, 242
 fluency, 48–49, 88, 122–23, 139, 142, 160, 174, 184–87, 217, 225, 230, 233, 237, 276. *See also* letter fluency
 paraphasia, 25, 49, 276
 phonetics, 141, 173, 202
 phonology, 4–6, 25, 48, 50, 75, 103, 111, 141, 173, 202–3, 250, 276
 photophobia, 170, 276
 physiology, 64, 118, 182, 251, 272, 276
 pitch, 115, 155, 183, 261, 267, 277
 planning, 13–14, 101, 104, 116, 130, 139, 152, 204, 228, 259–60, 276, 285
 plosive, 174, 276
 pointing, 10, 55, 80, 84, 241
 pons, 97, 252, 269, 276
 pontine nucleus, 169, 276
 pontine tegmentum, 97, 276
 positive symptom, 256. *See also* schizophrenia
 possessive determiner, 57, 79–80, 221, 277
 posterior fossa tumour, 271. *See also* brain tumour
 pragmatic development, 267
 pragmatic language impairment, 102, 216
 pragmatics, 9, 30, 53, 79, 109, 114, 149, 178–79, 207, 210, 212, 257, 277
 praxis, 87, 173, 277
 prepositional, 51, 76, 78, 145, 277
 prepositional phrase, 51, 76, 132, 222–23, 272, 277
 presbylarynx, 288
 prevalence, 1, 21, 43, 48, 58, 69, 88, 90, 95, 114, 133, 136, 152, 168, 193–95, 199, 202, 277, 279
 primary progressive aphasia. *See also* dementia
 logopenic variant, 21–24, 28–29, 32, 35, 39, 261, 268, 277
 nonfluent/agrammatic variant, 21, 268, 277
 semantic variant, 20–26, 28, 30–31, 33, 35–39, 261, 268, 277
 primitive reflex, 182, 278
 problem solving, 40, 101
 procedural discourse, 9, 14, 60, 128–29, 145, 178, 242
 prognosis, 3, 23, 36, 46, 72, 100, 171, 186, 198, 272, 278
 progressive aspect, 27, 76, 132, 188, 278, 285
 progressive non-fluent aphasia, 40. *See also* dementia
 progressive supranuclear palsy, 71, 167, 251, 261, 270, 274, 278. *See also* Parkinson's disease
 pronominal reference, 10, 33, 55, 80, 112, 154, 162, 165, 221, 278
 pronoun, 10, 32, 51, 55, 57, 79–80, 86, 112, 162, 165, 231–32, 234, 237–38, 248, 262, 275, 277–78, 284
 prosody, 114, 116, 141, 202, 212, 215, 258, 264, 271, 278
 proverb, 9, 221, 279
 pseudobulbar affect, 46, 252, 279
 psychiatrist, 1, 167
 psychological adjustment, 62, 279
 psychologist, 40
 psychomotor speed, 73, 279
 psychosis, 4, 46, 136, 279
 pure tone audiometry, 180, 279. *See also* audiometry
 pure word deafness, 20, 279
 putamen, 135–36, 251–52, 258, 262, 279, 283
 pyramidal tract sign, 46, 167, 280

 quality of life, 41, 90, 99, 101, 114, 117–18, 153, 155, 170, 199, 202, 211, 214, 263, 272, 280

 reading, 20, 38, 47–48, 58, 65, 70, 73, 84, 90, 101, 115–16, 181, 184, 203, 211–12, 229, 248, 258, 282, 288
 reasoning, 3, 22–23, 60, 207, 280
 reference, 10, 33, 80, 113, 149, 151, 226, 231, 280
 referent, 9–10, 55, 57, 79–80, 86, 112, 165, 227, 231–32, 280
 referential communication, 74, 280
 register, 53, 280
 rehabilitation, 120, 155, 272
 repair, 14, 16, 60, 157, 180, 210. *See also* trouble source
 repetitive language, 31, 208, 229
 reported speech, 103
 resonance, 183, 264, 271, 280
 resonation, 212, 215, 258, 264, 271, 280
 respiration, 118, 202, 212, 215, 251, 258, 264, 267, 271, 274, 281
 Richardson variant, 181, 281. *See also* progressive supranuclear palsy
 rigidity, 95, 113, 260, 274, 278, 281
 rollover, 181, 281

- sarcasm, 9, 140, 172, 221, 281, *See also* irony
- scanning speech, 193, 281
- schizophrenia, 206, 256, 262–63, 266, 274–75, 279, 286
- script, 54, 210
- selective attention, 199, 250, 281
- self-esteem, 89, 281
- semantic
 cue, 39, 207, 224, 235, 237
 field, 146–47, 230, 235, 237, 287
 fluency, 48, 88, 139, 146, 159, 173, 176, 186, 222, 225–26, 230, 233, 281, *See also* category fluency
 impairment, 26, 78, 103, 107–8, 146–47
 knowledge, 36, 38
 memory, 8, 28, 51, 74, 87–90, 269, 281
 network, 7, 108, 146, 281
 paraphasia, 52, 78, 146, 206, 223, 268, 282
 role, 8, 29, 79, 223, 246, 266, 282
- semantics, 7, 9, 28, 50–51, 78, 94, 103, 107, 141, 146, 184, 205, 268, 282
- sensorineural hearing loss, 180, 211, 263, 282
- sialorrhea, 152, 258, 282, *See also* drooling
- silence, 141
- small vessel disease, 45–48, 267, 282
- social
 cognition, 47, 101, 172, 208, 227, 282
 interaction, 89
 perception, 282
 relationship, 280
- soft phonation index, 213, 283
- spasticity, 280
- specific language impairment (SLI), 206, 281, 283
- speech act, 54, 62–63, 109, 113, 119, 157, 238, 283
- speech and language therapist, 106, 140, 153, 156, 158, 283
- speech and language therapy, 158
- speech production, 64, 75, 98, 103, 106, 113, 115, 118, 140, 153, 155, 174, 182, 184–85, 202, 212, 216, 248–49, 251, 261, 264–65, 270, 281, 287
- speech-language pathologist, 4, 13, 25, 35, 40–41, 59–60, 62, 64, 68, 85–86, 89–90, 119, 154, 171, 186, 212–15, 254, 263, 283, 287
- speech-language pathology, xii, 15, 63, 68, 85, 99, 181
- speech-tone dissociation, 181, 283
- spinal cord, 197, 252, 262, 269–70, 280, 283
- standardized test, 14, 184, 203, 283
- stem, 27, 283
- story telling, 38, 106, 116, 154
- striatum, 135, 174, 246, 283
- stroke, 27, 35, 38, 40, 44, 59, 143, 247, 249, 253, 258, 263–65, 281–82, 284, 287, *See also* cerebrovascular accident
- stuttering, 24, 256
- subarachnoid haemorrhage, 45, 284
- subject, 76, 105, 253, 266, 275, 278, 284
- subject pronoun, 76, 284
- subordinate clause, 6, 62, 105, 141, 143, 165, 175, 188, 204, 222, 266, 284
- subordinating conjunction, 53, 106, 188, 284
- subordination, 28, 284
- substantia nigra, 95, 97, 170, 174, 257–58, 260, 274, 279, 284, *See also* Parkinson's disease
- subthalamic nucleus, 170, 274, 284
- suffix
 derivational, 50, 257, 285
 inflectional, 26, 50, 76, 266, 285
- suicidal ideation, 136, 285
- superordinate term, 7, 53, 107, 176, 189, 226, 230, 235, 285
- supranuclear gaze palsy/paresis, 170, 281, 285
- swallowing, 4, 13, 25, 35, 48, 59, 64, 85, 99, 114–15, 117–19, 152–53, 157, 170, 182, 185, 211, 216, 250–51, 255, 258, 260, 269, 273, 281, 283, 288
- syntax, 4–5, 24, 27, 51, 55, 76, 103–6, 111, 132, 141, 143, 146, 164–65, 175, 184, 201, 220, 232, 262, 278, 285
- systematic review, 21, 69, 73, 75, 84, 89–90, 96, 133, 168, 193, 198, 201, 285
- tau pathology, 98, 169, 171, 285
- temporal lobe epilepsy, 263
- thalamus, 46, 135, 284–85
- theory of mind (ToM), 3, 14, 32, 47, 66, 74, 83, 101, 140, 172, 191, 200, 216, 221, 227, 231, 233, 236, 246, 260, 269, 282, 286
- topic
 digression, 81, 254
 management, 60, 116, 154, 286
- transcranial direct current stimulation, 39, 185, 286
- transcranial magnetic stimulation, 119, 286
- transient ischemic attack, 44, 286
- traumatic brain injury, 253, 260, 263, 266, 271, 276, 286, *See also* head injury
- tremor, 95, 98–99, 104, 113, 154, 167, 260, 266, 274, 286
- trouble source, 30, 60, 156, *See also* repair
- turn-taking, 54, 109
- utterance interpretation, 152, 254
- vagus nerve, 97, 287
- vascular cognitive impairment, 47, 59, 65

340 Index

- velopharyngeal
 - dysfunction, 214, 287
 - function, 213, 288
 - incompetence, 264
 - port, 287
- ventricle, 2, 252, 285, 287
- verb phrase, 51, 143, 188, 192, 236, 287
- verbal fluency, 47, 59, 85, 87, 89, 93, 103, 122, 159, 201, 205, 208, 217, 252, 268, 276, 281, 287, 292
- vertigo, 197, 287
- vesicle transport, 135, 288
- vestibulocochlear nerve, 211, 288
- videofluoroscopy, 59, 117, 157–58, 288
- vision, 73, 85, 185, 211, 215, 257, 262, 288
- visual
 - agnosia, 14, 246, 288
 - dyslexia, 181, 288, *See also* alexia
 - field disturbance, 46, 288
 - impairment, 2, 16, 114, 152, 181, 197, 211
 - perception, 14, 148, 152, 181, 200, 288
- vocabulary, 7, 28, 51, 77, 107, 146, 176, 205, 240, 268
- vocal fold bowing, 115, 288
- voice
 - onset time, 174, 289
 - quality, 183, 289
 - therapy, 155
- voice disorder
 - functional, 288
 - organic, 288
- wearing-off, 100, 289
- word-finding difficulty, 52, 77, 141, 152, 176–77, 221–22, 233, 236, 248, 289, *See also* lexical retrieval difficulty
- world knowledge, 83
- writing, 20, 38, 84, 113, 129, 152, 156, 178, 181, 208, 211, 242, 258, 270