

Index

- abnormal extremal, 98, 124, 404
 - in dimension 3, 439
- abnormal extremal trajectory, 98
- AC admissible curve, 107
- action-angle coordinates, 163
- adapted basis, 211
- admissible
 - curve, 69
 - jets, 340
 - variation, 338
 - slow, 341
- almost-Riemannian
 - abnormal-extremals, 305
 - curvature, 301
 - Gauss–Bonnet theorem, 318
 - geodesics, 304
 - Grushin points, 310
 - Lebesgue measure of the singular set, 301
 - Martinet points, 310
 - normal forms, 313
 - Pontryagin extremals, 304
 - Riemannian points, 298, 310
 - singular set, 297, 311
 - structure, 76, 295
 - free, 296
 - fully orientable, 297
 - generic, 315
 - orientable, 297
 - tangency points, 329
- Arnold–Liouville theorem, 163
- ball–box theorem, 366
- bi-invariant metric, 205
- Bianchi identities, 561
- Borel Lemma, 184
- bracket-generating family of smooth vector fields, 67
- bundle
 - principal, 243
 - vector, 62
- bundle map, 63
- Carathéodory lemma, 387
- Carnot group, 332
 - free, 458, 466
 - normal forms, 371
 - optimal synthesis, 457
 - Pontryagin extremals, 213
 - step 2, 210
 - (3,6), 471
- Carnot–Carathéodory distance, 80
- Cartan’s formula, 137
- Cartan’s moving frame method, 34
- Casimir
 - first integral, 607, 614
 - function, 609
 - nonunimodular case, 618
 - unimodular case, 617
- characteristic curve, 122
- Christoffel symbols, 555
 - of Levi-Civita connection, 559
- chronological
 - calculus, 171
 - exponential
 - left, 179
 - right, 177
- coadjoint orbits, 613
- comparison theorem for conjugate points, 538
- completely integrable systems, 159
- conjugate locus, 270
 - perturbed sphere, 290
 - 3D contact sub-Riemannian, 641
 - stability, 651

- conjugate point, 270
 - comparison, 538
 - comparison theorems, 565
 - curve in the Lagrange Grassmannian, 536
 - for abnormal extremals, 436
 - Jacobi curve, 545
- connection
 - Ehresmann, 551
 - Levi-Civita, 21, 557
 - principal bundle, 244
 - Riemannian, 557
 - Tanno, 604
 - torsion, 555
- constant of the motion, 118
- contact
 - distribution, 576
 - form, 126
 - sub-Riemannian structure, 126
- control functions, 5
- coordinates
 - linearly adapted, 344
 - privileged, 344
- core algebra, 368
- cotangent bundle, 62
 - canonical coordinates, 63
- cotangent Gauss' lemma, 268
- cotangent space, 60
- covariant derivative, 555
- covering map, 473
- critical point, constrained, 253
- curvature
 - Hamiltonian, 563
 - of a connection, 552
 - of a curve in Lagrange Grassmannian, 523
 - 2D Riemannian, 568, 571
 - 3D contact sub-Riemannian, 582
- cut locus, 285
 - 3D contact sub-Riemannian, 641
- cut time, 457
- Darboux
 - basis, 516
 - coordinates, 516
- derivation, 49, 607
- Dido's problem, 3
- differentiability point, 72
- differential form, 61
 - of a map, 51
- differential, second, 254
- distribution, 68
 - contact, 576
 - dual, 125
 - equiregular, 332, 654
 - flag, 331, 332
 - involutive, 611
 - rank-varying, 611
 - step, 332
- Ehresmann connection, 551
 - curvature, 552
 - linear, 554
- elliptic integral, 507
- endpoint map, 247
 - differential, 248
 - regularity, 248
- energy functional, 99
- Engel-type distribution, 445
- equiregular distribution, 332, 654
- Euclidean geometry, 1
- Euler
 - characteristic, 320
 - curvae elasticae, 240–245
 - number, 319
 - vector field, 548
- exponential map, 266
 - 3D contact sub-Riemannian, 633
- extremal
 - abnormal, 98, 124
 - minimizing properties, 274
 - normal, 98, 120
- fiber, 62
- first integral, 149
 - Casimir, 614
 - right-invariant vector field, 615
- flag, 331, 332
 - of a distribution, 331
- flow, 48
- flux, 675
- free sub-Riemannian structure, 76
- Frobenius theorem, 57, 611
- function, affine on fibers, 110
- fundamental solution of the Heisenberg group, 688
- Gauss'
 - lemma, 266
 - map, 33
 - theorema egregium, 31
- Gauss–Bonnet theorem, 23
 - almost-Riemannian geometry, 318
 - global version, 29
 - local version, 24
- Gaussian curvature, 23, 130

- generalized (Clarke) differential, 386
 generalized Legendre condition, 410
 genus of a surface, 29
 geodesic, 5, 143, 147
 completeness, 399
 curvature, 23
 flow
 on ellipsoids, 169
 on quadrics, 166
 Riemannian, 153
 maximal, 285
 on a surface, 15
 geodesics
 for the $\mathbf{d} \oplus \mathbf{s}$ problem, 245
 for the $\mathbf{k} \oplus \mathbf{z}$ problem, 245
 hypersurfaces, 153
 Riemannian on $SU(2)$, 622
 Goh condition, 410
 gradient
 Riemannian, 676
 sub-Riemannian, 678
 Grassmannian, 513
 group
 $GL(n)$, 202
 $O(n)$, 203
 $SE(2)$, 623
 optimal synthesis, 494
 $SE(n)$, 203
 $SL(2)$
 optimal synthesis, 490
 $SL(n)$, 203
 $SO(3)$, 223, 225
 optimal synthesis, 490
 $SO(n)$, 203
 $SO_+(2, 1)$
 optimal synthesis, 490
 $SO_+(2, 1)$, 225
 $SU(2)$
 optimal synthesis, 486
 $SU(n)$, 203
 Grushin plane, 306, 360
 geodesics, 307
 optimal synthesis, 478
 Grushin sphere, 327, 329

 Hörmander condition, 67
 Hörmander theorem, 681
 Haar measure, 207, 679, 685
 Hadamard theorem, 566
 Hamiltonian
 left-invariant, 218, 616
 ordinary differential equations (ODE), 118
 sub-Riemannian, 120
 system, 118
 trivialized, 218
 vector field, 114, 138
 Hamiltonian systems on Lie groups, 216, 616
 Hamiltonian vector field of a Riemannian
 metric, 560
 Hausdorff
 spherical measure, 664
 dimension, 664
 measure, 664
 Hausdorff dimension, 664
 for equiregular sub-Riemannian manifolds,
 665
 Hausdorff volume, 664
 heat equation, 674
 non-bracket-generating case, 683
 Riemannian, 674
 sub-Riemannian, 681
 heat kernel, 683
 Gaveau–Hulanicki, 687
 Heisenberg group, 684
 small-time asymptotics, 695
 Heisenberg group, 4, 134, 215, 217, 359, 467,
 684
 coordinates of the first type, 685
 Gaveau–Hulanicki fundamental solution,
 687
 heat kernel, 684
 matrix representation, 684
 multidimensional, 460
 Hermite polynomials, 689
 Hessian, 255
 of the endpoint map, 404
 Hopf–Rinow theorem, 399
 horizontal
 curve, 69
 gradient, 678
 vector fields, 68
 hyperbolic gradient, 37

 index
 of a map, 405
 of a quadratic form, 405
 induced bundle, 64
 integrability
 of Hamiltonian systems on Lie groups, 612
 integrable system
 completely, 159, 615
 integral curve, 46
 intrinsic sub-Laplacian, 681
 isoperimetric problem, 130, 158

- Jacobi
 curve, 542, 544
 reduced, 549
 reduction, 547
 fields, 542
 identity, 607
 jet, 333
 of a curve, 333
 of a vector field, 336
- Killing form, 206
 Killing vector field, 157
 Klein bottle, 297
- Lagrange
 immersion, 259
 multiplier, 251, 253
 multiplier rule, 251, 253
 point, 256
 Lagrange Grassmannian, 517
 ample curves, 529
 non-regular curves, 527
 regular curves, 519
 curvature, 523
 tangent space, 517
 Laplace–Beltrami operator, 676
 Laplacian, sub-Riemannian, 680
 left-invariant vector field, 199
 length-minimizer, 87
 compactness, 283
 Levi-Civita connection, 21, 557
 Levi–Malcev decomposition, 207
 Lie algebra, 67, 191, 198
 nilpotent, 206
 non-unimodular, 618
 semisimple, 206
 solvable, 207
 unimodular, 617
 Lie bracket, 53
 Lie derivative, 136
 Lie group, 191, 198
 adjoint action, 206
 exponential map, 199
 left and right translations, 198
 matrix, 202
 matrix notation, 204
 trivialization of tangent bundle TG , 208
 unimodular, 207, 685
 Lie–Poisson bracket, 612
 Liouville form, 116
 Lipschitz inverse function theorem, 390
 locally flat space, 567
- Martinet
 set, 127, 440, 443
 sub-Riemannian structure, 359, 502
 Mehler kernel, 689
 metric invariants
 χ , 578
 κ , 579
 3D contact sub-Riemannian, 578
 minimal control, 72
 measurability, 104
 Minkowski inner product, 36
 module, 69
 Morse pair, 256
 Morse problem, 256
- nice abnormal extremals, 424
 non-minimality of corners, 449
 nonholonomic constraints, 4
 nonholonomic tangent space, 340
 classification, 358
 normal extremal, 98, 120
 left strongly normal, 278
 left-invariant structure, 221
 local minimality, 140
 right strongly normal, 278
 strongly normal, 278
 normal extremal trajectory, 98
 normal Pontryagin extremals
 for the $\mathfrak{d} \oplus \mathfrak{s}$ problem, 221
 for the $\mathfrak{k} \oplus \mathfrak{z}$ problem, 228
 on $SO(3)$, 223
- optimal synthesis, 457
 Hadamard technique, 472
 orthonormal frame, 296
- parallel transport, 552
 on a surface, 19
 Poincaré–Cartan form, 140
 Poisson
 algebra, 607
 bi-vector, 608
 manifold, 607
 manifold \mathfrak{g}^* , 612
 vector field, 607
 orbit, 611
 Poisson bracket, 112, 139, 607
 for functions linear on fibers, 112
 Pontryagin extremals, 98
 Lagrange multipliers, 251
 Pontryagin maximum principle, 108
 Popp volume, 655, 679
 formula, 657

- principal bundle, 243
 - connection, 244
- principal curvatures of a surface, 36
- privileged coordinates, 343
 - existence, 354
 - uniform, 358
- proper map, 472
- pullback, 61
- pushforward, 52

- reduced Jacobi curve, 549
- Reeb vector field, 577
- Riemannian geodesic flow, 153
- Riemannian Laplacian, 676
- Riemannian structure, 76
 - two-dimensional, 128
- rolling
 - spheres, 232, 245
 - with spinning, 232
 - without spinning, 235

- Sard lemma, 317
 - for a class of Lipschitz functions, 393
- Schwarzian derivative, 526
- second variation, 402
- second-order conditions, 253
- slow admissible variation, 341
- spherical Hausdorff volume, 679
- step, 68
 - of a distribution, 332
- sub-Laplacian
 - self-adjointness, 682
- sub-Riemannian
 - distance, 80
 - completeness, 89
 - fair points, 381
 - good points, 381
 - Lipschitz equivalence, 93
 - smooth points, 379
 - extremal
 - abnormal, 252
 - normal, 252
 - geodesic, 146
 - geometry, 2
 - Hamiltonian, 120
 - isometry, 76, 661
 - Laplacian, 680
 - length, 72
 - local minimal bundle rank, 75
 - manifold, 68
 - minimal bundle rank, 75
- spheres
 - regularity, 396
- structure, 68
 - bundle rank, 68
 - constant rank, 69, 76
 - equivalent, 75
 - equivalent as distributions, 74
 - flag, 331
 - free, 68, 76
 - left-invariant, 209
 - non bracket-generating, 86
 - rank, 68
 - rank-varying, 69
 - regular, 124
 - step, 68
 - symmetries, 157
- submersion, 65
- surface
 - of \mathbb{R}^3 , 11
 - of revolution, 158
 - with constant Gaussian curvature, 40
- symplectic
 - manifold, 138, 609
 - reduction, 149
 - structure, 116
- symplectic leaves, 611, 612
 - $\mathfrak{a}^+(\mathbb{R}) \oplus \mathbb{R}$, 629
 - $\mathfrak{se}(2)$, 628
 - $\mathfrak{sh}(2)$, 628
 - $\mathfrak{sl}(2)$, 625
 - $\mathfrak{so}\mathfrak{t}\mathfrak{v}^-$, 631
 - $\mathfrak{so}\mathfrak{t}\mathfrak{v}^+$, 630
 - $\mathfrak{su}(2)$, 624
 - 3D Lie groups, 623
 - classification, 623
 - Heisenberg, 627
- symplectomorphism, 138

- tangent
 - bundle, 62
 - space, 46
 - vector, 45
- tautological form, 116
- theorem
 - Arnold–Liouville, 163
 - Carathéodory, 50
 - existence of minimizers, 89
 - Frobenius, 57, 611
 - Hörmander, 681
 - implicit function, 253
 - Rashevskii–Chow, 80
 - second theorem of Lie, 200

- three-dimensional contact sub-Riemannian,
 - 576
 - canonical frames, 579
 - unimodular groups, 580
 - curvature, 582
 - exponential map, 633
 - asymptotic, 636
 - local classification, 589
 - local isometry, 589
- trivial trajectory, 69
- trivializable vector bundle, 62

- variation formula, 182
- vector bundle, 62
 - canonical projection, 62
 - local trivialization, 62
 - morphism, 63
 - rank, 62
 - section, 64

- vector distribution, 57
 - flat, 57
 - involutive, 57
- vector field, 46
 - bracket-generating family, 67
 - complete, 47
 - flow, 48
 - Hamiltonian, 114
 - jet, 336
 - nonautonomous, 49, 176
 - right-invariant, 615
- vertical coordinates, 216, 612
- Volterra expansion, 176, 177, 183, 187
- volume
 - canonical, 678
 - Hausdorff, 679
 - Popp, 655, 679

- Whitney topology, 175