

Index

- 2-factor, 391
- k*-uniform intersecting family, 492
- k*-uniform star, 492
- (ordinary) indicator power series, 307
- 1-factor, 475
- $3n + 1$ conjecture, 40
- $[0]$, 47
- $A \times B$, 47
- acyclic orientation, 428, 431, 433, 434, 572, 592
- addition principle, 83
- adjacency matrix, 377
- adjacent vertices, 55
- Ahmes, 9
- Ahmes–Rhind Papyrus, 9
- al-Adli ar-Rumi, 393
- $\alpha(G)$, 384, 425
- antichain, 357, 358, 465, 469, 472, 492, 497
- Apianus, Petrus, 152
- Appel, Kenneth, 413
- arithmetic progression, 78, 247
- arrow notation, 63, 70, 500
- augmenting path, 482, 483
- back-substitution, 32
- al-Bāhir fī al-hisāb, 152
- base case of induction, 16
- Bell number, 199–202, 209, 288, 338, 340
- Bell, E. T., 199
- Bernoulli numbers, 176, 330, 342–344
- Bernoulli's inequality, 14
- Bernoulli, Jacob, 14, 342
- Bernoulli, Johann, 244
- Bhāskara II, 150
- bijection, 98, 99, 494
- binary relation, 453
- binary tree, 379
- binomial coefficient, 121–127, 147–192, 225
- binomial theorem, 164–169
- bipartite graph, 57, 381–383, 449–453, 485–487
- Blair, Eric Arthur, 272
- BLYM inequality, 355
- Bollobás, Béla, 358
- Bondy, John Adrian, 400
- Bonferroni's inequalities, 272
- Boolean lattice, 355–359, 457, 488–497, 499–503
- antichain, 355, 357, 492
- chain, 355, 357
- family, 356
- Hasse diagram, 355
- level, 356
- maximal chain, 357
- profile, 356
- Borchardt, Carl, 443
- bridge, 370, 372, 373, 393
- Cardano, Gerolamo, 152
- Carroll, Lewis, 270
- cartesian product, 47, 453
- Catalan numbers, *see also* Ming–Catalan numbers
 - Catalan, Eugene, 157
 - Cayley's tree formula, 443–449
 - Cayley, Arthur, 443
 - ceiling, 34, 154
 - chain, 55, 253, 369–371, 454, 464, 488
 - length, 464
 - maximal, 464
 - maximum-sized, 464
 - size, 464
 - skipless, 464
 - characteristic polynomial, 29
 - chess & graph theory, 392
 - choice number, 434, 435
 - chromatic number, 425, 437, 572
- chromatic polynomial, 427–434, 441, 572
- Chu Chi-kie, 162
- Chu's identity, 162
- Chung–Feller theorem, 179–184
- Chvátal, Václav, 79, 400, 519
- circuit, 369–371, 386–388
- circular permutation, 119, 210
- Clebsch graph, 73
- clique, 72
- closed interval, 506
- closed under intersection, 511
- clutter, 357
- Collatz conjecture, 41
- Collatz, Lothar, 41
- combinations, 115, 121–127, 135
 - of multisets, 134–142, 275–277, 307–311
- comparable, 454
- complement, 85, 261
- complement of a graph, 377
- complete bipartite graph, 57, 381
- complete graph, 56
- composition, 241
- cone, 472
- conjecture
 - $3n + 1$ conjecture, 40
 - 1-2-3 conjecture, 441
 - acyclic edge coloring, 440
 - Barnette, 440
 - Chvátal, 519
 - Erdős's revolving door, 393
 - Erdős–Gyárfás, 439
 - Frankl, 518
 - Füredi, 520
 - Gallai, 440
 - graph Ramsey, 81
 - Griggs, 520
 - middle levels, 393
 - Singmaster, 191
 - Turán, 519

610 Index

- conjugate partition, 234
- connected component, 370
- connected graph, 370
- connectivity, 257
- contraction, 429–431
- convolution, 297
- counting table, 93–97, 128, 140, 194, 203, 237, 307, 324, 349
 - entry $\boxed{1}$, 116, 349
 - entry $\boxed{2}$, 122, 349
 - entry $\boxed{3}$, 123, 349
 - entry $\boxed{4}$, 123, 349
 - entry $\boxed{5}$, 128, 202, 349
 - entry $\boxed{6}$, 135, 275, 349
 - entry $\boxed{7}$, 198, 202, 349
 - entry $\boxed{8}$, 231, 349
 - entry $\boxed{9}$, 198, 202, 349
 - entry $\boxed{10}$, 137, 349
 - entry $\boxed{11}$, 194, 202, 349
 - entry $\boxed{12}$, 231, 349
 - entry $\boxed{13}$, 130, 325, 349
 - entry $\boxed{14}$, 275, 349
 - entry $\boxed{15}$, 131, 325, 349
 - entry $\boxed{16}$, 309, 349
- first column, 96, 324
- first three rows, 237
 - second column, 96, 307
- cover, 454, 467
- crossing number, 420
- cubic graph, 362
- cycle, 56, 253, 369–373, 382, 388, 389
- d*-regular, 362
- degree, 55, 253, 362
- degree sequence, 253, 363
- deletion, 429–431
- deletion–contraction theorem, 431
- $\delta(G)$, 391
- derangement, 278–283, 287–289, 333
- diagram
 - Ferrers, 233
 - Hasse, 455
- diameter of a graph, 377
- difference equation, 27
- Dilworth’s theorem, 467
- Dilworth, Robert, 467
- Dirac, G. A., 395
- Dirac, Paul, 395
- directed graph, 400, 433
- Dirichlet principle, 42
- distance, 58, 377, 382
- division principle, 85
- divisor lattice, 458, 515
- dodecahedron, 396, 403
- dominance, 458
- double counting, 85
- Dyck path, 179–184
- edge, 54, 253
- edge chromatic number, 434, 485–487
- edge connectivity, 257
- edge decomposition, 388
- ends of an edge, 55
- Entangled Tales, 270
- Eratosthenes of Cyrene, 261
- Erdős–Gallai theorem, 368
- Erdős–Ko–Rado theorem, 488, 493, 495–496
- Erdős–Szekeres theorem, 44, 47, 51, 471, 504
- Erdős, Paul, 69, 81, 477
- Euler’s formula, 409
- Euler’s pentagonal number theorem, 244, 334, 336, 337
- Euler’s phi function, 516
- Euler’s totient function, 516
- Euler, Leonhard, 26, 157, 244, 336, 342, 363, 409
- Eulerian
 - circuit, 385, 387
 - trail, 385, 388
- event, 88
- experiment, 88
- exponential generating function, 321–330
- exponential indicator generating function, 324, 328
- factorial, 26, 214
 - falling, 115, 214
 - rising, 214
- Ferrers diagram, 233
- Ferrers, Norman Macleod, 233
- Fiamčík, Iosif, 440
- Fibonacci numbers, *see also* Piṅgala–Fibonacci numbers
 - Piṅgala–Fibonacci numbers
- fibre, 472, 498
- five-color theorem, 437
- floor, 154
- forest, 254, 373, 383
- four-color theorem, 413
- Frankl, Peter, 518
- Franklin, Fabian, 245, 336
- function, 99
 - 1-1, 99
 - bijection, 99
 - composition, 99
 - identity, 99
 - injective, 99
 - inverse, 99
 - one to one and onto, 99, 494
 - one-to-one correspondence, 99
 - onto, 99
 - surjective, 99
- Füredi, Zoltán, 520
- Galvin, Fred, 467
- Gamma function, 26, 346
- general graph, 54, 361
- generating function, 249–252, 292–347
 - exponential, 321–330
- Gershon, Levi ben, 152
- girth of a graph, 377, 410, 415
- Goldbach, Christian, 385, 409
- graph, 54, 253
 - 2-factor, 391
 - k*-choosable, 435
 - k*-colorable, 413
 - k*-connected, 440
 - proper coloring, 413, 425, 437, 572
 - acyclic orientation, 428, 431, 433, 434, 572, 592
 - adjacency matrix, 377
 - adjacent, 55, 361
 - bipartite, 381–383, 426, 449–453, 485–487
 - bridge, 370, 372, 373, 393
 - Cayley’s tree formula, 443–449
 - chain, 55, 369–371
 - choice number, 435
 - chromatic number, 425, 437, 441, 572
 - chromatic polynomial, 427–434, 441, 572
 - circuit, 369–371, 386–388
 - clique, 72
 - complement, 377
 - complete, 56
 - complete bipartite, 57, 381
 - connected, 254, 370
 - connected component, 370
 - contraction, 429–431
 - cubic, 362, 440
 - cycle, 56, 369–373, 382, 388, 389, 416

- degeneracy, 427
- degree, 55, 362
- deletion, 429–431
- diameter, 377
- directed, 400, 433
- distance, 58, 377, 382
- edge, 54, 55, 361
- edge chromatic number, 434, 485–487
- edge decomposition, 388, 440
- Eulerian circuit, 385, 387
- Eulerian trail, 385, 388
- forest, 373, 383
- girth, 377, 410, 415
- graph minor theorem, 430
- Hamiltonian cycle, 392–395, 401, 440
- Hamiltonian path, 392, 393
- incidence, 55, 361
- incidence matrix, 449–453
- independence number, 384, 425, 485
- independent set, 72, 384, 425, 485
- induced subgraph, 439
- inverse, 377
- isolated vertex, 362
- isomorphic, 57
- labeled trees, 443–449
- leaf, 362, 375
- list coloring, 435
- loop, 54, 55, 361, 363, 386, 406, 422
- matching number, 475, 477, 484, 485
- minor, 430
- neighbor, 478
- order, 55, 361
- Ore property, 395
- path, 55, 369–371, 373
- Petersen, 375, 377, 378, 383, 398, 415, 423, 426, 427
- planar, 401, 404, 409, 410, 412, 440
- planar drawing, 404
- proper coloring, 413, 425, 435, 437, 572
- Prüfer code, 444, 446–449
- regular, 362, 440
- rooted tree, 379
- simple, 54, 361
- stable set, 425
- subdivision, 411
- subgraph, 54, 411
- trail, 369–371, 385, 388
- tree, 254, 373, 379, 405, 432, 443
- valence, 55
- vertex, 54, 55, 361
- walk, 369–371, 382
- graph Ramsey numbers, 75, 77–78
- graphic sequence, 254, 362, 363, 365
- Greenwood–Gleason graph, 73
- Griggs, Jerrold R., 520
- Grinstead, Charlie, 81
- Grünert, Johann, 200
- Haken, Wolfgang, 413
- Hakimi, Seifollah, 365
- Hall, Phillip, 477
- Hamilton, Sir William, 392
- Hamiltonian
 - cycle, 392–395, 401
 - graph, 393, 440
 - path, 392, 393
- Harary, Frank, 79
- harmonic series, 216
- Hasse diagram, 355, 453, 455
- Hasse, Helmut, 455
- hat-check problem, 278
- Havel, Ivan, 393
- Havel, Václav, 365
- Heinz Prüfer, 443
- Hilbert, David, 385
- hockey-stick identity, 153, 159
- homogeneous linear recurrence
 - relation, 28
- Hopper, Grace, 395
- hyperedge, 499
- hypergraph, 499
- incidence, 55, 361
- incidence matrix, 449–453
- incident, 253
- inclusion–exclusion principle, 261–275
- independence number, 384, 425, 485
- independent edge set, 475
- independent paths, 259
- independent set, 72, 384, 425, 485
- indicator power series, 307
- indicator sequence, 316, 328
- induction, 7
 - base case, 16
 - strong, 15
- injective, 99
- inserting a vertex, 411
- integer partition, 230–247, 458
- integral, 137
- interference graph, 425
- intersecting family, 492–497
 - k*-uniform, 492
- Isaacs, Marty, 76, 406
- isolated vertex, 362
- isomorphic graphs, 57
- isomorphism, 57
- Jiǎ Xián, 149
- Jordan curve theorem, 405
- k*-choosable, 435
- k*-connected graph, 260
- Kaliningrad, 385
- Königsberg, 385
- König's theorem, 477, 484
- Kant, Immanuel, 385
- Karajī, Abū Bakr, 149, 152
- Karajī–Jia triangle, 149–153
- Karoński, Michał, 441
- Katona, Gyula O. H., 495
- k*-colorable, 413
- Khayyam, Omar, 152
- K_n , 56
- Knight's tour, 393, 396
- König, Dénes, 477
- Kuratowski's theorem, 412
- Kuratowski, Kazimierz, 411
- Lah numbers, 227–229
- Lah, Ivo, 227
- Laplace transform, 345
- Laplace, Pierre-Simon, 244
- Latin square, 485–487
- lattice path, 126, 179–184
 - reflection, 180
 - translation, 180
- lattice point, 416
- leaf, 362, 375
- Legendre, Adrien-Marie, 244, 409
- length, 370
- Leonardo of Pisa, 17
- $\lg(n)$, 33
- line graph, 391
- linear recurrence relation, 21, 27–32
- linearly ordered set, 454
- list coloring, 435
- log concave, 174–175, 220, 341
- longest run of heads, 91
- loop, 54, 55, 361, 363, 386, 406, 422
- Lubell, David, 358

612 Index

- Lucas numbers, 17
- Łuczak, Tomasz, 441
- m*-ary tree, 379
- Mantel, Willem, 519
- map, 99
- marriage theorem, 473, 477, 482
- matching, 473, 475, 481
- matching number, 475, 477, 484, 485
- Matsunaga, Yoshisuke, 199, 208
- maximal, 496
- maximal antichain, 472
- maximal matching, 475
- maximum-sized, 475, 496
- McKay, Brendan, 503
- Mešalkin, Lev, 358
- Ming, Antu, 157
- Ming–Catalan numbers, 156–158, 179–184, 344–345, 351–355
- minimal fibre, 472
- Mirzakhani, Maryam, 473
- Möbius band, 422, 423
- Möbius function, 505–513
- Möbius function of number theory, 515
- Möbius inversion, 505–513
- Möbius, August, 505
- monochromatic, 61, 103, 500
- monochromatic triangle, 61
- monomial, 146
- multichoose, 135
- $\binom{t}{s}$, 135
- multigraph, 54, 361
- multinomial coefficient, 127, 129–134, 147, 170–172 theorem, 170–172
- multiplication principle, 84
- multiplicity, 30, 53
- multiset, 53
- Mütze, Torsten, 393
- $[n]$, 47
- $[k]$, 210
- neighbor, 478
- Newton, Isaac, 125
- one-to-one correspondence, 99
- one-to-one, onto function, 494 1–99
- Ono, Ken, 247
- onto, 99
- open interval, 506
- order of a graph, 55, 361
- order preserving map, 462
- ordered list, 96
- ordinary generating function, 304, 306, 318, 331, 332
- ordinary power series, 293
- Ore property, 395
- Ore, Øystein, 395
- Orwell, George, 272
- partial fractions, 302
- partial order, 454
- partially ordered set, 454
- partition, 458
 - of an integer, dominance order, 458
 - conjugate, 234
 - distinct parts, 334, 336
 - generating function, 333, 336
 - numbers, 231–233
 - odd parts, 334, 336
 - of a set, 76, 111, 193–206
 - of a set, refinement order, 458
 - of an integer, 230–247, 333, 336, 458
 - parts, 76
 - self-conjugate, 235
- Pascal’s triangle, *see also* Karaji–Jia triangle
- Pascal, Blaise, 149
- path, 55, 253, 369–371, 373
- pentagonal number, 244, 334
 - generalized, 244, 334
- pentagonal number theorem, 243, 244, 334, 336
- Pepys, Samuel, 125
- perfect matching, 475
- Perles, Micha A., 469
- permutations, 115–121, 494
 - circular, 119
 - of multisets, 127–134, 324–327
 - with forbidden position, 278, 281–291
- Petersen graph, 53, 375, 377, 378, 383, 398, 415, 423, 426, 427
- Piṅgala–Fibonacci numbers, 312–313, 316, 329, 332
- Pick’s Formula, 416
- Pick, Georg Alexander, 416
- pigeonhole principle, 42–48, 501
- Piṅgala, Ācārya, 17
- Piṅgala–Fibonacci numbers, 17–18, 30, 52
- $p_k(n)$, 230
- planar embedding, 404
- planar graph, 254, 401, 404, 409, 410, 412, 414
- plane drawing, 404
- Platonic solid, 415
- $p(n)$, 230
- Polya, George, 473
- polygon
 - simple, 416
- polyomino, 438
- poset, 453, 454, 470
 - height, 464
 - interval, 506
 - locally finite, 507
- poset isomorphism, 459
- power series, 249, 293, 321
 - ordinary, 293
- Prüfer code, 444, 446–449
- primitive triangle, 417
- probabilistic method, 88, 155
- probability, 87, 88
- product of posets, 463
- proper coloring, 413, 425, 435, 437, 503, 572
- proper edge coloring, 434
- Putnam competition, 26, 90, 481
- Radziszowski, Stanislav, 503
- Ramanujan, Srinivasa, 232
- Ramsey
 - numbers, 61–71, 80, 154–156, 501
 - numbers, table of, 80
 - theorem, 61–71, 499, 500
 - theorem, statement of, 67, 70
- Ramsey, Frank, 64
- recurrence relation, 19, 311–315
 - linear, 27–32
 - unwinding, 32
- refinement, 458
- region of a plane, 404
- regular graph, 362, 434
- relatively prime, 18
- repeated edge, 54
- repetition numbers, 53
- Rhind, Henry, 9
- Riemann zeta function, 342
- Riemann, Bernhard, 521
- rising factorial, 214
- river Pregel, 385

- Robertson, Neil, 430
- rooks, 285, 286
- rooted tree, 379
- Rota, Gian Carlo, 237
- Rudrata, 393
 - s*-combination, 122, 135
 - s*-permutation, 115
 - s*-subset, 122
 - s.d.r., 474, 479
 - al-Samaw' al-Maghribi, 152
 - sample space, 88
 - sampling
 - with replacement, 184, 186
 - without replacement, 184–186
 - saturated chain, 488
 - $\{s\}_t$, 195
 - SCD, 489
 - Schröder–Bernstein theorem, 102
 - Schur numbers, 75, 77
 - Schur's theorem, 75, 76
 - Schur, Issai, 76
 - Segner, Johann, 157
 - Seki, Takakazu, 199
 - self-conjugate partition, 235
 - separating set, 259
 - sequence
 - decreasing, 45
 - increasing, 45
 - length, 45
 - montone, 45
 - montonic, 45
 - non-decreasing, 45
 - non-increasing, 45
 - strictly decreasing, 45
 - strictly increasing, 45
 - weakly decreasing, 45
 - weakly increasing, 45
 - Seymour, Paul, 430
 - Shatranj, 392
 - sieve, 261
 - simple graph, 54, 55, 361
 - Singmaster's conjecture, 191
 - six-color theorem, 436
 - skipless chain, 488
 - spanning tree, 376–377
 - Spencer, Joel, 237
 - Sperner family, 357
 - Sperner's theorem, 355–359, 488, 491, 492
 - Sperner, Emanuel, 491
 - spherical tiling, 402
 - planar drawing, 402
 - squiggle, 406
 - St. Ives nursery rhyme, 10
 - stable set, 425
 - standard Young tableau, 181
 - Stanley, Richard, 237, 431
 - star, 492
 - k*-uniform, 492
 - Stifel, Michael, 152
 - Stirling numbers, 193
 - exponential generating function, 340
 - generating function, 338, 339
 - negative parameters, 227
 - of the first kind, 111, 210, 212–214, 216, 225, 226, 304, 338, 340, 341
 - of the second kind, 111, 193, 194, 196, 197, 199, 200, 204, 205, 225, 267, 268, 314, 338, 339, 341
 - of the third kind, 227
 - Stirling, James, 224
 - strong form of pigeonhole principle, 48
 - strong induction, 15
 - subdivision, 411
 - subgraph, 54, 411
 - submultiset, 96, 135
 - subset, 96
 - subtraction principle, 85
 - sum-free, 76
 - surjective, 99
 - symmetric chain, 488, 489
 - symmetric chain decomposition, 488–491
 - Syracuse problem, 41
 - system of distinct representatives, 474, 479, 480
 - Takakazu, Seki, 342
 - Tale of Genji, 199
 - Tartaglia's triangle, 152
 - Tartaglia, Niccolò, 152
 - Taylor series, 293
 - ternary tree, 379
 - tetris, 438
 - tetromino, 438
 - Theon of Smyrna, 320
 - Theon's ladder, 320
 - Θ notation, 34
 - Thomason, Andrew, 441
 - tiling, 401
 - torus, 421, 423
 - total order, 453
 - totally ordered set, 454
 - trail, 369–371, 385, 388
 - transversal, 474
 - tree, 254, 369, 373, 405
 - m*-ary tree, 379
 - binary, 379
 - child, 379
 - chromatic polynomial, 432
 - depth, 379
 - full *m*-ary, 379
 - height, 379
 - internal vertex, 379
 - labeled, 443
 - leaf, 375, 379
 - parent, 379
 - rooted, 379
 - sibling, 379
 - spanning, 376–377
 - ternary, 379
 - triangle inequality, 240
 - triangular number, 8
 - triangulation, 417
 - Turán, Paul, 519
 - twelvefold way, 237
 - unimodal, 153, 174–175, 220, 341
 - valence, 55
 - Van der Waerden numbers, 75, 78
 - Vandermonde determinant, 38
 - Vandermonde's convolution, 162
 - Vandermonde, Alexander-Théophile, 38, 162
 - Varāhamihira, 150
 - vertex, 54, 55, 253
 - vertex connectivity, 257
 - vertex cover, 484
 - Vizing's theorem, 434
 - Wagner, Klaus, 430
 - walk, 369–371
 - closed, 369–371
 - open, 369–371
 - width, 465
 - Wigner, Eugene, 395
 - $|X|$, 42, 53
 - $(x)_k$, 115, 214
 - $x^{(k)}$, 214
 - Yáng Hui, 152
 - Yamamoto, Kōichi, 358