

Index

- abdominal aorta, 193–194
 anatomy, 268–269
 complications, 285
 instruments, 269–270
 patient positioning, 270
 surgical principles, 269
 surgical technique, 270–285
- abdominal exploration, 178–183
- abdominal trauma
 aorta and branch vessels, 268–285
 burn escharotomy, 441
 cesarean section, 311–320
 DC surgery, 172, 184–192
 duodenum, 211–219
 emergency hysterectomy, 321–333
 gastrointestinal tract, 202–210
 general operation principles, 171–183
 iliac vessel injuries, 286–290
 IVC, 291–310
 liver injuries, 220–233
 pancreas, 244–252
 REBOA, 193–201
 splenic injuries, 234–243
 urological, 253–267
- ABThera system, 188–191
- adductor canal, 373, 375
- air embolism
 abdominal trauma, 292
 cardiac injuries, 105
 IVC injuries, 292, 299, 310
 lung injuries, 141
 neck trauma, 47–50
 resuscitative thoracotomy, 31
 thoracic vessels, 126
- airway management
 cricothyroidotomy, 8–9
 neck trauma, 47–50
 trachea and larynx injury, 82, 88
- amputations (lower extremity)
 above-knee surgical technique, 391–395
 anatomy, 390
 below-knee surgical technique, 395–398
 complications, 395, 398–399
 guillotine, 399
 instruments, 390
 patient positioning, 391
 post-operative care, 399
 surgical principles, 390
- amputations (upper extremity)
 above-elbow surgical technique, 366–368
 anatomy, 364
 below-elbow surgical technique, 368–370
 complications, 371
 instruments, 365
 patient positioning, 366
 surgical principles, 365
- anastomosis
 colon, 208
 duodenum, 213, 217
 esophagus, 143
 intestinal, 183, 207
 trachea, 88
 ureter, 261–264
- anesthesia team, communication with, 3–5
- ankle instability, 418–420
- anterior sternocleidomastoid incision, 49–50
- anterolateral thoracotomy
 abdominal aorta and branch vessel injuries, 270
 cardiac injuries, 108–109
 general chest operation, 96, 100–101, 103
 lung injuries, 134
 resuscitative thoracotomy, 24–26
- antibiotics
 emergency cesarean section, 313
 hysterectomy, 323
 neck trauma, 49
 thoracostomy tube insertion, 16
- aorta
 abdominal, 193–194, 268–285
 REBOA placement (*See* resuscitative endovascular balloon for the occlusion of the aorta)
 thoracic, 23, 31–32, 120, 125–128
- aortic arch. *See* thoracic vessels
- aortic cross-clamping, 31–32
- Argyle shunt, 383, 446
- arms. *See* upper extremities
- atrial infusion, 32
- atriocaval shunt, 231–232, 307–309
- autotransfusion, thoracostomy tube, 22
- axillary vessels
 anatomy, 70
 complications, 73
 instruments, 70
 patient positioning, 70–71
 surgical principles, 70
 surgical technique, 71–73
- balloon occlusion of aorta. *See* resuscitative endovascular balloon for the occlusion of the aorta
- balloon tamponade, liver, 227–228, 230
- Barker's vacuum pack technique, 187–188
- biliary tract, 232–233
- biparietal diameter (BPD), 312
- bladder
 anatomy, 254
 complications, 267
 post-operative care, 267
 surgical principles, 266
 surgical technique, 266–267
- bladder flap, 313–314, 327–328
- bleeding
 abdominal trauma, 172, 178–185, 269–270, 292
 brachial artery, 345
 cardiac injuries, 110–115
 DC surgery for, 184–185
 fetomaternal, 313
 gastrointestinal, 206–208
 hematoma evacuation and, 45
 iliac vessel injuries, 287–289
 IVC injuries, 294, 298–309
 kidney, 257
 liver, 224–232
 pelvic fracture, 335–342
 popliteal vessels, 382–383
- in pregnancy, 311
 REBOA placement for, 193
 SMA, 279–280
 spleen, 238, 241
 uterus, 322–323
 wound, 429
- blood supply, operating room, 3
- blunt trauma
 cardiac rupture, 105
 diaphragmatic tear, 150–151
 IVC, 292
 liver injuries, 229
 retroperitoneal hematoma, 270, 294
 small intestine, 207
- Bogota bag, 186–187
- bolts, microtransducer placement through, 34, 36
- bone flaps
 removal, 43–45
 replacement, 45–46
- BPD (biparietal diameter), 312
- brachial artery injury
 anatomy, 343–344
 complications, 352–353
 instruments, 345
 patient positioning, 345
 surgical principles, 345
 surgical technique, 345–352
- brachial plexus, 70, 72–73
- brachiocephalic artery. *See* innominate artery
- brachiocephalic vein. *See* innominate vein
- bucket handle injury, 207
- burn escharotomy. *See* escharotomy
- burr hole, 35, 43–45
- cardiac arrest
 emergency cesarean section in, 312–313, 319
 pharmacological treatment of, 29–30
 resuscitative thoracotomy for, 23–24 (*See also* thoracotomy)
- cardiac defibrillation, 29–30
- cardiac failure, 141

- cardiac injuries
anatomy, 104
complications, 108–110, 115, 117
instruments, 105
patient positioning, 106
post-operative care, 117
surgical principles, 105
surgical technique, 106–116
- cardiac massage, 29
- cardiac repair, 110–115
- cardiac tamponade, 104, 109–110
- carotid arteries
anatomy, 51–52, 118–119
complications, 58
instruments, 53
patient positioning, 53
surgical principles, 52–53
surgical technique, 53–58, 122–127
- catheters
intraventricular, 34, 36–37
REBOA, 196–200
- Cattell-Braasch maneuver, 214–215, 219
- CBD (common bile duct), 232–233
- celiac artery, 268–269, 278–279
- cerebral spinal fluid (CSF)
drainage, 34, 37
- cervical esophagus
anatomy, 89
complications, 93
instruments, 89
patient positioning, 89
surgical principles, 89
surgical technique, 89–93
- cesarean section
anatomy, 311
complications, 320
instruments, 313
perimortem, 319
physiologic changes in pregnancy, 311
preoperative preparation, 313
surgical principles, 311–313
surgical technique, 313–319
- chest trauma
burn escharotomy, 441
cardiac injuries, 104–117
diaphragm injury, 150–155
general operation principles, 95–103
hemothorax, 164–169
lung injuries, 130–141
rib fractures, 156–163
thoracic esophagus, 142–149
thoracic vessels, 118–129
- chest tube. *See* thoracostomy tube
- clamshell incision
general chest operation, 96, 101–103
lung injuries, 134
resuscitative thoracotomy, 26
thoracic vessels, 121
- clavicular incision, 50
subclavian vessels, 61–66
- collar incision, 49
- trachea and larynx, 83–85
- colon
anatomy, 207–208
complications, 208
surgical principles, 208
war-related injuries, 210
- colostomy, 208–209
- common bile duct (CBD), 232–233
- communication, operating room, 3–5
- compartment pressure measurement, 401
- compartment syndrome
after axillary vessel repair, 73
brachial artery injury, 345, 353
burns, 445
femoral artery injury, 377
iliac vessel injuries, 287, 290
IVC injuries, 292–310
lower extremity, 400–401, 411 (*See also* fasciotomies (lower extremity))
popliteal vessel injuries, 380, 383–384
after subclavian vessel repair, 69
upper extremity, 354–355, 363 (*See also* fasciotomies (upper extremity))
- coronary vessels, 104, 113–114
- craniotomy
anatomy, 38
closure, 45–46
complications, 43, 45–46
incision, 42–43
indications, 41–42
instruments, 42
patient positioning, 42
surgical principles, 39–41
surgical technique, 42–46
- cricothyroidotomy
anatomy, 7–8
complications, 15
instruments, 9
patient positioning, 10
surgical principles, 8–9
surgical technique for open, 10–12
surgical technique for percutaneous, 12–15
- cross-clamping, aortic, 31, 31, 32
- CSF (cerebral spinal fluid)
drainage, 34, 37
- damage control (DC) surgery
abdominal bleeding control, 184–185
complications, 192
definitive fascia closure, 191–192
- general abdominal operation, 172
- iliac vessel injuries, 288, 290
- intestinal spillage control, 185–186
- IVC injuries, 302
- liver, 184–185, 229–232
- orthopedic (*See* orthopedic damage control)
- pelvic fracture bleeding, 335–342
- popliteal vessel injuries, 380
- surgical principles, 184
- temporary abdominal closure, 186–191
- ureter, 261
- DCO. *See* orthopedic damage control
- debridement, wound, 428–429
- diaphragm injury
anatomy, 150
complications, 155
instruments, 152
- laparoscopic surgical technique, 152–153
- open surgical technique, 153–154
- patient positioning, 152–153
- surgical principles, 150–152
- distal femur fracture, 422–423, 425
- distal pancreatectomy, 245, 248–251
- distal tibia fracture, 418–420
- dorsal incision, foot fasciotomy, 408–409
- double-J stent, ureteral, 264–266
- duodenum
anatomy, 211–212
complications, 219
instruments, 213
patient positioning, 213
surgical principles, 213
surgical technique, 212–219
- EDH. *See* epidural hematoma
- embolism. *See* air embolism
- endovascular occlusion of aorta. *See* resuscitative endovascular balloon for the occlusion of the aorta
- epicardial pacing, 30
- epidural hematoma (EDH)
anatomy, 38
complications, 43, 45–46
indications for surgical evacuation, 41–42
instruments, 42
patient positioning, 42
surgical principles, 39–41
surgical technique, 42–46
- equipment, operating room, 3–4
- erector spinae muscle, 156
- escharotomy
complications, 445
- instruments, 440
surgical principles, 439
surgical technique, 440–444
- esophagostomy, cervical, 92–93
- esophagus
anatomy, 120, 142
cervical (*See* cervical esophagus)
gastro-esophageal junction injuries, 203–206
intra-abdominal, 142, 149
thoracic (*See* thoracic esophagus)
- EVD (external ventricular drain), 34, 36–37
- excision, wound, 428–429
- exploration, abdominal, 178–183, 181, 181, 179, 182
- external ventricular drain (EVD), 34, 36–37
- extra-peritoneal pelvic packing, 337–339
- facial vein, 51–52
- fallopian tube injuries, 323
- fasciotomies (lower extremity)
anatomy, 400
complications, 411
instruments, 401
surgical principles, 400–401
surgical technique, 401–411
- fasciotomies (upper extremity)
anatomy, 354
complications, 363
instruments, 355
patient positioning, 355
surgical principles, 354–355
surgical technique, 355–363
- femoral artery, 194–195
anatomy, 373–375
complications, 377
lower extremity amputations, 392
patient positioning, 375
surgical principles, 375
surgical technique, 375–377
- femoral triangle, 373–375
- femur
fractures, 420–423, 425
lower extremity amputations, 391–392
- fibula
fractures, 418–420
lower extremity amputations, 397, 399
- fingers, burn escharotomy, 443
- flail chest, 156–157
- floating knee, 425
- foot fasciotomy
anatomy, 400
surgical technique, 408–409
- forearm, 354
- burn escharotomy, 442
fasciotomy, 357–361
four-finger technique, 8

Index

- fractures
 femur, 420–423, 425
 fibula, 418–420
 pelvic (*See* pelvic fracture)
 rib (*See* rib fractures)
 tibia, 414–420, 422–423, 425
- gallbladder, 232–233
 gastro-esophageal junction injuries, 203–206
 gastrointestinal tract. *See also specific organs*
 general operation principles, 202
 general abdominal operation
 anatomy, 171
 complications, 183
 instruments, 178
 patient positioning, 172
 surgical principles, 172
 surgical technique, 173–183
 general chest operation
 anatomy, 95–96
 complications, 103
 patient positioning, 96
 surgical principles, 96
 surgical technique, 96–103
 general gastrointestinal operation
 instruments, 202
 patient positioning, 202
 surgical technique, 202
 general neck operation
 complications, 50
 instruments, 49
 patient positioning, 49
 skin preparation, 49
 surface anatomy, 47–49
 surgical principles, 47–49
 surgical technique, 49–50
 gestational age, 311–312
 glossopharyngeal nerve, 52, 56
 gluteal compartment fasciotomy
 anatomy, 400
 patient positioning, 402
 surgical technique, 402–405
 grafts
 saphenous vein, 382–383 (*See also* saphenous vein harvest)
 skin (*See* skin grafts)
 great saphenous vein, 381, 385
 guillotine amputation, 399
 gunshot wounds
 cardiac injuries, 105
 colon, 208
 IVC injuries, 292
 liver, 227–229
 neck, 47–49
 vertebral artery, 74
- hand, 354
 burn escharotomy, 442–443
 fasciotomy, 357–361
- head trauma procedures
 hematoma evacuation, 38–46
 ICP monitoring, 33–37
 heart
 anatomy, 104
 injuries (*See* cardiac injuries)
 heart failure, 141
 hematoma
 abdominal trauma, 178
 duodenum, 213, 217
 liver, 222
 peripancreatic, 248
 retrohepatic, 302–303
 retroperitoneal, 270, 294
 hematoma evacuation
 anatomy, 38
 complications, 43, 45–46
 indications, 41–42
 instruments, 42
 patient positioning, 42
 surgical principles, 39–41
 surgical technique, 42–46
 hemorrhage. *See also* bleeding
 IVC, 298–309
 lung, 133 (*See also* lung injuries)
 hemostasis. *See also* vascular control
 wound, 429
 hemothorax
 complications, 169
 instruments, 166–167
 patient positioning, 165–166
 surgical principles, 164
 surgical technique, 167–169
 heparin
 for abdominal aorta and branch vessel injuries, 269
 for carotid artery injuries, 52–53
 hepatic artery, 221
 occlusion, 230
 hepatic veins, 220–221, 292
 hernia, diaphragmatic, 150–152, 154
 hilar occlusion, 32
 hilar twist, 32, 139
 Hunter's canal, 373, 375
 hypoglossal nerve, 52, 55
 hysterectomy
 anatomy, 321–322
 complications, 333
 instruments, 323
 preoperative preparation, 323
 surgical principles, 322–323
 surgical technique, 323–333
 hysterotomy, cesarean section, 311–316, 318–319
- ICP monitoring. *See* intracranial pressure monitoring
 iliac vessel injuries
 anatomy, 286
 complications, 290
 instruments, 287
 patient positioning, 287
- pelvic fractures, 335, 338–342
 surgical principles, 287
 surgical technique, 287–290
 IMA (inferior mesenteric artery), 268–269, 285
- incision
 abdominal aorta and branch vessels, 270
 axillary vessels, 71
 brachial artery, 345–346
 cardiac injuries, 106–109
 carotid artery and internal jugular vein, 53–54
 cervical esophagus, 89
 cesarean section, 311–316, 319
 craniotomy, 42–43
 cricothyroidotomy, 10–11, 15
 diaphragmatic repair, 154
 duodenum, 213
 femoral artery, 375–376
 foot fasciotomy, 408–409
 gastrointestinal tract, 202
 general abdominal operation, 173–177
 general chest operation, 96–103
 gluteal compartment fasciotomy, 402
 hysterectomy, 323
 ICP monitoring, 35–36
 iliac vessels, 287
 IVC, 293, 303–304
 kidney, 254
 liver, 222–224
 lower extremity amputations, 391, 395, 398
 lower leg fasciotomy, 405–408
 lung injuries, 134
 neck trauma, 49–50
 pancreas, 245
 popliteal vessels, 381
 rib fixation, 158–160
 saphenous vein harvest, 386–387
 spleen, 237
 subclavian vessels, 61–68
 thigh fasciotomy, 404–405
 thoracic esophagus, 144–147
 thoracic vessels, 119–126
 thoracotomy (*See* thoracotomy incision)
 trachea and larynx, 83–86
 upper extremity amputations, 366, 368
 upper extremity fasciotomy, 355–361
 uterine, 311–316, 319
 vertebral artery, 75, 77–78
- inferior mesenteric artery (IMA), 268–269, 285
 inferior vena cava (IVC)
 anatomy, 291–292
 complications, 310
 instruments, 292
 patient positioning, 293
- surgical principles, 292
 surgical technique, 293–309
 inframesocolic aorta exposure, 278
 infrarenal IVC, 298–302
 innominate artery, 118–127
 innominate vein, 85–86, 118–126
 internal cardiac defibrillation, 29–30
 internal cardiac massage, 29
 internal jugular vein
 anatomy, 51–52
 complications, 58
 instruments, 53
 patient positioning, 53
 surgical principles, 52–53
 surgical technique, 53–58
 intestines
 abdominal exploration, 180–181
 anastomosis, 183, 207
 colon, 207–208
 duodenum (*See* duodenum)
 small, 207
 spillage control, 185–186
 war-related injuries, 210
 intra-abdominal esophagus, 142, 149
 intracranial pressure (ICP)
 monitoring
 anatomy, 33
 complications, 37
 instruments, 34
 patient positioning, 34
 surgical principles, 33–34
 surgical technique, 34–37
 types of, 34
 intra-peritoneal packing, 339–342
 intraventricular catheters, 34, 36–37
 IVC. *See* inferior vena cava
 juxtarenal IVC, 298–302
- kidney
 anatomy, 253
 complications, 261
 patient positioning, 254
 post-operative care, 261
 surgical principles, 254
 surgical technique, 254–260
 knee
 dislocation, 380
 floating, 425
 Kocher maneuver, 214, 219, 247, 295–297
 Kocher's point, 33–35
- laparoscopy, diaphragmatic repair, 152–153, 155
 laparotomy
 abdominal aorta and branch vessel injuries, 270
 gastrointestinal tract, 202

- general abdominal operation, 172–177
iliac vessel injuries, 287
IVC injuries, 293, 303–304
liver, 222–224
- larynx
anatomy, 82
anatomy of, 7
complications, 88
instruments, 82
patient positioning, 82–83
surgical principles, 82
surgical technique, 83–88
- lateral incision
lower leg fasciotomy, 405–407
thigh fasciotomy, 404–405
- latissimus dorsi muscle, 95–96, 156
- left anterolateral thoracotomy
cardiac injuries, 108–109
resuscitative thoracotomy, 24–26
- legs. *See* lower extremities
- ligament of Treitz, 215–216
- liver
anatomy, 220–221
complications, 233
DC surgery, 184–185, 229–232
extrahepatic biliary tract injuries, 232–233
instruments, 222
patient positioning, 222
surgical principles, 222
surgical technique, 222–232
- lobe resection, lung, 137–139, 141
- loop colostomy, 208–209
- lower extremities
amputations, 390–399
burn escharotomy, 443–444
fasciotomies, 400–411
femoral artery injuries, 373–377
popliteal vessels, 378–384
saphenous vein harvest, 385–389
- lower leg fasciotomy
anatomy, 400
patient positioning, 405
surgical technique, 405–408
- lung injuries
anatomy, 130–133
anesthesia considerations, 133
complications, 141
instruments, 133
patient positioning, 133
surgical principles, 133
surgical technique, 133–141
- medial incision
foot fasciotomy, 408–409
lower leg fasciotomy, 405, 406, 407–408
thigh fasciotomy, 404–405
medial visceral rotation, 179
- median sternotomy
cardiac injuries, 106–109, 115–117
general chest operation, 96–99, 103
laparotomy extension into, 176–177, 224, 293, 303–304
lung injuries, 134
subclavian vessels, 65–66
thoracic vessels, 120–121
- mediastinal vascular injuries. *See* thoracic vessels
- mesenteric arteries, 268–269, 279–283, 285
- meshed skin grafts, 427, 433
- microtransducers, 34, 36
- midaxial longitudinal incision, gluteal compartment fasciotomy, 402
- mid-shaft femur fracture, 420–422
- mid-shaft tibia fracture, 414–417
- monitoring, ICP. *See* intracranial pressure monitoring
- myodesis, lower extremity amputations, 394
- myoplasty, lower extremity amputations, 395
- neck trauma
axillary vessels, 70–73
carotid artery and internal jugular vein, 51–58
cervical esophagus, 89–93
general operation principles, 47–50
subclavian vessels, 59–69
trachea and larynx, 82–88
vertebral artery, 74–81
- negative pressure wound therapy (NPWT)
complications, 438
instruments, 434
skin grafts, 432–433
surgical principles, 434
surgical technique, 435–438
- negative-pressure therapy (NPT)
abdominal, 187–191
lower extremity fasciotomy dressing, 410–411
upper extremity fasciotomy dressing, 362–363
- nephrectomy, 259–260
- NPT. *See* negative-pressure therapy
- NPWT. *See* negative pressure wound therapy
- nutrition, skin grafts, 428
- open cardiac massage, 29
- open cricothyroidotomy, 10–12
- open thoracostomy, 17–20
- operating room
blood supply for, 3
communication in, 3–5
- general principles, 1–2
setup and equipment of, 3–4
temperature of, 3
- orthopedic damage control (DCO)
complications, 426
instruments, 413–414
patient positioning, 414
surgical principles, 413
surgical technique, 414–425
- ovarian injuries, 323, 325–327
- pacing, epicardial, 30
- pancreas
abdominal exploration, 181–182
anatomy, 244
complications, 251–252
instruments, 245
patient positioning, 245
surgical principles, 244–245
surgical technique, 245–251
- pancreatectomy, 245, 248–251
- pancreaticoduodenectomy, 219, 245, 251
- partial nephrectomy, 259–260
- partial splenectomy, 241–242
- pectoralis major and minor muscles, 95, 156–161
division of, 71–72
- pediatrics, cricothyroidotomy, 8–9
- pelvic fracture
anatomy, 335
bleeding control, 336–337
complications, 342
instruments, 337
patient positioning, 337
surgical principles, 336
surgical technique, 338–341
- percutaneous cricothyroidotomy, 12–15
- percutaneous thoracostomy, 20–22
- pericardiotomy, 109–110
- pericardium, 104, 115
- perihepatic packing, 229–232
- perimortem cesarean section, 319
- peritoneal packing, 337–342
- peroneal artery, 378–379, 382
- phrenic nerve, 23, 26, 65, 67, 69, 76–77, 119, 150
- pins, DCO, 413–414, 425
- plating, rib, 156–157, 162–163
- pneumonectomy, 139–141
- pneumonorrhaphy, 134
- pneumothorax, 152, 155
- popliteal vessels
anatomy, 378–379
complications, 384
instruments, 380
patient positioning, 380–381
surgical principles, 380
surgical technique, 381–384
- porta hepatis, 221
- portal vein, 221
- posterolateral thoracotomy
general chest operation, 96, 102–103
thoracic esophagus, 144–146
thoracic vessels, 122
- pregnancy
hysterectomy during or immediately after, 333
physiologic changes in, 311
uterus in, 311
- Pringle maneuver, 224, 226, 306
- proximal tibia fracture, 422–423, 425
- pulmonary vessels, 130–133
- pyloric exclusion, 217
- pyloric injuries, 206–207
- question mark incision, gluteal compartment fasciotomy, 402
- REBOA. *See* resuscitative endovascular balloon for the occlusion of the aorta
- rectum
anatomy, 208
complications, 209
surgical principles, 208
war-related injuries, 210
- recurrent laryngeal nerve, 61, 69, 88–89, 93, 119–120
- renal vessels, 253, 268–269, 283–284
proximal control of, 255–256
- resection
colon, 208
duodenum, 213, 217
esophagus, 143
liver, 220, 230
lung, 134, 136–139, 141
pancreas, 248–251
small intestine, 207
trachea, 88
- resuscitative endovascular balloon for the occlusion of the aorta (REBOA)
anatomy, 193–194
complications, 200–201
instruments, 194
pelvic fracture bleeding, 337, 342
surgical principles, 193
surgical technique, 194–200
- resuscitative procedures
cricothyroidotomy, 7–15
perimortem cesarean section, 319
thoracostomy tube insertion, 16–22
thoracotomy, 23–32
retrohepatic IVC, 302–309

Index

- retroperitoneal hematoma, 270, 294
- retroperitoneum, vascular trauma, 171, 268–269
- rib fractures
 anatomy, 156
 complications, 163
 instruments, 158
 patient positioning, 158
 surgical principles, 156–157
 surgical technique, 158–163
- right heart failure, 141
- salpingo-oophorectomy, 325–327
- saphenous vein graft, popliteal vessel repair, 382–383
- saphenous vein harvest
 anatomy, 385
 complications, 389
 instruments, 386
 patient positioning, 386
 surgical principles, 385–386
 surgical technique, 386–389
- Scarpa's triangle, 373–375
- SCH (supracervical hysterectomy), 327, 331–333
- sciatic nerve, 392, 400
- SDH. *See* subdural hematoma
- serratus anterior muscle, 95, 156
- sheet skin grafts, 427, 433
- shunts
 brachial artery, 351–352
 carotid, 57–58
 popliteal vessel, 383
 temporary vascular, 446–449
- skin grafts
 complications, 433
 instruments, 427–428
 post-operative management, 433
 preoperative considerations, 428
 surgical principles, 427
 surgical technique, 428–433
- skin preparation, for neck trauma, 49
- SMA (superior mesenteric artery), 268–269, 279–283
- small intestine. *See also* duodenum
 anatomy, 207
 complications, 207
 surgical principles, 207
- soft tissues
 burn escharotomy, 439–445
 skin grafts, 427–433
 temporary vascular shunts, 446–449
 wounds, 434–438
- spleen
 anatomy, 234–236
 complications, 243
 instruments, 237
 patient positioning, 237
 surgical principles, 237
 surgical technique, 237–242
- splenectomy, 238–242
- splenic flexure, colon, 207–208
- splenic mesh, 242
- splenorrhaphy, 240–241
- split thickness skin grafts (STSGs), 427
- stab wounds
 cardiac injuries, 105
 liver, 227–228
 lung, 134
 neck, 47–49
- stent, ureteral, 264–266
- sternocleidomastoid incision
 anterior, 49–50
 trachea and larynx, 85
 vertebral artery, 77–78
- sternotomy. *See also* median sternotomy
 trachea and larynx injuries, 85–86
- stomach
 abdominal exploration, 181–182
 anatomy, 202
 complications, 207
 gastro-esophageal junction injuries, 203–206
 pyloric injuries, 206–207
 surgical principles, 202–203
- Stryker device, 401
- STSGs (split thickness skin grafts), 427
- subclavian vessels
 anatomy, 59–61, 118–120
 complications, 69
 instruments, 61
 patient positioning, 61
 surgical principles, 61
 surgical technique, 61–69, 122–125, 127
- subcostal incision
 general abdominal operation, 175
 IVC injuries, 293, 303–304
- subdural hematoma (SDH)
 anatomy, 38
 complications, 43, 45–46
 indications for surgical evacuation, 41–42
 instruments, 42
 patient positioning, 42
 surgical principles, 39–41
 surgical technique, 42–46
- superior mesenteric artery (SMA), 268–269, 279–283
- superior vena cava (SVC), 118–119, 122–126
- supraceliac aortic control, 270–275
- supracervical hysterectomy (SCH), 327, 331–333
- supraclavicular incision
 subclavian vessels, 61, 66–67
 vertebral artery, 75
- supramesocolic aorta exposure, 275–278
- suprarenal IVC, 298–302
- SVC (superior vena cava), 118–119, 122–126
- TAC (temporary abdominal closure), 186–191
- TAH (total abdominal hysterectomy), 327, 331–333
- TBI (traumatic brain injury), 33–34
- temperature, operating room, 3
- temporary abdominal closure (TAC), 186–191
- temporary vascular shunts
 complications, 448–449
 instruments, 446
 patient positioning, 446
 surgical principles, 446
 surgical technique, 446–448
- thigh fasciotomy
 anatomy, 400
 patient positioning, 404
 surgical technique, 404–405
- thoracic aorta, 23, 31–32, 120, 125–128, 193–194
- thoracic duct, 60, 69
- thoracic esophagus
 anatomy, 142–143
 anesthesia considerations, 143
 complications, 149
 instruments, 143
 patient positioning, 143
 surgical principles, 143
 surgical technique, 144–149
- thoracic vessels
 anatomy, 118–120
 complications, 128–129
 instruments, 120
 patient positioning, 120
 surgical principles, 120
 surgical technique, 119–128
- thoracostomy tube
 autotransfusion in, 22
 complications, 22
 insertion site, 17
 patient positioning, 16
 removal, 22
 surgical principles, 16
 surgical technique for open, 17–20
 surgical technique for percutaneous, 20–22
- thoracotomy
 anatomy, 23
 complications, 32
 instruments, 24
 patient positioning, 24
 surgical principles, 23–24
 surgical technique, 26–32
- thoracotomy incision
 anterolateral (*See* anterolateral thoracotomy)
 cardiac injuries, 108–109
 closure, 32
 posterolateral (*See* posterolateral thoracotomy)
 resuscitative procedures, 24–26, 32
- thyroid gland, 84–85
- tibia
 fractures, 414–420, 422–423, 425
 lower extremity amputations, 396–397
- tibial artery, 378–379, 382
- total abdominal hysterectomy (TAH), 327, 331–333
- trachea
 anatomy, 82
 complications, 88
 esophageal repair and, 93
 instruments, 82
 patient positioning, 82–83
 surgical principles, 82
 surgical technique, 83–88
- tractotomy
 liver, 227–229
 lung, 134–136, 141
- trap door incision, subclavian vessels, 61, 67–68
- trapezius muscle, 156
- traumatic brain injury (TBI), 33–34
- trocarr placement, diaphragmatic repair, 152
- upper arm, 354
 fasciotomy, 355–357
- upper extremities
 amputations, 364–371
 brachial artery injury, 343–353
 burn escharotomy, 442–443
 fasciotomies, 354–363
- ureter
 anatomy, 254
 complications, 265
 post-operative care, 265–266
 surgical principles, 261
 surgical technique, 261–265
- urological trauma
 bladder, 254, 266–267
 kidney, 253–261
 ureter, 254, 261–266
- USC intra-peritoneal packing, 339–342
- uterine arteries, 322–323, 329–330

- uterus
 - anatomy, 321–322
 - hysterectomy (*See* hysterectomy)
 - incision, 311–316, 319
 - in pregnancy, 311
- VA. *See* vertebral artery
- vagus nerve, 51, 55, 61, 119–120
- vascular control
 - IVC, 298–309
 - pelvic fracture bleeding, 336–337
 - popliteal vessels, 382–383
 - renal vessels, 255–256
 - supraceliac aortic, 270–275
 - temporary shunts, 446–449
- vascular isolation, liver, 231
- vascular repair or reconstruction
 - axillary vessels, 70, 73
 - brachial artery, 350–353
 - carotid artery and internal jugular vein, 52–53, 57–58
 - iliac vessels, 288, 290
 - IVC, 298–309
 - popliteal vessels, 380, 382–383
 - SMA, 282
 - subclavian vessels, 61, 68
 - thoracic vessels, 126–128
- vascular shunts. *See* temporary vascular shunts
- vascular trauma, retroperitoneum, 171, 268–269
- VATS. *See* video-assisted thoracoscopy
- Veraflo therapy, 434–435, 437–438
- vertebral artery (VA)
 - anatomy, 74
 - complications, 81
 - instruments, 74
 - patient positioning, 74
 - surgical principles, 74
 - surgical technique, 75–81
- video-assisted thoracoscopy (VATS)
 - hemothorax evacuation, 164–169
 - operative rib fixation, 156
- warming, operating room, 3
- war-related injuries, colorectal, 210
- wedge resection, lung, 136
- Whipple procedure, 219, 245, 251
- wound management
 - lower extremity fasciotomy, 410–411
 - NPWT (*See* negative pressure wound therapy)
 - skin grafts, 427–429, 432–433
 - soft tissue wounds, 434–438
 - upper extremity fasciotomy, 362–363