

# Index

- abundance. *see species abundance distribution*
- Aegean, 332–333, 338, 371
- Africa, 186, 328, 401, 408–409, 411, 443
- aggregation (individuals), 40, 78, 87–97, 170, 196–205, 252, 405, 460
- Akaike Information Criterion, 9, 62, 163, 175, 334
- alien species, xviii, 150, 359, 419
- allopatric, 117
- alpha diversity, 111, 394
- Amazon, 239, 242, 433
- ambient energy, 92, 96
- amphibians, 33, 137, 321, 324, 334–335, 349, 401, 403, 410–411
- anagenesis, 275–277
- Anolis*, 10, 125
- Antarctic, 444–447
- Anthropocene, 460
- anthropogenic, xviii, 38–40, 71, 354
- archipelagic species–area relationship. *see species–area relationship*
- Arctic / Arctic Ocean, 289, 440–452
- area effects
- area *per se*, 79, 99
  - area range, 5, 82, 161–178, 462
  - area scale, 462
- Arrhenius, Olof, 25–29, 41
- Asia, 4, 328, 443
- asymptote. *see species–area relationship modelling*
- asymptotic. *see species–area relationship modelling*
- Australia, 291, 329
- autocorrelation, 89, 200, 204, 399, 404, 411–414, 459
- avifauna. *see birds*
- Barro Colorado Island, 217–222, 245, 268
- beetles, 54, 114, 125, 138, 305, 332, 359
- benthic species, 440, 451
- Bergmann’s Rule, 148
- beta diversity, 38, 72, 98, 111, 185, 201–203, 309, 346, 394
- BirdLife International, 137
- birds, 13, 33, 54, 67, 93, 121, 125, 136–140, 144–149, 232, 251, 254, 263, 282, 291, 322–324, 334–335, 359, 401–407, 418–419, 424–433
- block maxima or minima (procedure), 214
- breakpoint, 9, 82, 167, 348
- Brown, James H., xiv, 79
- buffer (distance), 56, 58
- California, 123, 138, 328, 347, 352, 359
- Candolle, Alphonse de, 21, 39
- Cape Floristic Region, 327
- Caribbean, 10, 35, 115, 125, 291, 327, 441
- carrying capacity, 33, 292, 353, 392, 466–469
- Central Limit Theory, 79, 215
- Channel Islands (California), 138
- China, 13, 124
- Choros model, 40, 167
- cichlids, 9
- cladogenesis (cladogenetic species), 275–277
- Clements, Frederic E., 24
- climate change, 359
- clustering, 118–125, 169, 378
- coexistence theory, 117–118, 310
- coldspots (biodiversity), 322, 345
- Coleman, Bernard D., 30–31
- collapse (scale), 201, 234–235, 270
- colonization
- colonization pressure, 139–140
  - colonization rate, 300
- commensalism, 92, 95, 251
- commonness, 90, 190, 259
- competition, 93–97, 107, 112, 117–121, 190, 230, 251, 291, 308, 376, 382, 389, 394, 468
- connectedness, 378, 380, 439

- connectivity (effective), 278, 284  
 Connor, Edward F., 158, 165, 462  
 conservation  
   conservation biogeography, 13–14, 35, 37  
   conservation value, 433  
   protected areas, 37, 440, 450  
   reserve design, 37–38, 281  
 continental shelf, 8, 52, 440–452, 466  
 convex hull volume, 109, 111, 117  
 convex SAR. *see species–area (SAR) modelling*  
 coral reefs, 300, 322  
 countryside biogeography, 38–40, 354  
 c-value. *see power model*
- dams, 433  
 Darlington, Philip J., 35, 41, 158, 194  
 Darwin, Charles R., 23, 74, 227, 469  
 deforestation, 38  
 dendrogram, 12, 113, 116, 123  
 density (species), 23, 78, 86–87  
 derivative (mathematics), 80, 83, 200  
 Diamond, Jared M., 37–38, 41, 83, 162  
 diatoms, 448–450  
 dispersal  
   dispersal ability, 223, 270, 296, 357, 371–381, 390, 439  
   dispersal kernel, 285, 373–374  
   long-distance dispersal, 272–274, 294  
 distance decay, 28, 188, 202, 399  
 distribution (species), 148, 188, 203, 350, 412, 450, 452–453  
 disturbance (disturbance event), 37, 71, 74, 93–97, 123, 147, 149, 244–255, 306, 355, 392, 422, 425–433, 465  
 divergence, 111, 113, 123, 127  
 diversity–area relationship, 11, 13, 127
- ecological drift, 94–95, 259  
 ecological mechanisms, 261, 282, 368, 464  
 ecological space / environmental space, 468  
 edge calibrated SAR model. *see species–area relationship modelling*  
 edge effects, 281, 353–354, 360  
 effective area, 278–284, 412  
 effective connectivity. *see connectivity (effective)*  
 elevation, 32, 422, 463  
 Elton, Charles S., 289, 291, 296  
 endemics–area relationship. *see species–area relationship*  
 environmental filtering, 96, 107, 111, 118–119
- Environmental Impact Assessment (EIA), 431  
 equilibrium (species), 8, 150, 264, 266, 277, 283, 355, 373, 467  
 equilibrium theory of island biogeography, xvii, 34–38, 95, 147, 174, 390–393  
 estuaries, 441–444, 451  
 Eurasia, 119–120, 125  
 Europe, 304, 350, 357, 443  
 evolutionary species–area relationship. *see species–area relationship*  
 exotic. *see alien species*  
 extended power models. *see species–area relationship modelling*  
 extent (scale). *see scale (spatial)*  
 extinction  
   extinction debt, 281–283, 355, 405, 412, 420  
   extinction prediction, 40, 362  
   extinction rate, 40, 93, 305–306, 345, 412  
   extinction–area relationship, 361, 400  
 extrapolation, 28, 173, 239, 362  
 extreme value function. *see species–area relationship modelling*  
 extreme value theory, 211–224
- Fahrig, Lenore, 39, 74  
 fishes, 121, 304  
 fitness, 110, 118, 248–249, 259, 268  
 fluctuation (in population size), 92–95  
 food web, 311, 251, 311  
 forecast, 37–39, 169, 347, 355–362, 414  
 Forster, Georg, 21–22, 460  
 Forster, Johann R., 21  
 fractals, 195–196  
 frogs, 121, 426, 429  
 functional dendrogram. *see dendrogram*  
 functional diversity, 111–113  
 functional diversity–area relationship. *see diversity–area relationship*  
 functional traits, 107–111, 433
- Galápagos, 124  
 gamma diversity, 52–74, 463  
 gene flow, 72, 95, 260, 468–469  
 generalist species, 10, 291–293, 304–309, 356, 436  
 geometry/geometric, 83–89, 93, 126, 160, 205, 278, 351, 371–394, 414  
 Gleason, Henry A., 27–29, 212  
 Global Island Database, 58

## 478 · Index

- Gompertz model. *see species–area relationship modelling*
- grain (scale). *see scale (spatial)*
- Greece, 124
- grid cell, 186, 188, 192, 197, 374, 391
- habitat amount hypothesis, 39, 355
- habitat diversity, 32, 78–79, 96–99, 147, 168, 465
- habitat fragmentation, 39, 74, 292, 347, 359–360, 417–419, 426, 433
- habitat island, 7, 32, 37–38, 56–74, 92, 369
- habitat loss, 82, 93, 108, 126, 281–283, 321, 326, 362, 414, 417
- habitat quality, 360–362
- Hanski, Ilkka, 39–40
- Hawaii (Hawaiian Islands), 245, 371, 467
- herbivory / herbivore, 95, 291, 419
- homogenization, 439
- hotspot (biodiversity), 37, 170, 339, 345, 359, 339, 400, 413
- Hubbell, Stephen P., 94, 259, 294, 390
- Humboldt, Alexander von, 21
- hybrid model. *see species–area (SAR) modelling*
- immigration, xvi, 9, 35, 78, 92–98, 245, 263–277, 293–307, 390, 438, 466–468
- incidence function, 162, 191, 302
- individuals–area relationship, 198–199
- interaction network, 290, 294, 394
- intercept. *see power model:c-value*
- interprovincial curve. *see species–area relationship*
- intertidal, 439, 445
- intra-archipelago configuration, 73
- intraprovincial curve. *see species–area relationship*
- invertebrates, 32, 56, 67, 69, 439
- island biogeography. *see equilibrium theory of island biogeography*
- island species–area relationship. *see species–area relationship*
- isolation, xvii, 7–11, 21–22, 32–40, 55–73, 92–98, 126, 138, 174, 245, 274–277, 309, 360–361, 390, 419, 422, 432, 447, 463
- Jaccard, Paul, 24–26, 200
- Japan, 329
- Krakatau, 291
- Lagrange multiplier, 229, 233, 247
- landscapes, 40, 244, 262, 278, 281, 310, 351, 354, 393
- Laptev Sea, 445
- latitudinal gradient, 439–440, 444
- lizards, 306, 424, 427, 433
- local community (neutral theory). *see neutral theory*
- log series distribution. *see species abundance distribution*
- logarithmic model. *see species–area (SAR) modelling*
- lognormal distribution. *see species abundance distribution*
- Lomolino, Mark V., xiv, 4, 8, 34, 464
- long–distance dispersal. *see dispersal*
- Losos, Jonathan B., 10, 95, 296, 466
- MacArthur, Robert H.. *see equilibrium theory of island biogeography*
- macrobenthic species, 444
- macroecology, 227–230, 241–247, 254–255
- mammals, xvii, 54, 114, 119–121, 137, 243, 251, 254, 322, 324, 335, 401–411, 419, 423–430, 433, 469
- marine ecoregions, 443
- marine system, 439, 452–453
- matrix
  - matrix effects, 40, 71, 93–94, 354–355
  - matrix permeability, 57, 74, 93, 354, 418
  - matrix type, 32, 59, 74, 418
- matrix calibrated SAR model. *see species–area relationship modelling*
- maximum entropy, 89, 255
- May, Robert M., 37, 88, 141
- McCoy, Earl D., 158, 165
- mechanistic models, 124, 249, 269, 280, 462
- Mediterranean, 114, 123, 321, 326–327, 350, 449–450
- Mekong River, 417
- meta-analysis, 291
- metabolism / metabolic rate, xiv, 79, 227–247, 249, 251, 254
- metacommunity, 95, 245, 290, 295, 308, 370, 373, 379
- metacommunity. *see neutral theory*
- metapopulation, 39, 56, 72, 83, 93, 277
- Michigan, 28–29

- microbes/microbial taxa, 33, 108, 133  
 migration/migrant species, 74, 134, 187, 247, 251, 310  
 minimum-area, 83–84, 98, 168, 174  
 Monod model. *see species–area relationship modelling*  
 mountains, 82, 328  
 multimodel inference. *see species–area relationship modelling*  
 mutualism, 92, 95, 118, 251, 310
- natural selection, 95  
 negative exponential model. *see species–area relationship modelling*  
 nested species–area relationship. *see species accumulation curve*  
 nestedness, 38  
 network (ecological), 290, 294, 310, 356  
 neutral theory  
   ecological neutral theory, 94, 212, 285, 293–301, 390  
   local community (neutral theory), 265–268  
   metacommunity (neutral theory), 264–268, 274  
   protracted speciation, 260, 276  
   spatially explicit neutral model, 260, 268–273, 280, 282  
   spatially implicit neutral model, 260, 265–268, 275  
   zero-sum dynamics, 263–265, 271, 293–294  
 New Caledonia, 327–331  
 New Zealand, 329  
 niche/niche theory, 23, 95, 117–119, 259, 263, 275, 280, 284, 295, 301, 355, 368, 468  
 node degree, 377–387  
 North America, 124, 357, 359, 401–411, 440, 443  
 North American Shelf, 440  
 null model, 30, 88–90, 115, 117, 126–127, 196, 249
- occupancy distribution (individuals), 87  
 occupancy–area relationship, 191–199, 204  
 Oceania, 443  
 oceanic island, xvii, 9, 32, 82, 138–140, 157–158, 296, 309–311, 466, 469  
 offspring, 263–271  
 orchid bees, 422, 424, 427  
 overdispersion, 118–125
- Panama, 217–218, 222, 245, 268, 280  
 parasites/parasitoids, 86, 292, 303, 305  
 parasitism, 92, 304  
 peaks-over-threshold (procedure), 214  
 pelagic, 439, 448  
 Philippines, 327–328  
 phylogenetic diversity, 108, 110–113  
 phylogenetic tree, 110, 112–113  
 phylogenetic–diversity relationship. *see diversity–area relationship*  
 plantation (forest), 93, 354  
 plasticity (ecological), 252, 355  
 Pleistocene, xviii, 448  
 pollination, 432  
 population size, 95, 140–143, 149, 200, 360  
 power model  
   c-value, 7–9, 25, 33, 51–74, 80, 120, 136–150, 325–331, 336, 383  
   linear (log-log) power model, 26, 28, 33, 52, 80–82, 192, 194, 199, 204, 219, 235, 303, 463  
   z-value, 7–9, 31–33, 36, 51–74, 80, 120, 137–150, 158, 168, 194, 237, 302–311, 325, 330, 335, 346–360, 383, 463  
 predation, 92, 95, 118, 247, 251, 291, 306–308  
 predator, 86, 291–311, 419  
 Preston function, 271–279  
 Preston, Frank W., 31–32, 41, 88, 461  
 productivity, 79, 96, 230  
 propagules, 10, 56, 267, 374, 392  
 prosobranch gastropods, 440  
 protean. *see species–area relationship*  
 protected areas. *see conservation*  
 protracted speciation. *see neutral theory*
- Quaternary, 446
- random placement (random distribution), 27–31, 78, 88–94, 169, 197, 405  
 randomization, 116  
 range size, 23, 197, 324  
 Rapoport's Rule, 148  
 rarefaction, 98, 308  
 rarity, 169, 190–192, 252, 259, 323  
 rational function. *see species–area relationship modelling*  
 rats, xviii, 309  
 redundancy (functional), 116  
 regularity, 111, 114, 118, 122–127  
 relative occupancy, 190–199

## 480 · Index

- relaxation effect, 400, 418  
 relict species–area relationship. *see species–area relationship*  
 reproduction, 110, 259, 293, 448  
 reptiles, 137, 401, 403  
 rescue effect, 8–9, 72, 300  
 reserve design. *see conservation*  
 reservoir islands, 433  
 Rosenzweig, Michael L., 9–10, 23, 459, 461
- salinity, 443  
 sample–area species accumulation curve. *see species accumulation curve*  
 sampling  
   sample plot shape, 188, 399  
   sampling design, 24, 83–87, 114, 122, 159–162, 187, 280  
   sampling effects, 84, 139–141, 186–201  
   sampling effort, 157, 172, 445, 452  
   sampling model, 141  
 scale (spatial)  
   extent, 126, 159, 399, 442  
   grain, 126, 324, 336, 399, 402  
   scale dependence, xvii, 108, 121, 191, 204–205, 291, 299, 402  
   scale invariance, 32, 349  
   scale window. *see area effects:area range*  
 Scheiner, Samuel M., 5, 86, 297  
 Schoener, Thomas W., 392  
 self-similarity, 32, 168, 348  
 serpentine, 122  
 shape (of SAR curve). *see species–area relationship modelling*  
 shores, 439  
 shrew, 291  
 sigmoidal SAR. *see species–area relationship modelling*  
 Simberloff, Daniel S., 38, 291  
 simulation analysis / simulations, 74, 90, 126, 139–149, 201, 272–285, 352, 377–394, 412, 463  
 size (body), xiv, xvii, 111, 228, 243, 254, 296–302, 310, 468  
 sky islands, 82, 157  
 slope. *see power model:z-value*  
 SLOSS (single large or several small) debate, 37–38, 170, 281  
 small island effect, 167, 464–465  
 snails (land), 54, 460, 469  
 source–sink dynamics, 96  
 South America, 401, 409, 411, 443  
 Southern Ocean, 444–450  
 spatial distribution (individuals), 83–91, 97, 169, 251  
 spatial subsidy, 289  
 specialist species, 10, 293, 300–307, 356, 358, 433  
 specialization, 292, 303, 309  
 speciation, 8–9, 36, 56, 72–74, 91–95, 133, 197, 247, 251, 285, 293–299, 370, 390–391, 440, 451, 466–468  
 species abundance distribution, 29, 87, 89, 140–143, 146, 168, 197, 234, 245, 249, 266, 361, 460  
 species accumulation curve  
   nested species–area relationship, 6, 205, 255, 347, 349, 353  
   sample–area species accumulation curve, 6–7, 33, 99, 157–178  
   species accumulation curve, 5, 20, 22, 121, 157, 197, 205, 211–224, 292, 351, 402–403, 405, 460  
 species pool/source pool, xvii, 107, 114–127, 144, 149, 232, 294, 305, 374, 381, 407–413, 443, 448, 468  
 species–area relationship  
   archipelagic species–area relationship, 10  
   endemics–area relationship, 220, 334–338, 348–355, 400–414  
   evolutionary species–area relationship, 465–467  
   interprovincial curve, 10, 32, 168, 465–467  
   intraprovincial curve, 10, 32, 168  
   island species–area relationship, 3–11, 26, 31–33, 35–37, 51–74, 79–99, 114, 135, 157–178, 292, 394, 418, 470  
   protean pattern, xvii, 10  
   relict species–area relationship, 433  
   species–fragmented area relationship, 40, 277  
   triphase species–area relationship, 162, 173, 178, 196–197, 205, 239–241, 261, 268, 271  
 species–area relationship modelling  
   asymptote/asymptotic, 34, 36, 178, 197, 461  
   convex SAR, 28, 34, 80, 84, 159–178, 332  
   edge calibrated model, 40  
   extended power models, 163–166  
   extreme value function, 34, 163–166

- Gompertz model, 163–166  
 hybrid model, 163–178  
 logarithmic model, 34, 163–166  
 matrix calibrated model, 40  
 Monod model, 34, 163–166  
 multimodel inference, 333–334  
 negative exponential model, 31, 34, 163–166  
 power model. *see* *power model*  
 rational function, 163–166  
 shape (curve), 27–34, 99, 119, 159–162, 167, 223, 237, 259, 399, 412, 440  
 sigmoidal SAR, 34, 36, 83–84, 159–178, 332  
 Weibull distribution, 34, 163–166, 217–221  
 species–fragmented area relationship. *see* *species–area relationship*  
 species–time relationship, 188, 391, 461  
 spiders, 114, 125, 137–138, 469  
 St. Lawrence River, 291  
 standard effect sizes (SES), 115–116  
 state variable, 255  
 statistics of extremes, 212–221  
 stochastic process, 91–95, 252–253  
 stochasticity, 291  
 structural equation model (SEM), 52–71  
 subalpine, 123  
 subtidal, 445  
 succession, 95, 193, 244  
 Sweden, 34  
 symbiosis, 95
- taxonomy, 55, 243  
 temperature, 117, 214, 230, 246, 250, 443, 452  
 temporal dynamics, 187  
 Thailand, 419  
 thermodynamics, 229, 233, 246  
 thermophilic bacteria, 448  
 thresholds, 8, 10, 95, 220, 394
- traits. *see* *functional traits*  
 trees, 114, 121, 124, 218, 238, 262, 280, 425–433  
 triphasic species–area relationship. *see* *species–area relationship*  
 trophic level, 193, 259, 311  
 tropical forest (tropical rainforest), 239, 244–245, 259, 280, 414, 417, 422  
 turnover. *see* *beta diversity*
- United Kingdom, 239–240  
 United Nations Environment Program (UNEP), 58  
 upscaling, 237–238
- variance of nearest taxon distance (VNPd), 113  
 vascular plants, 54, 67, 137, 263, 321, 323, 325–330, 333, 336  
 vegetation, 21, 24, 92, 96, 328–330  
 vertebrates, xviii, 32, 54, 56, 64, 108, 136, 326, 333, 423–430  
 vicariance, 117
- Wallace, Alfred R., 21–22, 39, 465, 469  
 Watson, Hewett C., 20–23  
 Weibull distribution. *see* *species–area relationship modelling*  
 Western Ghats, 238, 326  
 Williams, Carrington B., 32, 88  
 Williamson, Mark, 80, 161, 171  
 Wilson, Edward O. *see* *equilibrium theory of island biogeography*  
 World Conservation Monitoring Centre (WCMC), 357
- zero-sum. *see* *neutral theory*  
 zoogeographic regions, 119, 465  
 z-value. *see* *power model*