

Author index

- Abbe, E., 178, 199, 250, 255, *Fig. 8.32*
 Abelès, F., 54, 59, 63, 70, 72, 756
 Adams, J. C., 217
 Agarwal, G. S., 588
 — and Wolf, E., 556
 Aggarwal, R. R., 680, 691
 Airy, G. B., 65, *Fig. 7.74*, 440, *Fig. 8.12*, *Fig. 8.46*, 821
 Ambrosini, D.,
 —, Schirripa Spagnolo, G., Paoletti, D. and
 Vicalvi, S., 580
 Amici, G. B., 283
 Anderson, J. A., 274, 306
 Anderson, W. C., 12
 Andrejewski, W.,
 Meixner, J. and —, 634
 Arago, D. F., **xxxv**, **xxxvi**, 289, 417
 Arley, N., 117
 Armstrong, J. T., Hutter, D. J., Johnson, K. and
 Mozurkewich, D., 308
 Avery, D. G., 745
 Avogadro, A., 93
- Babcock, H. D., *Fig. 7.66*, 455
 Babinet, A., 424, 821, *Fig. 15.18*
 Bachynski, M. P. and Bekefi, G., 489, 517
 Bacon, G. E., 705
 Baker, B. B. and Copson, E. T., 116, 418, 420, 422,
 424, 500, 634, 648, 656, 670, 698
 Baker, J. G., *Fig. 6.23*
 Banerji, S., 500
 Barham, P. M.,
 Hopkins, H. H. and —, *Fig. 10.16*
 Barnes, M. D.,
 —, Kenyon, A. S., Zaiser, E. M. and La Mer,
 V. K., 786, 788
 — and La Mer, V. K., 786, 788
 Barrell, H., 410
 — and Sears, J. E., 409, 410
 Sears, J. E. and —, 410
 Barrett, H. H., 223
 Bartholinus, E., **xxxiv**
 Bartlet, H.,
 Fercher, A. F., —, Becker, H. and Wiltschko, E.,
 715
 Bateman, H., 903
 Bates, W. J., *Fig. 7.52*, 351
 Becker, H.,
- Fercher, A. F., Bartlet, H. — and Wiltschko, E.,
 715
 Bekefi, G.,
 Bachynski, M. P. and —, 489, 517
 Benedict, E.,
 Senftleben, H. and —, 781
 Bennett, A. H., Jupnik, H., Osterberg, H. and
 Richards, O. W., 472, *Fig. 8.34*, *Fig. 8.35*
 Benoit, J. R., 325, 405
 —, Fabry, C. and Perot, A., 405, 409
 Michelson, A. A. and —, 336, 379, 409
 Beran, M. J. and Parrent, G. B., 614
 Berek, M., 489, 555, 823
 Bergmann, L., 674
 Bergstrand, E., 12
 Bernal, J. D., 702
 Berne, B. J.,
 — and Pecora, R., 729
 Berry, M., 127
 Nye, J. F. and —, 496
 Bershad, D.,
 Ladenburg, R. and —, 351
 Bertero, M. and DeMol, C., 703
 Bhatia, A. B.,
 Bhatia, A. B. and Noble, W. J., 682, 689, 690,
 691
 — and Wolf, E., 905
 Bialynicki-Birula, I., 127
 Billet, F., *Fig. 7.8*
 Billington, C.,
 Greenland, K. M. and —, 388
 Biot, J. B., **xxxiv**
 Biquard, P.,
 Lucas, R. and —, 676
 Birge, R. T., 12
 Black, G., 204
 — and Linfoot, E. H., *Fig. 9.15*
 Blaisse, R. S.,
 Kronig, R. — and Sande, J. J., v.d., 56
 Blanc-Lapierre, A., 543
 — and Dumontet, P., 556
 Blaschke, W., 156
 Bloembergen, N., 3
 — and Grivet, P., 556
 — and Pershan, P. S., 103
 Blumer, H., 781
 Bock, R. O.,
 Collins, J. R. and —, 745

- Bocko, M. F.,
 —, Douglass, D. H. and Knox, R. S., 588
- Boeder, P., 840
- Boegehold, H., 153, 159
 — and Herzberger, M., 159
- Boersch, H., 511, 881
- Boethe, W., 103
- Bohr, N., **xxviii**, 880
- Boivin, A., 490
 —, Dow, J. and Wolf, E., 440, 490
 — and Wolf, E., 440, 490
- Boltzmann, L., 14
- Booker, H. G., 637
- Borgnis, F., 23
- Born, M., **xvi**, **xxxviii**, 64, 79, 84, 104, 422, 517,
 700, 748, 799, 906
 —, Heisenberg, W. and Jordan, P., **xxxviii**
 — and Jordan, P., **xxxviii**
 — and Kármán, Th. v., 693
- Börnstein, R.,
 Landolt, H. H. and —, 746
- Bortolotti, E., 127
- Bouguer, 130, *Fig. 3.5*
- Boutry, G. A., 261
- Bouwers, A., 285
- Bouwkamp, C. J., **xviii**, 424, 498, 634, 671, 672, 789
 — and Casimir, H. B. G., 764
- Boyd, R. W., 3, 194
- Boyle, R., **xxxiii**
- Bracewell, R. N., 227, 557
 — and Riddle, A. C., 227
- Bradley, J., **xxxix**, 12
- Bradley, L. C. and Kuhn, H., 405
- Bragg, W. H. and Bragg, W. L., *Fig. 13.6*, 705
- Bragg, W. L., 511, 706, 707, 708
 Bragg, W. H. and —, 705, *Fig. 13.6*
 — and Pippard, A. B., 539
- Braunbek, W., 120
 — and Laukien, G., 654, *Fig. 11.12*, *Fig. 11.13*,
Fig. 11.14
- Breguet, L.,
 Fizeau, H. and —, **xxxv**
- Bremmer, H., 903
- Pol, B., van der and —, 777, 892, 896
- Brewster, D., *Fig. 1.11*, 834
- Brillouin, L., 19, 674, 679, 690, 722
- Brinkman, H. C.,
 Zernike, F. and —, 905
- Broer, L. J. F., 23
- Broglie, L., de, **xxxviii**, 139, 700, 880
- Bromwich, T. J. I'A., 634, 759, 889
- Brossel, J., 391
- Brown, J., 153
- Brown, R., Hanbury, 576
 — and Twiss, R. Q., 308, 576
- Bruns, H., 119, 142, 153
 —, Klein, F. and Liebmann, H., 153
- Bryngdahl, O., 352
- Bucerius, H., 777
- Buchdahl, H. A., 233
- Buerger, M. J., 511
- Buisson, H.,
 Fabry, C. and —, 374, 408
- Bulmer, H., *Fig. 14.11*, 783
- Bunimovich, V. I., 558
- Bunn, C. W., 805
- Bunsen, R. and Kirchhoff, G., **xxxviii**
- Burch, C. R., 284, *Fig. 6.30*
- Burckhardt, C. B.,
 Collier, R. J., — and Lin, L. H., 504
- Burridge, J. C., Kuhn, H. and Pery, A., *Fig. 7.61*
- Burtin, R., 440
- Butcher, P. N. and Cotter, D., 3
- Campbell, N., 354
- Carathéodory, C., 116, 137, 139, 142, 153, 157, 278
- Carlson, J. F. and Heins, A. E., 634, 669
- Carney, P. S.,
 Visser, T. D., — and Wolf, E., 106
- Carslaw, H. S., 634, 663, 665, 671
- Cartan, E., 135
- Carter, W. H., 715
 — and Ho, P. C., 715
- Casimir, H. B. G.,
 Bouwkamp, C. J. and —, 764
- Cassegrain, N., *Fig. 6.23*
- Cauchy, A. L., **xxxvi**, 100, 101
- Chabbal, R., 369, 370
- Chako, N., 238, 890
- Chalker, W. R.,
 Houghton, H. G. and —, 786
- Chander, M.,
 Kandpal, H. C., Vaishya, J. S., —, Saxena, K.,
 Mehta, D. S. and Joshi, K., 588
- Chandrasekhar, S., 630
- Chebyshev, P. L., 70, 71, 72
- Chester, C., Friedman, B. and Ursell, F., 888
- Chevalier, C., *Fig. 6.3*
- Chiao, R. Y., and Steinberg, A. M., 24
- Chwolson, O. D., *Fig. 1.12*, *Fig. 1.14*
- Cittert, P. H., van, 555, 572, 574
- Clausius, R., 92, 176, 178
- Clemmow, P. C., 670, 671, 712, 888
- Coker, E. G. and Filon, L. N. G., 837
- Collett, E. and Wolf, E., 489
- Collier, R. J., Burckhardt, C. B. and Lin, L. H., 504
- Collins, J. R. and Bock, R. O., 745
- Connes, P., 369
- Conrady, A. E., 204
- Cooke, T., *Fig. 6.5*
- Cope, T. D., 453
- Copson, E. T., 634, 672, 703, 904
 Baker, B. B. and —, 116, 418, 420, 422, 424, 500,
 634, 648, 656, 670, 698
- Cormack, A., 226
- Cornu, A., 480, *Fig. 8.37*
- Corput, J. G., van der, 889, 890
- Cotes, R., 176
- Cotter, D.,
 Butcher, P. N. and —, 3
- Couder, A.,
 Danjon, A. and —, 267
- Courant, R., 131, 480, 800, 871
 — and Hilbert, D., 468, 523, 525, 907, 908, 909,
 910
- Crowther, R. A.,
 —, DeRossier, D. J. and Klug, A., 227
- Klug, A. and —, 227

- Cullen, A. E.,
 Mathews, P. A. and —, 489
 Culshaw, W. and Jones, D. S., 50
 Czapski, S. and Eppenstein, O., 153
- Daguerre, L. J. M., 228
 Dallmeyer, J. H., 264
 Danjon, A. and Couder, A., 267
 Darwin, C. G., 103, 914
 Davenport, W. B. and Root, W. L., 561
 David, E., 679, 690
 Davis, H. T.,
 Hufford, M. E. and —, 489
 De, M., *Fig. 9.16*
 Deans, S. R., 221, 223
 Debye, P., 484, 759, 777, 786, 883
 — and Sears, F. W., 675
 DeMol, C., de
 Bertero, M. and —, 703
 Dennison, D. M.,
 Hadley, L. N. and —, 756
 DeRossier, D. J.,
 — and Klug, A., 227
 Crowther, R. A., — and Klug, A., 227
 Descartes, R., **xxxii**
 Devaney, A. J., 715
 Dexter, D. L.,
 Guinier, A. and —, 511, 705
 Dingle, R. B., 650
 Dirac, P. A. M., **xxxviii**, **xxxix**, 881, 892, 893
 Ditchburn, R. W., 745
 Dogariu, A.,
 Wang, L. J., Kuzmich, A. and —, 24
 Doob, J. L., 561
 Doppler, C., **xxxix**
 Dorsey, N. E.,
 Rosa, E. B., and —, 12
 Dossier, B., *see* Roizen-Dossier, B.,
 Dove, K., *Fig. 6.16*
 Douglass, D. H.,
 Bocko, M. F., — and Knox, R. S., 588
 Dow, J.,
 Boivin, A., — and Wolf, E., 440, 490
 Dowell, J. H., 339, *Fig. 7.44*
 Drew, R. L., 352
 Driffeld, V. C., *Fig. 8.51*
 Drude, P., 745
 — and Nernst, W., 312
 Duboscq, J.,
 — and Soleil, H., 823
 Duffieux, P. M., 543
 — and Lansraux, G., 543
 Dufour, C., 368, 382, 388, 405
 — and Herpin, A., 73
 — and Picca, R., 396
 Jacquinot, P. and —, 376
 Dumontet, P., 545, 599
 Blanc-Lapierre, A. and —, 556
 Duncan, R. W. and Duncan, R. C., 746
 Dupin, C., 139, 140
 Dyson, J., 346, *Fig. 7.49*
- Eagle, A., 460, *Fig. 8.29*
 Edsall, J. T., 840
- Ehrenberg, W. and Siday, R. E., 878
 Einstein, A., **xxxviii**, **xl**, 567, 700
 Emde, F.,
 Jahnke, E. and —, 440, 441, 479
 Empedocles, C., **xxxii**
 Eppenstein, O.,
 Czapski, S. and —, 153
 Epstein, D. W.,
 Malloff, I. G. and —, 211
 Erdélyi, A., 884
 Esmarch, W., 103
 Euclid, **xxxii**
 Euler, L., **xxxiv**
 Ewald, P. P., 106, 702
 Extermann, R. and Wannier, G., 680
- Fabry, C.,
 Fabry, C. and Buisson, H., 374, 408
 — and Perot, A., 73, 366, *Fig. 7.59*, *Fig. 7.60*,
 370, *Fig. 7.63*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*,
 379, *Fig. 7.71*
 Benoit, J. R., — and Perot, A., 405, 409
 Macé de Lépinay, J. and —, 325
 Falkoff, D. L. and MacDonald, J. E., 630
 Fano, U., 630
 Faraday, M., **xxxvii**
 Farnell, G. W., *Fig. 8.45*, 498
 Fearn, H., James, D. F. V. and Miloni, P., 106
 Feick, R., *Fig. 14.12*
 Fellgett, P., 359
 Fercher, A. F., Bartlet, H., Becker, H. and
 Wiltzschkoe, E., 715
 Fermat, P., de, **xxxii**, 136, *Fig. 3.11*
 Feussner, W. and Janicki, L., 329
 Filon, L. N. G.,
 Coker, E. G. and —, 837
 Fizeau, H., **xxxix**, 12, 305, 323, *Fig. 7.30*, 356,
 Fig. 7.74, *Fig. 7.76*, *Fig. 7.77*
 — and Breguet, L., **xxxv**
 Foucault, L. and —, 13
 Fletcher, A. T., Murphy, T. and Young, A., 157
 Fock, V. A., 117, 440
 Focke, J., 233, 493, 519, 537, 889, 890
 Foley, J. T.,
 Wolf, E. and —, 729
 Forrester, A. T., 579
 Foucault, L., **xxxv**, 12
 — and Fizeau, H., 13
 Fourier, J. B. J., 19
 Francia, Toraldo G., di 157, 424, 463
 Françon, M., 472, 537
 — and Mallick, S., 566
 Frank, P. and Mises, R., 764
 Franken, P. A., Hill, A. E., Peters, C. W. and
 Weinrich, G., 3
 Fraunhofer, J., **xxxvii**, 453, *Fig. 8.6*, *Fig. 8.9*,
 Fig. 8.10, *Fig. 8.11*, *Fig. 8.12*, *Fig. 8.13*,
 Fig. 8.14, *Fig. 8.15*, *Fig. 8.30*
 Freeman, J. J., 556
 Fresnel, A. J., **xxxiv**, **xxxv**, **xxvi**, 53, *Fig. 1.16*,
 Fig. 7.5, *Fig. 7.7*, *Fig. 7.10*, 289, *Fig. 7.11*,
 Fig. 8.1, *Fig. 8.36*, *Fig. 8.38*, *Fig. 8.39*
 — Kirchhoff, G., *Fig. 8.3*
 Friberg, A. T. and Wolf, E., 587

- Friedlander, F. G., 117
 Friedman, B.,
 Chester, C., — and Ursell, F., 888
 Friedrich, W., Knipping, P. and Laue, M. von, 705
 Frocht, M. M., 837
 Fry, T. C.,
 Ives, H. E. and —, 312
 Fuks, B. A., 703
 Gabor, D., 504, *Fig. 8.50*, *Fig. 8.53*, 511, 556, 558
 Galileo, G., **xxxii**
 Gamo, H., 556
 Gans, R., 781, 789
 Gantmacher, F. R., 911
 Garnett, J. C., Maxwell, 759
 Gauss, K. F., 1, 2
 Gehrcke, E.,
 — and Lau, E., 403
 Lummer, O. and —, 380, *Fig. 7.67*, *Fig. 7.69*,
 Fig. 7.70
 Gelius, L.-J.,
 Stamnes, J. J., —, Johansen, I. and Sponheim, N.,
 715
 Gergonne, J. D., 139
 Giacomo, P., 74, 366, *Fig. 7.61*
 — and Jacquinet, P., 388
 Glaser, W., 881
 Glauber, R. J., 556
 Glazebrook, R., (editor), 261
 Goede, J. de and Mazur, P., 106
 Goerz, C. P., 265
 Goldberg, B., *Fig. 14.13*
 Goldman, S., 561
 Gori, F., 635
 Santarsiero, M. and —, 588, *Fig. 10.11*
 Götz, F. W. P., 787
 Gouy, L. G., 498
 Gray, A., Mathews, G. B. and MacRobert, T. M., 487
 Green, A.,
 Twyman, F. and —, 338, *Fig. 7.41*, *Fig. 7.42*
 Green, G., **xxxiv**
 Green, H. S. and Wolf, E., 78
 Greenberg, J. M.,
 Montroll, E. W. and —, 789
 Greenland, K. M. and Billington, C., 388
 Greenstein, J. L., 786, 787
 Grey D. S., 285
 Grimaldi, F. M., **xxxiii**
 Grivet, P.,
 Bloembergen, N. and —, 556
 Gröbner, W. and Hofreiter, N., 439
 Groosmuller, J. Th.,
 Lakeman, C. and —, 555
 Groschwitz, E. and Hönl, H., 670
 Grossmann, F.,
 Schaeffer, C. and —, 789
 Guinier, A. and Dexter, D. L., 511, 705
 Gumprecht, R. O. and Sliepcevich, C. M., 781
 Habashy, T. and Wolf, E., 703
 Haber, F. and Löwe, F., 300
 Hadley, L. N. and Dennison, D. M., 756
 Hagen, E. and Rubens, H., 746
 Haidinger, W., 816
 Hamilton, W. R., Sir, **xxxv**, 139, 142, 143, 144,
 145, *Fig. 4.3*, 869
 — and Bruns, H., 142
 Hammer, K., 67, *Fig. 1.19*, *Fig. 14.5*
 Hanbury Brown, R., *see* Brown, R., Hanbury,
 Hannay, J. H.,
 Nye, J. F., — and Liang, W., 516
 Hanson, A. W., Lipson, H. and Taylor, C. A., 579
 Hanson, E. T., 129, 671
 Harden, B. N., 657
 Harnahan, P., 504
 Harrison, G. R., 380, 453, 455
 Hart, R. W.,
 — and Montroll, E. W., 789
 Montroll, E. W. and —, 789
 Hartree, D. R., 110
 Heavens, O. S., 54, 756
 Heaviside, O., 892, 903
 Heins, A. E., 634, 664, 667, 668
 — and Silver, S., 672
 Carlson, J. F. and —, 634, 669
 Heisenberg, W., **xxxvii**
 Born, M., — and Jordan, P., **xxxvii**
 — and Jordan, P., **xxxviii**
 Helmholz, H., von, 108, *Fig. 4.17*, 178, 261, 418
 — and Kirchhoff, G., *Fig. 8.2*
 Herpin, A.,
 Dufour, C. and —, 73
 Herschel, J. F. W., *Fig. 4.18*, 178, 180
 Hertz, H., **xxxvii**, **xl**, 12, 84
 Herzberger, M., 116, 159, 204, 233
 — and Hoadley, H. O., 214
 — and Synge, J. L., 142
 Boegehold, H. and —, 159
 Hilbert, D. R., **xvii**, 853
 Courant, R. and —, 468, 523, 525, 907, 908, 909,
 910
 Hill, A. E.,
 Franken, P. A., —, Peters, C. W. and Weinrich,
 G., 3
 Hinde, R. M.,
 Taylor, C. A., — and Lipson, H., 579
 Hirayama, S.,
 Scheiner, J. and —, 443
 Ho, P. C.,
 Carter, W. H. and —, 715
 Hoadley, H. O.,
 Herzberger, M. and —, 214
 Hockin, C., 178
 Hoek, H., 103
 Hofreiter, N.,
 Gröbner, W. and —, 439
 Holden, J., 396
 Holl, H., 781, 786
 Hönl, H.,
 — and Zimmer, E., 670
 Groschwitz, E. and —, 670
 —, Maue, A. W. and Westpfahl, K., 634
 Hooke, R., **xxxiii**
 Hoop, A. T. de, 725
 Hopf, E., 634
 Hopkins, H. H., 211, 440, 472, 543, *Fig. 9.13*, 556,
 578, 599
 — and Barham, P. M., *Fig. 10.16*

- Hoppe, E., **xxii**
 Horton, C. W. and Watson, R. B., 657
 Houghton, H. G. and Chalker, W. R., 786
 Hounsfield, G. N., *Fig. 4.50*, 227
 Houston, W. V., 403
 Hsü, Hsien-yü,
 Richartz, M. and —, 820
 Hufford, M. E. and Davies, H. T., 489
 Hughes, W. and Taylor, C. A., 579
 Hulst, H. C., van de, 720, 759, 781, 786, 787,
 Fig. 14.15, 789
 Hurter, F., *Fig. 8.51*
 Hüttel, A., 12
 Hutter, D. J.,
 Armstrong, J. T., —, Johnson, K. and
 Mozurkewich, D., 308
 Huxley, L. G. H., 637, 664
 Huygens, C., **xxxiii**, 13, 141, 176
 Ignatowsky, W. S., 117, 440, 789
 Illingworth, K. K., 336
 Ingarden, R. S., 500
 — and Krzywicki, A., 117
 Ives, H. E. and Fry, T. C., 312
 Iwata, K. and Nagata, R., 715
 Jackson, C. V., 380
 Jackson, J. D., 10
 Jacobi, K. G., 119, 137, 143, 491, 867, 868,
 869
 Jacobs, D. A., 261
 Jacobson, D. L.,
 —, Werner, S. A. and Rauch, H., 588
 Jacobsson, R., 62
 Jacquinet, P., 377
 — and Dufour, C., 376
 Giacomo, P. and —, 388
 — and Roizen-Dossier, B., 464
 Jahnke, E. and Emde, F., 440, 441, 479
 James, D. F. V.,
 — and Wolf, E., 588, *Fig. 10.10*
 Fearn, H., — and Miloni, P., 106
 Wolf, E. and —, 588
 James, G. L., 129
 Jamin, J., 344, *Fig. 7.47*, 821
 Janicki, L.,
 Feussner, W. and —, 329
 Jánossy, L., 555
 Jauch, J. M. and Rohrlich, F., 630
 Jeffreys, B. S.,
 Jeffreys, H. and —, 694, 884, 888
 Jeffreys, H. and Jeffreys, B. S., 694, 884, 888
 Jerrard, H. G., 33, 820
 Jobst, G., 787
 Johansen, I.,
 Stamnes, J. J., Gelius, L-J., — and Sponheim, N.,
 715
 Johnson, I. and La Mer, V. K., 788
 Johnson, K.,
 Armstrong, J. T., Hutter, D. J., — and
 Mozurkewich, D., 308
 Jones, D. S., 672, 719, 722, 921
 — and Kline, M., 890
 Culshaw, W. and —, 50
 Jordan, P.,
 Born, M., Heisenberg, W. and —, **xxxviii**
 Born, M. and —, **xxxviii**
 Joshi, K.,
 Kandpal, H. C., Vaishya, J. S., Chander, M.,
 Saxena, K., Mehta, D. S. and —, 588
 Joule, J. P., 4, 10
 Jupnik, H.,
 Bennett, A. H., —, Osterberg, H. and Richards,
 O. W., 472, *Fig. 8.34*, *Fig. 8.35*
 Kahn, F. D., 473
 Kak, A. C., 225
 — and Slaney, M., 715
 Pan, S. X. and —, 715
 Kalaschnikow, A., 500
 Kampen, N. G., van, 518, 729, 890
 Kandpal, H. C., Vaishya, J. S., Chander, M.,
 Saxena, K., Mehta, D. S. and Joshi, K., 588
 Kanthack, R., 204, 250
 Kármán, Th. v.,
 Born, M. and —, 693
 Karolus, A. and Mittelstaedt, O., 12
 Karp, S. N. and Russek, A., 670
 Kathavate, Y. V., 443, 500
 Kay, I. W.,
 — and Silverman, R., 616
 Kline, M. and —, 120, 125, 127, 890, 903, 904
 Keller, J. B., 129, 729
 Kelvin, Lord (Thomson, W.), **xxxvii**, 889
 Kemble, E., 908
 Kennedy, R. J., 336
 Kenyon, A. S.,
 Barnes, M. D., —, Zaiser, E. M. and La Mer,
 V. K., 786, 788
 Kharkevich, A. A., 616
 Khintchine, A., 567
 Kingslake, R., 267, 340, *Fig. 7.42*, *Fig. 9.7*
 Kinoshita, K., *Fig. 7.74*
 Kirchhoff, G., **xxxvii**, **xxxviii**, 108, 116, 412, 418
 Bunsen, R. and —, **xxviii**
 Fresnel, A. J., —, *Fig. 8.3*
 Helmholtz, H., von —, *Fig. 8.2*
 Klauder, J. R., and Sudarshan, E. C. G., 556
 Klein, F., 142, 153, 157
 Bruns, H., — and Liebmann, H., 153
 Kline, M., 120, 125, 903
 — and Kay, I. W., 120, 125, 127, 890, 903, 904
 Jones, D. S. and —, 890
 Klug, A.,
 — and Crowther, R. A., 227
 Crowther, R. A., DeRossier, D. J. and —, 227
 DeRossier, D. J. and —, 227
 Knipping, P.,
 Friedrich, W., — and Laue, M., von, 705
 Knox, R. S.,
 Bocko, M. F., Douglass, D. H. and —, 588
 Koch, J., 99
 Kodis, R. D., 657
 Köhler, A., 598, *Fig. 10.17*
 Kohler, H., 279
 Kohlrausch, R., **xxxvii**
 — and Weber, W., 12
 Kohlschütter, A., 233

- König, H.,
 Runge, C. and — 217
 Kösters, W., 338, *Fig. 7.43*
 Kottler, F., 84, 418, 424, 500
 Kramers, H. A., 558
 Kranendonk, J., van and Sipe, J. E., 103
 Kronig, R., Blauisse, R. S. and Sande, J. J. v. d., 56
 Krzywicki, A.,
 Ingarden, R. S. and —, 117
 Kuhn, H.,
 — and Wilson, B. A., *Fig. 7.61*
 Bradley, L. C. and —, 405
 Burridge, J. C. — and Pery, A., *Fig. 7.61*
 Kundt, A., 739
 Kutta, M. W., 217
 Kuzmich, A.,
 Wang, L. J., — and Dogariu, A., 24
 Ladenburg, R. and Bershad, D., 351
 Lagrange, J. L., *Fig. 3.10*, 176
 Lakeman, C. and Grosmuller, J. Th., 555
 Lalor, É and Wolf, E., 111
 Lamé, M. G., 812
 La Mer, V. K.,
 Barnes, M. D., Kenyon, A. S., Zaiser, E. M. and
 —, 786, 788
 Barnes, M. D. and —, 786, 788
 Johnson, I. and —, 788
 Land, E. H., 850
 — and West, C., *Fig. 15.32*, *Fig. 15.33*
 Landolt, H. H. and Börnstein, R., 746
 Lange, H., 746
 Lansraux, G.,
 Duffieux, P. M. and —, 543
 Laplace, P. S., de, **xxxiv**
 Laporte, O. and Meixner, J., 500
 Lau, E.,
 Gehrcke, E. and —, 403
 Laue, M., von, 445, 555, 708
 Friedrich, W., Knipping, P. and —, 705
 Laukien, G.,
 Braunbek, W. and —, 654, *Fig. 11.12*, *Fig. 11.13*,
Fig. 11.14
 Lax, M., 720
 Lee, H. W., 267
 Taylor, W. and —, 267
 Legendre, A. M., 144
 Leith, E. N. and Upatnieks, J., 508, *Fig. 8.54*
 Lenz, W., 156, 157
 Leonardo da Vinci, 412
 Leontovich, E. A.,
 Mayer, A. G. and —, 616
 Lépinay, J., Macé de, *see* Macé de Lépinay, J.,
 Leurgans, P. and Turner, A. F., 389
 Levi-Civita, T., 139, 903
 Levine, H. and Schwinger, J., 634
 Li, Y., 486
 — and Wolf, E., 486
 — and Platzer, H., 486
 Liang, W.,
 Nye, J. F., Hannay, J. H. and —, 516
 Liebisch, T. and Rubens, H., 792
 Liebmann, H., 153
 Bruns, H., Klein, F. and —, 153
 Lighthill, M. J., 892
 Lin, L. H.,
 Collier, R. J., Burckhardt, C. B. and —, 504
 Linfoot, E. H., 278, 279, 537
 — and Wolf, E., 490, *Fig. 8.41*, *Fig. 8.46*,
Fig. 8.47, 497, 498
 Black, G. and —, *Fig. 9.15*
 Liouville, J., 156
 Lippmann, G., 312, *Fig. 7.19*
 Lipson, H.,
 — and Cochran, W.,
 —, Taylor, C. A. and Thompson, B. J., *Fig. 8.10*,
Fig. 8.12, *Fig. 8.15*
 Hanson, A. W., — and Taylor, C. A., 579
 Taylor, C. A., Hinde, R. M. and —, 579
 Lissberger, P. H.,
 — and Ring, J., 388, 389
 Littleton, J. T., Jr., 746
 Littrow, O., *Fig. 8.25*
 Lloyd, H., **xxxv**, *Fig. 7.6*
 Lommel, E., 484
 Lorentz, H. A., **xI**, 92, 95
 Lorenz, L., 92
 Loschmidt, J., 93
 Lotsch, H. K. V., 52
 Love, A. E. H., 903
 Löwe, F.,
 Haber, F. and —, 300
 Lowery, H. and Moore, R. L., 746
 Lucas, R. and Biquard, P., 676
 Lummer, O., 380
 — and Gehrcke, E., 380, *Fig. 7.67*, *Fig. 7.69*,
Fig. 7.70
 — and Reiche, F., 467
 Lundblad, R., 103
 Luneburg, R. K., 120, 127, 157, 211, 463, 511, 903,
 904
 MacCullagh, J., **xxxvi**
 MacDonald, H. M., 634, 663, 665, 671
 MacDonald, J. E.,
 Falkoff, D. L. and —, 630
 Macé de Lépinay, J., 329
 — and Fabry, C., 325
 Mach, E., **xxxii**, 116
 Mach, L., 348
 — Zehnder, L., *Fig. 7.50*, *Fig. 7.51*
 MacMaster, W. H., 554
 MacRobert, T. M.,
 Gray, A., Mathews, G. B. and —, 487
 Maey, E., 500
 Maggi, G. A., 500
 Magnus, W., 785
 — and Oberhettinger, F., 762
 Mahajan, V. N., 520, 522, 528
 Maiman, L. T. H., **xxxix**
 Mallick, S.,
 Françon, M. and —, 566
 Malloff, I. G. and Epstein, D. W., 211
 Malus, É L., **xxxiv**, 139, 140
 Mandel, L., 559, 568, 576, 615
 — and Wolf, E., 194, 219, 556, 557, 566, 577,
 586, 588, 615, 711, 712, 888
 Maraldi, 417
 Marchand, E. W., 153

- Marchand, E. W. (cont.)
 — and Wolf, E., 500, 516
 Wolf, E. and —, 424
 Maréchal, A., 528, 537
 Margenau, H. and Murphy, G. M., 565
 Martin, L. C., 500, 819
 Massey, H. S. W. and Mohr, C. B. O., 722
 Mathews, G. B.,
 Gray, A., — and MacRobert, T. M., 487
 Mathews, P. A. and Cullen, A. E., 489
 Maue, A. W., 672
 Hönl, H., — and Westpfahl, K., 634
 Maxwell Garnett, J. C., *see* Garnett, J. C. Maxwell,
 Maxwell, J. C., **xxxvii**, 12, 153, *Fig. 4.7, Fig. 4.8*,
 840
 Mayer, A. G. and Leontovich, E. A., 616
 Mayer, H., 54, 64
 Mazur, P.,
 Goede, J., de and —, 106
 McCrea, W. H., 84
 McMaster, W. H., 630
 Mehta, D. S.,
 H. C., Kandpal, Vaishya, J. S., Chander, M.,
 Saxena, K., — and Joshi, K., 588
 Meier, W., 746
 Meissner, K. W., *Fig. 7.64, Fig. 7.65*
 Meixner, J., 672
 — and Andrejewski, W., 634
 Laporte, O. and —, 500
 Mercier, A., 12
 Merté, W.,
 —, Richter, R. and Rohr, M., von 267
 Merton, T., 455
 Meslin, G., *Fig. 7.9, 296, 297, 328*
 Messner, R., *Fig. 1.18*
 Methfessel, S., 54
 Meyer, C. F., 412
 Michelson, A. A., **xi**, 12, 300, 305, *Fig. 7.15*,
 Fig. 7.16, 307, Fig. 7.39, 335, 336, Fig. 7.40,
 359, *Fig. 7.55, 455, 555, Fig. 8.22*
 — and Benoit, J. R., 379, 409
 — and Morley, E. W., **xxxix**, 336
 — and Pease, F. G., 307
 Middleton, D., 561
 Mie, G., 759, 781, *Fig. 14.10, 782, 784*
 Miles, J. W., 634
 Millar, R. F., 670
 Milonni, P.,
 Fearn, H., James, D. F. V. and —, 106
 Minor, R. S., 746
 Mises, R.,
 Frank, P. and —, 764
 Mitra, S. K., 500
 Mittelstaedt, O.,
 Karolus, A. and —, 12
 Miyamoto, K., 500, 543
 — and Wolf, E., 500
 Möglisch, F., 789
 Mohr, C. B. O.,
 Massey, H. S. W. and —, 722
 Montroll, E. W.,
 — and Greenberg, J. M., 789
 — and Hart, R. W., 789
 Hart, R. W. and —, 789
 Mooney, R. L., 70
 Moore, R. L.,
 Lowery, H. and —, 746
 Morgan, J. M.,
 Thompson, A. R. — and Swenson, G. W., 308
 Morley, E. W.,
 Michelson, A. A. and —, **xli**, 336
 Morse, P. M. and Rubenstein, P. J., 670
 Mossotti, O., 92
 Moullin, E. B. and Phillips, F. M., 670
 Mozurkewich, D.,
 Armstrong, J. T., Hutter, D. J., Johnson, K. and —,
 308
 Muchmore, R. B., 56
 Mukunda, N., 516
 Müller, C., 672
 Müller, R. and Westpfahl, K., 670, 671
 Murata, K., 553
 Murphy, G. M.,
 Margenau, H. and —, 565
 Murphy, T.,
 Fletcher, A. T., — and Young, A., 157
 Musset, A. and Thelen, A., 68
 Nagata, R.,
 Iwata, K. and —, 715
 Naik, Y. G.,
 Paranjape, G. R. — and Vaidya, P. B., 781
 Nath, N. S. N., 680
 Raman, C. V. and —, 679
 Nathanson, J. B., 746
 Navier, C. L. M. H., **xxxvi**
 Nernst, W.,
 Drude, P. and —, 312
 Neumann, C., **xxxvii**
 Neumann, F., **xxxvi**
 Newton, I., **xxxiii**, 274, *Fig. 7.28, Fig. 7.29*
 Newton, R. G., 720
 Nicol, W., 818, *Fig. 15.17, Fig. 15.24*
 Nienhuis, K., 517, *Fig. 9.4, Fig. 9.5, Fig. 9.8*,
 Fig. 9.9, Fig. 9.10, Fig. 9.11
 — and Nijboer, B. R. A., 517, *Fig. 9.6*
 Nijboer, B. R. A., 517, 525, *Fig. 9.6, Fig. 9.9, 905*
 Nienhuis, K. and —, 517, *Fig. 9.6*
 Zernike, F. and —, 490, 517, *Fig. 9.3*
 Nisbet, A., 84, 764
 — and Wolf, E., 38
 Noble, W. J., 682
 Bhatia, A. B. and —, 682, 689, 690, 691
 Nomoto, O., 692
 Nörrenberg, J. G. C., 48
 Nussenzveig, H. M., 558, 759
 Nye, J. F.,
 — and Berry, M. V., 496
 —, Hannay, J. H. and Liang, W., 516
 Oberhettinger, F.,
 Magnus, W. and —, 762
 Ohm, G. S., 3
 Oppitz, L. K., 746
 Oseen, C. W., 103, 106
 Oster, G., 781
 Wilkins, M. H. F., Stokes, A. R., Seeds, W. E. and
 —, 840

- Osterberg, H.,
 — and Wilkins, J. E., 463
 Bennett, A. H., Jupnik, H., — and Richards, O. W., 472, *Fig. 8.34*, *Fig. 8.35*
 Oswald, J. R., 558
 Ott, H., 888
 Oughstun, K. E. and Sherman, G. C., 19
 Pan, S. X., — and Kak, A. C., 715
 Pancharatnam, S., 33, 557, 630
 Paoletti, D.,
 Ambrosini, D., Schirripa Spagnolo, G., — and Vicalvi, S., 580
 Paranjpe, G. R., Naik, Y. G. and Vaidya, P. B., 781
 Parrent, G. B.,
 — and Roman, P., 619
 Beran, M. J. and —, 614
 Parseval, M. A., 353, 429, 526
 Parthasarathy, S., 691, *Fig. 12.3*
 Paschen, F., 460, *Fig. 8.28*
 Pattanayak, D. N., 108
 — and Wolf, E., 106
 Pauli, W., 888
 Weyl, H. and —, 617
 Pearcey, T., 479
 Pease, F. G.,
 Michelson, A. A. and —, 307
 Pecora, R., 729
 Berné, B. J. and —, 729
 Pendorf, R., 786
 Penselin, S. and Steudel, A., *Fig. 7.61*
 Pérard, A., 359
 Perot, A.,
 Benoit, J. R., Fabry, C. and —, 405, 409
 Fabry, C. and —, 73, 366, *Fig. 7.59*, *Fig. 7.60*, 370, *Fig. 7.63*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*, 379, *Fig. 7.71*
 Perrin, F., 557, 630
 Pershan, P. S.,
 Bloembergen, N. and —, 103
 Pery, A.,
 Burridge, J. C., Kuhn, H. and —, *Fig. 7.61*
 Peters, C. W.,
 Franken, P. A., Hill, A. E., — and Weinrich, G., 3
 Petzval, J., 228, 253, *Fig. 6.3*
 Pharsieau, P., 691
 Phillips, F. M.,
 Moullin, E. B. and —, 670
 Picca, R.,
 Dufour, C. and —, 369, 396
 Picht, J., 473, 475, 517
 Pippard, A. B.,
 Bragg, W. L. and —, 839
 Planck, M., *xxxviii*, 432, 700, 747
 Platzer, H.,
 Li, Y. and —, 486
 Pockels, F., 419, 835
 Poggendorff, J. G., 816
 Poincaré, H., *Fig. 1.8*, 33, 135, 424, 498, 883
 Poisson, S. D., *xxxvi*, 91, 417
 Pol, B., van der and Bremmer, H., 777, 892, 896
 Porter, A. B., 467
 Poynting, J. H., 25, 34, 35, 87, 122, 128
 Preddy, W. S.,
- Wolf, E. and —, 211
 Priestley, J., *xxxii*
 Pringsheim, E., 345, 346, *Fig. 7.48*
 Prins, J. A., 445
 Prokhorov, A. M.,
 Basov, N. G. and —, *xxxix*
 Purcell, E. M., 576
 Purkinje, J. E., 198
 Pythagoras, 868
 Quetelet, A., 139
 Rabinovich, G. D., 229
 Radon, J., 221
 Ramachandran, G. N., 500
 Raman, C. V. and Nath, N. S. N., 679
 Ramsden, J., 270, 271
 Rankin, R. A., 649
 Ratcliffe, J. A., 557, 577
 Rauch, H., 588
 Jacobson, D. L., Werner, S. A. and —, 588
 Rayces, J. L., 231
 Rayleigh, Lord (Strutt, J. W.), *xxxvii*, 104, 176, 300, *Fig. 7.13*, 359, 371, *Fig. 7.62*, 443, 467, 511, 517, 528, 634, 670, 679, 779, 839
 — and Sommerfeld, A., 512 *et seq.*
 Reiche, F., 498
 Lummer, O. and —, 467
 Rellich, F., 672
 Ricci, G., 762
 Rice, S. O., 354
 Richards, B. and Wolf, E., 440
 Richards, O. W.,
 Bennett, A. H., Jupnik, H., Osterberg, H. and —, 472, *Fig. 8.34*, *Fig. 8.35*
 Richartz, M. and Hsü, Hsien-Yü, 820
 Richter, R., 527
 Merté, W. — and Rohr, M., von, 267
 Riddle, A. C.,
 Bracewell, R. N. and —, 227
 Righi, A., 84
 Rinehart, R. F., 157
 Ring, J.,
 — and Wilcock, W. L., *Fig. 7.61*
 Lissberger, P. H. and —, 388, 389
 Rittenhouse, D., 453
 Robinson, G.,
 Whittaker, E. T. and —, 217
 Rohr, M., von, 199, 204, 250, 269
 Merté, W., Richter, R. and —, 267
 Rohrlich, F.,
 Jauch, J. M. and —, 630
 Roizen-Dossier, B.,
 Jacquinot, P. and —, 464
 Rolt, F. H., 323
 Roman, P., 622, 696
 Parrent, G. B. and —, 619
 — and Wolf, E., 568, 622
 Römer, O., *xxxiii*, 12
 Röntgen, W. C., 9
 Root, W. L.,
 Davenport, W. B. and —, 561
 Rosa, E. B. and Dorsey, N. E., 12
 Ross, F. E., 274, 276

- Row, R. V., 657
 Rowl and, H. A., 453, 459, 460, 461, *Fig. 8.26*,
Fig. 8.27
 Rubens, H., 792
 Hagen, E. and —, 746
 Liebisch, T. and —, 792
 Rubenstein, P. J.,
 Morse, P. M. and —, 670
 Rubinowicz, A., 498, 500
 Rudolph, P., 265
 Rule, B., 274
 Runge, C. and König, H., 217
 Runge, J.,
 Sommerfeld, A. and —, 117, 132
 Russek, A.,
 Karp, S. N. and —, 670
 Rutherford, E., Lord, 880
 Rylov, S. M., 117, 127, 690, 726
- Sakai, H.,
 Vanasse, G. A. and —, 359
 Salmon, G., 815, 891
 Sande, J. J. v.d.,
 Kronig, R., Blauisse, R. S. and —, 56
 Santarsiero, M. and Gori, F., 588, *Fig. 10.11*
 Saunders, W. K., 672
 Savart, F., 830
 Savornin, J., 657
 Saxena, K.,
 Kandpal, H. C., Vaishya, J. S., Chander, M., —,
 Mehta, D. S. and Joshi, K., 588
 Schaeffer, C. and Grossmann, F., 789
 Schalén, C., 781, *Fig. 14.14*
 Schawlow, A. L. and Towns, C. H., **xxxix**
 Scheiner, J. and Hirayama, S., 443
 Schelkunoff, S. A., 78
 Schirrmann, M. A., 784
 Schirripa Spagnolo, G.,
 Ambrosini, D., —, Paoletti, D. and Vicalvi, S.,
 580
 Schmidt, B., 211, 276, *Fig. 6.20*, *Fig. 6.21*, *Fig. 6.23*
 Schopper, H., 758
 Schorr, R., 276
 Schröder, H., 68
 Schrödinger, E., **xxxviii**, 880
 Schuster, A., 415
 Schuster, K., 56
 Schwartz, L., 892
 Schwarzschild, K., 211, 228, 229, 233, 257, 484,
 670, 772, 875, 876
 Schwerd, F. M., 440
 Swinger, J.,
 Levine, H., and —, 634
 Searle, G. F. C., 329
 Sears, F. W.,
 Debye, P. and —, 675
 Sears, J. E., 410
 — and Barrell, H., 410
 Barrell, H. and —, 409
 Seeds, W. E.,
 Wilkins, M. H. F., Stokes, A. R., — and Oster, G.,
 840
 Seidel, L., 228, 233, 250
 Sein, J. J., 106
- Seitz, F., 789
 Sellmeir, W., 102
 Senftleben, H. and Benedict, E., 781
 Senior, T. B. A., 664, 672
 Sherman, G. C.,
 Oughstun, K. E. and —, 19
 Shewell, J. R.,
 Wolf, E. and —, 508
 Siday, R. E.,
 Ehrenberg, W. and —, 878
 Siegman, A. E., 417
 Silva, D. E.,
 Wang, J. Y. and —, 525
 Silver, S., 424
 Heins, A. E., and —, 672
 Silverman, R., 616
 Kay, I. and —, 616
 Simon, I., 745
 Sinclair, D., 722
 Sipe, J. E.,
 Kranendonk, J., van and —, 103
 Sirks, J. A., 345, *Fig. 7.48*
 Sitenko, A. G., 724
 Skavlem, S., 670
 Slaney, M.,
 Kak, A. C. and —, 715
 Slevogt, H., 279
 Sliepcevich, C. M.,
 Gumprecht, R. O. and —, 781
 Smith, R., *Fig. 4.17*, 176, 177, 179
 Smith, T., 159, 204, 274
 Sneddon, I. N., 429, 546
 Snell, W., (Snellius), **xxxiii**, 40, 58, 133
 Soleil, H., *Fig. 15.19*, 823
 Duboscq, J. and —, 823
 Soleillet, P., 557, 630
 Sommerfeld, A., 7, 19, 116, 412, 419, 515, 633, 670,
 672, 747, 764, 766, 767
 — and Runge, J., 117, 132
 Rayleigh and —, 572 *et seq.*
 Sommerville, D. M. Y., 814
 Southall, J. P. C., 261
 Sponheim, N.,
 Stamnes, J. J., Gelius, L-J., Johansen, I. and —,
 715
 Stamnes, J. J., 484
 — and Wedberg, T. C., 715
 —, Gelius, L-J., Johansen, I. and Sponheim, N.,
 715
 Steel, W. H., *Fig. 9.14*
 Steinberg, A. M.,
 Chiao, R. Y. and —, 24
 Steinheil, H. A., 265
 Stettler, R., 157
 Steudel, A.,
 Penselin, S. and —, *Fig. 7.61*
 Steward, G. C., 238, *Fig. 8.30*, 517
 Stokes, A. R., 31
 Wilkins, M. H. F., —, Seeds, W. E. and Oster, G.,
 840
 Stokes, G. G., 132, 423, 557, 630, 650
 Stratton, J. A., 7, 660
 Straubel, R., 463
 Strehl, K., 520

- Stroke, G. W., 455
 Strömgren, B., 278
 Strutt, J. W., *see* Rayleigh, Lord
 -Struve, H., 484
 Suchy, K., 117
 Sudarshan, E. C. G., 556
 Klauder, J. R. and —, 556
 Svelto, O., 369
 Swenson, G. W.,
 Thompson, A. R., Morgan, J. M. and —, 308
 Synge, J. L., 142
 Hertzberger, M. and —, 142
 Szivessy, G., 812, 835, 852
- Taylor, C. A., *Fig. 8.10*, *Fig. 8.12*, *Fig. 8.15*
 —, Hinde, R. M. and Lipson, H., 579
 — and Thompson, B. J., 489
 Hanson, A. W., Lipson, H. and —, 579
 Hughes, W. and —, 579
 Lipson, H. — and Thompson, B. J., *Fig. 8.10*,
 Fig. 8.12, *Fig. 8.15*
 Taylor, H. D., 266, 490
 Taylor, W.,
 — and Lee, H. W., 267
 Temple, G., 892
 Theimer, O., Wassermann, G. D. and Wolf, E., 430
 Thelen, A.,
 Musset, A. and —, 68
 Thompson, A. R., Morgan, J. M. and Swenson,
 G. W., 308
 Thompson, B. J., *Fig. 8.10*, *Fig. 8.12*, *Fig. 8.15*
 — and Wolf, E., 583, *Fig. 10.6*
 Lipson, H., Taylor, C. A. and —, *Fig. 8.10*,
 Fig. 8.12, *Fig. 8.15*
 Taylor, C. A. and —, 489
 Thomson, G. P., 880
 Thomson, W., *see* Kelvin, Lord
 Thorp, T., 455
 Titchmarsh, E. C., 558, 634, 635, 642, 668
 Tolansky, S., 374, 397, 400, 756
 — and Wilcock, W. L., 400, *Fig. 7.79*
 Toll, J. S., 558
 Townes, C. H.,
 Schawlow, A. L. and —, xxix
 Tranter, C. J., 670, 671
 Trowbridge, A. and Wood, R. W., 454
 Turner, A. F., 389, 390
 Leurgans, P. and —, 389
 Twiss, R. Q.,
 Brown, R., Hanbury and —, 308, 576
 Twyman, F., 317, 338
 — and Green, A., 338, *Fig. 7.41*, *Fig. 7.42*
- Upatnieks, J.,
 Leith, E. N. and —, 508, *Fig. 8.54*
 Ursell, F.,
 Chester, C., Friedman, B. and —, 888
- Vaidya, P. B.,
 Paranjpe, G. R., Naik, Y. G. and —, 781
 Vainstein, L. A., 667
 Vaishya, J. S.,
 Kandpal, H. C., —, Chander, M., Saxena, K.,
 Mehta, D. S. and Joshi, K., 588
- Vanasse, G. A. and Sakai, H., 359
 Vaskas, E. M., 214
 Verdet, E., 555, 576
 Vicalvi, S.,
 Ambrosini, D., Schirripa Spagnolo, G., Paoletti,
 D. and —, 580
 Ville, J., 558
 Vinci, Leonardo da, 412
 Visser, T. D.,
 — and Wolf, E., 106
 —, Carney, P. S. and Wolf, E., 106
 Voigt, W., 816
 Volosov, D. S., 214
 Volterra, V., 812
- Wadsworth, F. L. O., 461
 Waerden, B. L., van der, 888
 Wagner, E. H., 680
 Walker, J., 487, 498
 Walker, M. J., 33, 630
 Wallace, R. J., 455
 Walsh, J. W. T., 194
 Wang, J. Y. and Silva, D. E., 525
 Wang, L. J., Kuzmich, A. and Dogariu, A., 24
 Wannier, G.,
 Extermann, R. and —, 680
 Wassermann, G. D.,
 — and Wolf, E., 214
 Theimer, O., — and Wolf, E., 430
 Watson, G. N., 440, 479, 487, 491, 534, 767, 884,
 888
 Whittaker, E. T. and —, 440, 441, 536, 639, 644,
 680
 Watson, R. B.,
 Horton, C. W. and —, 657
 Weatherburn, C. E., 134, 181
 Webb, S., 227
 Weber, W., xxxvii
 Kohlrausch, R. and —, 12
 Wedberg, T. C.,
 — and Wedberg, W. C., 715, *Fig. 13.11*,
 Fig. 13.12
 Stamnes, J. J. and —, 715
 Wedberg, W. C.,
 Wedberg, T. C. and —, 715, 717
 Weierstrass, K., 864, 865, 866, 872, 907
 Weinrich, G.,
 Franken, P. A., Hill, A. E., Peters, C. W. and —, 3
 Weinstein, W., 70, 204
 Welford, W. T., 461
 Wentzel, G., 10, 918
 Werner, S. A.,
 Jacobson, D. L., — and Rauch, H., 588
 West, C. D.,
 Land, E. H. and —, *Fig. 15.32*, *Fig. 15.33*
 Westpfahl, K.,
 Hönl, H., Maue, A. W. and —, 634
 Müller, R. and —, 670, 671
 Weyl, H., 617, 665, 711, 913
 — and Pauli, W., 617
 Wheatstone, C., 12
 Whipple, F. L., 279
 Whittaker, E. T., xxxii, 153, 808
 — and Robinson, G., 217

- Whittaker, E. T. (cont).
 — and Watson, G. N., 440, 441, 536, 639, 644, 680
 Wien, W., 500
 Wiener, N., 557, 630, 634
 Wiener, O., *Fig. 7.18*, 311, 313, 839
 Wilcock, W. L., 398, *Fig. 7.76*, *Fig. 7.77*
 Ring, J. and —, *Fig. 7.61*
 Tolansky, S. and —, 400, *Fig. 7.79*
 Wilkins, J. E.,
 Osterberg, H. and —, 463
 Wilkins, M. H. F., Stokes, A. R. Seeds, W. E. and Oster, G., 840
 Willard, G. W., 676
 Williams, W. E., 457, 664
 Wilson, B. A.,
 Kuhn, H. and —, *Fig. 7.61*
 Wilson, R. N., 274, 785
 Wiltschko, E.,
 Fercher, A. F., Bartlet, H., Becker, H. and —, 715
 Wolf, E., 194, 211, 213, 231, 359, 430, 463, 493, 494, *Fig. 8.43*, *Fig. 8.44*, 517, 556, 557, 558, 561, 577, 586, 587, *Fig. 10.12*, 610, 616, 622, 629, 630, 715
 — and Foley, J. T., 729
 — and James, D. F. V., 588
 — and Marchand, E. W., 424
 — and Preddy, W. S., 211
 — and Shewell, J. R., 508
 Agarwal, G. S. and —, 556
 Bhatia, A. B., and —, 905
 Boivin, A., Dow, J. and —, 440, 490
 Boivin, A. and —, 440, 490
 Collett, E. and —, 489
 Friberg, A. T. and —, 587
 Green, H. S. and —, 78
 Habashy, T. and —, 703
 James, D. F. V. and —, 588, *Fig. 10.10*
 Lalor, É and —, 111
 Li, Y. and —, 486
 Linfoot, E. H. and —, *Fig. 8.41*, *Fig. 8.46*, 490, 497, 498, *Fig. 8.47*
 Mandel, L. and —, 194, 219, 556, 557, 566, 577, 586, 588, 615, 711, 712, 888
 Marchand, E. W. and —, 500, 516
 Miyamoto, K. and —, 500
 Nisbet, A. and —, 38
 Pattanayak, D. N. and —, 106
 Richards, B. and —, 440
 Roman, P. and —, 568, 622
 Theimer, O., Wassermann, G. D. and —, 430
 Thompson, B. J. and —, 583, *Fig. 10.6*
 Visser, T. D.,
 —, Carney, P. S. and Wolf, E., 106
 — and Wolf, E., 106
 Wassermann, G. D. and —, 214
 Wolfsohn, G., 634, 657
 Wollaston, W. H., **xxxvii**
 Wood, R. W., 454, 455, 786, 819
 Trowbridge, A. and —, 454
 Woods, B. D., 664
 Wynne, C. G., 159, 267
 Yaglom, A. M., 561, 567
 Young, A.,
 Fletcher, A. T., Murphy, T. and —, 157
 Young, T., **xxxii**, *Fig. 7.2*, *Fig. 7.4*, *Fig. 7.12*, 499, *Fig. 10.10*, *Fig. 10.11*
 Zaiser, E. M.,
 Barnes, M. D., Kenyon, A. S., — and La Mer, V. K., 786, 788
 Zanichelli, N., 558
 Zeeman, P., 455
 Zehnder, L., 348
 — Mach, L., —, *Fig. 7.50*, *Fig. 7.51*
 Zeiss, C., 265, *Fig. 6.5*
 Zernike, F., 472, 475, 507, 523, 555, 572, 574, 581, 596, 905
 — and Brinkman, H. C., 905
 — and Nijboer, B. R. A., 490, 517, 525, *Fig. 9.3*
 Zimmer, E.,
 Hönl, H. and —, 670

Subject index

- Abbe invariant of lens, 255
 reflection, 171
 refraction, 169, 208
- Abbe theory of image formation in microscope, 467–472
- aberration
 balancing, 526–527
 chromatic, 186–189, 257–260
 diffraction theory of, 517 *et seq.*
 fifth-order, 233
 fixed stars, 12
 geometrical (wave and ray aberrations), 228
et seq.
 order of, 232
 primary, 232, 236 *et seq.*, 527 *et seq.*
 chromatic, 257–260
 coefficients of centred system, 236 *et seq.*, 246
et seq., 529 *et seq.*
 diffraction focus, 520, 530–532
 diffraction patterns, 532–543
 frequency response curves, 549 *et seq.*
 frequency response function, 546
 of thin lens, 254–257
 tolerances, 527–532
- aberration curves, 238
- aberration function, 231–233, 235 *et seq.*, 518 *et seq.*
- absolute instrument, 153 *et seq.*
- absorbing crystal, 840–852
 Fresnel equation, 841 *et seq.*
 interference figures, 846–849
 light propagation in, 840–846
- absorbing films, *see* metallic films
- absorbing medium, 218–219
- absorption coefficient, 219, 221, 738
- absorption cross-section, 720, 734, 788
- absorption curves for weakly absorbing spheres, 788
- absorption frequency, 96 *et seq.*
- absorption index, 218–219
- absorptive power, 747
- achromat, 271
- achromatic doublet, 188, 264
- achromatic fringe, 302
- achromatic microscope objective, 284
- achromatic system, 188–189
- achromatization, 188–189, 260
- acuity, visual, 263
- advanced potential, 79
- aether, xxxii, xxxiii, xxxv, xxxvi
- affine collineation (transformation), 161, 164
- Airy formula
 for diffraction at circular aperture, 440
 for multiple-beam interference with plane-parallel plate, 65, 361–362
- Airy pattern, 442
- alkali metals, 751–752
- allied Fourier integral, 558
- Amici ('roof-type') prism, 272
- amplitude, 17
 complex, 18
 scattering, 699, 713, 720
 forward, 720
- amplitude division, 286, 313–359
- amplitude object, 447
- amplitude vectors, 125 *et seq.*
- analytic signal, 558 *et seq.*
- analyzer, 49, 819
- anastigmatic lens (anastigmat), 265
- angle
 of collection, 280
 of deviation, 190
 of diffraction, 414
 polarizing, 45, 48
 quasi-polarizing, 743
 of restored polarization, 742
- angle characteristic, 146–152
- ångström, 378, 410–411
- angular aperture, 199
- angular dimensions of sources (astronomical objects), determination of, 302–308, 576
- angular dispersion, 192, 454
 of grating, 454
 of prism, 192
- angular field of view, 201
- angular frequency, 17
- angular magnification, 164
- angular spectrum of plane waves, 639–642, 711–713
- anisotropic medium, *see* crystals
- anisotropy, electrical, 790
- annular aperture, 462 *et seq.*, 490
- anomalous dispersion, 19, 98
- anomaly, phase, 498–499
- antinode, 311
- antireflection film, 54, 67
- aperture
 angular, 199

- aperture (contd)
 numerical (NA), 200, 282, 466
 relative, 200
see also diffraction
 aperture stop, 199–201
 aplanat, 264
 aplanatic pair of points, 180
 of lens, 256
 of spherical surface, 160
 aplanatic telescope objective, 211, 275
 aplanatism, attainment with aspheric surfaces, 214–217
 apodization, 464
 area (region of) coherence, 554, 555, 576
 aspheric surfaces, design of, 211–217
 associated function, 558
 associated Legendre polynomials, 766, 772, 785
 associated monochromatic source in coherence theory, 578
 astigmatic focal distance, 182
 astigmatic focal line, photograph of, *Fig. 9.11*
 astigmatic pencils, 181–186
 astigmatism, 239, 240 *et seq.*, 262, 531–532, 552
 astronomical telescope
 reflecting, 274–279
 refracting, 267–274
 asymptotic approximation to integrals, 883–891
 asymptotic behaviour of diffraction integrals, 429
 asymptotic expansion, definition and properties of, 883 *et seq.*
 asymptotic series for field vectors, 120
 atomic refractivity, 93, 95
 attenuation index, 218–219, 737
 autocorrelation function, 548, 564
 Aviар lens, 265
 Avogadro number, 93
 axes
 dielectric, 792, 806
 dispersion of, 792
 optic, of crystal, 801, 805 *et seq.*
 determination of location, 833
 axial stigmatism, attainment with aspheric surfaces, 211–214
 azimuth of vibration, 47–48
- Babinet's compensator, 821–823
 Babinet's principle,
 electromagnetic form, 636–637
 for scalar wave, 424
 back-projection algorithm, 226, 715
 Baker Super-Schmidt camera, 279
 balancing of aberrations, 526–527
 barrel distortion, 243–244
 Bates wave-front shearing interferometer, *Fig. 7.52*, 351–352
 Bauer's formula, 534, 768
 beam propagation in absorbing medium, 218
 beam-splitter, 54
 Beer's law, 219
 Berek's compensator, 823
 Berry phase, 127
 Bessel equation, 766–767
 Bessel functions, 767
 beta function, 910
- biaxial crystal, 805, 806
 absorbing, 844, 848–849
 interference figures from biaxial crystal plates, 831–833, 848–849
 normal surface, 808–809
 ray surface, 811
 surface of constant phase difference, 832
 Billet's split lens, 293–294, 296, 299
 binocular, 269
 biprism, Fresnel's, 293–294, 296, 299
 birefringence, 812
 form, 837–840
 stress, 834–837
 black body, 748
 black obstacle, 633
 black screen, 424
 blazed grating, 455
 bloomed surfaces, 68
 blue sun, 785
 Born's approximation
 first-order, 504, 699–703, 707, 708
 relation to Rytov approximation, 729
 second-order, 708, 710, 711
 Bouger's formula, 130, 131
 boundary conditions
 at discontinuity surface, 4–7
 Kirchhoff's, 422, 424–425
 at perfect conductor, 635–636
 boundary diffraction wave, 499–503
 Bragg's law, 706, 707
 Brewster angle, 45, 68
 Brewster fringes, 344
 Brewster law, 45
 brightness, 194, 195, 201–202, 227
 de Broglie wavelength of a particle, 879–880
 Brown–Twiss intensity interferometer, 308, 576–577
 Burch reflecting microscope, 284
- calculus of variations, 853–872
 camera, photographic, 263 *et seq.*
see also Schmidt camera, Schmidt–Cassegrain camera, Baker Super-Schmidt camera
 Campbell's theorem, 354
 candela, 199
 candle, international, 198
 candle power, 198
 canonical equations (Hamilton's), 860–861
 Carathéodory's theorem for absolute instrument, 157
 cardinal planes, 162
 cardinal points, 162
 Cassegrain telescope, 274–275
 Cauchy's dispersion formula, 100–101
 CAT scan, 218
 causality, 558
 caustic surface, 135, 138–139, 181, 868, 870
 Celor lens, 265
 central dark ground method, 472, 476
 central plane of astigmatic image, 539
 central (or principal) ray, 182
 centred system, 161
see also aberration coefficients, 237 *et seq.*, 246–254, 529
 power of, 169

- channelled spectrum, 296
 characteristic curves, 238
 characteristic functions of Hamilton, 142–152, 869
 characteristic matrix of stratified medium, 60–63, 64
 characteristics, equation of, 119
 charge density, 2 *et seq.*, 736
 - free, 80
 - surface, 5
 Chebyshev polynomials, 71
 Chevalier lens, 264
 chief (or reference) ray, 199
 chromatic aberration, 186–189, 257–260
 chromatic change in
 - magnification, 260
 - position of image, 258
 circle of least confusion, 238
 circle polynomials of Zernike, 523–525, 905–910
 circular polarization, 30–31, 37
 classification (optical) of crystals, 805–806
 coherence, 286, 554 *et seq.*, 566
 - area of, 576
 - complex degree of (coherence factor), 564 *et seq.*
 - between components of electric field, 621 *et seq.*
 - for quasi-monochromatic light, 570, 572
 - in image, 590–595
 - microscope resolution, coherence theory of, 595–599
 - mutual, *see* Mutual coherence,
 - partial, 554 *et seq.*, 566
 - region (area) of, 554, 555, 576
 - relation to visibility fringes, 570
 - rigorous theory of, 610 *et seq.*
 - self-coherence, 564
 coherence length, 356
 coherence time, 356, 554, 571, 615–619
 coherence matrix, 621 *et seq.*
 coherent background, 504, 506
 coincidences, method of, 379
 collection, angle of, 280
 collineation, 160–167
 colour, 12
 colour photography, 312
 coma, 180, *Fig. 5.3(b)*, 238, *Fig. 5.5*, 530, 532, 538–539
 compensator, 820–823
 - Babinet's, 821–823
 - Berek's, 823
 - Soleil's, 823
 completeness (complete set), 523
 complex amplitude, 18
 complex degree of coherence (coherence factor), 564 *et seq.*
 complex dielectric constant, 737, 750, 840 *et seq.*
 complex half-range function, 559
 complex phase velocity 737
 complex refractive index, 98, 737
 complex representation,
 - of monochromatic wave, 18 *et seq.*
 - of polychromatic wave, 557 *et seq.*
 complex vector, 34
 complex velocity, 737, 841
 complex wave-number, 737
 computerized (computed) tomography (CT, CAT), 217–227, *Fig. 4.50*, 710
 concave grating, 454, 459–461
 concurrent transformation (imaging), 165
 condenser, influence on resolution in microscope, 595–599
 condenser lenses, 280–281
 conduction current, 3, 9
 conductivity, 735 *et seq.*, 749–750
 - specific, 3
 - tensor, 840
 conductor (conducting medium), 3, 735 *et seq.*
 - perfect, 633, 635, 739
 - stratified, wave-propagation in, 752–758
 - wave propagation in, 735–739
 - see also* metal
 cones, 262
 conformal transformation, 156
 confusion, circle of least, 238
 congruences
 - in electron optics, 878
 - of light rays, 134–135, 139
 conical refraction, 813–818
 conjugate function, 558
 conjugate object, 507–508
 conjugate point, 138, 152, 161, 868
 conjugate wave, 507
 constitutive relations, 3
 continuity, equation of, 2
 contracurrent transformation (imaging), 165
 contrast factor, 368
 contravariant component of a vector, 762
 convection current, 3, 9
 convection of light by moving bodies, **xxxii**
 convergence ratio, 164–165
 convergent transformation (imaging), 165
 convolution (resultant, *Faltung*), 546, 548
 Cooke triplet, 266
 cophasal surface, 18
 - near focus, 495–498
 copper, penetration depth, 739
 cornea, 262
 Cornu spiral, 481, *Fig. 8.37*
 corpucular theory, **xxxiii**, **xxxv**
 corrector plate of Schmidt camera, 276–279
 correlation between vibrations, 554 *et seq.*
 correlation factors of light disturbances, 555
 correlation functions of light beams, 556, 562 *et seq.*
 cosine law
 - of illumination, 196
 - Lambert's, 195
 Coudé focusing, 275
 covariant component of a vector, 762
 critical illumination, 595–597
 critical point, 429, 890–891
 cross-coefficient, transmission, 604–606
 cross-correlation function, 564
 cross-grating, 453
 cross-power spectrum, 567
 cross-section
 - absorption, 720, 734
 - differential, 721
 - extinction, 720, 721, 722, 724, 734
 - geometrical, 721
 - scattering, 720, 721, 734
 - see also* optical (cross-section) theorem,

- cross-spectral density, 567
 crystal (anisotropic medium),
 absorbing, *see* absorbing crystals
 biaxial, *see* biaxial crystal
 energy propagation in, 793–795, 805
 light propagation in, 795 *et seq.*, 806–811
 optical classification, 805–806
 optically isotropic, 805–806
 optics of, 790–852
 orthorombic, 705
 refraction in, 811–818
 refractive indices, determination of, 833–834
 triclinic, 706
 uniaxial, *see* uniaxial crystal
 crystal axes, determination of location, 833
 crystal plates, interference with, 823–833, 846–849
 CT scan, 218, *Fig. 4.50*
 current
 conduction, 3, 9
 convection, 3, 9
 free current density, 80
 sheet, discontinuities at, 635
 surface current density, 5, 635
 current density, electric, 1
 curvature
 of field, *Fig. 5.3(d)*, 240 *et seq.*, 530, 532
 Gaussian (second), 124, 891
 lines of, 181
 principal radii of, 181
 vector of a ray, 131
 cylindrical functions, 767, 773–774
- Dagor lens, 265
 damped wave, 735
 damping force, 749
 dark-ground method of observation, 472, 476
 Debye integral, 485
 Debye's potential, 764
 decay time, 749
 defect of focus, *Fig. 9.13*, *Fig. 9.14*, 552–553
 see also tolerance, focal
 definition (Strehl intensity), 520
 deformation coefficient
 of lens, 255
 of surface, 148
 degree of coherence (coherence factor), 555, 564
 et seq.
 between components of electric field, 621
 in image, 590–595
 for quasi-monochromatic light, 570–572
 degree of polarization, 46, 628–629
 delta function (Dirac's), 892–897
 density
 charge, 2 *et seq.*, 5, 80, 736
 of electric current, 1
 free current, 80
 mutual spectral, 567
 of photographic plate, 505
 spectral, 562
 deviation,
 angle of, 190
 minimum, 191–193
 diamagnetic substance, 3
 diaphragm, 199
- dichroic polarizer, 849–852
 dichroism, 49, 843
 dielectric, 3
 dielectric axes, 792, 806
 dielectric constant, 3
 complex, 737, 750, 840 *et seq.*
 dielectric susceptibility, 730
 frequency-dependent, 97
 of metal, 750–751
 principal, 792
 static, 97
 dielectric film, 61, 64–70
 dielectric susceptibility, 89
 dielectric tensor of an anisotropic medium, 790–792
 differential cross-section, 721
 diffracted ray, 129, 427, 507
 diffracted wave, 427, 504
 diffraction, 412 *et seq.*
 angle of, 414
 at annular aperture, 462–464, 490
 by a black screen, 424
 boundary value treatment, 633 *et seq.*
 boundary wave, 499–503
 by complementary screen, 424
 by concentric arrays of ring shaped apertures, 490
 by conducting sphere, 759–789
 electron, 880–882
 Fraunhofer
 at annular aperture, 462–464
 at aperture, 426–430, 436–446
 at circular aperture, 439–443, 461–464
 at elliptical aperture, 444
 from large number of apertures, 444–446
 in optical instruments, 446–476
 at rectangular aperture, 436–439
 at slit, from line source, 439
 Fresnel, 426, 430
 effects near geometrical focus, 491–499
 at straight edge, 476–484
 Huygens–Fresnel theory, 412 *et seq.*
 Kirchhoff's theory, 421 *et seq.*, 881
 rigorous theory, 633 *et seq.*
 half-plane, 412, 499, 643–659
 from localized source, 659–667
 infinite stack of half-planes, 669–670
 slit, 670
 sphere, 759–789
 strip, 670–671
 two parallel half-planes, 667–669
 theory of aberrations, 517 *et seq.*
 tomography, 710–716
 basic theorem, 713–715
 by ultrasonic waves, 674–694
 uniqueness of solutions, 672–673
 X-ray, 453, 511–512, 880
 Young's theory, 499
- diffraction focus, 520, 530–532
 diffraction fringes, 116
 diffraction gratings, 446–461
 diffraction image, general properties, 535
 diffraction integrals, 430
 asymptotic behaviour (approximation), 883 *et seq.*
 expansion of, 533 *et seq.*
 in presence of aberrations, 518 *et seq.*

- diffraction patterns, *Fig. 8.13*, 532–543
 diffractometer, 579, *Fig. 10.4*
 diffuse emission, 195
 diffuse reflection, 195
 dioptre, 169
 dioptric imaging, 165
 dipole, electric
 field of, 85–88, 778–779
 potentials, 83
 dipole, magnetic, 84
 Dirac delta function (impulse function), 892–897
 discontinuities in field, 4–7, 119, 635, 901–904
 dispersion, xxxv, 21, 95–103
 angular, of grating, 454
 angular, of prism, 192, 193
 anomalous, 19, 98
 of axes, 792
 in a metal, 749 *et seq.*
 normal, 97
 of polarization, 784
 by prism, 190–193
 relations, 558
 dispersion curves, 98
 of glass, *Fig. 4.24*
 dispersion formula,
 Cauchy's, 100–101
 Koch's, 99
 Sellmeir's, 102
 dispersive power, 187
 displacement, electric, 1
 displacement theorem, relating to diffraction
 images, 520–522
 distortion, *Fig. 5.3(e)*, 243–244, 530, 532
 distributions, 892
 disturbance (wave), secondary, 413, 416, 504
 divergent transformation (imaging), 165, 166
 Doppler effect, 355
 double anastigmat, 265
 double Protar, 265
 double refraction, 811–813
 doublet, achromatic, *Fig. 4.25*, 264
 Dove prism, 272, *Fig. 6.16*
 Dowell end-gauge interferometer, 339, *Fig. 7.44*
 dry objective, 284
 dual integral equations, 635, 642–643
 duality rule in crystal optics, 797
 dynamic scattering, 729
 Dyson interferometer microscope, 346–347
- Eagle's mounting, 460
 echelle, 454
 echelle, 455
 echelon, 455 *et seq.*
 edge, singularity, 672
 Edser–Butler fringes, 400
 effective field, 90–91
 effective number of beams, 372
 effective spectral width, 615–618
 eikonal, 119, 142
 of Schwarzschild (Seidel-), 233–236
 eikonal equation, 119, 869, 904
 Einstein–de Broglie relations, 700
 elastic aether theory, xxxii, xxxiii, xxxv, xxxvi
 electric current density, 1
- electric dipole, 83, 85–88, 778–779
 electric displacement, 1
 electric energy density 8, 34, 791–792, 794–795
 in geometrical optics, 120–121
 electric polarization, 75, 80
 electric scalar potential, 77, 80 *et seq.*
 electric vector, 1
 electric wave, 763
 see also transverse electric wave
 electrical anisotropy, 790
 electromagnetic field, 1 *et seq.*
 in material medium; integral equation for, 104–105
 transversality, 24
 two-dimensional, scalar nature of, 638
 electromagnetic scattering theory, 729–734
 integro-differential equations, 730
 far field, 730–732
 optical cross-section theorem, 734
 electromagnetic waves, 24 *et seq.*
 velocity of, xxxvii, 11 *et seq.*
 electron, 96
 free, wave-mechanics of, 879–881
 relativistic, 876
 electron diffraction, 880
 electron optics, 873
 electron theory of optical constants of metals, 749–752
 ellipsoid
 index, 799
 ray, 802
 reciprocal, 799
 of wave normals, 799 *et seq.*
 elliptic polarization, 25 *et seq.*, 35 *et seq.*
 elongation, formula of Maxwell, 177
 emission
 diffuse, 195
 line spectrum, 352
 emission theory, xxxiii, xxxiv
 emissive power, 747
 emmetropic eye, 262
 energy
 conservation law in scalar fields, 718 *et seq.*, 791, 918–920
 conservation law in electromagnetic fields, 7–10
 luminous, 198
 propagation in crystal, 793–795, 805
 energy density, 8, 34, 791, 794–795, 918, 919
 in geometrical optics, 120–121
 energy dissipation, 733
 energy flow (flux) vector, 10, 24–25, 35, 717 *et seq.*, 732–733, 794, 918, 919
 energy index, 795
 energy law, 7–10, 791
 energy (ray) velocity, 793, 794, 805
 entrance pupil, 199, 201, *Fig. 4.33*
 entrance window, 201, *Fig. 4.33*
 envelope of
 extremals, 868
 signal, 559
 E-polarization, 55, 638, 678
 equal optical path, principle of, 141
 ergodicity, 561
 etalon, Fabry–Perot, 367
 Euler's equations, 854, 860–861

- Euler's integral, 910
 evanescent wave, 641
 evolute, 181
 Ewald sphere
 of reflection, 701, 702
 limiting, 701, 702, 703, 715
 Ewald–Oseen extinction theorem, 75–76, 106–108
 excess fractions, method of, 325, 378
 excess function of Weierstrass, 864, 865
 exit pupil, 199, *Fig. 4.33*
 exit window, 201, *Fig. 4.33*
 exposure, 505
 extended objects, imaging of, 543–553, 599–606
 exterior problem, 698
 external conical refraction, 816–818
 extinction coefficient, 737
 extinction cross-section, 720, 721, 722, 724, 734
 extinction curves, 787–789
 extinction theorem, 75–76, 106–108
 extraordinary wave, 807
 extrapolation, 703
 extremal, 854–855
 determination of, 858–860
 envelope of, 868
 field of, 856–858
 eye, 261–263
 see also resolution, visibility curve, visibility factor
 eye lens, 271
 eye relief, 270
 eyepiece, 267, 270–271, 282
- Fabry–Perot etalon, 367
 Fabry–Perot fringes, *Fig. 7.60*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*
 Fabry–Perot interferometer, 366 *et seq.*
 application to comparison of wavelengths, 377–380
 application to study of fine structure of spectral lines, 370–377
- Faltung*, *see* convolution
- fan-beam projection, 220
- Fermat's principle, xxxiii, 136–139, 853, 876
- ferromagnetic substance, 4
- field
 curvature, *Fig. 5.3(d)*, 240 *et seq.*, 530–532
 effective, 90, 108
 electromagnetic, 1 *et seq.*
 of extremals, 856–858
 of an instrument, 152
 limit of, 868
 mean (observed), 90
 quantization, xxxix
 static, 2
 stationary, 2, 561
 of view, angular, 201
- field angle, 201
- field lens, 271
- field stop, 200
- fifth-order aberrations, 233
- film
 antireflection, 54, 67
 dielectric, 61, 64–70
 fringes with thin films, 318 *et seq.*, 391–401
 metallic, 752–758
- quarter-wave, *Fig. 1.19*, 73
 filtered back-propagation algorithm, 715
 filters, 70, 386–390; *see also* linear filter
 finesse, 364, 369, 385–386
 first variation, 854
 fish-eye of Maxwell, 157–159
 fixation, 262
 Fizeau fringes, 323, 394, 397, *Fig. 7.76*, *Fig. 7.77*
 Fizeau interferometer, 323, *Fig. 7.30*
 Fizeau method for determining angular dimensions
 of astronomical objects, 305
 flatness of field, 253
 flint-in-front objective (Steinheil), 270
 flow (flux) of energy, 10, 25, 35
 fluctuations, 286, 554
F number, 200, 267
 focal distance, astigmatic, 182
 focal length, 163 *et seq.*
 focal line, 182, 183, 185, 241
 focal plane, 135, 161, 162 *et seq.*, 181, 182
 focal ratio, nominal, 200
 focal sphere, 281
 focal surface, 135, 241
 focal tolerance, 491
 focus
 of congruence, 135
 defect of, *Fig. 9.13*, *Fig. 9.14*, 552–553
 diffraction, 520, 528 *et seq.*
 light distribution near, 484–499
 marginal, 238
 primary, 183, 185
 principal, 162
 sagittal, 183
 secondary, 183, 186
 tangential, 183
 foot-candle, 199
 form birefringence, 837–840
 forward scattering amplitude, 720
 Fourier slice theorem, 225
 fovea, 262
 fractional order, 315
 Fraunhofer diffraction, *see* diffraction
 Fraunhofer objective, 270
 free charge density, 80
 free current density, 80
 free spectral range, 457
 frequency, 17
 absorption, 96 *et seq.*
 angular, 17
 resonance, 96 *et seq.*
 spatial, 946
 of visible light, 12
 frequency response function (transmission factor),
 coherent illumination, 546–547, 601–602
 incoherent illumination, 549 *et seq.*, 601–602
 partially coherent illumination, 601–602
 Fresnel bi-prism, 293, *Fig. 7.7*, 296, 299
 Fresnel diffraction, *see* diffraction
 Fresnel equation of wave normals, 796, 841 *et seq.*
 Fresnel formulae
 for light propagation in crystals, 745–799, 841
 et seq.
 refraction and reflection, 42–43, 114–115, 741
 total reflection, 50 *et seq.*

- Fresnel integrals, 478–481, 647, 649, 650, 651
 Fresnel–Kirchhoff diffraction formula, 422–423
 Fresnel mirrors 292, *Fig. 7.5*, 296, 297, 299, 328
 Fresnel number, 417, 486
 Fresnel ray equation, 797
 Fresnel rhomb, 53, *Fig. 1.16*
 Fresnel zone construction, *Fig. 8.1*, 414 *et seq.*
 fringes
 achromatic, 302
 Brewster's, 344
 multiple-beam, 408
 diffraction, 116
 Edser–Butler, 400
 of equal chromatic order, 400
 of equal inclination, 315
 multiple-beam, 362 *et seq.*, *Fig. 7.81*
 of equal thickness, 320 *et seq.*
 Fabry–Perot, *Fig. 7.60*, *Fig. 7.64*, *Fig. 7.65*, *Fig. 7.66*
 Fizeau, 323
 multiple-beam, *Fig. 7.74*, 347, *Fig. 7.76*, *Fig. 7.77*
 interference, 292
 localization, 315 *et seq.*, 325–334
 with Lummer–Gehrke interferometer, 384
 nonlocalized, 294, 326, 328
 with plane-parallel plate, 313–318
 multiple-beam, 360–366
 with quasi-monochromatic light, 295–296
 of superposition, 405–409
 with thin films, 318 *et seq.*
 multiple-beam, 391–401
 with two plane-parallel plates, 341 *et seq.*
 multiple-beam, 401 *et seq.*
 visibility, 298
 from a wedge, 329–334
 with white light, 295–296
 Young's, *Fig. 7.4*
- Gabor's method of imaging by reconstructed wave-fronts, 504–512
 Galilean telescope, 268
 gauge-measuring interferometer, 323–325
 gauge transformation for
 Hertz vectors, 84, 85
 vector and scalar potentials, 77
 Gaussian curvature, 124, 891
 Gaussian optics, 167–177
 Gaussian reference sphere, 229, 231, 518 *et seq.*
 Gaussian units, 1
 generalized harmonic analysis, 560
 geometrical aberration, *see* aberration
 geometrical cross-section, 721
 geometrical optics, 116 *et seq.*
 eikonal equation, 119, 869, 904
 extension of, 129
 intensity law, 123–125, 128
 law of refraction (Snell's law), 133
 limits of validity, 128–129
 transport equations for amplitude vectors, 125–127
 geometrical wave-front (wave surface), 119
 ghosts, 454
 glass, dispersion curves, *Fig. 4.24*
 Goos–Hänchen effect, 52
- gram-molecule, 93
 gratings, 446–461
 angular dispersion, 454
 one-dimensional (line gratings), 705
 overlapping of spectral orders, 457
 resolving power, 452–453
 spectrograph, 458–461
 three-dimensional (space gratings), 705
 two-dimensional (cross gratings), 705
 types, 453 *et seq.*
 Green's function of Helmholtz operator, 697
 outgoing free-space, 698
 Green's theorem, 418, 697, 725
 Gregorian telescope, 275
 group velocity, 22–24
 group of waves, 20 *et seq.*
- Hale telescope, 274, 275
 half-intensity width, 364
 half-plane, diffraction by, rigorous, 312, 499, 633, 643–657
 half-range function, complex, 559
 half-width, 364, 387–388
 Hamilton canonical equations, 860–861
 Hamilton characteristic functions, 142–152, 869
 Hamilton–Jacobi equation, 119, 856, 870, 871
 Hamilton principle, 870
 Hamiltonian, 870
 Hamiltonian analogy between geometrical optics and mechanics, 139, 873 *et seq.*
 Hanbury Brown–Twiss interferometer, 308, 576–577
 Hankel functions, 660, 767
 harmonic analysis, generalized, 560
 harmonic wave, 16–19
 of arbitrary form, 33–38
 plane, 25–33
 heat
 Joule's, 10
 radiation; Kirchhoff's law, 747
 Heaviside unit function (step function), 895
 Helmholtz equation, 418, 696
 Helmholtz Green's function, 697
 Helmholtz–Kirchhoff integral theorem, 419
 Helmholtz reciprocity (reversion) theorem, 423
 see also Smith–Helmholtz invariant
 Hermitian matrix, 620
 Herschel condition, 178, 180
 Hertz vectors (polarization potentials), 84–85, 730, 731
 far field, 731
 radial, 764
 Hilbert independence integral, 855
 Hilbert transform, 558, 561
 hologram, 504 *et seq.*
 volume, 708
 holography, 504 *et seq.*
 homocentric pencil, 139, 181
 homogeneous plane wave, 639
 see also plane wave
 Hopkins' formula, 577–578
 generalization, 608
 H-polarization, 55, 638
 Hurter–Driffield curve, 505, *Fig. 8.51*

- Huygenian eyepiece, 271, *Fig. 6.14(a)*
 Huygens' construction, 141, 812
 Huygens–Fresnel diffraction theory, 412 *et seq.*
 Huygens–Fresnel principle, 141, 413–417, 421, 423
 hypergeometric polynomials, 907–908
 hypergon, 265
 hypermetropia, 262
 hyperplane, 221, 222
 hysteresis, 4
- illumination, 195, 196, 198, 202–203
 critical, 595–597
 Köhler's, 598–599
 instruments of, 279–281
 radiometric, 195 *et seq.*
- image
 chromatic change in position, 258
 stigmatic (sharp), 152
 of transilluminated object, 602–606
see also aberration, diffraction image, diffraction patterns, imaging
 image field angle, 201
 image formation in microscope (Abbe's theory), 467–472
 image forming instruments, 261–285
 image reconstruction from projection (computerized tomography, CAT), 217–227
 image resolving power, 461–465
 image point, graphical determination of, 164, *Fig. 4.11*
 image space, 152, 175
 imaging
 concurrent (dioptric), 165, 166
 contracurrent (katoptric), 165, 166
 convergent, 165, 166
 divergent, 165, 166
 of extended objects, 543–553, 599–606
 perfect, 152 *et seq.*
 by reconstructed wave-fronts, 504–512
 stigmatic, 159–160, 178
 of three-dimensional objects, 217
 of two-dimensional objects, 217
see also axial stigmatism
 impulse function (Dirac delta function), 892–897
 inclination factor, 413, 423
 incoherence, 127, 286, 555, 566, *Fig. 10.2(c)*, 573
 independence integral, Hilbert's, 855
 index ellipsoid, 799
 indicatrix, optical, 799
 induced surface currents, 635
 induction, magnetic, 1
 inhomogeneous wave, 18, 639
 instrument
 absolute, 153 *et seq.*
 field of, 152
 of illumination, 279–281
 image-forming, 261–285
 insulator, 3
 integral equation
 dual, 635, 642–643
 for electromagnetic field in material medium, 104–105
 integral invariant, 135–136, 872
 integral of potential scattering, 698
- intensity
 near focus in terms of wave deformation, 522
 of light, 10
 luminous, 198
 mutual, 572 *et seq.*
 radiant, 195
 specific, 195
 Strehl (definition), 520
- intensity interferometer, of Hanbury Brown and Twiss, 308, 576–577
- intensity law of geometrical optics, 123–125, 128
- interference, 286 *et seq.*, 554 *et seq.*
 with broadband light, 585–590
 multiple-beam, 287, 359–409; *see also* fringes
 order of, 292, 449
 principle of, xxxiv
 rays reflected from lattice planes, 707
 spectral interference law, 587, 588
- two-beam,
 division of amplitude, 286, 313–359
 of wave-front, 286, 290–308
 of two monochromatic waves, 287–290, 308–313
- interference figures from crystal plates, 823–833, 846–849
- interference filter, 386–390
- interference fringes, *see* fringes
- interference function, *Fig. 8.19*
- interference law for stationary optical fields, 564, 565
 quasi-monochromatic form, 571
- interference term, 288
- interior problem, 698
- interferometer
 Bates, wave-front shearing, 351–352
 Dowell end-gauge, 339 *et seq.*
 Dyson interferometer microscope, 346–347
 Fabry–Perot, 366 *et seq.*
 Fizeau, 323–324
 gauge-measuring, 323–325
 Hanbury Brown–Twiss intensity, 308, 576–577
 Jamin, 344–345, 348–349
 Kösters, 338, *Fig. 7.43*
 Lummer–Gehrke, 380–386
 Mach–Zehnder, 348–351
 Michelson, 334–336, *Fig. 7.40*, 338
 Michelson, stellar, 307–308, 576
 radio, 308
 Rayleigh, 300–302, 345
 resolution, 370 *et seq.*
 Sirk–Pringsheim, 345–346
 spectral range, 373
 Twyman–Green, 338–340
 internal conical refraction, 816
 international candle, 198
 International Prototype Metre, 409
 invariance in form, 905
 invariant
 Abbe's, 169, 171, 208, 255
 Lagrange's, 135–136, 872
 Poincaré's, 135, 872
 Smith–Helmholtz, 176–177
 inverse square law, 124, 196
 inverse surface of wave-normals, 812
 involute, 181

- iris, 262
 isochromate, 826, 830, 833, 849
 isochromatic surface, 828
 isogyr, 826, 830, 832–833, 847, 849
 isophotes (lines of equal intensity),
 aberration-free image, focal region, 489, *Fig. 8.41*
 for primary astigmatism, 542
 for primary coma, 539, *Fig. 9.6*, *Fig. 9.7*
 for primary spherical aberration, 537
 isoplanatic region, 545, 547
 isotropic crystal, 805, 806
 isotropic material, 3
 isotropic radiation, 195
- Jacobi criterion for a minimum, 867–868
 Jacobi identities, 491–492, 533
 Jacobi polynomials, 907–908
 see also Hamilton–Jacobi equation
 Jamin interferometer, 344–345, 348–349
 Jones lemma, 719, 921, 923
 Joule's heat, 10
- katoptric imaging, 165, 166
 Kellner eyepiece, *Fig. 6.14(b)*
 Kirchhoff
 boundary conditions, 422, 424
 diffraction integral, Rubinowicz' representation, 503
 diffraction theory, 421 *et seq.*, 881–882
 in electron optics, 881–882
 integral theorem, 417, 419, 420
 law of radiation 747
 Koch's dispersion formula, 99
 Köhler's illumination, 598–599
 König erecting prism, 269, *Fig. 6.10*
 Kösters interferometer, 338, *Fig. 7.43*
- Lagrange equation of motion, 871
 Lagrange invariant, 135–136, 872
 Lagrange method of undetermined multipliers, 800
 Lagrangian, 870, 876
 Lambert's (cosine) law, 195
 landscape lens, 264
 Laplace's equation, 419
 lateral chromatic aberration, 186, *Fig. 4.23*
 lateral magnification, 163, 208
 lattice plane, 707
 Laue (von) equations, 706
 least action, principle of, 872, 877
 least confusion, circle of, 238
 least time, principle of, *see* Fermat's principle
 Legendre associated functions, 766, 772–773, 785
 Legendre condition for a weak minimum, 866
 Legendre polynomials, 525
 Legendre transformation, 144, 860
 length (path), optical, 121–122, 141
 lens
 Abbe's invariant, 255
 anastigmatic, 265
 aplanatic points, 256; *see also* aplanatic pair
 coma-free, 256, *Fig. 5.10*
 condenser, *Fig. 6.25*, 281
 deformation coefficient, 255
 of eye, 262
 eye-lens, 271
 field, 271
 Luneburg, 147
 photographic, types of, 263 *et seq.*
 testing by Michelson's method, 300
 thick, 171–174
 thin, 174–175
 aberrations, 254–257, 260
 types of, *Fig. 4.15*, 263–267, 269 *et seq.*, 280, 281, 293–294, 296, 299
 light
 disturbances, probability distribution, 554, 555
 monochromatic, *see* monochromatic light
 natural, 45–46, 430, 432, 624–626, 628, 780
 partially polarized, 557, 619, 628
 polarized, 619
 quasi-monochromatic, *see* quasi-monochromatic light
 sum, 505
 unpolarized, 619, 624–626, 628; *see also* natural light
 vibrations
 coherent, 555, 566
 incoherent, 555, 566
 partially coherent, 555, 566
 visible, frequency of, 12
- light intensity, 10
 light ray, 116, 121 *et seq.*, 869–870
 light velocity, xxxvii, xxxix, 10 *et seq.*
 line grating *Fig. 8.20*
 linear filter representation of action of optical system, 546, 548, 601, 602
 linear polarization, 30, 31, 37
 lines of
 curvature, 181
 equal intensity, *see* isophotes
 Liouville's theorem on conformal transformation, 156
 Lippman's colour photography, 312
 Littrow's mounting, 458
 Lloyd's mirror, 293, 296, 299, 309
 localization of fringes, 315 *et seq.*, 325–334
 Lommel functions, 487
 longitudinal chromatic aberration, 186
 longitudinal magnification, 163
 Lorentz condition, 77
 Lorentz law (force), 8
 Lorentz–Lorenz formula, 75, 92, 108
 Loschmidt's number, 93
 low-pass filtered approximation, 702
 lumen, 199
 luminance, 198
 luminous energy, 198
 luminous intensity, 198
 Lummer–Gehrke interferometer, 380–386
 Luneburg lens, 157
 lux, 199
- Mach–Zehnder interferometer, 348–351
 magnetic dipole, 84
 magnetic energy density, 8, 34, 791
 in geometrical optics, 120–121
 magnetic induction, 1
 magnetic permeability, 3, 730

- magnetic polarization, 75, 80
 magnetic potential, 77, 80 *et seq.*
 magnetic substance, 3
 magnetic susceptibility, 89
 magnetic vector, 1
 magnetic wave, 763; *see also* transverse magnetic wave
 magnetization, 75, 80 *et seq.*, 730
 magnification
 angular, 164–165
 chromatic change in, 260
 lateral, 163, 208
 longitudinal, 163
 magnifier, *Fig. 6.26*, 282
 magnifying power, 268, 281, 282
 Malus–Dupon theorem, 139–140, 878
 converse of, 139
 marginal focus, 238
 material equations, 2–4
 matrix, 58 *et seq.*, 620 *et seq.*
 Maupertuis' principle, 853, 862, 872
 Maxwell elongation formula, 177
 Maxwell equations, 1–2, 58, 75, 105, 117, 633, 638, 677, 680–692, 736–737
 Maxwell 'fish-eye', 157–159
 Maxwell formula, 14
 Maxwell theorem for absolute instrument, 153
 et seq.
 Mean field, 90
 mean polarizability, 92
 meniscus, *Fig. 4.15(c)*, *Fig. 4.15(f)*
 meridional plane, 161, 204
 meridional ray, 204
 Meslin's experiment, 294, *Fig. 7.9*, 296, 328
 metal, 735
 alkali, 751–752
 dielectric constant, 750–751
 Fresnel's formulae, 741
 optical constants,
 electron theory of, 749–752
 general relations, 737 *et seq.*
 values of, 746, *Fig. 14.3*
 optics of, 735–789
 reflection at metal surface, 739 *et seq.*
 refraction at metal surface, 739 *et seq.*
 see also conductor
 metallic films, 752–758
 metre, 377, 409–411
 metre-candle, 199
 Michelson interferometer, 334–337
 Michelson stellar interferometer, 305–308, 576
 Michelson's method for
 determining angular dimensions of astronomical objects, 302–308
 determining fine structure of spectral lines 356–359, 570–571
 for lens testing, 300
 microscope, 281–284
 Abbe's theory, 467–472
 Burch reflecting, 284
 Dyson interferometer, 346–347
 polarizing, 833
 Rayleigh's theory, 467
 X-ray, 511
 Zernike's phase contrast method, 472–476
 microscope images, 467 *et seq.*, *Fig. 8.34*, *Fig. 8.35*
 microscope resolution, 466, 471
 effect of condenser on, 565–599
 Mie effect, 782
 Mie's theory, *see* diffraction by conducting sphere
 Miller indices, 707
 minimum
 Jacobi's criterion, 867–868
 strong, Weierstrass' condition, 865
 weak, Legendre's condition, 866
 minimum deviation, 191 *et seq.*
 mixed characteristic, 144–146
 mode representation of wave fields, 712; *see also*
 angular spectrum representation
 molar refractivity, 93–95
 mole, 93
 molecule, 90, 92, 95
 monochromatic wave (light), 20, 25 *et seq.*, 287, 354, 573, 577, 578, 624–625
 momentum transfer equation, 700, 704
 multilayer, 54, 70 *et seq.*
 multiple-beam fringes, *see* fringes
 multiple-beam interference, 287, 359–409
 multiple scattering, 708–710
 mutual coherence, 564
 calculation of, 606–608
 propagation of, 609–610, 612–615
 spectral representation, 566–568
 wave-equations, 610–612
 mutual coherence time, 615–619
 mutual effective spectral width, 615–619
 mutual intensity, 572 *et seq.*
 calculation of, 572 *et seq.*
 propagation of, 581–585, 611
 transmission of, 599 *et seq.*
 mutual spectral density, 567
 myopia, 262
- NA, *see* numerical aperture
 natural component of vector, 762
 natural light, 45–46, 430, 432, 624–626, 628, 780
 negative uniaxial crystal, 807
 Neumann functions, 767
 Newton colours, 323
 Newton equation, 163, 164
 Newton rings, 321, *Fig. 7.28*, *Fig. 7.29*
 Newtonian telescope, 274, *Fig. 6.18*
 Nicol prism, 818–819
 nit, 199
 nodal point, *Fig. 4.10*, 164
 node, 311
 nominal focal ratio, 200
 nonlocalized fringes, 294, 326, 328
 nonnegative definite quadratic form, 911
 nonpolar molecule, 92, 96
 normal congruence, 134–135, 139–141, 878
 normal surface, 803–805, 807, 808–811
 normal dispersion, 97
 Nörrenberg's reflecting polariscope, 48–49
 nucleus, 95
 number density, 90
 numerical aperture (NA), 200, 282, 466

- object, transmission function of, 447
 object function, 224
 object space, 152, 175
 objective
 dry, 284
 flint-in-front (Steinheil), 270
 Fraunhofer, 270
 oil-immersion, 284
 microscope, 282 *et seq.*
 photo-visual, 270
 telescope, 211, 267 *et seq.*
 oblique meridional ray trace, 204–207
 obstacle, black, 633
 Ohm's law, 3
 oil-immersion objective, 284
 ophthalmics, 262
 optic axis of wave normals, 801, 806 *et seq.*, 811
 optic ray axis, 801
 optical constants of metal, *see* metal
 optical cross-section theorem, 716, 720, 734
 generalized, 722, 723, 724
 optical indicatrix, 799
 optical length, 121, 141
 optical parallelism, 141
 optical path, 121, 141
 optical resonance, 786
 optical system as linear filter, 546, 548, 601, 602
 orthorombic crystals, 705
 optics
 of crystals, 790–852
 Gaussian, 167–177
 geometrical, *see* geometrical optics
 of metals, 735–789
 order of
 aberration, 232
 interference, 292, 449
 orders
 overlapping, 375, 457
 spectral, 451
 ordinary wave, 807
 out-of-focus images of a point source, 484–499
 overlapping of orders, 373, 457
 parallel projection, 220, 224, 226
 parallelism, optical, 141
 paramagnetic substance, 3
 paraxial ray trace, 207–208
 Parseval's theorem, 429
 partial coherence, 554–632
 rigorous theory, 610 *et seq.*
 partial polarization, 557, 619, 628
 partial waves in Mie's theory, 774–775, *Fig. 14.9*
 Paschen's mounting, 460
 path length, 17, 122, 140
 peak-transmission, 368, *Fig. 7.61*, 387
 pencil of rays
 astigmatic, 181, 186
 homocentric, 139, 181
 penetration depth, 738
 for copper, 739
 perfect conductor (reflector), 633, 635, 739
 perfect imaging, 152 *et seq.*
 period, 17
 periodically stratified media, 70–74
 periodogram, 561
 periscope, 271–272
 permeability, magnetic, 3
 permittivity, 3, 792
 perturbation eikonal, 233–236
 perturbation expansion, 710
 Petzval's condition, 253
 Petzval's portrait lens, 264
 Petzval's surface, 253
 Petzval's theorem, 253
 phase 17
 behaviour near focus, 498–499
 contrast method, 472–475
 object, 447, 472
 slowness, 19
 stationary, method of, 429, 888–891
 surface of constant phase difference, 828, 829,
Fig. 15.23, 832
 phase anomaly, 498–499
 phase change on
 reflection, 64, 756
 transmission, 64, 756
 phase plate, 473
 phase velocity, 16–19, 23, 793–794, 799, 801, 810
 complex, 737
 photochemical action, 312
 photoelastic effect, 834
 photoelasticity, 837
 photoelectric effect, xxxix, 196
 photographic camera, 263 *et seq.*; *see also* Schmidt
 camera, Schmidt–Cassegrain camera, Baker
 Super-Schmidt camera
 photographic lenses, 263 *et seq.*
 photographic plate, transmission factor of, 505–506
 photographic response, *Fig. 8.51*
 photography, colour, 312
 phot heliograph, 266
 photometric, 195
 photometry, 194
 photons, xxviii
 photovisual objective, 270, *Fig. 6.12*
 pincushion distortion, 243, *Fig. 5.8*
 planar lens, 265, *Fig. 6.5*
 Plancherel–Polya theorem, 703
 plane of
 incidence, 39
 observation, 780
 polarization, 29
 vibration, 29
 plane wave, 15–16, 17 *et seq.*, 24 *et seq.*, 639 *et seq.*
 plane-polarized wave, 30
 plate, quarter wave, 820–821
 pleochroism, 843
 Poincaré invariant, 135, 872
 Poincaré sphere, representation of state of
 polarization, *Fig. 1.8*, 33
 point characteristic, 142–144, *Fig. 4.3*, 869
 polar diagrams for scattering by a sphere, 781–782
 polar molecule, 95–96
 polariscope, 48–49, 830
 polarizability, 92, 97
 polarization, xxxiii, xxxiv, 25 *et seq.*, 36–38, 80 *et seq.*, 730
 complete, 628

- polarization (cont.)
 degree of, 46–47, 628–629, 630, 780, 793
 direction of, 29
 dispersion of, 784
 electric, 75, 80
 elliptic, circular, linear, 25 *et seq.*, 29 *et seq.*, 35–38
 left-handed, right-handed, 29 *et seq.*
 magnetic, 75, 80
 partial, 557,
 619, 628
 plane of, 29
 properties of quasi-monochromatic light,
 619–632
 properties of waves of arbitrary form, 33–38
 by reflection, xxxiv, 45 *et seq.*
 by scattering, 780–784
 polarization ellipse, 27, 36
 polarization potentials (Hertz vectors), 84–85, 730
 polarized proportion, 47
 polarizer, 49, 68, 819, 849–852
 polarizing (Brewster) angle, 45
 polarizing microscope, 833
 polaroid, 49, 850
 pole (critical point), 429, 890–891
 pole (of a surface), 147
 polychroism, 784
 polychromatic field, 557 *et seq.*
 Porro prism, 269
 portrait lens, Petzval's, 264
 positive uniaxial crystal, 807
 potential
 advanced, 79
 Debye's, 764
 Hertz, 730
 of an electric dipole, 82–84
 electric scalar, 77, 80 *et seq.*
 magnetic vector, 77, 80 *et seq.*
 polarization (Hertz vector), 84–85
 retarded, 79
 scattering, 696
 integral equation, 698
 power
 absorptive, 747–748
 of centred system, 169
 dispersive, 187
 emissive, 747–748
 magnifying, 268, 281, 282
 of refracting surface, 169
 spectrum, 562
 Poynting vector, 10, 25, 35, 717, 733, 791
 in geometrical optics, 120–122, 128
 primary (Seidel) aberration, 232, 236 *et seq.*, 527 *et seq.*
 chromatic, 257–260
 coefficients of centred lens system, 236 *et seq.*, 246–257, 527–532
 diffraction focus, 528 *et seq.*
 diffraction patterns, 532–543
 frequency response curves, *Fig. 9.13*, *Fig. 9.14*, *Fig. 9.15*, *Fig. 9.16*
 of thin lens, 254–257
 tolerances, 527–532
 primary focal line, 182, 183, 241
 primary focus, 183, 185
 principal angle of incidence, 742
 principal dielectric axes, 792
 principal dielectric constants, 792
 principal focus, 162
 principal isochromate, 826
 principal isogyre, 826, 830, 833, 849
 principal permittivity, 792
 principal plane, 163, 181, 807
 principal point, 163, 164
 principal radius of curvature, 181
 principal (or central) ray, 182, 199
 principal velocity, 796, 801
 prism
 Amici ('roof type'), 272
 Dove, 272
 König, erecting, 269, *Fig. 6.10*
 Nicol, 818–819
 Porro, 269
 see also dispersion, resolving power
 probability distribution for light disturbances, 554, 555
 projection, 220, 221, 222
 back, 226, 715
 fan-beam, 220
 parallel, 220, 224, 226
 projection angle, 199
 projection slice theorem, 225
 projective transformation, 160–167
 propagation vector, 17
 proportion
 polarized, 47
 unpolarized, 780
 Protar lens, 265
 prototype metre, 409
 pupil, 199, 200
 pupil function, 428, 463, 545
 Purkinje effect, 198
 quantum, xxxviii
 quantum theory, xxxviii
 quantization of field, xxxix
 quarter-wave film, *Fig. 1.19*, 73
 quarter-wave plate, 820–821
 quarter wavelength rule of Rayleigh, 528
 quasi-monochromatic light, 295
 imaging with, 599–606
 interference and diffraction with, 295–296, 569–585
 interference law, 571
 polarization properties of, 619–632
 quasi-polarizing angle, 743
 radial Hertz vectors, 764
 radial polynomials, 523 *et seq.*, 906 *et seq.*
 radiance, 195
 radiant intensity, 195
 radiation
 isotropic, 195
 Kirchhoff's law, 747
 radiation zone, 87, 774
 radio interferometer, 308
 radiometric illumination, 195 *et seq.*
 radiometry, 194–199

- Radon transform, 221–223, 224
 scaling law, 222
 two-dimensional, 224
- Ramsden eyepiece, 270, *Fig. 6.13(b)*
- Rapid-Rectilinear lens, 264
- ray, 116, 121 *et seq.*, 129 *et seq.*, 869
 central (or principal), 182
 chief (or reference), 199
 diffracted, 129, 427, 507
 equation of, 129–132, 868–870
 Fresnel's, 797
 generalization in calculus of variation, 857–858
 integral, 219–220
 meridional, 204
 paraxial, 207–208
 principal (or central), 182
 reference (or chief), 199
 regular neighbourhood of, 136
 residual, 748
 in spherically symmetrical medium, 130–131
- ray aberration, 228 *et seq.*
- ray axis, optic, 801, 811
- ray component, 143
- ray congruence, 134–135, 139, 878–879
- ray ellipsoid, 802
- ray index, 795
- ray surface, 803–805, 811
- ray tracing, 204 *et seq.*
- ray vector in
 crystal optics (Poynting vector), 791
 geometrical optics, 132, 143
- ray velocity, 793, 794, 805
- Rayleigh criterion for resolution, 371 *et seq.*, 462, 597
- Rayleigh diffraction integrals, 512–514
- Rayleigh formula for total energy in diffraction pattern, 442–443, 492–494
- Rayleigh interferometer, 300–302, 345
- Rayleigh quarter wavelength rule, 528
- Rayleigh scatterer, 505
- Rayleigh scattering, 104, 780, 783, 785
- Rayleigh–Sommerfeld diffraction integrals, 512 *et seq.*
- Rayleigh theory of image formation in microscope, 467
- rays, thin pencil of, 181
- real portion of object (image) space, 175
- reciprocal ellipsoid, 799
- reciprocal lattice, 702
- reciprocity inequality, 912
- reciprocity relation, 724–726
- reciprocity theorem of Helmholtz, 423
- reconstructed wave-fronts, 504–512
- rectilinear congruence, 134
- reduced wavelength, 17
- reference (or chief) ray, 199
- reference sphere, Gaussian, 229, 230, 518 *et seq.*
- reflecting microscope, 284
- reflecting polariscope, 48–49
- reflecting telescope, 274–279
- reflection
 diffuse, 195
 of rays at lattice planes, 707
- Fresnel formulae, 42–43, 115, 741
- law of, 39, 114
 in geometrical optics, 133
 variational analogue, 864
- at metal surface, 741 *et seq.*, 753 *et seq.*
- of normal congruence, 139
- phase change on, 64, 756
- polarization by, xxxiv, 45 *et seq.*
- at surface of revolution, 170–171
- total, 49–53
- reflection coefficient
 dielectric film, 65
 metal/dielectric interface, 741 *et seq.*, 753 *et seq.*
- metallic film, 755
- stratified medium, 63–64
- reflection function, 447
- reflection invariant of Abbe, 171
- reflectivity, 43 *et seq.*
 of dielectric film, 65–70
 of dielectric film multilayer, 73–74
 enhancement by thin films, 54, 68–69
 of metallic film, 755–758
 selective, 748
- reflector, perfect, 633, 635, 739
- refracting telescope 267
- refraction
 conical, xxxv, 813–818
 in crystals, 811–818
 double, 811–813
- Fresnel formulae, 42, 114
 at metal surface, 739 *et seq.*, 752 *et seq.*
- of normal congruence, 139
- at spherical surface, 159–160
- at surface of revolution, 167–170
- of thin pencil, 182–186
- refraction equation, 205–209
- refraction invariant of Abbe, 169, 208
- refraction law (Snell's law), xxxiii, 40, 113
 for anisotropic medium, 813
 for conducting medium, 740–741
 in geometrical optics, 133
 for stratified medium, 58
 variational analogue, 863
- refractive index, 13
 absolute, 13, 14
 of air, 101
 complex, 98, 218, 737
 of crystal, determination of, 833–834
- dependence on
 density, 97 *et seq.*
 frequency, 97 *et seq.*
- in electron optics, 878
- refractivity
 atomic, 93, 94–95
 molar, 93 *et seq.*
- refractometer, 53
- region (area) of coherence, 554, 555, 576
- regular neighbourhood of a ray, 136
- relative aperture, 200
- relative visibility curve of eye, 197
- relative visibility factor of eye, 198
- relativity, x1
- relaxation time, 736, 749
- replica of grating, 455
- residual ray, 748

- resolution limit
 with annular and with circular aperture,
 comparison of, 462–464
 of eye, 462
 of interferometer, 371 *et seq.*
 of microscope,
 coherent illumination, 471, 597
 incoherent illumination, 465–466, 597
 partially coherent illumination (effect of
 condenser), 595–599
 Rayleigh's criterion, 371 *et seq.*, 461, 597
 of telescope, 461
see also resolving power
 resolving power, 371, 461–465
 of diffraction grating, 452
 of echelon, 455
 of eye, 263, 462
 of prism, 452–453
see also resolution limit
 resonance frequency, 96 *et seq.*
 resonance, optical 786
 response function, *see* frequency response function,
 response, photographic, *Fig. 8.51*
 restored polarization, angle of, 742
 resultant, *see* convolution
 retarded potential, 79
 retina, 261
 reversion theorem of Helmholtz, 423
 Riccati equation, 727
 rods, 262
 roof type prism (Amici), 272
 Rowland's circle and Rowland's mounting for
 concave grating, 459–460
 Rubinowicz' representation of Kirchhoff's
 diffraction integral, 503
 ruled grating, 454 *et seq.*
 Rylov series (expansion), 726–729
 approximation, 715, 729
 relation to Born approximation, 729
- saddle-point, 885
 saddle-point method, 886 *et seq.*
 sagittal field curvature, 243
 sagittal focal line, 241
 sagittal focal surface, 241
 sagittal focus, 183
 saltus problem, 424
 Savart's plate, 830–831
 scalar nature of two-dimensional electromagnetic
 field, 368
 scalar potential, electric, 77, 80 *et seq.*
 scalar representation of optical fields, 430–436
 scalar waves, 14 *et seq.*
 scaling law for Radon transform, 222
 scattered light
 degree of polarization, 780
 unpolarized proportion, 780
 scattering
 amplitude, 699, 713, 720
 forward, 720, 721, 734
 cross-section, 720, 721, 734
 double, 710, *Fig. 13.7(b)*
 dynamic, 729
 electromagnetic theory, 729–734
- far field (zone), 730–732
 integral equation, 698
 integro-differential equation, 730
 multiple, 708–710
 by nonspherical particles, 789
 polarization by, 780–784
 potential, 696–701, 714, 715
 periodic, 703–708
 Rayleigh, 104, 779, 780, 783, 785
 reciprocity relation, 724–726
 scalar theory, 695–729
 selective, 785
 single, 709, *Fig. 13.7(a)*
 by sphere (diffraction by) 759–789
 static, 695, 729
 total, from
 body of arbitrary shape, 720
 sphere, 758 *et seq.*
 very small particles, 785, *Fig. 14.12*
 unitary relation, 724
see also Born approximation, optical cross-
 section theorem, Rylov approximation
 scattering index, 682
 Schlieren method, 472
 Schmidt camera, 211, 276–279
 Schmidt–Cassegrain camera, 279
 Schmidt–corrector plate, 276
 Schrödinger's equation, 696, 880
 Schwarzschild's aplanatic telescope, 211, 275
 Schwarzschild, eikonal, 233–236
 screen, black, 424
 second curvature, *see* curvature,
 secondary disturbance (wave), 413, 416, 504
 secondary focal line, 183
 secondary focus, 183, 186
 secondary spectrum, 188
 Seidel aberration, *see* aberration, primary
 Seidel eikonal, 233–236
 Seidel formulae,
 in terms of
 one paraxial ray, 251–252
 two paraxial rays, 246–251
 Seidel variables, 233–235, 543
 selective reflectivity, 748
 selective scattering, 785
 self-coherence, 564
 Sellmeir's dispersion formula, 102
 semiconductor, 3
 shadow, 116, 491–492, 493, 494
 sifting property, 893
 sign convention in Gaussian optics, 167
 signal, analytic, 558 *et seq.*
 sinc(x) function, 704
 sine condition, 178, 179–180
 singularity at edge, 672
 Sirks–Pringsheim interferometer, 345–346
 skew congruence, 134, 878
 skew ray trace, 208–211
 skin effect, 738
 slit, *see* diffraction, Fraunhofer, and diffraction,
 rigorous theory
 slit source, use of, 296 *et seq.*
 slope function, 857
 Smith–Helmholtz formula (invariant), 176–177

- Snell's law, *see* refraction, law,
 Soleil's compensator, 823
 Sommerfeld's diffraction problem, 412, 499–500,
 633, 643–657
 Sonnar lens, 266
 spatial frequencies, 546
 spatial spectra, 547–548
 specific conductivity, 3
 spectral amplitude, 714
 spectral changes, correlation-induced, 588, 590
 spectral degree of coherence, 586, 587, 588, 911
 spectral intensity, 195
 mutual, 567
 spectral interference law, 587, 588
 spectral line, structure determination by Michelson's
 method, 356–359, 570
 spectral modulation, 588
 spectral orders, 451
 spectral range
 free, 457
 of an interferometer, 373
 spectral width
 effective, 616
 mutual effective, 618
 spectrograph, grating, 458–461
 spectroscopic wave number, 17
 spectroscopy, xxxviii
 spectrum
 channelled, 296
 cross-power, 567
 emission line, 352
 of plane waves, angular, 639–642
 power, 562
 secondary, 188
 spatial, 547–548
 speed of lens, 200
 sphere
 diffraction (scattering) by, 759–789
 extinction cross-section, 784–789
 focal, 281
 Gaussian, reference, 229, 231, 518 *et seq.*
 Poincaré's, *Fig. 1.8*, 33
 spherical aberration, 238, *Fig. 5.3(a)*, 530–531,
 536–538, *Fig. 9.15*
 spherical wave, 16
 Weyl representation, 711
 spherically symmetric medium, rays in, 130–131
 standing wave, 308–313
 static field, 2
 static scattering, 695, 729
 stationary field 2, 561
 stationary phase, method of, 429, 888–890
 steepest descent method of, 883–890
 Steinheil (flint-in-front) objective, 270
 step function (Heaviside unit function), 895
 stigmatic imaging, 159–160, 178 *et seq.*; *see also*
 axial stigmatism
 stilb, 199
 Stokes parameters
 of monochromatic wave, 31–33
 of quasi-monochromatic wave, 630–632
 Stokes phenomenon, 650
 stops, 199–201
 strain-optical constants, 835 *et seq.*
 strain tensor, 835
 stratified medium, 54–74, 752–758
 characteristic matrix, 58–63
 periodic, 70–74
 reflection coefficient, 63–64
 transmission coefficient, 63–64
 Strehl intensity (definition), 520
 Strehl ratio, 520
 stress birefringence, 834–837
 stress optical constants, 834 *et seq.*
 stress pattern, 837
 stress tensor, 835
 strip, diffraction by, *see* diffraction
 surface
 aspheric, design of, 211–217
 caustic, 135, 138, *Fig. 3.13*, 181–182, 868, 870
 of constant phase, *see* co-phasal surface
 of constant phase difference, 828, *Fig. 15.23*, 832
 focal, 135, 241
 inverse surface of wave normals, 812
 isochromatic, 828
 ray, 803–805, 811
 wave, 18
 of wave normals (normal surface), 803–805, 807,
 808 *et seq.*
 surface charge density, 5
 surface current density, 5, 635
 super-resolution, 703
 susceptibility
 dielectric, 89
 magnetic, 89
 tangential curve in the field of an instrument, 154
 tangential field curvature, 243
 tangential focal line, 241
 tangential focal surface, 241
 tangential focus, 183
 TE wave, *see* transverse electric wave
 telecentric system, 200
 telephoto lens, 266
 telescope, 267 *et seq.*
 Baker Super-Schmidt camera, 279
 binocular, 269
 Cassegrain, 274–275
 Galilean, 268
 Gregorian, 275
 Hale, 274–275
 Newtonian, 274, *Fig. 6.18*
 reflecting, 274–279
 refracting, 267
 resolution limit, 461
 Schmidt camera, 211, 276–279
 Schmidt–Cassegrain, 279
 Schwarzschild's aplanatic, 211, 275
 terrestrial, 269, *Fig. 6.11*
 telescopic collineation (transformation), 161,
 164–165
 tensor
 dielectric, 790–792
 strain, 835
 stress, 835
 tensor, conductivity, 840
 terrestrial telescope, 269, *Fig. 6.11*
 Tessar lens, 265

- thick lens, 171–174
 thin films, fringes with, 318 *et seq.*, 391–401
 thin lens, 174–175
 aberrations, 254–257, 260
 Gaussian optics, 174–175
 third-order aberration, *see* primary aberration
 Thomson angle, 783
 time average, 34, 562
 of electric and magnetic energy densities, 34–35, 120
 of Poynting vector, 35, 120
 TM wave, *see* transverse magnetic wave
 tolerance, focal, 491
 tolerances for primary aberrations, 527–532
 tomography
 back-projection, 715
 back-propagation, 715
 computerized (or computed), 217–227, 710
 diffraction, 710–717
 Topogon lens, *Fig. 6.3(d)*, 265
 total reflection, 49–53
 total scattering, *see* scattering
 tracing of rays, 204 *et seq.*
 transfer function, *see* frequency response function
 transfer equations, 205, 209–210
 transformation
 affine, 161, 164
 concurrent (dioptric), 165
 conformal, 156
 contracurrent (katoptric), 165
 convergent, 165
 divergent, 165, 166
 gauge, for,
 Hertz vectors, 84, 85
 vector and scalar potentials, 77
 Legendre's, 144, 860
 projective, 160–167
 classification of, 165–166
 combination of, 166–167
 telescopic, 161, 164–165
 transilluminated objects, images of, 602–606
 transillumination, 285, 595
 transmission coefficient of
 dielectric film, 65
 metal/dielectric interface, 754–756
 metallic film, 755–756
 stratified medium, 63–64
 transmission cross-coefficient, 604–606
 transmission factor of
 optical system, *see* frequency response function,
 photographic plate, 505, 506
 transmission function of
 medium, 577
 object, 446–447
 transmission phase change on, 64, 756
 transmissivity, 43 *et seq.*
 of dielectric film, 65 *et seq.*
 of metallic film, 756
 transparency region of metal, 751
 transparent substance, 4
 transport equation for amplitude vectors in
 geometrical optics, 125–127
 transversality of electromagnetic field, 24
 transverse electric wave (TE wave), 55 *et seq.*, 763
 transverse magnetic wave (TM wave), 55 *et seq.*, 763
 trichroism, 843
 triclinic crystals, 706
 triple protar, 265
 triplet, Cooke, 266
 Twiss, *see* Hanbury Brown–Twiss interferometer
 two-beam interference, *see* interference
 two-dimensional electromagnetic field
 scalar nature of, 638
 Twyman–Green interferometer, 338–340
 ultrasonic waves, 453, 674 *et seq.*, 710–711
 diffraction of light by, 674–694
 undetermined multipliers, Lagrange's method of, 800
 uniaxial crystal, 805, 806
 absorbing, 840–852
 direction of vibration, 807
 interference figures from uniaxial crystal plates, 829–831, 847–848
 negative, positive, 807
 normal surface, 807
 ordinary and extraordinary waves, 807
 principal plane, 807
 surfaces of constant phase difference, 829–830
 unifocal lens, 265
 uniqueness of solutions in rigorous diffraction theory, 672–673
 unit cell, 705
 unit function of Heaviside, 895
 unit plane, 163 *et seq.*
 unit point, 163 *et seq.*
 unitary relation, 724
 unpolarized light (wave), 619, 624
 unpolarized proportion of scattered light, 780–781
 van Cittert–Zernike theorem, 574, 579
 variation, first, 854
 variational methods in rigorous diffraction theory, 634
 variations, calculus of, 853–872
 vector,
 complex, 34
 Hertz, 84–85, 764
 Poynting, 10, 25, 35, 120–122, 128, 791, 794
 vector potential, 77, 80 *et seq.*
 vector waves, 24–28
 velocity
 complex, 737, 841
 of electromagnetic waves, xxxvii, 11 *et seq.*
 energy, 793, 794, 805
 group, 22–24
 of light, xxxvii, xxxix, 11 *et seq.*
 phase, 16–19, 23, 737, 793–794, 799, 801, 810
 principal, 796, 801
 ray, 793, 794, 805
 wave–normal, 793
 vibration
 azimuth of, 47–48
 direction of, 29, 807
 plane of, 29
 see also light vibrations

- vignetting, 201
 virtual portion of object (image) space, 175
 visibility
 — curve of eye, 197
 — curves from sources of different geometry, 298, *Fig. 7.11*, *Fig. 7.15*
 — spectral distributions, 356 *et seq.*
 factor of eye, relative, 197 *et seq.*
 of fringes (Michelson's), 298
 relation to
 — coherence time, 617
 — degree of coherence, 570
 — mutual coherence time, 618–619
 visual acuity, 263
 vitreous humour, 262
 volume hologram, 708
 von Laue equations, 706
- Watson's lemma, 884
 Wave
 — boundary diffraction, 499–503
 — conjugate, 507
 — damped, 735
 — diffracted, 427, 504
 — electric, 763
 — electromagnetic, xxxvii, 24 *et seq.*
 — *E*-polarized, 55, 638, 678
 — evanescent, 641, 712, 713, 714
 — extraordinary, 807
 — *H*-polarized, 55, 638
 — harmonic, *see* harmonic wave
 — homogeneous, 639, 712, 713, 714; *see also* plane wave
 — inhomogeneous, 18, 639
 — magnetic, 763; *see also* transverse magnetic wave
 — monochromatic (light), 20, 25 *et seq.*, 287, 354, 573, 577, 578, 624–625
 — ordinary, 807
 — partial, in Mie's theory, 774–775, *Fig. 14.9*
 — plane, 15–16, 17 *et seq.*, 24 *et seq.*, 639 *et seq.*
 — plane-polarized, 30
 — polarized, 25 *et seq.*, 628
 — elliptically, circularly, linearly, 25 *et seq.*, 35–38
 — partially, 557, 619, 628
 — reconstructed, 504–512
 — scalar, 14 *et seq.*
 — secondary, (disturbance), 413, 416, 504
 — spherical, 16
 — Weyl representation, 711
 — standing, 308–313
 — transverse electric (TE wave), 55 *et seq.*, 763
 — transverse magnetic (TM wave), 55 *et seq.*, 763
 — ultrasonic, 453, 674 *et seq.*
 — unpolarized, 619, 624
 — vector wave, 24–28
 wave aberration, 229 *et seq.*, *Fig. 5.3*
- wave equation, 11, 610–615
 wave-front
 — deformation, influence on intensity at focus, 526
 — division, 286, 290–308
 — generalization in calculus of variations, 857
 — geometrical, 119
 — reconstructed, 504–512
 — shearing interferometer, 351–352
 wave group, 20 *et seq.*
 wave mechanics of free electrons, 879–881
 wave normal velocity, 793
 wave normals,
 — ellipsoid of, 799 *et seq.*
 — Fresnel's equation of, 796, 841 *et seq.*
 — inverse surface of, 812
 — optic axes of, 801, 806 *et seq.*, 811
 — surface of, *see* normal surface
 wave number, 17, 737
 — complex, 737
 — spectroscopic, 17
 wave packet, 19–24
 wave surface, 18
 — geometrical, 119
 wave theory, xxxiii, xxxiv, xxxv, 141
 wave train, 353 *et seq.*, 618
 wave vector, 17
 wave zone, 87, 774
 wavelength, 17
 — comparison, with
 — Fabry–Perot interferometer, 377–380
 — standard metre, 409–411
 — of particle, de Broglie, 879–880
 — reduced, 17
 Weierstrass condition for a strong minimum, 865
 Weierstrass \mathcal{E} function, 864–865
 Weyl representation of spherical wave, 711
 wide-angle pencils, imaging with, 178–182
 Wiener–Hopf method, 634
 Wiener–Khinchine theorem, 567
 Wiener's experiment on standing waves, 311–313
 window, entrance, exit, 201
- X-ray diffraction (scattering), 453, 511, 702, 705, 706, 708, 880–881
 — Bragg's law, 706
 — von Laue equations, 706
 X-ray microscope, 511
- Young's diffraction theory, 499
 Young's interference experiment, 290–292, 296, 297, 299
- Zeiss Biotar lens, 266
 Zernike's circle polynomials, 523–525, 905–910
 Zernike's phase contrast method, 472–475
 zone construction, 413 *et seq.*