

Index

adipose tissue, brown, white
 sympathetic supply, 113
 adrenal medulla. (see subchapter 4.5)
 adrenaline
 functions (Figure 4.19), 117
 circulating adrenaline and
 noradrenaline, 114–117
 preganglionic sympathetic neurons,
 114
 adrenaline
 sensitization of nociceptors, 116
 venular plasma extravasation
 synovia, 116
 adrenaline, noradrenaline
 plasma concentrations (Figure 4.18),
 114
 airways
 sympathetic supply, 113
 allostasis, 2, 229
 concept, definition, 361–362
 allostasis and systemic diseases, 362
 amygdala
 autonomic reactions during anger
 and fear (Figure 11.13), 381
 anesthesia
 effects of in animal experiments, 84
 anterior spino-thalamic tract, 60
 area postrema (AP) and gastrointestinal
 functions, 343–346
 role of gastrointestinal hormones
 (Figure 10.31), 343–346
 area postrema (AP) and gastrointestinal
 tract
 role of corticotropin-releasing
 hormone (CRH), 345
 role of thyrotropin-releasing
 hormone (TRH), 343
 role of tumor necrosis factor α (TNF α),
 346
 arrangement of the recording from
 peripheral sympathetic neurons
 Figure 3.3, 79
 autonomic and respiratory regulation,
 integration of
 cardiovascular and respiratory
 reflexes (Figure 10.26), 337
 common cardiorespiratory network,
 concept (Figure 10.26), 336–339
 common central oscillator model,
 336–339
 irradiation model, 336–339

autonomic dysreflexia, after spinal cord
 transection, 283–285
 autonomic effector cells
 innervation, 203–205
 autonomic functions, central
 representations
 levels of integration, 228–229
 autonomic ganglia, functions in vivo
 prevertebral sympathetic ganglia,
 185
 autonomic ganglia
 degree of convergence and
 divergence and body size,
 170–172
 strong and weak synaptic inputs,
 172–179
 synaptic transmission, overview
 (Box 6.1), 168
 autonomic ganglia, functions in vivo
 parasympathetic ganglia, 189
 paravertebral sympathetic ganglia,
 184
 autonomic ganglia, synaptic
 transmission
 convergence and divergence
 (Figure 6.2), 170–172
 autonomic ganglion cells
 relay and integrative functions
 (Figure 6.10), 187
 autonomic motor cortices
 anterior cingulate cortex, 64
 autonomic nervous system
 definitions (Figures 1.1, 1.4), 9–11
 autonomic nervous system functions
 levels of integration (Figure 3.2),
 74–75
 autonomic nervous system
 brain and body (Figure 0.1), 3
 early fascination with little brains
 and sympathies, 30–31
 autonomic neural unit
 structure and function (Figure 6.7),
 179–181
 autonomic spinal systems and
 somatomotor systems
 coordination, 287
 autonomic systems
 specificity of central circuits, 76
 autonomic target organs and tissues
 responses to activation of autonomic
 neurons (Table 1.2), 18–22

axon reflex see Note 2 of Chapter 2
 axon tracer methods, 76
 baroreceptor reflexes
 blood pressure control, 309–318
 caudal ventrolateral medulla
 (Figure 10.13), 313–314
 inhibition in spinal cord, 314
 inhibition in the rostral ventrolateral
 medulla (RVLM, Figure 10.12),
 311–318
 modulation (Figure 10.14), 316–317
 parasympathetic cardiomotor
 neurons (Figure 10.10), 312
 phasic/tonic control of arterial blood
 pressure, 310
 sympathetic cardiovascular neurons
 (Figure 10.10), 311–318
 wiring diagram (Figure 10.10),
 310–313
 Bayliss, W.M. (1880–1924)
 axon reflex, 69
 behavioral patterns, autonomic
 responses in
 allostasis, 363
 body functions represented in the
 forebrain and mesencephalon,
 general aspects (Figure 11.1,
 Table 11.1), 362–365
 concept expressed graphically
 (Figure 11.1), 363
 conditioned emotional responses
 (Figure 11.8, Table 11.1),
 374–377
 defense reactions (Table 11.1),
 369–374
 diving (Figure 11.2), 365–366
 freezing reaction (Table 11.1), 378
 skeletal muscle effort (exercise)
 (Figures 11.3, 11.4), 367–368
 syncope, neurally mediated, 377
 Table 11.1, 353
 tonic immobility (Table 11.1),
 377–378
 top-down telencephalic control,
 362–365
 vigilance reaction (Table 11.1),
 378
 Bernard, Claude (1813–1878), 31
 fixity of the internal milieu, 2
 internal milieu, 355

- Bichat, Marie Francois Xaver (1771–1802)
 animal life, organic life, 31
- blood vessels
 integration of neural and non-neural signals (Figure 7.9), 219
 local and remote controls (Figure 7.9), 217–219
- bradykinin-induced plasma extravasation in knee joint
 inflammation, role of sympathetic postganglionic neurons (Figure 7.10), 220
- C1 (adrenergic) neurons
 emergency situations (Figure 10.6), 304
- Cajal, Ramon y (1852 – 1934)
 interstitial cells of Cajal, 149
- Cannon, Walter Bradford (1871–1945), 11
 adrenal medulla, function, 358–359
 Cannon-Bard Theory of emotions (Figure 11.10), 378
 fright, fight and flight responses, 358
 functioning of the autonomic nervous system, consequences of, 360–361
 homeostasis, 2
 James-Lange theory of emotions, 356–357
 sympathico-adrenal system, concept, 355–359
 thalamic theory of emotions, 357
 The Wisdom of the Body, 355–359
- Cannon, Walter Bradford (1871–1945)
 The Wisdom of the Body, 76
- cardiac pain
 vagal afferents, 49
- cardiac-somatic hypothesis, 365
- cardiomotor neurons
 sympathetic, 112
- cardiovascular and respiratory networks
 integration in lower brain stem (Figure 10.20), 327–330
- cardiovascular center in the medulla oblongata
 discovery of, 295–296
- caudal pressure area (CPA) (Figure 10.14), 317
- central autonomic systems, anatomy investigation tools (Figure 8.1), 231–233
- central encoding of visceral events
 a general model (Figure 2.9), 54–56
- chemoreceptor reflexes in
 vasoconstrictor neurons
 function of ventrolateral medullas (Figures 10.15, 10.16), 318–321
- chemoreceptor reflexes
 sympathetic neurons, in, 318–321
- chemoreceptor reflexes
 cutaneous vasoconstrictor neurons, 321
- chromaffin tissues, 26
- conditioned emotional response (CER)
 generation of, technique, 395
- conditioned emotional responses
 cardiovascular reactions (Figure 11.8, Table 11.1), 374–377
- hypothalamus, integration of cardiovascular reactions in CER, 376
- confrontational defense. *see defense reactions*
- converging sympathetic preganglionic segmental origin, 172
- cutaneous vasoconstrictor neurons
 central warming (Figure 3.5), 82
 humans, 97–100
 reflex pattern, animal (Figure 4.5), 93–95
- cutaneous vasoconstrictor neurons, animal
 spontaneous activity, 93
- Darwin, Charles (1809–1882)
The expression of the emotions ... (1872), 379
- defense of the gastrointestinal tract and enteric nervous system
 gut-associated lymphoid tissue (GALT), 155–158
- defense reactions integrated in the mesencephalon
 afferent projections to the PAG from the body (Figure 11.6), 373
- projections of cortex and hypothalamus to the PAG (Figure 11.7), 373–374
- projections of the PAG to the medulla oblongata (Figure 11.6), 371
- types of defense reaction organized in the periaqueductal gray (Figure 11.5), 369–371
- diving responses
 cortically induced cardiovascular responses (Figure 11.2), 365–366
- dorsal vagal complex (DVC), 246
- dorsal vagal complex and gastrointestinal tract
 integration of medullary circuits and forebrain (Figure 10.30), 345
- integration, a concept, 342–345
- effector cells and organs
- parasympathetic nervous system (Table 1.2), 15
- sympathetic nervous system (Table 1.2), 14
- emotional feelings and expression
 activity in visceral afferent neurons, 53
- emotions, basic
 autonomic reactions, patterns of (Figure 11.12), 380
- central representation of emotions and autonomic responses (Figure 11.13), 381
- facial expression of (Figure 11.11), 379
- types of (Figure 11.11), 379–380
- emotions, basic anger and fear
 amygdala, role in organization (Figure 11.13), 381
- central representation (Figure 11.13), 381
- encoding of visceral events in the activity of afferent and central neurons
 a concept, 53–54
- enteric nervous system
 anatomy (Figure 5.1), 135–137
 brain of the gut, 142
- dorsal motor nucleus of the vagus (DMNX), 158
- integrative functioning, concept (Figure 5.3), 141–143
- interneurons (Figure 5.2, Table 5.1), 140–141
- intrinsic primary afferent neurons (IPANs) (Figure 5.2), 137–139
- motor neurons (Figure 5.2, Table 5.1), 139–140
- neural afferent feedback from gastrointestinal tract to CNS, 142
- neurochemical coding (Table 5.1), 141
- parasympathetic control (Figure 5.15), 143
- parasympathetic control, brain stem (Figure 5.15), 158–159
- protection of the gastrointestinal tract (Figure 5.14), 155–158

- regulation of secretion and transmural transport (Figure 5.13), 154–155
- secretomotor neurons (Table 5.1), 139
- sensorimotor programs, 141
- sympathetic control (Figure 5.16), 143, 159
- types of neurons (Figure 5.2), 137
- failure of autonomic control, 4
- final autonomic pathway
 - definition, functional characteristics, 73–74
- flight *see defense reactions*
- Four System Network Model of Larry Swanson, 2
- freezing reaction
 - autonomic responses in (Table 11.1), 378
- functional hierarchical organization autonomic systems, 75
- Galen, Aeilius (129–199 AV or, 131–216 AC)
 - concept of regulation of body functions, 30
- ganglia, parasympathetic cranial (Figure 1.4), 18
- ganglia, sympathetic, 12–13
- ganglia, sympathetic paravertebral non-nicotinic synaptic transmission *in vivo*, 192–196
- Gaskell, Walter Holbrook (1847–1916)
 - autonomic nervous system, 31
- gastrointestinal tract and brain, an overview (Figure 10.27), 339–341
- genetic-molecular aspects
 - sympathetic postganglionic neurons (Figure 4.24), 128
- gray ramus (Figures 1.2, 1.3), 12
- Hagbarth, Karl-Eric (1926–2005)
 - microneurography, 82
- Harvey, William (1578–1657)
 - de motu cordis . . . , 30
- Hess, Walter Rudolf (1881–1973), 11
 - ergotropic, trophotropic functions of the autonomic nervous system, 359
- generalizing concept of the functioning of the autonomic nervous system, consequences of, 360–361
- organization of the autonomic nervous system, dichotomous, 359
- Heymans, Corneille (1892–1968)
 - baroreceptor reflexes, 309
- hindgut, defecation reflexes
 - enteric nervous system (Figure 9.9a), 276–278
 - spinal mechanisms (Figure 9.9), 276–278
- homeostasis
 - concept, definition, 361–362
- hyperhydrosis, patients
 - and vibration sudomotor reflex, 132
- hypothalamic cats and defense behavior, 395
- hypothalamus
 - anatomy, functional (Figure 11.14), 384–387
 - behavior control column (Figure 11.15d, Table 11.2), 387
 - circadian timing network (Figure 11.15b), 386
 - functional model, concept (Figure 11.16), 387–391
 - hypothalamic visceral pattern generator (Figure 11.15c), 384–386
 - integrative functions (Table 11.2), 384
 - neuroendocrine motor zone (Figure 11.15a), 384
- illness/sickness responses
 - vagal afferents, 42
- immune system
 - hypothalamus, 117–120
 - sympathetic control, 117–121
 - sympathetic final pathway, 117–120
- inflammation in synovia, bradykinin-induced
 - sympathetic postganglionic neurons, role of (Figures 7.10, 7.11), 219–222
- inspiration-type neurons
 - sympathetic, 113
- intensity theory
 - neural encoding of visceral events (Figure 2.8), 53
- interdigestive motility pattern
 - migrating myoelectric complex (MMC), 143
- internal milieu and brain, 1
- interoception and spinal ascending pathways, 56–60
- interstitial cells of Cajal
 - pacemaker potential (Figure 5.11), 152
- interstitial cells of Cajal (ICC)
 - myogenic activity and enteric neurons, 152–154
- interstitial cells of Cajal (ICC), 139
 - networks, 149–151
- slow waves, 149–151
- intestinofugal neurons
 - extraspinal intestinointestinal reflexes, 140
- intrinsic cardiac nervous system “little brain of the heart”, 191
- intrinsic primary afferent neurons (IPANS)
 - peristalsis (Figure 5.9), 146–148
- intrinsic primary afferent neurons (IPANS), enteric assemblies (Figure 5.6), 146
- James, William (1842–1910)
 - James-Lange theory of emotions (Figure 11.10), 356, 378
- kidney
 - sympathetic supply, 113
- lamina I neurons
 - projection to parabrachial nuclei (Figure 2.12), 61
 - supraspinal projection centers (Figure 2.11a), 57–60
- lamina V and deeper laminae neurons
 - supraspinal projection centers (Figure 2.11b), 59
- Langley, John Newport (1852–1925)
 - autonomic nervous system, 31
 - autonomic nervous system, definitions (Figures 1.1, 1.4), 9–11
 - enteric nervous system, definition, 134
 - lateral spino-thalamic tract, 60
- law of intestine, 145
- Lovén reflexes in vasoconstrictor neurons
 - Box 4.1, 90–91
- lower brain stem
 - general functions (Figure 10.1), 293
- Ludwig, Carl Friedrich (1816–1895)
 - baroreceptor reflexes and cardiovascular control, 309
- lumbar sympathetic system
 - final autonomic pathways (Figure 4.25), 130
- microneurography
 - in humans (Figure 3.6), 82–83
- motility-regulating neurons
 - anal reflex (Figure 4.16), 109–110
 - pelvic viscera (Figures 4.15, 4.16), 109–110

- motility-regulating neurons type 1 spinal reflex pathways (Figure 4.17), 109–112
- motor system definition (Figure 0.2), 3–4
- muscle vasoconstrictor neurons central reflex pathways (Figure 4.3), 89 humans, 96–97 reflex pattern, animal (Figure 4.1), 87–90 reflexes, humans, 97 spontaneous activity, 87
- myenteric plexus (Auerbach's plexus) enteric nervous system (Figure 5.1), 134
- myigrating myoelectric complex (MMC), 152–154
- neurochemical coding, 77, *see Subchapter 1.4* concept, 25 cutaneous vasoconstrictor neurons, 24 sympathetic postganglionic neurons (Table 1.3), 24
- neuroeffector junction characteristics, 207 morphology (Table 7.2), 205
- neuroeffector transmission arteriole (Figure 7.2), 205–209 electrophysiology, 205–209 junctional, extrajunctional receptors, 203 purinergic transmission, 209 smooth muscle, ileum (Figure 7.8), 215–217 vas deferens (Figure 7.3), 209
- neuroeffector transmission, blood vessels small arteries, arterioles (Figure 7.6), 213–215 veins, pulmonary artery, 215
- neuroeffector transmission, heart parasympathetic cardiomotor neurons (Figures 7.4, 7.5), 210–212 sympathetic cardiomotor neurons, 212–213
- neuropeptides parasympathetic neurons, in, 24 neuropeptides in autonomic neurons neurochemical coding, idea of (Tabs. 1.3, 1.4), 22–25
- neurophysiological recordings in animals autonomic neurons, 78–82
- neurophysiologal recordings in humans autonomic neurons (Figure 3.6), 82
- nociceptors, sensitization of sympathetic postganglionic axons, role of, 222–223
- non-adrenergic non-cholinergic (NANC) transmission peripheral autonomic neurons, 201
- non-nicotinic synaptic transmission in autonomic ganglia enhancement of ongoing activity in vasoconstrictor neurons *in vivo* (Figure 6.14), 194
- LHRH-like peptide (bullfrog), 192
- pelvic ganglia (to vasodilator neurons), response to preganglionic stimulation, 196
- reflexes in vasoconstrictor neurons *in vivo* (Figure 6.15), 194–195
- unmyelinated sympathetic preganglionic axons, 193
- nucleus tractus solitarii (NTS), 245–249 afferent and efferent connections (Figure 8.13), 248
- afferent input, gastrointestinal tract (Figure 8.12), 247
- concept of functioning (Figure 8.14), 247–249
- projection to parabrachial nuclei (Figure 2.12), 61
- visceral afferents, projection to (Figure 8.11), 246
- parabrachial nuclei projection to periaqueductal gray and hypothalamus (Figure 2.12), 61
- parasympathetic and sympathetic nervous system human (Figure 1.1), 10
- parasympathetic final pathways hindgut, 122
- parasympathetic final pathways eye, 127
- gastrointestinal tract, 126
- hindgut, 122
- lower urinary tract, 124
- reproductive organs, 124
- salivary glands, 127
- parasympathetic neurons functional classification reflex behavior (Table 4.6), 122–125
- location (Table 1.1), 16
- parasympathetic pathways airways (Figure 4.23), 125–128
- brain stem, 125–128
- heart (Figure 4.22), 125–128
- pelvic organs (Figure 4.21), 122–125
- parasympathetic systems, sacral general functions, 272
- parasympathetic vasodilator neurons skin, 106
- paravertebral ganglia (Figure 1.1), 12 Pavlov, Ivan (1849–1936) conditioned autonomic reflex, 365
- pelvic ganglia (Figure 1.1), 13
- peripheral autonomic nervous system, in submammalian vertebrates reptile (Figure 1.5), 30 teleost (Figure 1.5), 30 elasmobranch (Figure 1.5), 30
- peristalsis, 145–148 colon (Figure 5.9), 148 small intestine (Figure 5.9), 148
- piloerection emotional arousal, 132
- pilomotor neurons activity, cat, 104
- plethysmography, 131
- postganglionic neurons sympathetic, 12–13 transmitter substances (Table 7.1), 200–202
- postganglionic neurons, sympathetic electrophysiological properties (Table 6.1), 181–184
- long-afterhyperpolarizing (LAH) neurons (Table 6.1), 181–184
- phasic neurons (Table 6.1), 181–184
- tonic neurons (Table 6.1), 181–184
- postsynaptic dorsal column pathway, 60
- Pourfour du Petit, Francois (1664–1741) Horner syndrome, 30
- pre- and postganglionic sympathetic neurons identification (Figure 3.4), 81
- preganglionic neurons classes cervical sympathetic trunk (Table 4.5), 120–121 lumbar splanchnic nerves (Table 4.5), 120–121 lumbar sympathetic trunk (Table 4.5), 120–121
- sacral parasympathetic, 240–241
- sympathetic, 14–15
- preganglionic neurons, cranial parasympathetic (Table 8.1), 241–244

- preganglionic neurons, dorsal motor nucleus of the vagus (DMNX) gastrointestinal tract (Figure 8.10), 241–244
- preganglionic neurons, sympathetic associated interneurons (Figure 8.9), 238–242
- intermediate zone, spinal cord (Figure 8.2), 235
- morphology and location, 234–237
- topographic organization (Figures 8.3–8.6), 235–240
- segmental functional distribution (Figure 8.8), 241
- premotor neurons, autonomic definition, 249–250
- parasympathetic (Figure 8.17, Table 8.3), 253
- patterns of central autonomic neurons related to distinguished targets (Tabs. 8.2, 8.3), 253–255
- sympathetic (Figure 8.15, Table 8.2), 250–255
- premotor neurons, sympathetic putative transmitters (Figure 8.16), 255
- prevertebral ganglia
 - afferent synaptic peptidergic input, 187
 - integration of spinal and peripheral synaptic inputs (Figure 6.11), 185
- prevertebral ganglia (Figure 1.1), 13
- primary interoceptive cortex
 - dorsal posterior insula, 64
 - functional organization, 67
- quiescence *see* defense reactions
- raphe nuclei, caudal
 - cutaneous vasoconstrictor system (Figure 10.17), 321–322
- lipomotor neurons (adipose tissue, Figure 10.18), 322–324
- reflex patterns in autonomic neurons functional labels, 71
- reflex vasodilation in skin noxious stimulation, humans (Figure 4.10), 99
- reflexes in autonomic neurons functional markers, 77–78
- reproductive organs, regulation of emission and ejaculation, 281–283
- erection reflex (Figure 9.11), 280–282
- spinal mechanisms (Fig. 9.12), 278–283
- urethro-genital reflex (coitus reflex, Figure 9.13), 281–283
- respiratory network, ponto-medullary, 324–327
- respiratory oscillations
 - activity in sympathetic nerves (Figure 21b), 328
- respiratory rhythmicity
 - activity of sympathetic neurons (Figures 10.22, 10.23), 330–333
 - activity of sympathetic neurons, humans, 334–336
 - activity of sympathetic neurons, species differences, 333
- respiratory rhythmicity, sympathetic neurons
 - peripheral reflex components (Figures 10.22b, 10.23a), 330–333
- rhythmoneuromuscular apparatus
 - gastrointestinal motility (Figure 5.12), 153
- rostral ventrolateral medulla oblongata (RVLM)
 - C1 (adrenergic) neurons projecting to the spinal cord (Figure 10.4, Box 10.2), 302–304
- spontaneous activity, 307–309
- sympathetic cardiovascular premotor nucleus (Figure 10.8), 301–307
- sympathetic premotor neurons (Figure 10.7), 301–306
- synaptic inputs (Figure 10.8), 306
- salivary glands
 - sympathetic supply, 113
- secretomotor reflexes
 - enteric nervous system (Figure 5.13), 154–155
- segmental and suprasegmental sympathetic reflexes
 - electrical stimulation of afferents, elicited by (Figure 9.2), 265
- Sherrington, Sir Charles Scott (1857–1952)
- interoception, exteroception, proprioception, 34–35
- skeletal muscle effort (exercise)
 - cortically induced cardiovascular responses (Figures 11.3, 11.4), 367–368
- skin potential
 - sudomotor neurons, 132
- slow waves and motility patterns mechanisms (Figures 5.4, 5.5), 143–145
- specificity theory
 - neural encoding of visceral events (Figure 2.8), 53
- spinal autonomic circuits
 - interneurons (Figure 8.9), 263–264
 - synaptic transmission and transmitters, 262–263
- spinal autonomic reflex pathways
 - building blocks of central integration (Figure 9.1), 261–262
- integration of spinal and supraspinal circuits (Figure 9.15), 286–287
- sympathetic systems, 264–272
- synaptic transmission and transmitters, 262–263
- spinal cord
 - as integrative autonomic organ, 285–287
- spinal cord transection
 - changes in spinal autonomic systems (Figure 9.14), 284–285
- spinal autonomic reflexes *see* Subchapter 9.2.3
- spinal reflexes, sympathetic
 - after spinal cord transection, 265
 - coordination of reflexes (Figure 9.4), 269–271
- intestino-intestinal reflexes, 269–271
- motility-regulating neurons (Figure 9.5), 269–271
- organ/tissue-specific reflexes, 269–271
- pelvic viscera, stimulation of (Figure 9.3), 271, 272
- physiological stimulation of afferent, elicited by (Figure 9.9, Table 9.1), 267–272
- reno-renal reflexes, 269–271
- spinal visceral afferent neurons, 47–48
- sacral, 48
- thoracolumbar, 47–48
- spinal visceral afferents
 - functional characteristics, 50–52
- spino-thalamo-cortical systems
 - exteroception, interoception (Figure 2.13), 63
- spleen
 - sympathetic control, 117–120
- spontaneous activity
 - sympathetic premotor neurons, 307–309
- spontaneous activity in sympathetic neurons
 - after transection of the spinal cord, 267–269

- stellate ganglion (Figures 1.1, 1.2), 12
- strong and weak synapses
 - autonomic ganglia (Box 6.2), 174–176
- submammalian vertebrates
 - peripheral autonomic nervous system (Figure 1.5, Table 1.5), 25–30
- submucosal plexus (Meissner's plexus)
- enteric nervous system (Figure 5.1), 134
- sudomotor neurons
 - electrodermal activity, 103
 - reflex pattern, animal, 100–103
 - reflexes, humans, 103
 - skin potential, hairless skin, 100–101
 - vibration reflex, 102–103
- sudomotor neurons and cutaneous vasoconstrictor neurons
 - integration (Figure 4.12), 102
- superior cervical ganglion
 - (Figures 1.1, 1.2), 12
 - intracellular measurements in vivo, 176–179
 - preganglionic, postganglionic neurons and body size, 170–172
- supersensitivity of autonomic effector cells
 - reaction to denervation or decentralization, 133
- sympathetic ganglia
 - little brains, 167
 - proportions of electrophysiologically characterized neurons (Figure 6.9), 182
 - relay function (Figure 6.3), 176–179
- sympathetic neurons
 - location of (Table 1.1), 16
- sympathetic neurons in vivo
 - discharge rates (Table 6.2), 185
- sympathetic non-vascular neurons
 - deep somatic structures, 106
 - functional classification (Table 4.3), 101
 - pelvic organs, functional characteristics, 109–110
 - pelvic viscera and colon, 109–112
- sympathetic premotor neurons
 - functionally identified (Figure 10.19), 326
- sympathetic trunk (sympathetic chain) (Figures 1.2, 1.3), 12
- sympathico-adrenal system
 - Cannon, 115
- syncope, neurally mediated, 377
- syncytium of effector cells
 - passive electrical properties, 203, 225
- synovia, sympathetic innervation
 - plasma extravasation, 223
- thalamocortical system
 - spinothalamic inputs (Figures 2.13, 2.14), 62
 - vagal afferent input (Figures 2.14, 2.15b), 64–67
- The Wisdom of the Body* revisited, synopsis
 - autonomic nervous system and behavior, 391
 - integrative autonomic responses and forebrain, 391–393
- tonic immobility
 - autonomic responses in (Table 11.1), 377–378
- transmitter substances
 - autonomic neurons (Table 7.1), 202
- transneuronal labeling, 76
- Traube–Hering waves
 - cardiorespiratory coupling, early studies, 329
- urinary bladder and hindgut, interactive regulation of
 - role of spinal circuits (Figure 9.10), 278–279
- urinary bladder, micturition reflexes
 - spinal circuits (Figures 9.7, 9.8), 276
 - supraspinal control (Figure 9.8), 275–276
- vagal afferent neurons
 - abdominal organs, 49–50
 - body protection (Figure 2.5), 42–46
 - illness/sickness responses (Figure 2.5), 42
- reflex modulation of inflammation, 42
- thoracic visceral organs, 49–50
- vasodilator neurons
 - defense reaction, 106–109
 - hypothalamus (Figure 4.14), 106–109
 - skeletal muscle, animals, 106–109
 - skeletal muscle, humans, 108
 - skin, cats, 104
 - skin, humans, 105–106
 - thermoregulation, 105–106
- ventrolateral medulla oblongata (VLM), 296–301
- cardiovascular cell column, 298–301
- functional anatomy (Figures 10.2, 10.3), 297
- location of cardiovascular neurons (Figure 10.4), 301
- location of nuclei (Box 10.1), 299
- ventral respiratory column, 298–301
- venular plasma extravasation in inflammation, 133
- vigilance reaction
 - autonomic responses in (Table 11.1), 378
- visceral afferent neurons
 - autonomic nervous system, 38–39
 - general properties (Table 2.1), 41
 - organ regulation, reflexes, sensations, 52–56
 - silent mechanoinsensitive, 52
 - spinal, vagal (Figures 2.1, 2.2), 35–37
 - vagal afferent neurons, 41–46
 - visceral nociception and pain, 48–52
- visceral nociception
 - peripheral mechanisms, 50–52
- visceral primary afferent neurons as interface between visceral organs and brain, 40
- visceral vasoconstrictor neurons
 - reflex pattern, animal, 92–93
- white ramus (Figures 1.2, 1.3), 12
- working-heart-brainstem preparation (WHBP), 76