

Index

- adiabatic cooling, 114, 118, 216
 adiabatic index (γ), 107, 217
 adsorption, 172
 Andromeda Galaxy (M31), 182, 189
 luminosity (L_{MW}), 189
 antenna temperature (T_A), 60, 61, 160
 association, direct radiative, 170
 attachment
 radiative, 171
 versus recombination, 171
 attenuation coefficient (κ_ν), 34, 43, 159
 auroral line, 90
- blackbody radiation, 35
 photon number density (n_γ), 204
 photon occupation number, 64
 Boltzmann distribution, 17, 65, 67
 bremsstrahlung, *see* free-free emission
 brightness temperature (T_b), 60
 at 1420 MHz, 66
 broadening parameter (b), 41
 in Local Bubble, 127
 in molecular clouds, 165
- circum^Ncoronene ($N \geq 0$), 144
 circumgalactic medium (CGM), 1, 181–189
 warm-hot and hot, 184
 CO ($J = 1 \rightarrow 0$) transition, 157–162
 ¹³CO versus ¹²CO, 162–163
 cold neutral medium (CNM), 4, 23–51
 cooling, 24
 heating, 22
 collision strength (Ω), 91
 collisional ionization equilibrium (CIE), 121–125
 time to reach, 125
 collisional rate coefficient
 de-excitation (k_{ul}), 66, 158
 excitation (k_{lu}), 66, 158
 ionization (k_{ci}), 121
 collisional time (t_{coll}), 16
 color excess, 134
 column density (N), 44
 from equivalent width, 48–50
 of damped Lyman alpha systems, 214
 of hydrogen (N_H), 134–135
 of Lyman limit systems, 214
 of molecular hydrogen ($N(H_2)$), 164, 165
 of neutral hydrogen (N_{HI}), 57, 62
 Coma Cluster, 152, 189–196
 cooling function (Λ), 20, 122, 224
 C II, 24
 Lyman α , 25
 O I, 24
 cooling mechanisms, 23–26
 coronal gas, *see* hot ionized medium
 cosmic microwave background (CMB), 65, 158
 affected by reionization, 208
 cosmic noon, 212, 213
 cosmic rays, 21, 168
 cosmic star formation rate, 212
 cosmological simulations, 220–221
 phase diagram, 223
 critical density of colliders (n_{crit}), 68, 86, 92, 158
 cross section
 absorption (σ_{lu}), 39, 159, 200
 collisional (σ), 14–17
 dust grain extinction (σ_{ext}), 136
 photoionization (σ_{pho}), 19, 71, 78, 125, 226
 radiative recombination (σ_{rr}), 19, 73, 84
 stimulated emission (σ_{ul}), 58
 Thomson (σ_e), 208
 curve of growth, 46–50
 flat part, 48–49, 214
 linear part, 47–48
 square-root part, 50, 214
- damped Lyman alpha system, 214–215
 damping width (γ_{ul}), 40
 dark ages, 205
 dark nebula, 9, 162
 de-excitation
 collisional, 38, 66
 radiative, 64

- detachment
 associative, 171
 photodetachment, 171
 versus ionization, 171
- dielectronic recombination, 122
- diffuse intergalactic medium (DIM), 1,
 198–218, 221
 cooling, 26, 216
 heating, 23, 216
 metallicity, 224
 pressure, 6
- diffuse ionized gas, *see* warm ionized medium
- dissociation
 collisional, 154, 168
 photodissociation, 154, 174
- dust
 2175 Å bump, 134
 circumstellar, 130, 149
 equilibrium temperature (T_{eq}), 147
 extinction, 132
 grain radius growth rate, 149
 half-mass grain size ($a_{0.5}$), 145
 intergalactic, 2
 interstellar, 2, 130–152
 polarization of starlight, 132
 reddening, 131
 sputtering, 151–152
 very small grain, 143, 173
- efficiency factor (Q), 136, 146
- Einstein A coefficient, 37
 CO ($J = 1 \rightarrow 0$), 157
 hydrogen 21 cm, 55
 Lyman α , 37
- Einstein B coefficient, 37
- emissivity (j_ν), 34, 60
 free–free emission, 192
- equivalent width, 46–51
 dimensionless (W), 46
 velocity (W_ν), 63
 wavelength (W_λ), 46
- excitation
 collisional, 66, 85
 radiative, 64, 175
- excitation equilibrium, 17–18
- excitation temperature (T_{exc}), 18, 56
- extinction curve, 133
- extinction paradox, 139
- first ionization energy, 5, 71
- forbidden transition, 38, 86
- fractional ionization (x), 24, 70, 74–75
 collisional ionization equilibrium, 124
 during recombination, 204
 during reionization, 216
- free electron density (n_e), 16, 92
- free–free emission, 25–26, 192
 cooling rate, 84, 111
- gain (G), 20
 for dust grain, 146
- galactic wind, 187–189
 AGN driven, 187
 supernova driven, 187
- Gaunt factor, 192
 frequency-averaged (g_{ff}), 84, 111, 193
- grain catalysis, 171
- Gunn–Peterson effect, 201–202, 207
 fluctuating approximation, 218
- H II region, 10, 75, 81–87
 cooling, 83–86
 heating, 82–83
 Orion Nebula, 10
 spectrum, 38, 88
 ultracompact, 86
 heating mechanisms, 21–23
- high-velocity cloud (HVC), 182–184
- hot ionized medium (HIM), 4, 106–128
 cooling, 25, 122–123
 heating, 23, 122
- hydrogen 21 cm, 4, 55–68
 from high-velocity clouds, 182
 prediction, 55
- hyperfine transition, 55
- index of refraction (\bar{n}), 136–137
- integrated line intensity, 62, 166, 167
- intensity (I_ν), 33
 and brightness temperature, 60
- interstellar medium (ISM), 1
 energy densities, 6
 mass in Milky Way, 4
 phases, 26, 28
 pressure, 6
- intracluster medium (ICM), 1, 190–196
 cooling flow, 195
 heating by AGN, 195
- ionization
 collisional, 18, 70, 120
 photoionization, 18, 70–72
 secondary photoionization, 79
- ionization equilibrium, 18–19, 77
- ionization front, 95
 plane parallel, 97
 R-type versus D-type, 100
 spherical, 95–96
 strong versus weak, 100
- isotopologue, 162
- kinetic equilibrium, 15–17
- kinetic temperature (T), 15
- Large Magellanic Cloud (LMC), 13, 182
 mass of H I, 182
 metallicity, 134
- line profile (Φ_ν), 39, 41
- line width, 39–41
 intrinsic, 39

- natural, *see* intrinsic
 thermal, 41
- Local Bubble, 4, 28, 106, 126
- Local Fluff, *see* Local Interstellar Cloud
- Local Group, 189
- Local Interstellar Cloud, 106
- Lockman Hole, 57, 226
- Lorentz function, 40
 full width at half maximum, 40
- loss (L), 20, 170
 for dust grain, 146
- Lyman α , 24, 32, 50
 absorption by IGM, 199
 absorption optical depth, 44
 deuterium, 51
 effective optical depth (τ_{eff}), 206
- Lyman alpha forest, 213–215
- Lyman and Werner bands, 174, 177
- Lyman limit system, 214
- Lyman series, 32
- M82 (starburst galaxy)
 CO emission, 163
 galactic wind, 187
 supernova rate, 187
- M87 (elliptical galaxy)
 mass of ISM, 5
- Mach number (\mathcal{M}), 109, 114
 isothermal, 112
- Magellanic Stream, 182
- maser, 18, 34
- Maxwellian distribution
 particle energy, 19
 particle velocity, 15
- metallicity (Z), 5
 effect on cooling, 87, 224
 evolution with time, 224
 of Lyman alpha systems, 215
 solar (Z_{\odot}), 5
- Mie scattering, 138
- Milky Way Galaxy
 interstellar radiation field, 65
 luminosity (L_{MW}), 189
 mass of ISM, 4
 virial mass, 182
 virial radius, 182
- missing baryon problem, 220
- molecular clouds, 3, 154–179
 cooling, 24, 168–170
 heating, 21, 168
- molecule
 diatomic, 154
 dissociation energy (D_0), 154
 electric dipole moment (μ_0), 157
 rotational quantum number (J), 156
 vibrational quantum number (ν), 156
- nebular line, 90
- nebulium lines [O III], 8, 38, 86, 90
- on-the-spot approximation, 73
- optical depth (τ_{ν}), 34, 44, 133
 at line center (τ_0), 44
 damping (τ_{damp}), 48
 from Thomson scattering (τ_e), 209
- partition function, 162
- permitted transition, 37–38
- photodissociation region, 178–179
- photoionization rate (ζ_{pho}), 72
 by blackbody radiation, 204
- photon occupation number (\bar{n}_{ν}), 64, 158
- Planck function (B_{ν}), 35
- planetary nebula, 11
 Cat's Eye Nebula, 7, 9, 11
 Ring Nebula, 11
- polycyclic aromatic hydrocarbon (PAH), 143
 emission features, 144
- pressure equilibrium, 19–20, 77
- pulsar wind nebula, 114
- quasar, 199
 absorption lines, 199
 ionizing photon emission, 210, 213
- radiative recombination, 18, 72–74
 Case A (optically thin), 74
 Case B (optically thick), 74
 cooling rate, 83
 in hot ionized medium, 121
- radiative recombination rate (α), 19, 73
 for He, 79
- radiative transfer equation, 33–34, 159
 line emission, 59
- Rankine–Hugoniot conditions, 109
- Rayleigh scattering, 131, 138
- recombination (cosmological), 203–205
 redshift of, 205
- recombination time (t_{rec}), 73, 76, 124, 211
- reflection nebula, 9
 Pleiades, 9, 132
- reionization (cosmological), 205–213
 by active galactic nuclei, 212–213
 by massive stars, 210–212
 optical depth (τ_e), 209
 redshift of (z_*), 210
- Sedov–Taylor solution, 113, 116
- self-shielding, 176–178, 214
- self-shielding factor (β_{SS}), 177
- shock front, 101, 107
 breakout, 189
 isothermal, 112
 plane parallel, 108
 radiative zone, 110
- shock heating, 23
- silicate, 140, 141
 absorption/emission features, 142
 astrosilicate, 142
 olivine ($\text{Mg}_{2x}\text{Fe}_{2-2x}\text{SiO}_4$), 141
 pyroxene ($\text{Mg}_x\text{Fe}_{1-x}\text{SiO}_3$), 141

- Small Magellanic Cloud (SMC), 13, 182
 mass of H I, 182
 mass of ISM, 4
 metallicity, 134
 solar abundance, 5
 solar metallicity (Z_{\odot}), 5, 87
 sound speed (c_s), 77, 107
 isothermal, 99
 source function (S_{ν}), 34, 60, 159
 spin temperature, *see* excitation temperature
 Strömgren radius (R_S), 102
 Strömgren sphere, 10, 75–81
 supernova rate (Σ_{SNR})
 solar neighborhood, 120
 starburst galaxy, 187
 supernova remnant, 11, 113–119
 Crab Nebula, 11, 114
 Cygnus Loop, 11, 115
 free expansion phase, 113–114
 Sedov–Taylor phase, 114–116
 snowplow phase, 118–119
 synchrotron radiation, 65

 thermal radiation, 35
 total to selective extinction (R_V), 134
 turbulence, 20, 165
 two-photon emission, 88

 virial mass (M_{200}), 182
 virial radius (r_{200}), 181–182

 virial theorem, 165, 181, 191
 Voigt profile, 41
 Voigt–Hjerting function, 41
 volumetric cooling rate (ℓ), 20
 adiabatic expansion, 217
 free–free, 84, 111
 line emission, 112, 170
 radiative recombination, 83
 volumetric heating rate (g), 20
 photoionization, 83, 216

 warm intercloud medium, *see* warm neutral medium
 warm ionized medium (WIM), 4, 13, 70–102
 cooling, 25
 heating, 22
 warm neutral medium (WNM), 4, 54–68
 cooling, 25
 heating, 22
 warm-hot intergalactic medium (WHIM), 2, 220–228
 cooling, 26, 224–225
 filamentary structure, 221
 heating, 23, 222
 metallicity, 224
 pressure, 6
 wavelength (air versus vacuum), 8
 work function (w), 22

 X-factor (X_{CO}), 166
 density dependence, 167
 metallicity dependence, 167