

Index

- acceleration
 - absolute, 66
 - angular, 12
 - complementary, 66
 - of a contact point, 140
 - Coriolis, 66
 - distribution in a rigid body, 115
 - intrinsic components, 60
 - linear, 57
 - normal, 60
 - relative, 66
 - tangential, 60
 - transportation, 66
 - vector, 57
- angle
 - Euler, 11, 15
 - nutation, 21
 - pitch, 21
 - precession, 21
 - roll, 21
 - spin, 21
 - yaw, 21
- assembling difficulty, 246–247
- axis
 - Euler axes, 15
 - instantaneous screw axis, 124, 128
 - rotation about the screw axis, 129
 - sliding along the screw axis, 129
 - three-body axis system, 21
 - two-body axis system, 21
- axode
 - fixed, 129
 - moving, 129
- center
 - rotation instantaneous center, 134
 - rotation instantaneous center of
 - a chassis, 143, 150, 152–153, 156
- centrode
 - fixed, 135
 - moving, 135
- composition
 - of accelerations, 66
 - of movements, 63, 70
 - of rotations, 15, 27, 32
 - of velocities, 63, 66
- configuration
 - constraint equations, 226
 - manifold, 226
 - of a multibody system, 225
 - of a rigid body, 115
 - space, 225
- constraint
 - basic constraint conditions, 114
 - configuration, 224
 - configuration constraint equations, 226
 - contact, 122
 - equations, 114, 122
 - fully redundant, 243
 - geometric, 225
 - geometric constraint equations, 226
 - kinematic, 224, 231
 - kinematic constraint equations, 232
 - partial, 253
 - redundant, 243
 - reonomic, 228
 - scleronomous, 228
 - superposition, 240, 253
- contact, 122
 - geometric contact point, 120
 - no sliding, 122
 - sliding, 122
- coordinate
 - generalized, 224–225
 - independent, 224–225
 - pseudocoordinates, 230
 - system, 2, 225
- curvature
 - center, 60
 - radius, 60
 - torsional radius, 77
- degree of freedom, 142, 224, 231

- Euler
 - angles, 11, 15
 - axes, 15
 - families of Euler angles, 20
 - parameters, 32
- frame of reference
 - absolute reference frame, 63
 - body reference frame, 114
 - mathematical reference frame, 2
 - relative reference frame, 63
- Frenet
 - vector basis, 59, 77
- geometric contact point, 140
- holonomy, 234
- inertial guidance, 79
- kinematic torsor, 115, 127, 253
- kinematics
 - multibody systems kinematics, 224
 - point kinematics, 54
 - rigid body kinematics, 114–115
- maneuverability, 142, 148–149, 156, 158
- motion
 - planar, 134
 - translation, 116
- orientation parameters, 32
 - Cayley–Klein, 34
 - Euler, 32
 - Rodrigues, 34
- osculating circle, 60
- osculating plane, 60
- overconstrained system, 243
- perfect rolling, 121–122, 124, 140
- position vector, 55
- pseudocoordinates, 230
- redundancy, 224, 247, 253
 - degree of tangent redundancy, 243, 253
 - detection, 244
 - full, 240, 243, 253
 - systematic analysis, 253
 - tangent, 240, 243, 248, 253
- rigid body, 114
 - acceleration distribution, 115
 - velocity distribution, 115, 124
- rotation
 - around fixed axis, 27
 - Euler angles, 11, 15
- general, 15
- instantaneous center, 134–135
- parameters, 32
 - Cayley–Klein, 34
 - Euler, 32
 - Rodrigues, 34
- simple, 13, 15
- space
 - configuration, 224–225
 - phase, 224, 230–231
 - physical space, 2
- speed, 60
 - associated with pseudocoordinates, 230
 - generalized, 224, 230
- steering
 - directionally stable, 145
 - directionally unstable, 145
 - four-wheel steering, 149
 - front steering, 145
 - oversteer, 142
 - rear steering, 145
 - steering wheel bar, 156
 - trapeze, 144
 - understeer, 142
 - wheel, 143
- system
 - autonomous, 233
 - holonomic, 224, 234
 - mechanical, 225
 - multibody, 225
 - multibody system, 224
 - nonholonomic, 224, 234
 - overconstrained system, 243
- time, 2
 - absolute, 2
 - derivative, 5, 7
 - geometric, 7, 9
 - integration through vector bases, 36
 - principle of absolute simultaneity, 2–3
 - time derivative, 7
 - analytical, 9
 - in different reference frames, 12
- trajectory, 3, 55
- translation
 - longitudinal, 165, 167
 - transverse, 165, 168
- translation motion, 116
 - circular, 116
 - curvilinear, 116
- vector
 - components, 6
 - graphical representation, 5
 - operations, 5

- vector basis, 6
 - fixed, 5, 9
 - Frenet, 59, 77
 - intrinsic, 59, 61, 77
 - moving, 5, 10
- vehicle
 - with conventional wheels, 142
 - with omnidirectional wheels, 158
- velocity
 - absolute, 63
 - angular, 11
 - distribution in a rigid body, 115, 124
- intrinsic components, 60
- linear, 57
- relative, 63
- transportation, 63
- vector, 57
- wheel
 - conventional, 142
 - nonsteered, 142
 - omnidirectional, 158
 - omnidirectional wheel with rollers, 158, 162
 - omnidirectional wheel with spherical rollers, 163