
Index

- ascending ladder MAP, 294
 - excursion measure, 294
 - matrix Laplace exponent, 294
- beta function, 431, 432
- β -subordinator, 78
 - Lamperti-stable, 81
- Borel–Cantelli Lemma, 438
- Brownian motion, 28
 - hitting unit sphere, 363
 - Spitzer’s winding limit, 412
 - subordination, 71
 - walk-on-spheres algorithm, 381
- Cauchy density, 16
- Cauchy process, 63
 - transition density, 63
- Cauchy’s estimates, 430
- censored stable process, 136
 - lower envelope, 277
 - upper envelope, 278
- characteristic exponent, 2
 - Cauchy distribution, 3
 - d -dimensional, 21
 - isotropic stable, 24
 - isotropic stable process, 71
 - Lévy–Khintchine formula, 2
 - normalised, 24
 - normalised stable, 12
 - stable distribution, 3
 - stable process, 59
- compensation formula, 444
- creeping, 49
- deep factorisation, 295, 330, 331, 403
 - d -dimensional, 404
 - in dimension $d \geq 0$, 403
 - inverse ladder MAP exponent, 334
 - inverse matrix factorisation, 332
 - ladder MAP exponent, 348
 - ladder MAP potential matrix, 335
- Donsker-type convergence, 39
- double gamma function, 96, 432
- double sine function, 184, 434
- drifting, 35
- duality, 41
 - duality lemma, 41
 - Hunt–Nagasawa duality, 120, 442
 - Markov additive process, 290
 - q -resolvent, 42
 - semigroup, 42
- entrance law, 117
 - censored stable process, 144
 - duality, 119
 - pssMp, 118
 - radial part of isotropic stable process, 151
 - recurrent extension, 122
 - stable process conditioned to stay positive, 133
 - time reversal, 120
- Esscher transform
 - Lévy process, 38
 - Markov additive process, 291
- excursion, 44
- excursion theory
 - excursion measure, 45, 177
 - Markov additive process, 292
- exit problem
 - hitting points, 160
 - interval, 154, 156, 159

- exponential functional
 - log moments, 253
- Feller process, 441
 - Lévy process, 34
 - regular, 115, 121, 286, 300, 441
- Feller semigroup, 441
- filtration
 - les conditions habituelles, 440
 - MAP, 287, 300
 - natural, 440
 - natural enlargement, 122, 152, 176, 287, 300, 302, 308, 331, 440
 - ssMp, 302
 - stable, 308
 - stable process, 122, 313, 331
- first entrance from a ball
 - triple law, 395
- first entrance in a ball, 366
 - triple law, 395
- first entrance into a bounded interval, 162, 163, 318
- first exit from a ball, 366
- first exit from an interval, 154, 156, 159
- first hitting of a sphere, 355
- first hitting of a two-point set, 168
- first passage problem, 50
 - asymptotic overshoot subordinator, 52
 - Lévy process, 50
 - reflected stable process, 177
 - stable process, 69
 - stable subordinator, 68
 - subordinator, 51
- Fourier transform, 430
- gamma function, 431
 - duplication formula, 432
 - infinite product representation, 431
 - recursion formula, 431
 - reflection formula, 432
- generalised last exit time, 441
- generalised polar coordinates, 301
- hitting points, 42
 - first hitting of a two-point set, 168
 - in an interval for stable process, 160
 - Mellin transform of hitting time for stable process, 174
 - stable process, 65
- hitting points in an interval, 160
- Hunt–Nagasawa duality, 120, 419, 442
- hypergeometric function, 435
 - linear combination of, 435
 - special formulae for, 436
- hypergeometric Lévy process, 78, 84, 252
 - admissible parameters, 84
 - first passage problem, 89
- infinitesimal generator, 35, 55
 - Lévy process, 35
- Jacobian
 - sphere inversion, 362
 - sphere inversion with reflection, 362
- Lévy measure, 2
 - isotropic stable, 25
 - stable Cartesian coordinates, 25
 - stable distribution, 5
 - stable polar coordinates, 25
 - stable process, 58
- Lévy process, 27
 - asymmetry, 31
 - β -subordinator, 78
 - Brownian motion, 28
 - Cauchy process, 63
 - characteristic exponent, 27, 54
 - compound Poisson with drift, 29, 32
 - creeping, 49
 - definition, 27
 - Donsker-type convergence, 39
 - drifting, 35
 - duality, 41, 55
 - Esscher transform, 38
 - excursion theory, 44
 - exponential change of measure, 37
 - exponential moments, 37
 - Feller property, 34, 54
 - first passage problem, 50
 - hitting points, 42
 - hypergeometric, 78, 84, 252
 - in dimension $d \geq 2$, 54
 - infinitesimal generator, 35, 55
 - killing, 30
 - Lévy–Itô decomposition, 29
 - Lévy–Khintchine formula, 28
 - Lamperti-stable, 87
 - Markov property, 34, 35
 - moments, 36, 55
 - non-arithmetic, 228, 260
 - oscillating, 35
 - path variation, 31
 - polarity of points, 55
 - recurrence, 40, 55
 - regularity, 44
 - resolvent with killing at first passage, 52

- semigroup, 34
- spectrally one-sided, 33
- strong Markov property, 34
- subordinator, 33
- transience, 40, 55
- triple law, 50
- Wiener–Hopf factorisation, 44, 47
- Lévy–Khintchine formula, 2
 - in dimension $d \geq 2$, 54
 - isotropic stable, 24
 - regularisation function, 3
 - stable distribution, 3
- Lamperti transform, 115
- Lamperti–Kiu transform, 287
 - in dimension $d \geq 2$, 301
- Lamperti-stable MAP, 307
 - dual process, 309
- Lamperti-stable process, 87
 - admissible parameters, 88
 - subordinator, 81
- Laplace exponent
 - spectrally negative stable process, 63
 - stable subordinator, 64
- Laplace–Fourier transform, 430
- last exit time, 442
 - generalised, 441
- law of the iterated logarithm
 - radial maximum of a stable process, 221
 - spectrally negative stable process, 217
 - stable process conditioned to limit to 0 from above, 274
 - stable subordinator, 208
- Liouville’s theorem, 430
- lower envelope
 - censored stable process, 277
 - pssMp, 235, 239
 - radial part of isotropic stable process, 280, 283
 - stable process conditioned to hit 0 continuously, 328
 - stable processes, 219
 - stable processes conditioned to limit to 0 from above, 273
- MAP, *see* Markov additive process
- Markov additive Poisson point process, 444
 - compensation formula, 445
- Markov additive process, 287
 - ascending ladder MAP, 293
 - compensation formula, 311
 - deep factorisation, 295
 - dual ladder MAP, 337
 - dual to Lamperti-stable MAP, 309
 - Esscher transform, 291
 - excursion theory, 292
 - filtration, 287, 300
 - isotropic self-similar Markov process, 302
 - ladder MAP dual potential, 337
 - ladder MAP potential, 335, 387
 - Lamperti-stable MAP, 307
 - matrix exponent, 289, 291
 - matrix Laplace exponent, 294
 - modulator, 287
 - ordinator, 287
 - reflected, 292
 - strong law of large numbers, 292
 - time change, 291
 - Wiener–Hopf factorisation, 295, 403, 404
 - with discrete modulation, 287
- Markov process
 - Hunt–Nagasawa duality, 442
- Markov property
 - Lévy process, 34, 35
- Mellin transform, 430
 - first hitting time of point for stable process, 174
- Morera’s Theorem, 430
- Nagasawa duality, *see* Hunt–Nagasawa duality
- natural filtration, 440
- naturally enlarged filtration, 440
- Newtonian Poisson formula, 363, 368
- oscillating, 35
- perpetuity, 437
 - tail distribution, 438
- Pochhammer symbol, 435
- point of closest reach, 166, 389
- point of furthest reach, 166
- Poisson point process, 443
 - Markov additive Poisson point process, 444
- Poisson random measure, 443
- positive self-similar Markov process, 115, 227, 260
 - censored stable process, 136
 - conservative, 117
 - entrance at 0, 117
 - envelopes, 227
 - last passage time, 228
 - non-conservative, 117
 - path functional distributions, 260
 - radial part of stable process, 144
 - radius of an isotropic self-similar Markov process, 303

- recurrent extension, 121
- stable process conditioned to limit to 0 from above, 133
- positivity parameter, 61
- pssMp, *see* positive self-similar Markov process
- path decomposition, 227
- radial excursion theory, 383
 - excursion measure, 385, 398
- radial part of isotropic stable process
 - lower envelope, 280, 283
 - upper envelope, 281, 284
- radial part of stable process, 144
- radial reflection, 406
 - limiting distribution, 406
- radially reflected stable process, 331
 - limiting distribution, 331
- real self-similar Markov process, 287, 288
- recurrence, 40, 55
 - criterion for Lévy processes, 40
 - stable process, 64
- recurrent extension, 122
- regular Feller process, 300
- regularisation function, 3
- regularity of half-line, 44
- renewal measure, 50
- residue, 429
- resolvent, 41
 - adjusted resolvent, 74
 - entrance into a bounded interval, 165, 319
 - exit from a half-line, 159
 - exit from an interval, 157
 - first entry into ball, 370
 - first exit from ball, 370
 - first hitting of a sphere, 364
 - first hitting of point, 174
 - first passage of reflected process, 180
 - killed process, 42
 - Lévy process killed at first passage, 52
 - ladder height, 50
 - q -excessive, 43
 - q -resolvent, 41
 - stable process, 72
- Riesz–Bogdan–Żak transform
 - in dimension $d \geq 2$, 324
 - one dimensional, 316
- rssMp, *see* real self-similar Markov process
- Schwartz’s Reflection Principle, 430
- self-similar Markov process, 287
 - censored stable process, 136
 - entrance at 0, 118, 303, 305
 - in dimension $d \geq 2$, 300
 - isotropic, 302
 - radial part of stable process, 144
 - stable process conditioned to avoid the origin, 314
 - stable process conditioned to hit 0 continuously, 314
 - stable process conditioned to limit to 0 from above, 133
 - stable process conditioned to stay positive, 128
 - stable process killed on entering $(-\infty, 0)$, 122
- self-similarity, 60
 - stable process, 60
- semigroup, 440
 - Feller property, 441
 - Lévy process, 34, 440
- Skorokhod space, 118, 265, 304, 439
- Skorokhod topology, 440
 - weak convergence, 440
- spectrally negative stable process
 - law of the iterated logarithm, 217
- sphere inversion, 351
 - with reflection, 354
- ssMp, *see* self-similar Markov process
- stable density, 14, 16
 - Cauchy, 16
 - power series, 16
- stable distribution, 1
 - Cauchy, 3
 - Cauchy density, 16
 - definition, 1
 - density function, 14, 16
 - higher dimensions, 20
 - isotropic, 23
 - Lévy measure, 5
 - moment formula, 14
 - moments, 9, 14
 - normalised, 11
 - one dimension, 1
 - parameters, 12
 - positivity parameter, 11, 15
 - symmetric, 22
 - Zolotarev’s duality, 15
- stable process, 4, 58
 - adjusted resolvent, 74
 - admissible parameters, 61
 - Cauchy process, 63
 - censored, 136

- characteristic exponent, 59, 71
- conditioned to avoid the origin, 314
- conditioned to hit 0 continuously, 314
- conditioned to limit to 0 from above, 133
- conditioned to stay positive, 128
- deep factorisation, 404
- drifting and oscillating, 64
- excursion theory, 177
- filtration, 122, 308, 313, 331
- first entrance from a ball, 395
- first entrance in a ball, 366, 395
- first entrance into a bounded interval, 162, 163, 318
- first exit from a ball, 366
- first exit from an interval, 154, 156, 159
- first hitting of a sphere, 355
- first hitting of a two-point set, 168
- first passage, 68
- first passage problem, 69
- hitting points, 65
- hitting points in an interval, 160
- in dimension $d \geq 2$, 70
- isotropic, 70
- killed on entering $(-\infty, 0)$, 122
- Lévy measure, 58
- moments, 64
- normalised, 60
- one dimension, 58
- path variation, 62
- point of closes and furthest reach, 166
- polarity, 72
- positivity parameter, 61
- radial process, 144
- radial reflection, 406
- reflected, 176
- regularity of half-line, 66
- resolvent density, 72
- Riesz–Bogdan–Zak transform, 316, 324
- self-similarity, 60
- spectrally negative, 63
- subordinator, 64, 206
- transience and recurrence, 64, 72
- transition density, 60
- up-crossings of origin, 422
- Wiener–Hopf factorisation, 66
- winding at infinity, 414
- winding at origin, 418
- stable process conditioned to hit 0
 - continuously
 - lower envelope, 328
 - upper envelope, 328
- stable process conditioned to limit to 0 from above
 - law of the iterated logarithm, 274
 - lower envelope, 273
 - upper envelope, 274
- stable process conditioned to stay positive
 - law of the iterated logarithm, 270
 - lower envelope, 266
 - upper envelope, 268, 269
- stable subordinator, 206
 - law of the iterated logarithm, 208
- stopping time, 441
- strong Markov process, 441
- subadditive functions, 436
- submultiplicative function, 37
- subordinator, 33
 - asymptotic first passage, 52
 - β -subordinator, 78
 - Lamperti-stable subordinator, 81
 - Laplace exponent, 33
 - stable subordinator, 64
- transience, 40, 55
 - criterion for Lévy processes, 40
 - stable process, 64
- triple law, 50
- up-crossings of stable process, 422
- upper envelope
 - censored stable process, 278
 - pssMp, 241, 248, 250
 - radial part of isotropic stable process, 281, 284
 - stable process, 214
 - stable process conditioned to hit 0 continuously, 328
 - stable process conditioned to limit to 0 from above, 274
 - stable process conditioned to stay positive, 268, 269
- walk-on-spheres, 374
 - Brownian motion, 381
 - first exit problem, 375
 - first exit problem with resolvent, 379
 - Monte Carlo, 375
 - number of steps to completion, 375
 - stable process, 375
- Wiener–Hopf factorisation, 47
 - censored stable, 143
 - deep factorisation, 295, 403
 - Doney classes, 196
 - Doney’s factorisation, 196, 203

Index

463

- Doney–Kuznetsov factorisation, 184
- Kuznetsov’s factorisation, 183, 185
- Lévy process, 47
- radius of stable process, 150
- space-time factorisation, 47, 48
- spatial factorisation, 48
- stable conditioned to limit to 0 from above, 135
- stable conditioned to stay positive, 132
- stable killed on exiting $(-\infty, 0)$, 125
- stable process, 66
 - temporal factorisation, 47, 48
- winding number, 412
- winding of Brownian motion, 412
- winding of stable process
 - at infinity, 414
 - at the origin, 418
- Zolotarev’s duality, 15