

Index

Page references shown in bold refer to a place with a definition or an extensive explanation of corresponding subject. The references shown in *italics* refer to R software scripts illustrating analytical approaches related to the subject.

- Akaike information criterion (AIC) 222, 233, **245**
- analysis of covariance (ANCOVA) **224**, 235–37
- analysis of variance (ANOVA)
 - Bartlett's test **105**, 117, 140
 - data transformation **152–58**, 161–63
 - hierarchical **164–67**, 171–74
 - homogeneity of variances 105
 - interactions **132**, 141–43
 - Kruskal–Wallis *see* test, Kruskal–Wallis
 - Latin square *see* design, Latin square
 - multiple comparisons *see* test, multiple comparisons
 - one-way **104–8**, 117
 - power 110, 123, 167
 - randomised blocks *see* design, complete randomised blocks
 - repeated measurements **169–70**, 177–81
 - split-plot design **167–69**, 170, 176–77
 - two-way factorial **130–35**, 140–41
 - variance components 126, 166, 174–76
 - variance decomposition 106–8, 132–33, 159–61, 166
- Bartlett's test *see* analysis of variance (ANOVA), Bartlett's test
- Bayesian statistics **30–32**
- box-and-whisker plot **10**, 16, 74, 80–82
- canonical correspondence analysis (CCA) 330
- cases **1**
- classification
 - CART *see* classification and regression trees (CART)
 - hierarchical agglomerative 318, **320–21**, 322–24
 - hierarchical divisive 318
 - non-hierarchical 318
 - similarity and distance measures **319**
 - TWINSpan **321–22**, 324
- classification and regression trees (CART) **304–6**, 309–15
 - crossvalidation **307**, 309, 314
 - pruning **306**, 310, 315
 - surrogate predictors **308**, 313
- cluster analysis *see* classification, hierarchical agglomerative
- coefficient
 - correlation *see* correlation
 - of determination *see* regression model, coefficient of determination
 - of variation **9**
 - regression *see* regression model, regression coefficient
- confidence interval *see* mean, confidence interval *and* regression model, confidence interval
- contingency tables
 - association strength **44–46**, 53
 - test *see* test, contingency tables
 - two-by-two **44**, 51
 - visualising **49**, 54
- correlation
 - Kendall coefficient (non-parametric) 212
 - partial **223–24**, 234–35
 - Pearson coefficient (linear) **207**, 213, 216
 - Spearman coefficient (non-parametric) **212**, 216
 - versus causality 47, 213–15
- correspondence analysis (CA) 328, 328
- data
 - transformation *see* transformation
 - types 1–3
- degrees of freedom (DF) *see* test, degrees of freedom
- design
 - balanced 110, **131**
 - before after control impact (BACI) **170**
 - complete randomised blocks **136**, 137, 145
 - factorial **130**
 - hierarchical 131
 - Latin square **136**, 137, 146
 - proportional **131**
 - pseudoreplications 136
 - split-plot 167
- discriminant analysis 327, **331–32**, 340
- distribution
 - binomial 241, **280–83**, 287–88
 - distribution function 11–12
 - F* **85**
 - normal (Gaussian) **55–56**, 60
 - Poisson 241, **274–76**
 - probability density function **12**
 - quantile **12**
 - t* **66**
 - z* (standardised normal) 57
- Dunnet's multiple comparisons *see* test, Dunnet's multiple comparisons
- effects
 - effect size 143
 - fixed 108–9, 143
 - partial 221, 228
 - random 108–9, 125, 134, 144
- F* test *see* test, *F* test of ...
- frequency histogram **4**, 12, 15, 58, 61
- Friedman test *see* test, Friedman

- general linear model *see* regression model, general linear model
- generalised linear model *see* regression model, generalised linear model (GLM)
- goodness of fit *see* test, goodness of fit
- hypothesis
 alternative **20**
 null **19**
 rejecting **20**
 research **19**
 testing **19–20** *see also* test (and its sub-entries)
- interquartile range **9**
- K function **279–80**, **286**
- Kruskal–Wallis ANOVA *see* test, Kruskal–Wallis
- kurtosis **57**
- linear discriminant analysis (LDA) *see* discriminant analysis
- Mann–Whitney test *see* test, Mann–Whitney
- mean
 arithmetic (average) **5–6**
 confidence interval **72–73**, **74**
 geometric **7**
 standard error (SE) **9**, **66**, **74**
- median **6–7**
- mixed effect models **109**
- mode **7**
- multiple comparisons *see* test, multiple comparisons
- multivariate methods *see* classification and ordination
- observations *see* cases
- ordination
 constrained **326**, **330–31**, **336–40**
 partial **330**
 unconstrained **326**, **327–30**, **333–36**
- paired *t* test *see* test, paired *t*
- path analysis *see* structural equation model (SEM)
- point pattern analysis *see* spatial pattern analysis
- population
 statistical **3**
- principal component analysis (PCA) **328**, **333**
- quantile *see* distribution, quantile
- quartile **6**
- random effect *see* effects, random
- redundancy analysis (RDA) **330**, **330**, **336**
- regression model
 calibration **197**
 coefficient of determination **188**, **213**, **221**
 confidence interval **190**, **201**
 data transformation **193–95**
 diagnostics *see* regression model, regression diagnostics
- F* test *see* test, *F* test of regression model
- general linear model **224–25**
- generalised linear model (GLM) **158**, **200**, **240–45**, **246–48**, **276**
- intercept **185**, **195**, **199**
- linear **184–87**, **198–202**
- link function **241**
- log-linear **47**, **243–44**, **248–50**
- multiple **219–23**, **226–31**
- non-linear **253–56**, **258**
- overdispersion **243**
- polynomial **253–55**, **256–57**
- prediction interval **190**
- predictor **184**
- regression coefficient **185**, **186**, **189**, **199**, **208**, **221**, **227**
- regression diagnostics **190–93**, **202**, **228**
- residuals **190**
- response variable **184**
- stepwise selection **222**, **231–34**, **244–45**
- through origin **195–97**, **199**
- Type II **197**, **203–4**
- variance decomposition **187–88**, **221**, **228**
- sample
 random **3**
 size **23**, **25**, **77–78**
 statistics *see* statistics, descriptive
 stratified **4**
- single sample *t* test *see* test, single sample *t*
- skewness **56–57**
- spatial pattern analysis **276–80**, **286–87**
- standard deviation (SD) **8**, **74**
- standard error *see* mean, standard error
- standardisation
 z -transformation **319**
- statistics
 descriptive **4–10**, **14**
 test *see* test, test statistics
- structural equation model (SEM) **261–65**, **265–71**, **265–71**
- causality **264**
- path coefficient **263**, **268**
- testing **263**, **266**, **268**
- survival analysis
 censoring **291**
 Cox proportional hazard model **293–95**, **298–301**
 difference among groups **293**, **297**
 hazard rate **292**
 survival function **291**, **295**
- test
 Bartlett's *see* analysis of variance (ANOVA), Bartlett's test
 complete spatial randomness (CSR) *see* test, random point pattern
 contingency tables **46**, **50–52**
 critical value **20**, **27**
 degrees of freedom **21**, **36**, **62**, **66**, **82**, **85**, **87**, **106**, **109**, **125**, **133**, **166**, **188**, **221**, **243**, **245**, **263**

- distribution comparison 59–60
- Dunnet’s multiple comparisons **114–15**, 121–23
- F* test of ANOVA 105, **107**, 109, **133**
- F* test of regression model **188**, 200–1, **221**, 227
- F* test of variance ratio **85–87**, 89
- Friedman **138**, 147
- goodness of fit **21**, 25, 35–36, 59, 62
- Hardy–Weinberg equilibrium **26**, 36
- Kolmogorov–Smirnov 59, 62
- Kruskal–Wallis **115–16**, 126
- likelihood ratio **43**, 52, 125
- Mann–Whitney **93–95**, 99–100
- median **95**
- multiple comparisons **111–15**, 137
- of correlation **208**, 210, 216
- of Poisson distribution **276**, 283–85
- one-sided 70–72, 80
- paired *t* **68–70**, 80
- permutation **97–99**, 100–2, 330, 339
- power **22**
- random point pattern 276–77
- Shapiro–Wilk 59, 63
- sign paired **97**
- significance level **20**, 27, 32–35
- single sample *t* **67–68**, 79
- test statistic **20**, 27
- Tukey’s multiple comparisons **113–14**, 118–19
- two-sample *t* **87–88**, 89–90, 108
- two-sided 67
- Type I error **22**, 23, 111
- Type II error **22**
- Wilcoxon paired **95–96**, 100
- transformation
 - arcsine **156**, 159
 - Box–Cox 157
 - log **153–56**, 159, 161–63
 - square root **157**
- TWINSPAN *see* classification, TWINSPAN
- two-sample *t* test *see* test, two-sample *t*
- variable **1**
- variance **8**, 13
- variation coefficient *see* coefficient, of variation
- Wilcoxon paired test *see* test, Wilcoxon paired