

---

## Index

- $A_n$  (Weyl group), 24
- $A_n$  (root system), 28
- ${}^2A_n$ , 71
- absolutely semi-simple algebra, 101
- $\alpha_\chi$ , 242
- $\text{ad } g$ , 5
- additive group, 6
- adjoint group, 36
- Adjoint root datum, 36
- affine Weyl group, 170
- almost preferred extension, 234
- arithmetic Frobenius endomorphism, 60
- $A(u)$ , 232
- automorphism of a root system, 38
- $B_n$  (Weyl group), 24
- $B_n$  (root system), 29
- basis (of a root system), 26
- $(B, N)$ -pair, 39
- $(B, N)$ -pair (relative), 78
- Borel subgroups, 11
- Borel subgroups for a  $(B, N)$ -pair, 41
- braid relations, 19
- Bruhat cells, 45
- Bruhat decomposition, 40
- Bruhat decomposition (relative), 44
- Bruhat–Chevalley order, 45
- $\mathcal{B}_x$ , 201
- $\beta_u$ , 232
- $C_n$  (Weyl group), 24
- $C_n$  (root system), 28
- $C(G)$ , 86
- $C(H)_{p'}$ , 124
- character group, 8
- character sheaves, 246
- $\chi_p$ , 124
- $C_K(G)$ , 86
- closed root subset, 45
- coinvariant algebra, 227
- complete flags, 15
- coroot, 25
- Coxeter generating set, 20
- Coxeter group, 20
- Coxeter system, 19
- crystallographic root datum, 36
- crystallographic root system, 25
- cuspidal module, 88
- cuspidal pair, 88
- $D_n$  (Weyl group), 24
- $D_n$  (root system), 29
- ${}^2D_n$ , 71
- ${}^3D_4$ , 71
- defined over  $\mathbf{k}_0$ , 59
- defined over  $\mathbb{F}_q$ , 63
- Deligne–Lusztig character, 145
- Deligne–Lusztig character for disconnected groups, 183
- $\text{Der}(\mathbf{G})$ , 14
- descent of scalars, 233
- diagonal automorphisms, 184
- diagonalisable group, 8
- discrete series, 90
- dominance order, 239
- Drinfeld double, 243
- $d_S^G$ , 157
- dual algebraic group, 165
- dual isogeny, 165
- duality (of representations), 116
- $E_6, E_7, E_8$  (Weyl groups), 24
- ${}^2E_6$ , 71
- $\mathcal{E}(G^F, (s))$ , 170
- $\mathcal{E}_G$ , 114

- elementary matrix, 15
- $\varepsilon_{\mathbf{T}}$ , 113
- extended basis, 169
- extended Coxeter diagram, 170
- $F_4$  (Weyl group), 24
- $F$ -conjugacy classes, 65
- $F$ -rank of a torus, 113
- $F$ -rank of an algebraic group, 114
- fake degree, 228
- Feg  $\chi$ , 228
- Feg  $\bar{\chi}$ , 228
- finite group of Lie type, 64
- flag variety, 15
- $F$  on  $X(\mathbf{T})$ , 63
- $\mathbb{F}_q^+$ , 207
- $\mathbb{F}_q$ -rank of a torus, 113
- Frobenius endomorphism, 61
- Frobenius root, 64
- fundamental invariants, 225
- $G_2$  (Weyl group), 24
- $G_2$  (root system), 45
- $\mathbb{G}_a$ , 6
- $\mathbf{G}^{*F^*}$ -Lusztig series, 214
- Gelfand–Graev representation, 208
- general linear group, 6
- generalised reflection degrees, 228
- generated algebraic subgroup, 7
- generating reflections, 20
- generic degree, 108
- geometric conjugacy class, 67
- geometric Frobenius endomorphism, 60
- geometrically conjugate, 67
- geometrically conjugate characters, 161
- $\mathbf{GL}_n(k)$ , 6
- $\mathbb{G}_m$ , 6
- good characteristic, 203
- Green function, 148
- $\mathbf{G}_u$ , 11
- Harish-Chandra induction, 81
- Harish-Chandra restriction, 81
- Harish-Chandra series, 88
- $H_c^*(\mathbf{X})$ , 131
- highest root, 169
- hyperoctahedral group, 29
- $I$ , 235
- $\bar{I}_0$ , 235
- $I(\mathcal{B}_u)$ , 232
- identity component, 7
- $\mathbf{1}_G$ , 86
- inflation, 81
- $I$ -reduced- $J$ , 43
- $I$ -reduced, 42
- $\text{Irr}(G)$ , 86
- $\text{Irr}(H)$ , 88
- $\text{Irr}(A(u))^0$ , 233
- irreducible Coxeter group, 24
- irreducible root system, 25
- isogeny, 37
- Iwahori–Hecke algebra, 98
- Iwahori–Hecke algebra (generic), 103
- Jordan decomposition, 7
- $k_{\mathbf{Q}}$ -structure, 59
- Lang map, 65
- Lefschetz number, 131
- length on  $W$ , 19
- Levi complement, 49
- Levi decomposition, 49
- Levi subgroup, 49
- Levi subgroup of  $\mathbf{G}$ , 55
- linear algebraic group, 7
- Lusztig family of characters, 243
- Lusztig family of unipotent characters, 243
- Lusztig Fourier transform, 244
- Lusztig functor, 138
- Lusztig quotient, 243
- Lusztig series, 170
- $l(w)$ , 19
- Mackey formula, 83
- maximal tori for a  $(B, N)$ -pair, 41
- maximally split torus, 115
- $\mu_n$ , 72
- multiplicative group, 6
- $N_{F^n/F}$ , 143
- $N_{GF}(\mathbf{L}, \Lambda)$ , 91
- $N_I$ , 94
- norm on a torus, 143
- numerical invariant, 101
- $N(w)$ , 20
- $\mathbf{O}_n$ , 17
- $\Omega$ , 170
- one-parameter subgroup, 9
- ${}^{\text{opp}}$ , 139
- opposed Borel subgroup, 206
- opposition automorphism, 37
- orthogonal group, 17
- parabolic subgroup, 12
- parabolic subgroup of a Coxeter group, 42
- parabolic subgroups of a  $(B, N)$ -pair, 44
- parabolic root subset, 47
- $\mathbf{PGL}_m$ , 15
- $\Phi^+$ , 25

- $\Phi^-$ , 28
- $\Pi$ , 26
- $\tilde{\Pi}$ , 169
- $\pi_x^H$ , 159
- $p$ -morphism of root data, 37
- positive subsystem, 26
- principal series, 90
- principal series unipotent, 111
- pseudo-reflection, 225
- $P_X(g)$ , 226
- $Q_L^G$ , 148
- $Q_T^G$ , 231
- quasi-closed root subsystem, 48
- quasi-isolated semi-simple element, 176
- quasi-projective variety, 7
- quasi-simple group, 32
- quasi-split torus, 69
- $r(\mathbf{G})$ , 116
- $R(\mathbf{G})$ , 14
- radical, 14
- rank (of a root system), 26
- rank (of a torus), 8
- rank (of an algebraic group), 13
- rational character, 8
- rational over  $k_0$ , 59
- reduced expression, 19
- reduced root datum, 36
- reduced root system, 25
- reduced- $I$ , 42
- reductive group, 14
- Ree groups, 74
- $\text{Ref}(W)$  for a Coxeter group, 20
- $\text{Ref}(W)$  for a linear group, 225
- reflection, 24
- reflection degrees, 225
- reflections (of a Coxeter group), 20
- $\text{reg}_G$ , 86
- regular character, 214
- regular element, 196
- regular linear character, 207
- relative position of flags, 42
- $R_{\bar{\chi}}, R_{\bar{\chi}}$ , 188
- $R_L^G$ , 86, 145
- $*R_L^G$ , 86, 145
- $R_{L \subset \mathbf{P}}^G$ , 81, 138
- $*R_{L \subset \mathbf{P}}^G$ , 81, 138
- root, 25
- root datum, 36
- root datum of a reductive group, 35
- root system, 25
- roots of  $\mathbf{G}$  relative to  $\mathbf{T}$ , 29
- $R_{\mathbf{T}}^G(s)$ , 167
- $R_{\mathbf{T}}^G(\theta)$ , 145
- $R_u(\mathbf{G})$ , 14
- scalar product (on a symmetric algebra), 106
- scalar product on a group, 86
- Schur element, 106
- semi-simple  $F$ -rank, 116
- semi-simple character, 214
- semi-simple element, 7
- semi-simple group, 14
- semi-simple rank, 87
- Semi-simple root datum, 36
- $\text{Simp}(G)$ , 88
- $\text{Simp}(H)$ , 88
- $\text{Simp}(G^F \mid (\mathbf{L}, \Lambda))$ , 88
- simply connected group, 36
- Simply connected root datum, 36
- $\mathbf{SL}_n$ , 15
- $\mathbf{SO}_n$ , 18
- $\mathbf{Sp}_{2n}$ , 16
- special character of Weyl group, 243
- special linear group, 15
- special orthogonal group, 17, 18
- special unipotent class, 243
- split Frobenius endomorphism, 70
- split reductive group, 70
- split torus, 69
- split unipotent element, 234
- Springer correspondence, 233
- Springer fibre, 201
- standard Levi subgroup, 51
- standard parabolic subgroup, 51
- standard parabolic subgroup of a Coxeter group, 42
- Steinberg character, 126
- Steinberg morphisms, 65
- Suzuki group, 74
- $SV$ , 225
- $SV_W$ , 227
- symmetric algebra of a vector space, 225
- symmetric root subset, 45
- symplectic bilinear form, 16
- symplectic group, 16
- Tits' simple group, 74
- torus, 8
- trace-special Iwahori–Hecke algebra representation, 107
- type of a maximal torus, 70
- $U_\alpha$ , 29
- $\mathfrak{u}_\alpha$ , 31
- uniform functions, 153, 186

258

*Index*

- |                                     |                                    |
|-------------------------------------|------------------------------------|
| unipotent characters, 172           | $W_{GF}(\mathbf{L}, \Lambda)$ , 91 |
| unipotent element, 7                | $W_{\mathbf{G}}(\mathbf{T})$ , 30  |
| unipotent group, 13                 | $W^0(s)$ , 57                      |
| unipotent radical, 14               | $W(s)$ , 57                        |
| unipotent support, 243              | $W(\mathbf{T})$ , 30               |
| unitary group, 71                   | $\tilde{W}$ , 188                  |
| $U_{\Psi}$ , 50                     | $\mathbf{X}_{\mathbf{B}}$ , 172    |
| $\mathcal{U}_z$ , 206               | $X(\mathbf{G})$ , 8                |
| $W$ , 31                            | $\mathbf{X}_{\mathbf{U}}$ , 137    |
| Weyl group, 24                      | $\mathcal{Y}_t$ , 235              |
| Weyl group of a $(B, N)$ -pair, 39  | $Y(\mathbf{T})$ , 9                |
| Weyl group of a reductive group, 29 | $\hat{Z}$ , 60                     |
| $W_{GF}(\mathbf{L})$ , 94           |                                    |