

Cambridge University Press

978-1-108-48436-7 — Operator-Adapted Wavelets, Fast Solvers, and Numerical Homogenization

Houman Owhadi , Clint Scovel

Index

[More Information](#)

Index

- $A^{(k)}$, 79, 161
- $B^{(k)}$, 16, 164
- $N^{(k)}$, 83, 165
- Q , 152
- $R^{(k-1,k)}$, 75, 170
- $W^{(k)}$, 76, 163
- $\langle \cdot, \cdot \rangle$, 27, 152
- $\langle \cdot, \cdot \rangle^*$, 152
- \mathcal{B} , 151
- \mathcal{B}^* , 152
- $\mathcal{H}^s(\Omega)$, 25
- $\mathcal{H}_0^s(\Omega)$, 26
- $\mathcal{H}^{-s}(\Omega)$, 26
- $\mathcal{I}^{(k)}$, 67, 161
- $\mathcal{J}^{(k)}$, 76, 163
- \mathcal{L} , 27
- $\Phi^{(k),\chi}$, 168
- $\Phi^{(k)}$, 74, 168
- $\Theta^{(k)}$, 73, 161
- $\Psi^{(k)}$, 75, 162
- $\mathfrak{X}^{(k)}$, 75, 163
- χ_i , 165
- $\chi_i^{(k)}$, 77, 164
- ϕ_i^χ , 165
- $\phi_i^{(k),\chi}$, 83, 165
- $\phi_i^{(k)}$, 68, 161
- $\pi^{(k,k+1)}$, 68, 161
- σ -algebra, 438
 - Borel, 438
 - generated by random variable, 440, 441
 - independent, 441
- a.e. (*see* almost everywhere)
- adjoint, 434
- algorithm
 - discrete gamblet decomposition, 85
 - exact gamblet transform, 392
- Fast Gamblet Decomposition, 99, 309
- Fast Gamblet Transform and Solve, 99, 309
- Gamblet Decomposition, 172, 391
- Gamblet Transform and Solve, 93, 172
- almost everywhere, 440
- annihilator, 432
- basis
 - orthonormal, 434
- Berlyand, 4, 9, 60, 61
- biorthogonal system, 432
- boundary
 - interior cone condition, 216
 - uniformly Lipschitz, 25
- Bramble–Hilbert lemma, 210, 216, 224
- Bramble–Hilbert norm, 216
- Cauchy–Schwarz inequality, 433
- cellular, 68, 298
- closed range theorem, 433
- condition number, 437
- conditional expectation, 441, 442
- conductivity, 32
- conjugate gradient, 333
- contrast, 32
- convergence
 - cylinder measures, 127, 352
 - norm (*see* convergence, strong) 432
 - strong, 432
 - weak, 432
 - covariance function, 112
 - cylinder measure, 351
 - Gaussian, 351
- Demko, 95, 314
- Desmarais, 3, 9, 61
- Diaconis, xiii, 1, 3, 382
- Dirac mass (*see* Dirac measure)

- direct sum
 - internal, 433
 - notation convention, 175
- Donoho, 84, 379, 380, 382
- Doob, 122, 361, 438, 442
- Doob's representation, 439
- Duchon, 3, 61
- eigenvalue, 437
- eigenvector, 437
- elliptic operator, 33
- ellipticity constants, 32
- events
 - independent, 440
- expected value, 441
- exponential decay, 10, 50, 57, 252, 279, 321, 402
- Fenchel identity, 208
- Feshchenko, 254, 255
- filtration, 442
- finite-element solution, 310
- frame inequality, 57, 269, 271, 401
- function
 - convex, 442
 - indicator, 429
 - integrable, 440
 - measurable, 438
 - measurement, 51, 67, 156, 161
 - simple, 439
 - symmetric positive, 443
 - uniformly Lipschitz, 25
- gamblets, 66, 96, 131, 180, 370
 - dual, 180, 374
 - geometry of, 180
 - localized, 302, 309
 - scale-orthogonalized, 66, 79, 180
- game, 119
 - downscaling, 139
 - hierarchical, 139
 - optimal recovery, 122, 124, 360
 - upscaling, 147
- Gaussian field, 118, 349, 351
 - canonical, 115, 354
- Gaussian measure, 114
- Gaussian process, 112
- Gaussian random vector, 107
- Gaussian space, 108
- Girolami, xiii, 20, 125, 145
- Green's function, 30
- Haar prewavelets, 70
- Harder, 3, 9, 61
- Hellinger-Toeplitz Theorem, 434
- Hennig, xiii, 20, 125, 145
- hierarchy
 - of labels, 67, 161
 - of measurement functions, 161
- Hughes, 9, 60, 61
- i.i.d. (*see* independent identically distributed)
- IBC (*see* information-based complexity)
- identities
 - gamblet, 194
 - Gaussian process regression, 376
- image (*see* range)
- independent identically distributed, 441
- information-based complexity, 4
- inner product, 433
- integral, 440
- interpolation matrix, 14, 16, 68, 75, 84, 91, 140, 148, 170, 180
- isometry, 431
- Jaffard, 95, 314
- Janson, 5, 105, 108, 115, 356
- Jensen inequality, 442
- kernel, 432
 - of a transformation, 432
- Kornhuber, 61, 252, 253, 260
- Kronecker delta, 429
- Kuelbs, 383, 385
- Laplacian, 26
- Larkin, xiii, 381–383, 385
- linear form, 209
 - strictly positive, 210
- local orthogonal decomposition, 60, 61, 252
- local polynomials, 58
- LOD (*see* local orthogonal decomposition)
- Loewner order, 434, 436
- map (*see* mapping)
- mapping, 430
 - bijective, 430
 - continuous, 430
 - injective, 430
 - measurable, 438
 - surjective, 430
- martingale, 442
 - convergence theorem, 442
- matrix, 436
 - Gram, 435
 - interpolation, 170
 - kernel, 421
 - nesting, 180
 - precision, 110
 - symmetric, 437
 - uniformly elliptic, 32

Index

469

- measure, 439
 - Borel, 438
 - cylinder (*see* cylinder measure) 351
 - Dirac, 439
 - Gaussian, 114
 - image, 439
 - probability, 439
 - worst-case, 364
- measurement, 36, 137, 160
 - function, 51, 66, 156
 - locality, 54, 55
- metric, 430
- Micchelli, 4, 20, 35, 156, 157, 379, 380
- Moore–Penrose inverse, 435, 437
- multiresolution decomposition, 75, 82, 94, 163, 174, 393
- Målqvist, 9, 48, 50, 60, 61, 252, 253
- nesting, 68, 161
- nesting matrices, 12, 70, 72, 180, 188
- norm, 431
 - dual, 432
 - dual energy, 27
 - energy, 27
 - Frobenius, 437
 - operator, 436
 - spectral, 437
 - supremum, 431
- notation
 - hierarchy-level free, 165
- nullspace (*see* kernel)
- operator
 - compact, 432
 - norm, 433
 - nuclear, 348
 - positive, 434
 - positive definite, 434
 - shorted
 - (*see also* Schur complement)
 - symmetric, 434
 - trace class, 113, 434
- optimal recovery splines, 36
 - variational properties of, 36, 158
- orthonormalization, 68
- Osborne, xiii, 20, 125, 145
- Packel, 4, 34, 382
- PDE, 3, 32, 39, 410, 419
 - divergence form elliptic, 32
 - harmonic coordinates, 49
 - homogenized, 39
 - parabolic, 419
 - scalar wave, 410
- Peterseim, 9, 48, 50, 60, 61, 252, 253
- Poincaré, xiii
- Poincaré inequality, 209, 224, 252, 253, 400
 - inverse, 253, 400
- Poincaré Lemma, 238
- preimage, 430
- prewavelets
 - Haar, 13, 66, 70, 240
 - local polynomials, 88, 236
 - nonadapted, 66, 160
 - operator-adapted, 13, 66, 73, 161, 472
 - subsampled Dirac, 72, 243
- projection, 435
 - orthogonal, 435
- projection theorem, 435
- pseudometric, 431
- pullback, 430
- pushforward, 439
- random variable, 440
 - Gaussian, 105
 - independent, 441
 - real-valued, 441
- randomized strategies, 124
- range, 432
- range-kernel theorem, 437
- rank, 436
- reproducing kernel, 443
- reproducing kernel Hilbert space, 382, 422, 443
 - Cameron–Martin, 385
- Riesz representation theorem, 434
- Rivlin, 4, 20, 35, 157, 379, 380
- RKHS (*see* reproducing kernel Hilbert space)
- saddle point, 122, 363
- Sard, xiii, 92, 383
- scalar product (*see* inner product)
- scale-orthogonal, 79
- scale-orthogonality, 75
- Schäfer, xiv, 11, 21, 125, 134, 145, 146, 174, 175, 179, 200, 210, 213, 217, 421–423, 426
- Schur complement, 175
- Schwarz, 61, 252
- screening effect, 134, 135
- sequence
 - Cauchy, 431
 - convergent, 431
- set
 - closed, 430
 - compact, 430
 - convex, 429
 - open, 430
 - uniformly Lipschitz convex, 68
- space
 - complete metric, 431
 - Banach, 432
 - dual, 432
 - Euclidean, 436
 - Gaussian, 108

470

Index

- space (cont.)
 - Hilbert, 433
 - measurable, 438
 - measure, 439
 - metric, 430
 - probability, 439
 - separable, 433
 - topological, 430
 - subsampled Dirac masses, 72
 - subsampled points, 71
 - Sul'din, xiii, 383
 - Sullivan, xiv, 11, 21, 125, 134, 145, 146, 174, 179, 200, 210, 213, 217, 421–423, 426
 - symmetric positive function, 112
 - topology, 430
 - relative, 430
 - strong operator, 433
 - weak cylinder measure, 352
 - transpose, 436
 - Traub, xiii, 4, 34, 379–382
 - universal field, 128
- Variational Multiscale Method, 60, 61
 - von Neumann, 4, 5, 119, 121, 124
 - Wald, 4, 125, 378
 - Wannier, 9, 65
 - Wasilkowski, xiii, 4, 34, 379–381
 - wavelets
 - coefficients, 83
 - dual, 83, 165
 - first-generation, 64
 - gamblets, 79
 - index set, 165
 - operator-adapted, 11, 14, 64, 66, 77, 164
 - scale-orthogonalized, 77
 - second-generation, 64
 - weak distribution, 351
 - Woźniakowski, xiii, 4, 34, 379–382
 - Yserentant, 61, 252, 253, 260
 - Zhang, L., 4, 9, 59–61