

Index

- abstract proposition, 227, 228
- abstraction engine, 118–122, 131, 186, 207, 208, 290–294, 321, 357
- accepting path, 343, 347
- accepting run, 50, 343
- accepting state, 50
- achieve goal, 250–253, 255, 263, 284
- action, 62, 73
 - driverless car example, 76
 - in AIL, 41
 - in BDI, 26, 32, 33
 - in Ethan, 156
 - in Gwendolen, 35, 36, 248, 250, 270, 279, 336
 - property, 66, 69–71, 106, 333, 346, 350, 352, 356
 - spacecraft example, 110
 - verification environment, 78, 357
- Action class, 303, 305
- ActionScheduler class, 311, 312
- adaptive control system, 2
- adaptive system, 2
- agent, 16, 17, 24, 25, 42, 68
 - Gwendolen, 33, 35
 - verification, 61, 65, 66
- agent architecture, 16–21, 42, 60, 61, 63–66, 104, 105, 117, 119, 128, 129, 150
- agent programming, 3, 21, 26, 28, 31–33, 53, 68, 69, 71, 73
- AIL, 24, 40, 41, 68, 267, 297, 321
 - configuration, 316, 318–320
 - configuration file, 299, 308
 - debugging and troubleshooting, 282, 315, 316
 - environment, 72, 76, 302, 309, 311–315
 - event, 269
 - intention, 267, 269
 - logging, 298, 316, 318
 - model-checking, 332, 343, 345, 346
 - program execution, 298
 - relationship to AJPF, 69, 297
 - scheduler, 72, 311, 312
 - socket support, 324
 - support for model-checking, 213, 230
- AIL agent, 69, 70, 333
- AILAgent class, 279, 280, 315, 340
- AILConfig class, 318–320
- AILEnv interface, 302, 321
- aircraft, 4, 6, 19, 62, 127, 129
 - certification, 127, 128, 131–137, 146, 147, 149
 - ethics, 153
 - example, 59, 61, 128–130, 132, 134, 137, 138, 140, 143, 145, 146, 148, 149, 151, 153, 156, 161–169, 219–222, 234, 235
 - probabilistic model-checking, 234
 - property, 235
- airmanship, 128, 134–137, 146, 149, 153, 156
- AJPF, 34, 66, 68, 69, 83, 99, 126, 218, 219, 226, 228, 234, 237, 242, 243
 - applied to python programs, 174
 - compositional verification, 183, 184, 194
 - debugging and troubleshooting, 300, 338, 340, 343
 - environment, 72, 76
 - execution, 331
 - exporting to other model-checkers, 219, 228–230, 232–235, 238, 347–355
 - forcing transitions, 346
 - handling randomness, 231
 - installation, 330
 - listener, 230

374

logging, 317
 relationship to AIL, 72, 297, 302
 AJPFLogger class, 317, 318, 325, 359
 antecedent, 28
 architecture, 13, 14, 16, 19, 20, 61, 63, 241, 243
 arithmetic, 288, 289
 Asimov's Laws of Robotics, 172, 173
 assume-guarantee contract, 196–202
 auctions, 83–85, 87, 88, 103
 example, 88–90, 92, 94, 96, 99
 model-checking, 99, 100, 102
 property, 101, 102
 automated trading, 4, 5
 automatic system, 2
 autonomous system, 2, 3, 9, 57–63, 241–245
 architecture, 13, 16–19, 61
 ethics, 153
 model-checking, 68
 safety, 60
 verification, 9, 58, 65, 68
 autonomy, 2, 4, 5, 61
 Büchi automata, 42, 45, 46, 70, 224, 228, 231, 334, 336, 340, 343
 BDI, 25, 26, 31–34, 42, 55, 57, 68, 69, 71, 241
 property, 335
 belief, 18, 23–25, 62, 65, 66, 247
 aircraft example, 131
 in AIL, 68, 269
 in BDI, 26, 31, 32
 in Gwendolen, 33–35, 149, 248–253, 257–259, 271, 273, 275, 277, 279, 284, 335
 logic of, 54–56
 property, 56, 66, 69–71, 88, 106, 333–335, 342, 343, 349, 350, 352, 355
 belief base, 32, 33, 36, 66, 269, 292, 335
 BuchiAutomaton class, 340, 343
 certification, 9, 58, 127, 128
 Choice class, 230, 231, 312–315, 346, 355, 359
 choice generator, 339
 ChoiceRecord class, 344
 cognitive agent, 9, 17–19, 21, 24–26, 31, 32, 34, 42, 55, 57, 62, 64, 65, 68, 245
 compositional verification, 62, 67, 177, 183, 194–196, 200–202, 243, 244
 concrete proposition, 227, 228
 configuration file
 AIL, 282, 285, 298–301, 308, 311, 315, 316, 318, 319, 332, 344–346

Index

Gwendolen, 246, 247, 286
 JPF, 331, 332, 335–337, 339, 342, 348–351, 353, 356, 360
 conjunct, 27
 conjunctive normal form, 27
 consequent, 28
 continuous engine, 118–122, 153
 control system, 13, 14, 16–19, 21, 22, 62, 110, 119, 121, 122, 183, 243
 corroborative verification, 62, 149, 238
 cruise control
 abstraction engine, 295
 environment, 323, 326
 example, 71, 73, 75, 78, 204, 205, 293, 295, 324, 328, 357, 358
 example verification, 78
 exercise, 329
 model-checking, 205
 property, 71, 216, 360
 trace expression, 215
 verification environment, 76, 77, 216
 debugging, 260–267, 277, 279, 280, 285, 343
 declarative programming, 31
 deed, 32, 34, 35, 157, 268, 276, 277, 279, 336
 default actions, 249, 286, 307, 322
 DefaultEASSEnvironment class, 320–322, 324, 327
 DefaultEnvironment class, 41, 248, 251, 286–288, 290, 298, 299, 301–303, 307, 311, 312, 318, 321–323, 339, 340, 360, 361
 DefaultEnvironmentwRandomness class, 312–315
 DefaultTerm class, 304
 definite clause, 28
 desire, 24–26
 logic of, 56
 driverless car, 5, 177, 241
 abstraction engine, 295
 environment, 323, 326
 example, 71, 73, 75, 78, 204, 205, 293, 295, 324, 328, 357, 358
 example verification, 78
 exercise, 329
 model-checking, 205
 property, 71, 216, 360
 trace expression, 215
 verification environment, 76, 77, 216
 dynamic environment, 327

- EASS, 120, 290, 291, 293, 320–324, 326
 environment, 309, 327, 329
 perception, 292
 reasoning cycle, 291
 scheduler, 312
 verification environment, 212, 356–361
- EASSEnv interface, 321, 322
- EASSVerificationEnvironment class, 358–360
- empty deed, 268
- environment, 4, 167
 agent, 18, 32, 40, 72
 AIL, 40, 299, 302, 309, 311, 319
 aircraft example, 145–147, 163, 165
 AJPF, 228
 auction example, 99
 driverless car example, 204, 205
 dynamic, 309, 311, 316, 321, 323, 329
 EASS, 309
 Gwendolen, 34, 248, 279
 model-checking, 68, 72, 73, 76, 78, 333
 of autonomous system, 2, 60, 65
 platoon, 182
 random, 72, 76, 309, 312–316, 355
 search and rescue example, 252
 spacecraft example, 117
 uncertain, 3
- equation, 289
- Ethan, 156–158, 160, 161, 169, 170
 reasoning cycle, 157
- ethical concern, 155, 159–162, 166, 168, 169
- ethical governor, 151, 170–172, 222, 223, 236
- ethical plan order, 155–157, 159
- ethical planner, 163, 166
- ethical policy, 153–155, 157, 162
- ethical principle, 150–156, 159
- ethical rule, 155, 157–159, 161
- ethics, 9, 19, 61, 150–154, 158–160, 162, 168–173, 242, 244, 245
 aircraft example, 151–153
- event, 31, 35, 36, 267–269
- Event-B, 182, 189–191, 199
- executeAction, 41, 214, 307, 311, 327, 328
- executeSendAction, 328
- failure handling, 245
- finite automata, 42, 45
- first-order logic, 28, 29
- formal verification, 8, 9, 33, 42, 44, 59–64, 66, 68, 76, 150, 152, 177
- GenerateApplicablePlansEmptyProblemGoal, 260, 262, 264
- goal, 2, 18, 24, 65, 66
 aircraft example, 134, 135
 in AIL, 68, 268, 269
 in BDI, 26, 31, 32, 268
 in Gwendolen, 34, 35, 246–248, 250–252, 255, 257–260, 263, 264, 270, 277–279, 284, 336
 logic of, 55
 property, 56, 66, 69–71, 88, 101, 333, 335, 350, 352
 spacecraft, 106
 goal base, 32, 36, 66, 269, 336
- governor agent, 19, 20
- governor architecture, 151, 170, 171
- guard, 32, 35, 38, 247, 252–255, 257, 258, 268, 289
- Gwendolen, 24, 33–35, 40, 120, 242, 267, 283, 290, 297
 debugging and troubleshooting, 260–267, 277, 279, 280
 equation, 289
 hello world, 246, 247
 intention, 269–272, 274, 276
 location of files, 261
 message, 282
 model-checking, 149, 228, 335–337
 multi-agent system, 285, 286
 perception, 292
 program execution, 247, 250
 reasoning cycle, 34, 35, 157, 277–279, 291
 verification environment, 77
- GwendolenAgentBuilder class, 285, 299
- GwendolenMASBuilder class, 248, 298, 299
- hierarchical control system, 14
- horn clause, 26–29, 32
- housekeeping belief, 253
- human interaction, 245
- human–robot teamwork, 8
- hybrid agent architecture, 9, 13, 104, 105, 117, 119
- hybrid control system, 16
- image classification, 19, 22, 62, 243
- initial belief, 36, 247, 250, 251, 257, 294
- initial goal, 36, 247, 250, 269
- intention, 24, 25, 66
 in AIL, 68, 267–269
 in BDI, 32
 in Gwendolen, 33, 34, 157, 264, 267, 269–274, 276, 278, 279, 292, 336

376

logic of, 55, 56
 property, 66, 69, 70, 333, 335, 346, 350, 352
 JPF, 42, 51–53, 68, 69, 218, 226–228, 230, 331
 configuration file, 331, 332, 335, 336, 338, 360
 extension to AJPF, 70
 JVM, 100, 226
 logging, 317, 339, 342
 JPL, 214
 JVM, 51–53, 100, 226–228, 230, 233
 knowledge, 18, 25, 54, 55, 65
 legal aspects, 43
 legality of autonomous systems, 9, 19, 58, 61, 152
 LEGO rover, 23
 linear temporal logic, 66, 69, 70, 149, 159, 170, 226, 227, 231, 232, 234, 330, 334, 336, 343, 347, 351
 listener, 51–53, 69, 226, 230, 338, 342, 351, 354, 355
 literal, 27, 28
 localisation and mapping, 61
 lock, 88, 89, 272, 274, 276, 277, 279
 logging, 250, 251, 262–265, 267, 269, 273, 298, 300, 301, 307, 316–318, 339–344
 logic, 8, 26, 27, 54
 logic programming, 24, 26–32, 40
 long-term autonomy, 245
 machine ethics, 151, 153, 169, 170
 machine learning, 19, 150
 MatLab, 120
 MCAPL Framework, 34, 40, 68, 77, 129, 330, 332
 MCAPLAgent class, 339, 340
 MCAPLController class, 314
 MCAPLJobber interface, 310, 311, 321
 MCAPLProbListener class, 351, 354
 MCAPLScheduler interface, 312, 322
 medical robot, 61
 message, 40, 72, 73, 77, 99, 282, 328
 AIL, 361
 aircraft example, 131, 134, 137, 145, 148
 auction example, 99
 driverless car example, 75
 EASS verification environment, 361
 in AIL, 300, 303, 328
 in BDI, 33
 in EASS, 121, 122, 292

Index

in Gwendolen, 34, 36, 37, 269, 279, 284, 306, 336
 spacecraft example, 109
 verification environment, 77, 357, 361
 Message class, 306, 328, 361
 modal logic, 42, 46, 54–56
 model theory, 27
 model-checking, 34, 42, 44, 48, 49, 56, 64, 71, 103, 132, 149, 203, 232
 AIL support, 72
 aircraft example, 143, 146, 147
 AJPF, 68–70, 123, 226–228, 300, 332, 334, 338, 342, 343, 345, 346
 example, 73
 handling the environment, 66, 72, 73, 76, 78
 JPF, 53
 platoon, 180, 183
 PRISM, 346, 353
 Spin, 51, 346, 347, 350
 UppAal, 182
 motorway simulator, 73–76, 216, 294, 295, 323, 324, 326, 328, 329
 multi-agent system, 83, 103, 283, 328
 AJPF, 227, 228
 example, 39
 Gwendolen, 36, 248, 282–286
 in AIL, 297, 299, 315
 model-checking, 69, 70, 72, 73, 126, 333, 339
 platoon, 180, 181, 185
 search and rescue, 181
 spacecraft, 105, 106, 108, 125
 verification, 67
 NActionScheduler class, 312, 322, 325
 native peer, 230
 native proposition, 227, 228
 no plan yet, 268, 270
 null action, 110
 NumberTerm interface, 303–305
 NumberTermImpl class, 303–305
 operational semantics, 33, 68, 69, 228
 Gwendolen, 279
 PACT classification, 3
 perception, 32, 33, 66, 72, 73, 77, 121
 aircraft example, 134
 in AIL, 41, 302, 303, 311, 316
 in EASS, 292
 in Gwendolen, 34, 35, 270, 271, 279, 291, 292

- property, 69–71, 333, 350, 352, 356
 - verification environment, 77, 78, 357
- perf, 107, 110, 292, 294, 323, 327
- perform goal, 246, 247, 250–252, 255, 284
 - abstraction engine, 292
- performative, 36, 37, 284, 292, 306, 336, 361
- pervasive system, 5
- physical engine, 118–120
- plan, 153, 154, 168, 169, 252
 - in BDI, 26, 32
 - in Ethan, 156, 157, 159–161, 167
 - in ethics framework, 154–156
 - in Gwendolen, 34–36, 38, 157, 247, 250, 252, 253, 257–260, 262, 270, 271, 275, 277, 278, 284, 289, 336
- plan selection, 155–157, 159
- planetary rover, 4, 23
- planning, 19, 61, 62, 243
- platoon, 6, 21, 178
 - environment, 182, 183
 - example, 4, 177, 182, 194, 195
 - joining protocol, 178, 179
 - leaving protocol, 179
 - model-checking, 183, 185
 - property, 180, 181, 184–186, 195, 196
 - UppAal model, 185
- police robot, 61
- Predicate class, 303–305, 315
- print action, 246–250, 252, 286, 287, 290
- PRISM, 219, 224, 225, 229, 231, 234–238, 346–348, 350, 351, 353–356
- probabilistic analysis, 126
- probabilistic logic, 55
- probabilistic model-checking, 225, 230, 238, 350, 353, 354, 356
- probability listener, 230, 351, 355
- product automaton, 47–50, 123, 339, 347
- Product class, 339, 340, 361
- program automaton, 44–46, 48, 50, 52, 69, 71, 347
- program model-checker, 218, 219
- program model-checking, 42, 45, 51, 53, 64, 103
- Prolog, 26, 29–32, 38, 69, 123, 160, 214, 252, 254–257, 333
- proof theory, 27
- property, 71, 169, 202, 219, 232, 238, 244, 347, 348
 - aircraft, 234
 - aircraft certification, 131–137, 146, 149
 - AJPF, 71, 106, 227, 228, 231, 232, 234, 333, 339, 342, 343, 346, 352, 354–356, 360
 - auctions, 85, 87, 88, 100–102
 - cruise control, 216, 360
 - driverless car, 360
 - ethical, 156, 158–161, 168, 169, 173, 236
 - platoon, 180, 181, 184–186, 195, 196
 - PRISM, 352, 353, 355, 356
 - probabilistic, 234, 235
 - search and rescue, 181, 182, 188–190, 193, 194, 200, 201
 - spacecraft, 107–110, 122–126
 - Spin, 224, 232, 347, 349, 350
 - UppAal, 182
- property automaton, 45, 46, 48, 50, 228, 232, 347, 348
- property specification file, 333, 335, 349, 350, 352, 355, 356, 358, 360
- property specification language, 66, 68–70, 160, 170, 180, 181, 218, 302, 330, 332–336, 349, 350, 355
- Python BDI, 170–174
- query, 107
- random_int_generator, 213, 359
- rational agent, 17, 18, 24–26, 55
- real-time property, 182
- reasoning cycle
 - in AIL, 228, 300, 340, 346
 - in BDI, 32
 - in EASS, 291, 292
 - in Ethan, 157, 161
 - in Gwendolen, 34, 35, 263, 264, 277–279
- reasoning engine, 118–120, 208, 290–294, 321, 357, 358
- reasoning rule, 40
 - in AIL, 160
 - in Gwendolen, 38, 160, 189, 193, 254–256, 258, 259, 265–267, 288, 335
- record and replay, 282, 284, 285, 300, 315, 316, 343–345
- requirement, 44, 46–48
- resilience, 245
- robot arm, 22
- robot vacuum cleaner, 4, 7
- robotic assistant, 7, 59, 242
- robotic vacuum cleaner
 - example, 268
- ROS, 13, 20, 22, 41
- RoundRobinScheduler, 312
- rules of the air, 61, 128, 129, 131–134, 137, 146–149, 151, 153, 154, 156, 164, 165

378

Index

- runtime monitor, 207, 214, 216, 217
- runtime verification, 45, 203, 206, 207, 214, 216
- safety, 9, 19, 20, 58, 60, 65, 152, 241, 244
- safety critical system, 9, 43
- scheduler, 72, 228, 309–312, 316, 322, 325, 339, 352
- scheduling, 19, 61
- search and rescue
 - assume-guarantee contracts, 197–200
 - Event-B model, 190, 191
 - example, 38, 39, 177, 179, 186, 188, 189, 191, 193, 196, 249–252, 254–259, 273–276, 300, 301, 331, 332, 335, 353–355
 - exercise, 259, 260, 280–282, 301, 316, 318, 334, 356
 - property, 181, 182, 188–190, 193, 194, 200, 201
- SendAction class, 328
- sense–plan–act, 14–16
- sensor networks, 5
- shared belief, 118–121, 208, 212–214, 291, 292, 294, 323, 327, 357, 358
- simulation, 8, 40, 62, 72, 117, 119, 127, 128, 146, 147, 149, 165, 166, 182, 238, 294
- SingleAgentScheduler, 312
- smart home, 5, 158, 161
- socket communication, 323, 324, 326–328
- spacecraft, 6, 22, 104–107
 - environment, 117, 120
 - example, 18, 106, 109, 110, 114, 117–121, 124, 125, 146, 219, 319
 - model-checking, 106, 123, 125, 126, 231
 - property, 107–110
 - verification environment, 106, 121, 122
- specification, 8, 44, 56
- Spin, 219, 224, 228, 229, 231–234, 346–350, 352
- standards, 245
- start event, 270
- start intention, 269
- state space, 78
- state space explosion, 203, 205
- string handling, 287
- structured environment, 173, 174, 203, 205–209, 212, 213, 216, 217, 358
- subsumption architecture, 14, 15
- suspend intention, 269, 272–274, 279
- symbolic artificial intelligence, 14
- symbolic planning, 150
- temporal logic, 42, 46, 54–56, 68
- Term interface, 304
- testing, 8, 43, 62, 64, 149, 177, 238
- three-layer architecture, 16
- timed automata, 182–185, 194, 195
- trace expression, 206–215
- transparency, 242, 244
- trigger, 35, 36, 269, 271, 275, 277
- trust in autonomous systems, 9, 59, 60
- ubiquitous system, 5
- uncertainty, 245
- Unifiable interface, 305, 306
- unification, 30
- unifier, 265–268, 303, 305–307
- Unifier class, 305, 306
- UniformBoolChoice class, 359
- UniformIntChoice class, 359
- unstructured environment, 173, 174, 203, 208, 216
- untimed automata, 184
- UppAal, 182–185, 194–196, 202, 231, 238
- validation, 8, 245
- variable autonomy, 3, 245
- VarTerm class, 303–305
- vehicle-to-vehicle communication, 178
- verification, 8, 43, 53, 57, 58, 62, 63, 65, 66, 241–244
 - agent program, 73
 - aircraft example, 146–148
 - of Ethan programs, 170
- verification environment, 73, 76–78, 126, 203
 - aircraft example, 132, 136, 145, 146, 148, 167, 168, 219
 - Asimov example, 173, 174
 - EASS, 121, 357–360
 - from trace expression, 207, 212
 - platoon, 183
 - search and rescue example, 188, 193
 - spacecraft example, 121, 122
 - structured, 205, 206, 216, 217
 - unstructured, 208, 216
- VerificationofAutonomousSystemsEnvironment, 77
- wait for, 37, 272–274, 279