

Index

- σ -algebra, 15
- restriction of, 33
- a.s., 27
- Abel sum, 472
- absolutely continuous, 31
- action space, 452
- adapted, 20
- AdaUCB, **108**, 409
- admissible, 369
- affine hull, 427
- almost surely, 27
- anytime, **78**
 - Exp3, 303
 - Exp3-IX, 148
 - Exp4, 200
 - MOSS, 108
 - UCB, 97
- arithmetic coding, 161
- Assouad's method, 175
- asymptotic optimality
 - k -armed lower bounds, 177–9
 - k -armed upper bounds, 97, 108, 116
- best arm identification, 355–60
- linear bandits, 258–61
- partial monitoring, 448
- ranking, 351
- Thompson sampling, 415
- Bachelier–Lévy formula, 110
- bandits with expert advice, 196
- Bayes rule, 21
- Bayesian bandit environment, 377
- Bayesian optimal policy, **379**
 - 1-armed bandit, 390
 - discounted bandit, 396
- Bayesian regret, 50, **379**
- Bayesian upper confidence bound algorithm, 415
- Bellman optimality equation, 457
- Bennett's inequality, **70**
- Bernoulli
 - bandit, 47, 57–9, 100, 112–21, 137, 140, 151, 174, 175, 375, 377, 378, 382, 385, 386, 390–1, 395, 401, 402, 404, 417
 - distribution, 47, 62, 67, 69, 163
 - random variable, 26, 43, 323
- Bernstein's inequality, **70**, 70, 474
 - empirical, 92, **95**
- beta distribution, 375
- bias-variance trade-off, 193
- bidual, 268, 329
- bits, 162
- Borel σ -algebra, 16
- Borel function, *see* Borel measurable function
- Borel measurable function, 16
- Borel space, 36
- boundary, 275
- Bregman divergence, **269–70**, 287, 383
- Bretagnolle-Huber inequality, **163**, 172, 180, 186, 251, 356
- Brownian motion, 109, 338
- canonical bandit model, 170
 - k -armed stochastic, 51
 - Bayesian, 384
 - contextual, 57
 - infinite-armed stochastic, 53
- Carathéodory's extension theorem, 18
- cardinal optimisation, 365
- cascade model, 342
- categorical distribution, 71, 431, 466

- Catoni's estimator, 96
- cell decomposition, 427
- Cesàro sum, 456, 472
- chain rule of probability measures, 42
- change of measure, 31
- Chernoff bound, **113**, 350
- chi-squared distance, **167**, 175
- chi-squared distribution, 65, 209
- click model, 341
- closed function, 329
- closed set, 275
- complement, 14
- concave, 269
- conditional expectation, 25
- conditional independence, 29
- conditional probability, 21
- conjugate pair, 374
- conjugate prior, 374
- consistent policy, 177, 258
- contextual bandit, 57, 193, 336
 - adversarial linear, 309
 - stochastic, 200, 203, **205–7**
 - stochastic linear, **207–11**, 309
- contextual partial monitoring, 448
- controlled Markov environment, 475
- convex hull, 267
- convex optimisation, 286
- core set, 232
- counting measure, 31
- covering, 220, 227
- Cramér transform, 68
- Cramér–Chernoff method, **62–4**, 145, 222, 223
- cumulant generating function, **62**, 120
- cumulative distribution function, 25
- D-optimal design, 232
- data processing inequality, **168**, 433
- degenerate action, 427
- density, 30
- derivative-free stochastic optimisation, 364
- descriptive theory, 54
- deviation matrix, 477
- diameter
 - of convex set, 292
 - of MDP, 455
- differential value function, 456, 457
- discount factor, 336
- discounting, 336, 394, 400
- disintegration theorem, **42**, 382
- distribution, 15
- domain, 267
- dominated action, 427
- dominating measure, 31
- doubling trick, **78**, 80, 137, 249, 299
- dual norm, 293
- dynamic programming, 400
- easy partial monitoring game, 426
- effective dimension, 216
- elimination algorithm, 78, 79, 81, 103, 181, 236, 241
- elliptical potential lemma, 210
- empirical risk minimisation, 201
- entropy, 160, 161, 167
- events, 13
- exchangeable, **204**
- Exp3, **131**, 194, 279, 281, 286, 302, 319, 331, 333, 425
- Exp3-IX, **143**, 185, 319, 338
- Exp3.P, **149**, 201, 338
- Exp3.S, 338
- Exp4, **197**, 215, 332
- expectation, 23
- explore-then-commit, **75**, 91, 200, 213
- exponential family, 100, 119, 181, 182, 357, **375**, 375, 415
- exponential weighting, 131, 322
 - algorithm, 136
 - continuous, 281–3
- extended real line, 267
- feasible, 458
- feature map, 206
- feature space, 206
- feature vector, 206
- feedback matrix, 424
- Fenchel dual, 68, 222, **268**
- filtered probability space, 20
- filtration, 20
- finite additivity, 14
- first-order bound, 148, 299, 304
- first-order optimality condition, 273

- Fisher information, 173
- fixed design, 219
- fixed share, 338
- follow the leader, 287, 300
- follow-the-perturbed-leader, 139, 200, 322, 406
- follow-the-regularised-leader, **287**, 311
 - changing potentials, 303
- Frank–Wolfe algorithm, **234**, 235
- Fubini’s theorem, 31
- full information, 136, 338
- fundamental matrix, 477
- G-optimal design, 231
- gain, 455
- game theory, 158
- Gaussian tail lower bound, 418
- generalised linear bandit, 215
- generalised linear model, 213
- Gittins index, 337, 393
- globally observable, 429
- gradient descent, 288
- graph Laplacian, **217**
- Hahn decomposition, 24
- hard partial monitoring game, 426
- Hardy–Littlewood, 396, 403
- heavy tailed, 63
- Hedge, 136
- Hellinger distance, 167
- Hoeffding’s inequality, **65**, 115, 350
- Hoeffding’s lemma, **65**, 69, 114, 136, 228
- Hoeffding–Azuma, **228**, 467
- hopeless partial monitoring game, 426
- Huffman coding, 161
- hypothesis space, 371
- image, 445
- implicitly normalised forecaster, 305
- importance-weighted estimator, 129, 130, 148, 201, 296
- independent events, 21
- index, 393
- index policy, 393
- indicator function, 17
- information-directed sampling, 213, **416**, 418, 448
- instance-dependent bound, 201
- integrable, 24
- interior, 275
- Ionescu–Tulcea theorem, **38**, 53, 378, 454
- isomorphic measurable spaces, 36
- Jensen’s inequality, 269
- John’s ellipsoid, 283
- Kearns–Saul inequality, 69
- kernel, 445
- kernel trick, 211
- Kiefer–Wolfowitz, **232**, 238, 281, 283, 295, 310
- Kraft’s inequality, 165
- Kullback–Leibler divergence, 160
- Laplace’s method, 223
- large deviation theory, 67
- law, 15
- law of the iterated logarithm, 93, 104, 229
- law of total expectations, 28
- Le Cam’s inequality, 164
- Le Cam’s method, 174
- learning rate, **131**
 - adaptive, 299, 304
 - time-varying, 199, 288, 303
- least-squares, 219
- Lebesgue integral, 23
- Lebesgue measure, 24
- Legendre function, **271–3**, 287, 322
- light tailed, 63
- likelihood ratio, 230
- linear subspace, 445
- link function, 213
- Lipschitz bandit, 215
- locally observable, 429
- log partition function, 375
- log-concave, 281
- logistic function, 375
- loss matrix, 424
- margin, 215
- Markov chain, **38–9**, 453
- Markov kernel, **38**
- Markov policy, 453
- Markov process, 41

- Markov property, 471
Markov reward process, 393
martingale, 39
maximal end component, 482
maximal inequality, 40, 104, 225
measurable map, 16
measurable set, 15
measurable space, 15
measure, 15
median-of-means, 95
memoryless deterministic policy, 453
memoryless policy, 453
metric entropy, 227
minimax, 103
minimax optimal, 155
mirror descent, 136, 286, 322, 333
misspecified linear bandit, 238, 255,
 311, 312
model, 371
MOSS, 100, 103
multi-class classification with bandit feedback,
 202
multi-task bandit, 254, 319, 330

nats, 162
negative correlation, 146
neighbouring actions, 427
non-anticipating sequence, 303
non-oblivious, 136, 299
non-parametric, 47
non-singular exponential family, 375
non-stationary bandit, 55
nonstationary, 136
null set, 27

oblivious, 294, 299
oblivious adversary, 136
one-armed bandit, 4, 58, 101
 Bayesian, 389–92
online gradient descent, 288
online learning, 10, 245, 286
online linear optimisation, 286
online-to-confidence set conversion, 244
open set, 275
operator, 32
optimal experimental design, 231, 363

optimal value function, 457
optimisation oracle, 200, 326
optimism bias, 92
optional stopping theorem, 40
ordinal optimisation, 365
orthogonal complement, 445
outcome space, 13

packing, 227
parameter noise, 308
parametric, 47
Pareto optimal, 158, 369
Pareto optimal action, 427
partial monitoring, 7
partially observable Markov decision process,
 471
peeling device, 104
permutation, 340
Pinsker’s inequality, 113, 119, 166,
 167, 293
point-locally observable, 447
Poisson distribution, 67
policy, 52
policy iteration, 472
policy schema, 380
position-based model, 341
posterior, 370, 371
potential function, 287
predictable, 20
predictable variation, 70, 71
prediction with expert advice, 136
preimage, 14
prescriptive theory, 54
prior, 369, 371
prior variance, 374
probability distribution, 15
probability kernel, 38, 371
probability measure, 15
probability space, 15
product σ -algebra, 18
product kernel, 38
product measure, 31, 53
projective, 37
push-forward, 15

quadratic variation, 148

- Rademacher variable, 68
- Radon–Nikodym derivative, 30
- random
 - element, 16
 - variable, 16
 - vector, 16
- random table model, 53, 129
- random variable, 14
- ranked bandit model, 350
- ranking and selection, 365
- rate function, 68
- reactive adversary, 136
- reduction, 307, 354
- regret, 5
 - adversarial, 127
 - non-stationary, 332
 - policy, 136
 - pseudo, 55
 - pseudo, random, 186
 - random, 55
 - stochastic, 48
 - tracking, 332
- regret decomposition lemma, 50
- regular exponential family, 375
- regular version, 42, 168, 169
- regularised risk minimisation, 301
- regulariser, 287
- reinforcement learning, 7, 79, 400, 463
- relative entropy, 162–5, 270, 383
- restless bandit, 337, 402
- retirement policy, 58
- reward-stack model, 53, 396
- ridge regression, 219
- right stochastic matrix, 452
- semi-bandit, 317, 320–6, 350, 352
- semibandit, 417
- separation oracle, 282, 460
- sequential halving, 362
- Sherman–Morrison formula, 218
- signal variance, 374
- signal-to-noise ratio, 309
- signed measure, 15
- similarity function, 195
- simple function, 23
- Sion’s minimax theorem, 300, 305, 381, 416
- sliding window, 336
- smoothness, 206
- source coding theorem, 161
- span, 456
- spectral bandit, 216
- state space, 452
- static experts, 200
- stationary transition matrix, 456, 477
- stochastic optimisation, 362
- stochastic process, 37
- stopping rule, 39
- stopping time, 39
- strictly convex, 268
- strongly connected component, 482
- sub- σ -algebra, 15
- submartingale, 39, 104
- suboptimality gap, 50
- sufficient statistic, 382, 390, 395, 471
 - of exponential family, 375
- supermartingale, 39, 226
- supervised learning, 196
- support, 32
- support function, 322, 329
- supporting hyperplane, 273
 - theorem, 275, 384
- tail probability, 25
- Thompson sampling, 56, 100, 404
 - for reinforcement learning, 474
- total variation distance, 166, 167
- tower rule, 28
- track-and-stop algorithm, 359
- transductive learning, 202
- transition matrix, 456
- trivial event, 34
- trivial partial monitoring game, 426
- UCB-V, 95
- uniform exploration algorithm, 353
- union bound, 63
- universal constant, xvi
- unnormalised negentropy, 270, 272, 276, 289, 302, 320, 333
- unnormalised negentropy, 413
- unstructured bandits, 178

-
- value function, 388
vanishing discount approach, 472
Varaiya's algorithm, 401
VC dimension, 204
von Neumann-Morgenstern theorem,
 55
Wald–Bellman equation, 388
weak neighbour, 447
weak* topology, 32
worst-case regret, 155
zeroth-order stochastic optimisation, 364