
Index

- 1-split Levi subgroup, 213
- 2-parameter Green function, 241
- a -function, 278
- a -invariant, 233, 278
- adding a cohook, 305
- adding a hook, 304
- addition of symbols, 303
- adjoint quotient, 62
- adjoint representation, 12
- adjointness of R_L^G , 216
- affine algebraic group, 3
- affine variety, 2
- algebraic BN -pair, 14
- almost character
 - for disconnected groups, 358
- almost characters, 193
- Alvis–Curtis–Kawanaka–Lusztig duality, 249
- Asai Levi subgroup, 336
- average value, 183
- b -invariant, 272
- base, 18
- β -set, 277
- BN -pair, 13
 - of rank 1, 224
- Bruhat cells, 14
- Bruhat decomposition, 14
- Cartan matrix, 19
- Cartan type, 19
- central isogeny, 39
- central isotopy, 39
- character formula for R_L^G , 242
- character group, 10
- character of ℓ -defect zero, 298
- character sheaves, 181, 192
- character values
 - on semisimple elements, 113
- characteristic exponent, 36
- characteristic function, 193
- class fusion, 94, 113
- co-character group, 11
- cohook of a symbol, 304
- coinvariant algebra, 276
- comparison theorem, 229, 340
- complete root datum, 75
- complex reflection group
 - special, 282
- complex reflection groups, 260
- conformal group, 81
- connected, 4
- content of a symbol, 302
- core of a symbol, 303
- cuspidal
 - module, 217
 - pair, 217
 - symbol, 303
- cuspidal pair, 217
- cuspidal unipotent characters
 - in classical types, 314
- d -cocore, 305
 - of a symbol, 305
- d -core, 304
 - of a symbol, 305
- d -cuspidal character, 266
- d -cuspidal pair, 266
- d -Harish-Chandra series, 267
- d -Harish-Chandra theory, 340
- d -Jordan cuspidal character, 267
- d -principal series, 341
- d -regular element, 259
- d -split Levi subgroup, 258
- d -split Levi subgroups

- in GL_n , 262
 - in classical types, 263
 - in exceptional types, 264
- d -torus, 257
- decomposition of R_L^G
 - in classical types, 330, 336
 - in type A , 328
- decomposition theorem, 292
- defect of a symbol, 302
- defined over \mathbb{F}_q , 40
- degenerate symbol, 303
- degree formula, 233
- degree polynomial, 130
- degree polynomials
 - of unipotent characters, 324
- Deligne–Lusztig character, 109
- diagonal automorphisms, 62
- distinguished symbol, 302
- Drinfeld double, 290
- dual complete root datum, 79
- dual root datum, 16
- duality, 64
- duality operator, 249
 - for disconnected groups, 356
- Dynkin diagram, 19
- e -symbols, 305
- Ennola dual, 78, 206
- Ennola duality, 300
- exceptional characters, 221
- exceptional family, 281
- extended Coxeter group, 222
- F -simple, 63
- fake degree, 150, 276, 283
- fake degrees
 - for type A_n , 277
 - for type B_n , 277
 - for type D_n , 277
 - for type 2D_n , 284
- families in $\text{Irr}(W)$, 280
 - in type A_n , 282
 - in type B_n , 282
 - in type D_n , 282
- families of unipotent characters, 287
 - in classical types, 308
- finite group of Lie type, 42
- finite reductive group, 42
- Fourier matrix, 293
 - for 2B_2 , 319
 - for 2F_4 , 321
 - for 2G_2 , 319
 - for classical types, 309
 - of \mathfrak{S}_2 and \mathfrak{S}_3 , 294
- Frobenius eigenvalues, 295
 - in classical types, 316
 - in exceptional types, 318
- Frobenius map, 40
- fundamental group, 19, 63
- Galois action
 - and R_L^G , 243
 - and Lusztig series, 243
 - on unipotent characters, 323
- Gelfand–Graev character, 254
- general orthogonal group, 5
- general position, 110
- general unitary group, 49
- generalised decomposition map, 244
- generalised Gelfand–Graev characters, 254
- generic character table, 102, 181
- generic degree, 231
- generic finite reductive group, 75
- generic Iwahori–Hecke algebra, 219
- generic twisted extended Iwahori–Hecke algebra, 222
- generic unipotent characters, 323
- genus of a symbol, 302
- geometric conjugacy classes of characters, 121
- geometric series of characters, 121
- geometrically conjugate, 121, 145
- good prime, 188
- Green function, 112, 241
- Green functions, 359
- Harish-Chandra induction, 110, 214
- Harish-Chandra restriction, 214
- Harish-Chandra series, 217
 - in classical groups, 315
 - in exceptional groups, 318
 - in unitary groups, 300
- Hecke algebra, 218, 223
- Hom-functor, 218
- homomorphism of root data, 16
- hook formula
 - for classical types, 307
 - for type A , 298
- hook length, 304
- hook of a symbol, 304
- indecomposable Cartan matrix, 19
- index representation, 221
- indivisible, 139
- inflation, 94
- irreducible complex reflection groups, 260
- isogeny, 36

- isogeny theorem, 35
- isotypy, 39
- Iwahori–Hecke algebra, 220
- j -induction, 273
- Jordan decomposition
 - for unipotent characters, 293
- Jordan decomposition of characters, 134, 167, 168, 178
 - and Harish-Chandra series, 246, 349
 - commutes with R_L^G , 345, 347, 350, 359
 - given by R_L^G , 246
 - uniqueness of, 343
- Jordan decomposition of elements, 8
- ℓ -adic cohomology groups with compact support, 106
- Lefschetz number, 107
- leg length of a hook, 327
- length function, 13
- Levi complement, 212
- Levi decomposition, 212
- Levi subgroup, 212
 - Φ -split, 258
 - d -split, 258
 - 1-split, 213
 - of type (I, w) , 237
 - split, 213
- linear algebraic group, 4
- linear characters, 96
- Lusztig induction, 237
 - and regular embeddings, 248
 - and restriction of scalars, 248
 - in disconnected groups, 354
 - is generic, 324
- Lusztig restriction, 238
- Lusztig series
 - Galois action, 243
- Lusztig series of characters, 167
- Mackey formula
 - for R_L^G , 216
 - for R_L^G , 240
 - for disconnected groups, 356
- maximal quasi-torus, 352
- maximal toric sub-datum, 79
- maximally split, 44, 64
- Mellin transform, 291
- modified Green functions, 200
- non-abelian Fourier transform, 290
- non-abelian Fourier transform matrix, 293
- norm map, 120
- one-parameter Hecke algebra, 220
- order polynomial, 75
- ordinary automorphism, 69, 283
- orthogonality relations for Green functions, 195
- p -constant class function, 243
- p -isogeny of root data, 20
- parabolic subgroup, 212, 261, 352
- parabolic subgroups
 - of $GL_n(q)$, 214
 - of $GU_n(q)$, 214
- perfect pairing, 11
- Φ -split Levi subgroup, 258
- Φ -torus, 258
- Poincaré polynomial, 231
- positive roots, 18
- preferred σ -extension, 285
- preservation results, 35
- principal series, 218
- projective general linear group, 34
- property (U_d) , 266
- quasi-Borel subgroup, 352
- quasi-central automorphism, 352
- quasi-central elements
 - in almost simple groups, 353
- quasi-isolated conjugacy class, 246
- quasi-Levi subgroup, 352
- quasi-semisimple automorphism, 352
- rank, 19, 111, 212
 - of a symbol, 302
- rational series of characters, 167
- rational structure, 40
- reduced expression, 14, 219
- reduced symbol, 308
- reductive, 10
- reductive BN -pair, 14, 29
- regular character, 252
- regular elements, 123
- regular embedding, 80
 - and Lusztig induction, 248
- regular functions, 2
- regular number, 259
- regular unipotent class, 115, 198
- regular unipotent elements, 115
- regular vector, 259
- relation \leq_1 , 217
- relation \leq_d , 267
- relation \ll_d , 267
- relation \leq , 280
- relative F -rank, 111
- relative rank, 226

- relative Weyl group, 223, 259
 - in classical types, 269
 - in exceptional types, 261
- removing a cohook, 304
- removing a hook, 304
- representation, 12
- root datum, 15
 - dual, 16
 - of adjoint type, 24
 - of simply connected type, 24
- root exponents, 21, 36
- root space decomposition, 12
- root subgroup, 28
- roots, 12
- Schur element, 231
- Schur elements
 - in type A_n , 233
- Schur index, 323
- semidirect product (of algebraic groups), 9
- semisimple, 13
- semisimple character, 171
- semisimple element, 8
- semisimple group of adjoint type, 55
- semisimple group of simply connected type, 55
- semisimple rank, 155, 170
- series of finite groups of Lie type, 76
- Shepard–Todd classification, 260
- shift operation on symbols, 302
- σ -character table, 99
- σ -conjugate, 96
- σ -extension, 97
- σ -class function, 96
- sign representation, 221
- similarity of symbols, 302
- simple algebraic group, 10
- simply connected covering, 62
- Singer cycle, 71
- special character, 281
- special linear group, 33
- special orthogonal group, 5
- special unipotent character, 289
- specialisation, 220
- spetses, 323
- spetsial reflection groups, 282
- split Levi subgroup, 213
- split torus, 213
- Springer correspondence, 196
- standard Frobenius map, 40
- standard Levi subgroup, 212
- standard parabolic subgroup, 212
- Steinberg character, 251
 - for disconnected groups, 357
- Steinberg map, 42
- Sylow d -torus, 259
- symbol, 301
 - addition, 303
 - cohook, 304
 - cohook removal, 304
 - content, 302
 - core, 303
 - cuspidal, 303
 - d -cocore, 305
 - d -core, 304
 - defect, 302
 - degenerate, 303
 - distinguished, 302
 - genus, 302
 - hook, 304
 - hook removal, 304
 - rank, 302
 - reduced, 308
 - shift operation, 302
 - similarity, 302
- symplectic group, 5
- tangent space, 6
- Tits system, 13
- toric datum, 79
- torus, 8
- torus of type w , 70, 80, 127
- transitivity
 - of R_L^G , 215
 - of R_L^G , 239
- twisted induction, 238
- twisting operator, 296
- uniform almost character, 142
- uniform criterion, 226, 266
- uniform function, 117
 - on disconnected groups, 358
- uniform pairs, 196
- uniform projection, 118
- unipotent almost characters, 293
- unipotent character, 122
- unipotent characters
 - rationality of, 311, 323
 - and automorphisms, 325
 - families of, 287
 - in classical types, 305
 - in exceptional types, 317
 - in type A , 297
 - of ℓ -defect 0, 298, 308
 - of $\mathrm{GO}_{2n}^{\pm}(q)$, 358

394

INDEX

of disconnected groups, 357
 special, 289
unipotent classes, 114
unipotent element, 8
unipotent principal series, 228
unipotent radical, 9
unipotent support, 189

unipotent uniform almost characters, 150
virtual character, 93
weight spaces, 12
weights, 12
Weyl group, 13, 15
Zariski topology, 2