

---

## Index

- A/B testing, *see* sequential design  
 additive models, 347  
 admissibility, 188  
 $\sigma$ -algebra, 8  
   Borel, 35  
 alternative  
   hypothesis, 170  
   set, 170  
 Anderson–Darling tests, 252  
 antitonic regression, *see* isotonic regression  
 association  
   affine, 301  
   in causal inference, 366, 367  
   in observational studies, 217  
   monotonic, 302  
 average causal effect, 367  
 average power, 188  
 average risk, 185  
 backfitting algorithm, 347  
 balanced design, 148  
 balanced incomplete block design, 149  
 bandwidth, 264, 334, 336  
   choice, 264, 266, 343  
 bar chart, 203  
   segmented, 217  
   side-by-side, 203  
 base rate, 16  
 Base Rate Fallacy, 15, *see also* base rate  
 Bayes classifier, 333  
 Bayes estimator, 185  
 Bayes formula, 15  
 Bayes risk, 185, *see* average risk  
 Benjamini–Hochberg multiple test, 319  
 Bernoulli distribution, 42, *see also*  
   binomial distribution  
 Bernoulli trials, 21, 105, 164, 199, 224,  
   *see also* Bernoulli distribution  
 beta distribution, 65  
 bias, 166  
   blinding to control, 147  
   bootstrap estimate, 243  
   in survey sampling, 140  
 bias-variance decomposition, 166, 265  
 binning, 235  
 binomial coefficient, 24  
 binomial distribution, 24, 41, 42  
   experiment, 164, 192  
   normal approximation, 55  
   Poisson approximation, 48  
 Bonferroni correction, 318  
 Bonferroni’s inequalities, 10  
 Boole’s inequality, 10  
 bootstrap, 208  
   empirical, 242, 260  
   parametric, 260  
   smooth, 260  
 bootstrap confidence interval, 246, 275  
   Studentized, 247, 273  
 bootstrap distribution, 242  
 bootstrap p-value, 207, 210, 220, 255,  
   282, 286, 300  
 bootstrap world, 241  
 Borel–Cantelli lemmas, 100  
 boxplot, 40  
 case-control study, 156  
 Catalan numbers, 30  
 categorical variable, 70  
 Cauchy distribution, 66  
 causal inference, 366  
   natural experiment, 158  
   randomization, 147  
 Central Limit Theorem, 105  
   Lindeberg, 107  
   Lyapunov, 107  
 Chain Rule, 14

- characteristic function, 89, 106
    - goodness-of-fit tests, 269, 287, 306
  - Chebyshev's inequality, 90
    - confidence interval, 194
  - Chernoff's inequality, 91
  - chi-squared distribution, 66
  - classification, 330, 331
    - additive, 347
    - linear, 342
    - local, 336
  - classification boundary, 350
  - clinical trial, 144
  - cluster sampling, 143
  - Cochran–Mantel–Haenszel test, 322
  - cohort study, 155, 321
  - combination tests, 312
  - Combinatorics, 20
  - completely randomized design, 148
  - compound Poisson distribution, 93
  - compound sum, 93
  - concentration inequalities, 90–92
  - conditional
    - distribution, 75
    - expectation, 87
    - probability, 12
    - variance, 87
  - confidence band, 253
  - confidence interval, 168
  - confidence region, 168
  - conformal prediction, *see* prediction interval
  - confounding, 146
  - consistency, 182
    - estimator, 183
    - test, 184
  - contingency table, 211, 219, 323
  - continuous distribution, 57, 72
    - absolutely, 58, 72
    - random variable, 60
    - random vector, 72
  - Continuous Mapping Theorem, 109
  - convenience sampling, 141
  - convergence
    - distribution, 102
    - probability, 101
  - convolution, 77
  - correlation, 86
    - Kendall, 304
    - Pearson, 301
    - Spearman, 303
  - correlation analysis, 299
  - counterfactual model, 367
  - counts, 48, 71, 209, 235, *see also*
    - contingency table
    - estimated expected, 210
    - expected, 206
    - observed, 206
  - covariance, 85
  - Cramér–von Mises test, 252
  - critical value, 175
  - cross-sectional study, 157
  - cross-validation, 266, 344
  - crossover design, 152
  - cumulative distribution function, *see*
    - distribution function
  - curse of dimensionality, 338
  - data splitting, 343
  - de Moivre–Laplace Theorem, 55, *see also*
    - Central Limit Theorem
  - deconvolution, *see* measurement error
  - Defendant's Fallacy, 17
  - density function, 59, 72
    - conditional, 75
    - convolution, 77
    - estimation, 263, 266, 336, 350
    - goodness-of-fit tests, 253
    - independence testing, 306
    - likelihood, 179
  - differential entropy, 98
  - discovery, *see* rejection
  - discrete distribution, 69
    - random variable, 41
  - discrete distributions, 41
  - discriminant analysis, 350
    - linear, 350
  - disjunct design, 151
  - distance covariance, 307, 308, *see also*
    - energy statistics
  - distribution function, 36, 69
  - double-blind experiment, 147
  - Dvoretzky–Kiefer–Wolfowitz Theorem, 233
  - empirical bootstrap, 260
  - empirical distribution, 231, *see also*
    - Glivenko–Cantelli Theorem,
    - Dvoretzky–Kiefer–Wolfowitz Theorem, empirical bootstrap
  - distribution function, 231, 250, 253, 276, 305
  - quantile function, 233, *see also* order statistics
- Empirical Process Theory, 259

- empirical risk, 339
  - minimization, 340
- energy statistics, 287
- entropy, 97
- estimate, 165, *see also* estimator
- estimation, 94
- estimator, 165
- events, 7
- exchangeability, 110, 223, 295
- expectation, 78
- expected loss, *see* risk
- expected risk, 332
- experiment, 6
- experimental design, elements of, 144
- experimental design, examples of, 148–153
- exponential distribution, 57, 63
- F-distribution, *see* Fisher distribution
- F-test, 281, 287
- factor, *see* categorical variable
- factorial, 23
- factorization criterion, 181
- fail-safe number, 325
- false discovery rate (FDR), 316
  - marginal (mFDR), 328
  - procedures, 319–321
- false negative, *see* Type II error
- false non-discovery rate, 317
- false positive, *see* Type I error
- family-wise error rate
  - procedures, 317
- family-wise error rate (FWER), 316
  - procedures, 319
- file drawer problem, 324
- Fisher distribution, 66
- Fisher's Exact Test, 215
- Fisher's exact test, 217
- fitting, 332
- Fourier transform, 89
- Fréchet distribution, 108
- frequencies, *see* binning, counts
- Friedman test, 297
- funnel plot, 322
- Galton–Watson process, 121
- Gambler's Fallacy, 12, 22
- Gambler's Ruin, 120, *see also* random walk
- gamma distribution, 65
- Gaussian distribution, *see* normal distribution
- general exponential family, 191
- General Law of Multiplication, 14
- generalization error, *see* expected risk
- generalized likelihood ratio, *see* likelihood ratio
- geometric distribution, 44
  - experiment, 199
- Glivenko–Cantelli Theorem, 232
- global null hypothesis, 312
- global testing, 281, *see also* global null hypothesis
- goodness-of-fit, testing for, 204, 208, 250, 276, 308, 359
- graph, 117
- Grenander estimator, 267
- group testing, 150
- Gumbel distribution, 108
- hazard rate, 257
- higher criticism, 313, *see also* Anderson–Darling tests
- histogram, *see also* kernel density estimation, 234
- Hochberg multiple test, 319
- Hodges–Lehmann estimator, 298
- Hoeffding test, 306
- Holm multiple test, 318
- Hommel multiple test, 319
- homogeneity, testing for, 208
- hypergeometric distribution, 44
  - experiment, 197
- hypothesis testing, 170, *see also* test, multiple hypothesis testing
- identifiability, *see also* factorization criterion, 164
- inclusion-exclusion formula, 11
- independence, 13
  - events, 13
  - mutual, 14
  - pairwise, 14
  - random variables, 42, 74
  - testing for, 217, 299
- independent and identically distributed (iid), 103
- interpolation, 340
- Ising model, 135, 363
- isotonic regression, 348
- joint distribution, 69
- joint independence, *see* mutual independence
- Kaplan–Meier estimator, 258
- Kendall correlation, 304

- Kendall's  $\tau$ , *see* Kendall correlation
- kernel density estimation, 263
- kernel function, 263
- kernel regression, 335
- Kolmogorov distribution, 251
- Kolmogorov–Smirnov test, 251
- Kruskal–Wallis test, 283
- Kullback–Leibler divergence, 98, 254
- Laplace transform, 88
- Law of Addition, 9
- Law of Large Numbers, 103
- Law of Multiplication, 13
- Law of Small Numbers, 48
- Law of Total Probability, 9
- leave- $q$ -out cross-validation, 345
- leave-one-out cross-validation, 266, 346
- Lebesgue integral, 59
- level of a test, *see* significance level
- likelihood function, 167, 179
- likelihood ratio, 171
- linear classification, 342
- linear models, 341, *see also* linear regression
  - linear regression, 341
    - least squares, 342
    - polynomial regression, 341
- Literary Digest Poll, 142
- local average, 334, *see also* kernel regression
- local linear regression, 335
- local methods for regression, 334
- location family of distributions, 60
- location-scale family of distributions, 60
- LOESS, *see* local linear regression
- log-concave density, 269
- log-rank test, 288
- logarithmic distribution, 93
- logistic regression, 343
- longest run test, 224
- loss, 166, 331
  - surrogate, 342
- many-to-one comparison, 281
- margin of error, 196
- marginal distribution, 69
- Markov chain, 113
  - ergodic theorem, 134
  - irreducible, 116
  - positive recurrent, 116
  - reversible, 117
  - stationary distribution, 115
  - transition matrix, 114
- Markov chain Monte Carlo (MCMC), 132
- Markov's inequality, 90
- mass function, 19, 69, *see also* density function
  - matched-pairs design, 153, 213
- matching, 157
- maximum likelihood estimator, 167
- maximum risk, 184
- mean, 78, *see also* expectation
  - mean absolute error, 166, *see also* risk
  - mean integrated squared error, 266, 352
  - mean squared error, 166, *see also* risk
- measurable function, 36
- measurable space, 8
- median, 40, *see also* quartile, quantile
  - inference, 237
- median test, 284, *see also* sign test
- Meta-analysis, 321
- method of least squares, 342
- method of moments, 260, 261
- Metropolis–Hastings Algorithm, 135
- minimax estimator, 184
- minimax risk, 184, *see also* maximum risk
- minimum power, 188
- moment, 82
  - central, 84
- moment generating function, 87
- monotone likelihood ratio, 190
- Monte Carlo integration, 128
- Monte Carlo simulation, 127, 128
- Monty Hall Problem, 12
- Moran urn model, 28
- multinomial distribution, 71
- multiple test, 314
- multiple testing, 310
- multivariate hypergeometric distribution, 72
- mutual independence, 14, *see also* independence
  - events, 14
  - random variables, 74
- Nadaraya–Watson estimator, *see* kernel regression
- naive Bayes, 351
- natural experiment, 158
- nearest neighbor classifier, 337
- negative binomial distribution, 46
  - experiment, 199
- negative hypergeometric distribution, 47
  - experiment, 199
- neighborhood

- ball neighbors, 333
- nearest neighbors, 333
- network sampling, 143
- Neyman–Pearson Lemma, 189
- non-response bias, 140
- normal approximation to the binomial distribution, *see* de Moivre–Laplace Theorem
- normal distribution, 62
  - standard, 56, 62
  - testing for, 255
- normal sequence model, 311
- null distribution, 250
- null hypothesis, 170
- null set, 170
- number of runs test, 224
- observational study, 153
- optional stopping, 201
- order statistics, 230
- outcomes, 6
- overfitting, 341
- p-value, 173
  - adjusted, 327
  - permutation, 212, 215, 296, 300
    - Monte Carlo, 213
  - randomization, 356, 357
  - valid, 174
- Pólya urn model, 27
- pairwise independence, 14
- Paley–Zygmund inequality, 97
- parameter space, 164
- parametric bootstrap, 260
- pattern, 280
  - rank, 303
  - sign, 294
- Pearson correlation, 301
- permutation distribution, 277
  - rank tests, 296
- pie chart, 203
- pivot, 246
- placebo, 147
- Poisson approximation to the binomial, *see* Law of Small Numbers
- Poisson distribution, 47
- pooled adjacent violators algorithm, 348
- power calculations, 146
- power of a test, *see also* Type II error, average power, 177
- power set, 8
- prediction, 331
- prediction error, *see* risk
  - prediction interval, 261
    - regression, 348
  - prediction residual error sum-of-squares, 346, *see also* leave-one-out cross-validation
  - predictor variable, 329
  - prior, 185
  - probabilistic modeling, 163
  - probability axioms, 8
  - probability distribution, 8
  - probability generating function, 88
  - probability space, 9
  - proportion test
    - one-sample, 201
    - two-sample, 228
  - proposal distribution, 130
  - Prosecutor’s Fallacy, 16
  - pseudo-random number generator, 137
  - publication bias, 322
  - quantile, 40
    - function, 39
  - quartile, *see also* quantile
  - Rademacher distribution, 294
  - random matrix, 77
  - random variable, 34
  - random vector, 68
  - random walk, 124
    - simple, 119
  - randomization, 146
    - p-value, 357
  - randomized complete block design, 149
  - randomness, testing for, 222
  - range, 36
  - rank
    - pattern, 303
    - statistic, 278
    - test, 278
  - Rasch model, 360
  - ratio of uniforms, 132
  - re-randomization, 355
    - p-value, 356
    - test, 355
  - regression analysis, 329
  - regression discontinuity design, 160
  - regression estimator, 331
  - regression function, 332
  - rejection, 170
    - region, 175
  - rejection sampling, 130
  - relative entropy, *see* Kullback–Leibler divergence

- repeated measures design, 151  
 response bias, 140  
 response variable, 329  
 Riemann integral, 59  
 risk, 166, 331, *see also* average risk,  
   expected risk  
 risk unbiased estimator, 186  
 run, 223  
 Saint Petersburg Paradox, 94  
 sample mean, 244  
 sample median, 237  
 sample space, 6  
 sample variance, 245  
 sampling  
   cluster, 143  
   network, 143  
   stratified, 143  
   systematic, 142  
   with replacement, 25  
   without replacement, 25  
 scale family of distributions, 60  
 self-selection bias, 140  
 sensitivity, 16, *see also* Type I error  
 sequential design, 149  
 sequential probability ratio test, 200  
 Set Theory, 3  
 shape constraint, 266, 348  
 sign test, 239  
 significance level, *see also* Type II error,  
   175  
 simple random sampling, 140  
 Simpson's paradox, 221  
 Simpson's reversal, 32  
 size of a test, *see also* significance level,  
   175, *see also* level  
 Slutsky's theorem, 110  
 small study effect, 322  
 Smirnov test for symmetry, 297  
 smooth bootstrap, 260  
 spacing, 359  
 Spearman correlation, 303  
 Spearman's  $\rho$ , *see* Spearman correlation  
 species co-occurrence, 362  
 specificity, 16, *see also* Type II error  
 split plot design, 150  
 standard deviation, 84  
 statistic, 165, *see also* estimator, test  
 statistical inference, 163  
 statistical model, 163  
 statistical procedure, 182  
 Stirling's formula, 29  
 stochastic dominance, 284  
 stratification, 143  
 stratified sampling, 143  
 Student distribution, 66  
 Student test, 269, 286  
 sufficiency, 181  
 support, 36, 69  
 support vector machines, 343  
 surrogate loss, 342  
 Survey Sampling, 139  
 Survival Analysis, 256  
 survival function, 38, *see also* distribution  
   function  
 symmetric distribution, 291  
 syndromic surveillance, 309  
 systematic sampling, 142  
 t-distribution, *see* Student distribution  
 t-test, *see* Student test  
 test, 174, *see also* multiple test  
 test set, 344  
 Tippett–Šidák multiple test, 317  
 total variation distance, 254  
 Tracy–Widom distribution, 112  
 training, *see* fitting  
 training set, 343  
 Two Envelopes Problem, 30  
 Type I error, 175  
 Type II error, 175  
 unbiased estimator, 187, *see* risk unbiased  
   estimator  
 unbiased test, 191  
 uniform distribution, 55, 61  
   discrete, 10, 20, 46  
   testing for, 250  
 uniformly most powerful, 189  
   unbiased, 191  
 union bound, *see* Boole's inequality  
 urn model, 6, 24, 27–29  
 validation set, 343  
 variance, 84  
   bootstrap estimate, 243  
 Venn diagram, 4  
 weak convergence, *see* convergence in  
   distribution  
 Weibull distribution, 108  
 Wilcoxon rank-sum test, 279  
 Wilcoxon signed-rank test, 293  
 Wright–Fisher urn model, 28  
 zero-one laws, 100